SharePoint Ngubane Sakhile - ?



KZN HEALTH

KZN Health Intranet

Search this site

٥

CORPORATE INFORMATION HOME

COMPONENTS

DIRECTORY

DISTRICT OFFICES HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

	popular popular de la company	_
KWAZULU-NATAL PROVIN	ICE	
HEALTH REPUBLIC OF SOUTH AFRICA	Quotation Advert	
Opening Date:	2021-04-05	
Closing Date:	2021-04-14	ь
Closing Time:	11:00	
INSTITUTION DETAILS		
Institution Name:	Head Office Quotations	$\overline{\mathbf{v}}$
Province:	KwaZulu-Natal	
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	Dr Pixley Kalsaka Seme Hospitat	
Date Submitted	2021-04-05	
ITEM CATEGORY AND DETAILS	'er whose seri	
Quotation Number:	ZNQ:	
	ZNQ /DPM/1350/20/21-H	
Item Category:	Goods	\vee
Item Description:	Supply and delivery of Various ENT Instruments medium	
Quantity (if supplies)	i -	1
COMPULSORY BRIEFING SESSION	la garantegara	
Select Type:	Not Applicable	
Date:		#0
Time:	į. —	
Venue:		J
QUOTES CAN BE COLLECTED FROM:	ZNHEALTH WEBSITE TENDER PORTAL	
QUOTES SHOULD BE DELIVERED TO:	310 JABU NDLOVU STREET, PMB, 3200	
ENQUIRIES REGARDING THE ADVE	RT MAY BE DIRECTED TO:	
Name:	Sakhile.Ngubane	1
Email:	Sakhile.Ngubane@kznhealth.gov.za	
Contact Number:	0338158344	
Finance Manager Name:	Mr S. Ngub ine	
	4	
Finance Manager Signature:	- 	-
No	late quotes Il pe considered	
	V	

STANDARD QUOTE DOCUMENTATION OVER R30 000.00

YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: DEPARTMENT OF HEALTH- CENTRAL SCM DATE ADVERTISED: 05/04/2021 PHYSICAL ADDRESS: 310 JABU NDLOVU STREET, SCM OFFICES, PIETERMARITZBURG, 3201
ZNQ NUMBER: DPM/1350/20/21H
CONTRACT PERIODVALIDITY PERIOD 60 Days
SARS PIN
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.
UNIQUE REGISTRATION REFERENCE
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS) 310 JABU NDLOVU STREET, PIETERMARITZBURG, SCM OFFICES, TENDER ADVISORY
Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration.
The quote box is open from 08:00 to 15:30.
ALL QUOTES MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RE-TYPED)
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO WILL RESULT IN YOUR QUOTE BEING DISQUALIFIED)
NAME OF BIDDER
POSTAL ADDRESS
STREET ADDRESS
TELEPHONE NUMBER CODENUMBER FACSIMILE NUMBER CODENUMBER
CELLPHONE NUMBER
E-MAIL ADDRESS
VAT REGISTRATION NUMBER (If VAT vendor)
HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1)
IF YES, WHO WAS THE CERTIFICATE ISSUED BY? [TICK APPLICABLE BOX]
AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA)
YES NO

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS / SERVICES / WORKS OFFERED? [IF YES ENCLOSE PROOF]

OFFICIAL PRICE PAGE FOR QUOTATIONS	
SIGNATURE OF BIDDER [By signing this document hereby agree to all terms and conditions]	DATE
CAPACITY UNDER WHICH THIS QUOTE IS SIGNED.	

Item No	Quantity	Description	Brand &	Country of	Price	
			model	manufacture	R	(
		SUPPLY AND DELIVERY OF				
1	various	Various ENT Instruments				+
						1
		(DR PIXLEY KA ISAKA SEME HOSPITAL)				+
		NB: Specification attached				#
						+
						#
						+
						ļ
	_	Original documents required in a sealed				+
	_	envelope with current CSD summary report				+
		reflecting banking details, certified copy				+
		of B-BBEE certificate by verified agency and accredited by SANAS , Tax Clearance				+
	-	certificate or SARS pin				+
		Attach relevant brochure for evaluation purpose			-	+
		failing will result your offer being disqualifed				#
		Responses to be delivered:310 Jabu Ndlovu				+
		street,old boys Model,Quotation tender box				
		OR email: quotations.scmho@kznhealth.gov.za				Ŧ
						1
		nly if VAT Vendor) RICE (VALIDITY PERIOD 60 Days)				1

Does This Offer Comply With The Specification?	Does The Article Conform To The S.A.N.S. / S.A.B.S. Specification?	
Is The Price Firm?	State Delivery Period E.G. E.G. 1day, 1week	

Enquiries regarding the <u>quote</u> may be directed to:	Enquiries regarding technical information may be directed to:
Contact Person: Sakhile Ngubane Tel: 033-815 8344	Contact Person: Nishan Singh Tel082 336 8240

DECLARATION OF INTEREST

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
 - the bidder is employed by the state; and/or
 - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.

2.	In order to give effect to the above, the following questionnaire must	be	completed and submitted with the quote.	
2.2	Full Name of bidder/representative	.5.	Tax Reference Number:	
2.8	The names of all directors / trustees / shareholders / members, thei employee / persal numbers must be indicated in paragraph 3 below. Are you or any person connected with the bidder presently employe 1.1 If so, furnish the following particulars: Name of person / director / trustee / shareholder/ member:	ed b	y the state?	[TICK APPLICABLE]
2.8 <u>(Note:</u>	Position occupied in the state institution: 2. If you are presently employed by the state, did you obtain the apprint the public sector? 2.1. If yes, did you attach proof of such authority to the quote docume Failure to submit proof of such authority, where applicable, may result in the public submit proof of such authority, where applicable, may result in the public submit proof of such authority, where applicable, may result in the public submit proof of such authority is such authority.	orop ent	Any other particulars: priate authority to undertake remunerative we ? the disqualification of the quote.)	ork outside employment
2.9 2.9	 Did you or your spouse, or any of the company's directors / trustees state in the previous twelve months? If so, furnish particulars:	s / s ship	shareholders / members or their spouses co	nduct business with the YES NO
2.1 2.1 2.1	 0.1. If so, furnish particulars: 1. Are you, or any person connected with the bidder, aware of any rela employed by the state who may be involved with the evaluation and 1.1. If so, furnish particulars: 2. Do you or any of the directors / trustees / shareholders / members of or not they are bidding for this contract? 2.1. If so, furnish particulars: 	tion I or f the	ship (family, friend, other) between any other adjudication of this quote?e company have any interest in any other rela	er bidder and any person
~ 3. NB	Full details of directors / trustees / members / shareholders. The Department Of Health will validate details of directors / truste to ensure that their details are up-to-date and verified on CSD. If the not be considered and passed over as non-compliant according to N	ne [Department cannot validate the information	n on CSD, the quote will
	DECLARATION THE UNDERSIGNED (NAME) JRNISHED IN PARAGRAPHS 2.	•••	CERTIFY THAT T	HE INFORMATION
	ACCEPT THAT THE STATE MAY REJECT THE QUOTE OR COVE TO BE FALSE.	ίA	CT AGAINST ME SHOULD THIS DE	CLARATION
Na	me of bidder Signature		Position C	
1"St a) b)	ate* means — any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999); any municipality or municipal entity;	c) d) e)	provincial legislature; national Assembly or the national Council of province Parliament.	es; or

^{*}Shareholder means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

4. SAMPLES

- 4.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 4.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

5. COMPULSORY SITE INSPECTION / BRIEFING SESSION

5.1.	Bidders who fail to attend the compulsory meeting will be disqu	alified from the evaluation process.
(i) (ii)	The institution has determined that a compulsory site meeting Date/ Time: Place	will not take place
Instit	ution Stamp:	Institution Site Inspection / briefing session Official
		Full Name:
		Signature:
		Date:

6. STATEMENT OF SUPPLIES AND SERVICES

6.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

7. SUBMISSION AND COMPLETION OF SBD 6.1

7.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

8. TAX COMPLIANCE REQUIREMENTS

- 8.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 8.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

9. TAX INVOICE

- 9.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

10. PATENT RIGHTS

10.1. The supplier shall indemnify the KZN Department of Health (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

11. PENALTIES

11.1. if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract.

12. TERMINATION FOR DEFAULT

- 12.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 12.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 12.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes:

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P \min}{P \min} \right)$$
Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration
Pmin = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5.	В	ID	D	ECI	LA	R/	١Τ	10	ıΝ	ı
----	---	----	---	-----	----	----	----	----	----	---

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
- 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1
- 6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms YES NO

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

9.	DECLAR	ATION WITH REGARD TO COMPANY/FIRM					
9.1	Name o	of company/firm:					
9.2	VAT re	gistration number:					
9.3	Compa	ny registration number:					
9.4	TYPE (OF COMPANY/ FIRM [TICK APPLICABLE BOX]					
		Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited					
9.5		RIBE PRINCIPAL BUSINESS ACTIVITIES					
9.6	*************						
		Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc.					
9.7	Total no	umber of years the company/firm has been in bu	siness:				
9.8	the B-E		o so on behalf of the company/firm, certify that the points claimed, based on raphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for				
	i) Ti	ne information furnished is true and correct;					
	ii) Ti	ne preference points claimed are in accordance v	with the General Conditions as indicated in paragraph 1 of this form;				
			ult of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may tisfaction of the purchaser that the claims are correct;				
	(a)	disqualify the person from the bidding process;					
	(b)	recover costs, losses or damages it has incurre	ed or suffered as a result of that person's conduct;				
	(c)	cancel the contract and claim any damages warrangements due to such cancellation;	hich it has suffered as a result of having to make less favourable				
	(d)	who acted on a fraudulent basis, be restricted	thareholders and directors, or only the shareholders and directors by the National Treasury from obtaining business from any organ after the audi alteram partem (hear the other side) rule has been				
	(e)	forward the matter for criminal prosecution.					
		ESSES	SIGNATURE(S) OF BIDDERS(S)				
	1		DATE:				
	2		ADDRESS				

REVISED: 05/03/2021

PROVINCE OF KWAZULU-NATAL

DEPARTMENT OF HEALTH

HEALTH TECHNOLOGY SERVICES (H.T.S)

SPECIFICATION FOR:

- 1 TONSILLECTOMY / ADENOTOMY X5
- 2 TYMPANOPLASTY / STAPEDECTOMY X2
- 3 MAXILLARY SINUS SET X1
- 4 FRONTAL SINUS SET X1
- 5 ETHMOID NASAL SET X1
- 6 SPHENOID NASAL SET X1
- 7 ANTRUM SET X1
- 8 NASAL FRACTURE SET X1
- 9 MYRINGOTOMY AND GROMMIT SET X5
- 10 NECK SET X1
- 11 MOUTH GAG SET X1

SPECIFICATION: H.T.S. NO. INSTR 0046

Intended Areas of Use: Dr PIXLEY KA ISAKA SEME MEMORIAL HOSPITAL **Expert Advisory Group:**

SPECIFICATION: H.T.S. INSTR 0046 REVISED: 05/03/2021 Page 1 of 33

NB: GENERAL CLAUSES THAT DO NOT APPLY TO THE EQUIPMENT OFFERED, MUST BE ANSWERED 'NOT APPLICABLE' UNDER BIDDERS COMMENTS.

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
Clause G1.1	The space provided under "Bidder's Comments" for each clause must be used for this purpose. Bidders who neglect to provide answers to every Clause in this Bid Specification will be disqualified. Bidders must note that abbreviated answers e.g. N/A etc. will not be accepted. Bidders must also note that no part of any clause/s in this Bid Specification may be altered. Where there are traces of alterations found to any clauses in this Bid Specification during Adjudication, the Adjudication Committee will reserve the right to disqualify the bidder. The Bidder must clearly indicate if their offered product complies with the stated requirements, by indicating, "Complies" or "Does not comply" or answer the question next to the corresponding clause.	
Clause G2	All responses must be clear and legible.	
Clause G3	a. GUARANTEE:	
Clause G3.1	All Equipment, Materials and Workmanship provided under this Contract must be Guaranteed for a minimum period of twenty four (24) Months. The successful bidder must arrange with the respective Hospital / Institution and the Health Technology Services before Commissioning the Equipment at the respective Hospital / Institution. The bidder to note that the Guarantee period must only take effect upon successful Commissioning at the respective Hospital / Institution and b. successful test and acceptance by the Health Technology Services.	
Clause G3.2	c. State percentage guaranteed up time of machine (Should be at least 99%).	
Clause G3.3	The recommended number of services, per annum, by the manufacturer, must be included during and up until the end of the guarantee period and all costs related to the provision of such service/s will be for the bidders account.	
Clause G3.4	The bidder must state the number of services that will be provided during and up to the end of the guarantee period.	
Clause G3.5	Any breakdown during the guarantee period must include all cost (spares, labour, travelling and sundries) for any prescribed maintenance services (major and minor) as well as any QA testing that is required by Department Health's Radiation Control Board during the guarantee period.	
Clause G3.6	Travelling and Travelling Time costs must be included during the Guarantee Period?	
Clause G3.7	Spares that may be required during the Guarantee Period will be supplied at the expense of the bidder.	
Clause G3.8	Downtime during the Guarantee Period must extend the Guarantee time on a Day-to-Day basis.	
Clause G3.9	Any repetition (twice or more) of the same type of fault that first occurred during the guarantee period must be considered as a repair under guarantee if it occurs within the first year after the expiry of the guarantee period.	
Clause G3.10	The same guarantee conditions must apply to replacement units.	
Clause G4	The successful bidder must Supply, Deliver, Commission and install the	

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
	Equipment and will be required to demonstrate the product to the	
	applicable Staff at the Institution and costs for the abovementioned must be	
	Included in	
	the final bid price.	
Clause G5	Bidders must offer the Health Technology Service's In House	
	Technicians a	
	demonstration of the product, which will enable the Health Technology	
	Service's In House Technicians to become acquainted with the	
	equipment during the Test and Acceptance phase.	
Clause G6	Preference may be given to a make and model that has been	
	technically and	
_	clinically evaluated by a Government Institution within the R.S.A.	
	(Attach	
Clause G7	proof of evaluation where applicable). The successful bidder must provide the Health Technology Service's in	
Clause G7	house Technicians, full training in the calibration, maintenance, service	
	and	
	repair of the product down to PCB Level. N.B. The quality and level of	
	the	
	training must be equivalent to the manufacturer's original factory	W.
	training and any costs incurred to provide this training will be for the bidders	
	account. A	The state of the s
	Certificate of Competency must be issued on completion of the training.	
	The	1.
	Training must be provided by the successful bidder to the Health Technology	
	Services within three months from date of initial supply and delivery of	
	the	
	equipment to the end user.	
Clause G8	SERVICING:	M
Clause G8.1	The bidder must have a well established service and repair facility in	
	KwaZulu-Natal, to service,repair and calibrate the equipment offered. (The Health Technology	
	Services reserves the right to inspect the premises).	
Clause G8.2	If the service is subcontracted to a local service agent, a signed copy of	
	the	
	letter of appointment by the bidder and acceptance by the subcontractor	
	must be submitted with this bid / quotation. (The Health Technology	
Clause G8.3	Services reserves the right to inspect the premises). State Number of other medical equipment "Repair & Service" Agencies	
Ciause Go.3	(excluding your Agency) represented by the subcontractor.	
Clause G8.4	Supply the Name, Address and Telephone Number/s of the Local Service	
	Department within KwaZulu-Natal.	
	Please supply details as follows:	1
	Company name :	
	Physical Address :	

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
Clause CD 5	Telephone Number/s : Fax number : (The Health Technology Services reserves the right to inspect the premises).	
Clause G8.5	State if the Technician(s) are in the direct employ of the bidder or a subcontractor.	
Clause G8.6	The bidder must supply information on the number of Technicians permanently working in KwaZulu-Natal and their names and contact Telephone Number/s must be listed (Directly employed or subcontracted) in an annexure to the bid document.	
Clause G8.7	The Technician(s) must be original equipment manufacturer trained to deal with the service, repair and calibration of the equipment quoted on. N.B. Proof of original equipment manufacturer training must be submitted with this bid / quotation offer.	
Clause G8.8	The Institution's requirement is that a technician is available within a reasonable time (24 hours) to attend to malfunctioning equipment. The Bidder to state the technician per install base e.g. equipment ratio to technician ratio, e.g. 1 technician per 10 pieces of equipment.	
Clause G9	The bidder must Guarantee that no additional equipment will be required for the successful operation of the equipment bided for on delivery and commissioning at the customers site. A starter pack of all essential accessories and disposables must be supplied so that the unit can be put into immediate operation. The cost of the starter pack must be included in the final bid price.	
Clause G10	Optional accessories must be offered for separately on the Schedule of optional accessories found at the end of this Technical specification, indicating catalogue numbers, correct descriptions and Prices inclusive of V.A.T.	
Clause G11	Bidder must state the period of time for delivery of Spare parts following the receipt of an official order as follows: 0 to 10 days; 0 to 20 days; 0 to 30 days; 0 to 60 days; 0 to 90 days; more than 90 days.	
Clause G11.1	The Bidder must supply with this offer a list together with the quantities of spares held locally in stock in the KwaZulu-Natal Province on the offered product. The Health Technology Services reserves the right to inspect the premises to verify the spares stock held.	
Clause G12	The bidder must include a firm commitment in writing, which must be attached with this bid that they would supply spares, components, upgrades, complete original service / repair manual, technical support and ongoing training support for technical staff of the Health Technology Services and the end users Department of Health, KwaZulu-Natal throughout the life cycle of the equipment offered.	

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
Clause G13	Spares must be available for 10 (Ten) years from the original equipment manufacturer for the product offered.	
Clause G14	The successful bidder must include in their offer at no extra cost to the final bid price:	
Clause G14.1	Complete user Operation / Maintenance Manual x 2 (two) Book / File; CD; DVD copies in English Language.	
Clause G14.2	Complete ORIGINAL Service / Repair Manual x 2 (two) Book / File; CD; DVD copies in English Language which MUST include the following information: Fault Finding Guide, Circuit Diagrams / Schematics, Circuit Descriptions, and PCB Layouts, Calibration Guide, Part Numbers and exploded diagram	
Clause G14.3	of Mechanical Parts / Panels. All the above Manuals must be properly bound in either a Book, File or CD form.	T in
Clause G14.4	The Bidder must supply all software (including software-keys and / or passwords) to allow for trouble shooting (faultfinding), maintenance, calibrations, repairs and services at no additional cost.	
Clause G15	Does your Company have an after hour service back up facility.	
Clause G16	If the equipment is taken away for repairs, a loan set must be made available on request to the end user by the Institution until the Institution's unit is returned. All costs incurred for providing the loan unit must be for the bidders account.	
Clause G17	Bidder must bid on the latest model and Technology that fully complies with this Technical Specification.	
Clause G17.1	The Bidder must state how long this technology has been commercially available (state when the model offered was launched).	
Clause G17.2	The bidder must state if there are any near future updates expected.	
Rause G18	The successful bidder must maintain a system for notifying and providing users with Updates, Modifications, new Software Releases and Recalls.	
Clause G19	The successful bidders must arrange for an acceptance test of the equipment with the Manager of the Health Technology Services and the Hospital Manager. A copy of the original answered Specification, copy of the invoice order and relevant paperwork (PH form) from the receiving Hospital must be submitted with the equipment when the ACCEPTANCE TEST is to be undertaken.	
Clause G20	Where equipment bided for, operates off 220 Volt, 50Hz a.c. supply, bidder must ensure that the product being quoted for is fitted with a 15 Amp approved mains plug top, which is held together by two screws.	
Clause G21	The unit must comply with an acceptable International Electrical Safety Standard such as IEC 60601-1 and 60601-1-2 for Medical Equipment where the quoted equipment operates off an electrical supply.	
Clause G22	All equipment, the installation and any alteration / additions must comply with:	
Clause G22.1	The Occupational Health and Safety Act (1993);	

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
Clause G22.2	The wiring code S.A.N.S. 0142.	
Clause G23	Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate.	
Clause G24	The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded.	
Clause G25	The equipment being quoted for must be protected against Electro magnetic Interference.	
Clause G26	Only new equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted.	
Clause G27	Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested.	
Clause G28	All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price.	
Clause G29	NB. HAZARDOUS SUBSTANCE ACT:	
Clause G29.1	If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered.	
Clause G29.2	Bidder must state the Radiation Control licence number of the make and model of equipment offered.	License No:
Clause G29.3	Where it has been established by the bidder that the equipment offered does not require Radiation Control licence, proof from the Radiation Control authority must be submitted with this bid document.	
Clause G30	The system offered must comply fully with or exceed all of the minimum specification requirements per the Technical Clauses.	
Clause G31	The offer submitted must be supported by descriptive literature, colour pamphlets, colour brochures and technical data sheets applicable to the offer (i.e. supporting information for all components of the system) must accompany the bid, failing which the bid will not be considered.	
Clause G32	The equipment and any accessories ordered from the successful bidder will be delivered, installed, tested, calibrated, demonstrated (including specified training) and commissioned in the specific Hospital at the expense of the successful Bidder, prior to full payment being made.	
Clause G33	All prices are to include V.A.T. and must be quoted in the South African currency. The price must be valid for a period of 180 days from closing date of bid.	
Clause G34	If the product offered is unknown to the Department, the Department reserves the right to have the unit evaluated by a team of Technical and Clinical experts with regards to its functionality, performance and quality. The decision of this committee will be used as a motivation for the evaluation	

NO	SPECIFICATION	BIDDERS COMMENTS: STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
	and recommendation of the bid. For this reason a demonstration unit must be readily available, or the bidder must take arrange for demonstration with representatives of the Department for the equipment offered at a site within South Africa where a same make and model of unit is installed and is in full clinical operation. The cost of this site visit is for the account of the bidder and it must therefore not place any obligation on the Department to procure from the bidder.	
Clause G35	The Institution requesting the unit reserves the right to clinically trial and evaluate the unit in order to ensure that the unit meets the clinical requirements of the Department before adjudication of the bid.	
Clause G36	UPGRADEABILITY WHERE APPLICABLE:	
Clause G36.1	Bidders are to state the policy with regard to future software updates and the costs that will be involved.	
Clause G36.2	The Bidder to state what hardware and software will be available, with costs and projected dates.	
Clause G37	UPGRADE POLICY:	
Clause G37.1	All future upgrades (hardware and software) involving <u>patient safety</u> must be offered at no additional cost.	
Clause G37.2	All future upgrades removing software viruses from existing software must be supplied at no cost.	
Clause G37.3	Any upgrade before or after installation of the equipment involving additional cost must be brought to the attention of the Manager, Health Technology Services.	
Clause G38	The Bidder must indicate the expected life of their offered unit and software in years.	
Clause G39	Registered product with SAHPRA (South African Health Products Regulatory Authority) at time of tender. Failure to submit confirmation will result to disqualification. Please state SAHPRA Licence number to distribute the product	License No:

TECHNICAL SPECIFICATION.

\sim	21	100	T1
1 4	-	INE	

This bid calls for the supply of a ENT INSTRUMENTS SETS used specifically in a Hospital environment.

BIDDER'S COMMENTS:

Clause T1.2

General requirements to be considered where applicable for the instruments to be quoted:

- a. Instruments must be made from high quality stainless steel
- b. Instruments must be easy to assemble
- c. Instruments must be re-usable
- d. Laparoscopic Instruments must be able to be dismantled to facilitate cleaning
- e. Warranty 2 years against faulty workmanship or materials
- f. Instruments to last at least 20 years.
- g. Full Training for Theatre and CSSD Staff
- h. Instruments must have CE Marking
- i. Components must be modular and interchangeable to allow for multiple surgery applications
- j. Flushing ports for cleaning with luer-lock connector
- k. Instrument handles option of large contact surface design or slim design
- I. Insulated shaft with arc resistant polymer
- m. An option of shafts with centimetre marking
- n. Option of metal and/or plastic handles available

BIDDER'S COMMENTS:

Clause T2

Items required:

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.1	Adenotonsillectomy Set x5			
	Draffin bipod suspention for mouth gag with Draffin poles			
2.1.1	for both paediatric and adult patients		1 pcs	
	"Backhaus: curved, tip 1.5mm, sharp		6 pcs	
2.12	110mm, 4 ¼" total length		Орез	
2.1.3	"Bruning" width of ending 19,5/15,2mm, light cur		1 pcs	
2.1.5	190mm, 7 ½" total length		T pes	
1.4	"Davis-Boyles Peadiatric		1 pcs	
2.1.5	"Davis-Boyles Adult		1 pcs	
2.1.6	"Davis-Boyles Tonsil Blade	20x25mm	1 pcs	
2.1.7	"Davis-Boyles Tonsil Blade	22x65mm	1 pcs	
2.1.8	"Davis-Boyle Tonsil Blade	24x75mm	1 pcs	
2.1.9	"Davis-Boyle Tonsil Blade	25x90mm	1 pcs	
2.1.10	"Davis-Boyle Tonsil Blade	26 x110mm	1 pcs	
2.1.11	"Blohmke" tonsil forceps		1 pcs	
2.1.11	205mm, 8 1/8" total length for adults and paeds		each size	
2.1.12	Gwen Evans" tonsil separator and dissector		1 pcs	
	235mm, 9 ¼" total length			
2.1.13	"Yankauer" tip-Ø10mm, hole Ø4,8mm, olive Ø6-10mm		2 pcs	
	270mm, 10 ¾" total length			
2.1.14	"Good" toy curved, blunt/blunt, jaw 7mm		1 pcs	
	190mm, 7½ " total length			
2.1.15	"Brunings" tonsil snare		1 pcs	
	270mm, 10 ¾" total length			1
2.1.16	Wire loops 100pcs / package, 0,4mm x 40mm		1 Pac	
2.1.17	"Schnidt" t curved, tip 1,5mm, serrated jaw		2 pcs	
	185mm, 7 ¼" total lenght			
2.1.18	Tonsillenre Blatt 13x15mm		1pcs	

SPECIFICATION: H.T.S. INSTR 0046 REVISED: 05/03/2021 Page 9 of 33

Ref	Description	Size	Quantity	Price inclusive (Inc)
	230mm Gesamtlange			
2.1.19	Surgical forstr., tip 3,0mm, 1x2 teeth, flat handle		2ncc	
2.1.15	200mm, 8" total length		2pcs	
2.1.20	"DeBakey" straight, mouth 1,8mm, serrated jaw		1 ncc	
2.1.20	180mm, 7 1/8" total length		1 pcs	
2.1.21	"Beckmann" mouth 13,8mm		1 nos	
2.1.21	220mm, 8 ¾ total length		1 pcs	
2 1 22	"Beckmann" mouth 15,0mm		1000	
2.1.22	220mm, 8 ¾" total length		1pcs	
2 4 22	"Beckmann" mouth 15,8mm		1,000	
2.1.23	220mm, 8 ¾" total length		1pcs	
\ 1.24	"Beckmann" mouth 18,8mm		1	
2.1.24	220mm, 8 ¾" total length		1pcs	
2.4.25	"Beckmann" mouth 22,5mm		1000	
2.1.25	220mm, 8 ¾" total length		1pcs	
2 4 26	"Beckmann" tip 24,1mm		1pcs	
2.1.26	220mm, 8 ¾" total length			
2 4 27	Tray for au with fall handle		1	
2.1.27	405x225x50 mm		1pcs	
2.1.28	Negus tonsslender 19cm		1pcs	
2.1.29	Knot insert fork shaped, blunt 21,5cm		1pcs	
2.1.30	Laryngeal Mirrors with Rhodium Front Surface autoclavable			
	Size 2	14mm	1pcs	
	Size 4	18mm	1pcs	
_	Size 6	22mm	1pcs	
-	Size 8	26mm	1pcs	
2,1,31	Hurd pillar retractor (small and large)		1pcs each	
2,1,51	nura pinar retractor (smail and large)		size	
2.1.32	Beckmann adenoid curette with cage	13.8mm	1pcs	
	beautiful adenoid curette with eage	L=220mm		
2.4.55	Bestimann adopted question with some	15.8mm	1ncc	
2.1.33	Beckmann adenoid curette with cage	L=220mm	1pcs	
040:		18.8mm	1	
2.1.34	Beckmann adenoid curette with cage	L=220mm	1pcs	
		22.5mm		
2.1.35	Beckmann adenoid curette with cage	L=220mm	1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.1.36	Killian nasal speculum	#1-35mm	1pcs	
2.1.37	Killian nasal speculum	#2-50mm	1pcs	
2.1.38	Antrum washout trocar and cannula		1pcs	
2.1.39	Waugh non toothed	20cm	1pcs	
2.1.40	Waugh non toothed	20cm	1pcs	
2.1.41	BP handle no 7	16.5cm	1pcs	
2.1.42	Schnidt (Boettcher)	19cm	1pcs	
2.1.43	Magauran Plate for	±40cm	1pcs	
2.1.44	Monopolar Coagulation Forceps with connecting diathermy cable	21cm	1pcs	
2.1.45	Bipolar Forceps with connecting monopolar cable	20cm	1pcs	
2.1.46	Dental syringe		2 pcs	
2.2	Tympanoplasty / Stapedectomy X2			
2.2.1	"Gross" sp with lock, curved		0	
	200mm, 8" total length		2pcs	
2.2.2	"Backhaus" curved, tip 1,5mm, sharp		4pcs	
	11mm, 4 ¼" total length		троз	
2.2.3	Towel clan button tip		2pcs	
	• 115mm, 4 ½" total length			
2.2.4	Scalpel har for blades fig. 10-15, 40, 42		2pcs	
	125mm, 5" total length			
.2.5	Iris- and lig sh./sh., curved, 26mm blade		1pcs	
	• 110mm, 4 1/4" total length			
2.2.6	"Joseph" d sh./sh., curved,		1pcs	
_	150mm, 6" total length			
2.2.7	Surgical sci sh./bl., str., tip 5,0mm		1pcs	
	• 145mm, 5 ¾" total length			
2.2.8	Surgical for str., tip 1,25mm, 1x2 teeth, flat handle 145mm, 5 3/" total length		2pcs	
	145mm, 5 ¾" total length "DaRakov" Safety Bin, tip 2 0mm		2000	
2.2.9	"DaBakey" Safety-Pin, tip 2,0mm		2pcs	
	155mm, 6 1/8" total length			
2.2.10	"Halsted-IV curved, tip 1,0mm, serrated jaw		4 pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	125mm, 5" total length			
2.2.11	"Converse" straight, tip 1,2mm, needle size 5-6mm		1	
2.2.11	130mm, 5 1/8' total length		Quantity 1 1 1 1 1 1 1 1 1	
2.2.12	"Hartmann" jaw length 28mm, tip6,0mm		1nce	
2.2.12	155mm, 6 1/8" total length		Tpcs	
2.2.13	"Joseph" sl 2 prongs, 6,0mm, sharp		1ncs	
2.2.10	165mm, 6 ½" total length		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
2.2.14	"Plester" s curved, sharp, 2/2 teeth		2ncs	
2.2.14	130mm, 5 1/8" total length		2,000	
2.2.15	"Plester w left blade blunt,		1ncs	
2.2.10	• 110mm, 4 ¼" long		1,000	
2.2.16	"Plester w right blade blunt, left		1 ncs	
:.2.10	• 110mm, 4 ¼" long		1 pcs	
2.2.17	"Plester" n 8,0mm wide		1ncs	
2.2.17	• 170mm, 6 ¾" total length		1000	
2.2.18	"Lembert" 3,0mm wide		1ncs	
2.2.10	160mm, 6 ¼" total length		1003	
2.2.19	Laborschal B4, capacity 0,16L, Ø 85mm		1ncs	
2.2.13	40mm Hohe			
2.2.20	Laborschal B6, capacity 0,5L, Ø 110mm		incs	
2.2.20	55mm Hohe		1,000	
2.2.21	"Hartmann" Ø 4,0mm		1pcs	
2.2.22	"Hartmann" Ø 5,0mm		1pcs	
2.2.23	"Hartmann" Ø 7,0mm		1pcs	
0.0.04	Micro eam straight, sharp pointed		1pes	
2.2.24	155mm, 6 1/8" total length		Tpcs	
0.0.05	Micro eam straight, sharp		1 pos	
2.2.25	155mm, 6 1/8" total length		Tpcs	
0.000	Micro hook, 45" angled, 0,4mm		1000	
2.2.26	155mm, 6 1/8" total length		Tpcs	
0.0.07	Micro eam hook 45" angled 1,0mm		1000	
2.2.27	155mm, 6 1/8" total length		Tpcs	
	Micro eam hook 90" angled, 0'4mm diam.			
2.2.28	• 155mm, 6 1/8" total length		1pcs	
2.2.29	Micro eam hook 90" angled 1,0mm		1pcs	
	155mm, 6 1/8" total length			

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.2.30	"Plester" s 60° angled, 2,0mm wide		1pcs	
2.2.30	150mm, 6" total length		1903	
2.2.31	Micro ean I mod. Hermann		1pcs	
2.2.31	• 150mm, 6" length		Tpcs	
2.2.32	Plester mic 0,4mm		1pcs	
2.2.32	155mm, 6 1/8" total length		Tpcs	
2.2.33	"Plester" a with button		1pcs	
2.2.33	160mm, 6 ¼" total length		Tpcs	
0.004	Wire guide flat end with v-noth		1pcs	
2.2.34	• 165mm, 6 ½" total length		Tpcs	
0.05	Graft hold for lifting drum forward		1000	
2.2.35	• 155mm, 6 1/8" total length		1pcs	
2000	Diszio knife straight, with basic plate		1000	
2.2.36	• 160mm, 6 1/4" total length		1pcs	
0.007	Sichelmess leicht gebogen		1000	
2.2.37	155mm Gesamtlange		1pcs	
	Flap Knife, round cutting		1000	
2.2.38	155mm, 6 1/8' total length		1pcs	
0.00	Mocro knife 45° angled, diam. 2,0mm		1000	
2.2.39	150mm, 6" total length		1pcs	
0.0.40	Preparatio stainless steel, with mm-scale		1000	
2.2.40	• 92 x 54mm		1pcs	
	"House" demouth- Ø 1,0x1,2mm, straigth, doubl end			
2.2.41	150mm, 6" total length		1pcs	
	Bone curet angled, tip		1	
2.2.42	• 170mm, 6 ¾" total length		1pcs	
	"Buck" ear fig. 00,			
	• curved,		1	
2.2.43	• sharp		1pcs	
	150mm, 6" total length			
	"Seiffert" ³ Ø 1mm		1	
2.2.44	• 180mm, 7 1/8" total length		1pcs	
	"Hartmann straight, 0,8 x 6mm		daas	
2.2.45	80mm working length		1pcs	
22.46	Micro Forc 80mm working length		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.2.47	 "Hartman Ø 2,0mm Slide shaft Non-detachable 		1pcs	
	80mm, 3 1/8" length of shaft Micro spoc 0,8x1mm			
2.2.48	Very delicate length80mm		1pcs	
2.2.49	Hammer head punch		1 pcs	
2.2.50	 "Bellucci" 1 str, Sharp/sharp Shaft Ø 1,5mm		1pcs	
r <u>i</u>	80mm, 3 1/8" length of shaft			
2.2.51	 McGee Miccuved Down Jaw length 5mm 80mm, 3 ¼" work length 		1pcs	
2.2.52	"Schuhknecht" wire binding		1pcs	
2.2.53	Suction ha with Luer-connector		1pcs	
2.2.54	 "Rosen" m Ø 0,5 mm Curved 65mm, 2 ½" total length 		3pcs	
2.2.55	Mikro-Saug Ø 0.7mm, Gebogen 65mm Gesamtlänge		3pcs	
2.2.56	 "Rosen" m Ø 1,0mm Curved 65mm, 2 ½" total length 		3pcs	
2.2.57	"Plester" n Ø 1.5mm		3pcs	
2.2.58	 "Plester" s Ø 2,0mm 195mm, 7 ¾" total length 		1pcs	
2.2.59	 "Plester" s Ø 2,5mm 195mm, 7 ¾" total length		1pcs	
2.2.60	 "Plester" s Ø 3,0mm 195mm, 7 ¾" total length 		1pcs	
2.2.61	Storage tray fo 8 micro ear forceps		1pcs	
2.2.62	Wire basket for Mini container		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	• 265 x 125 x 50mm			
2.2.63	Endoscopic sinus surgy, devided into diffrents sets, can set	be combined into 1		
			7	" <u> </u>
2.3	Maxillary Sinus Set x1			·
	"Backhuas" Curved			
2.3.1	• Tip 1,5mm		4pcs	
2.0.1	Sharp		1	
	• 110mm, 4 ¼" total length			
2.3.2	Towel Clan Buttoned tip		4pcs	
2.5.2	115mm, 4 ½" total length		1000	
000	Scalpel hand for blades fig. 10-15,40,42		1pcs	
ാ.3.3	125mm, 5" total length		Tipos	
0.0.4	"Joseph" d sh/sh, curved		1000	
2.3.4	150mm, 6" total length		1pcs	
	"Metzenaba bl/bl, curved		4	
2.3.5	• 145mm, 5 ¾" total length		1pcs	
	Surgical sci sh/bl, str,			
2.3.6	• tip 5.0mm		1pcs	
	145mm, 5 ¾" total length			
	Surgical fo str,			
	• Tip 1,25mm			
2.3.7	1x2 teeth		2pcs	
	Flat handle			
	• 145mm, 5 ¾" Total length			
_	"DeBakey" Safety-Pin			
∠.3.8	• Tip 2,0mm		2pcs	
	• 155mm, 6 1/8" total length			
2.3.9	 "Adson-Brostr Tip 2,2mm 9x9 teeth Flat handle 120mm, 4 ³/₄" total length 		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	"Gruenwal str,			
	• Tip 2,0mm			
2.3.10	Serrated		2pcs	
	Flat Handle			
	200mm, 8" total length			
	"Halsted IV curved			
0.0.11	Tipb1,0mm		4000	
2.3.11	Serrated Jaw		4pcs	
	125mm, 5" total length			
	"Crile-Woc" Straigth,			
	• Tip 1,8mm		4	
2.3.12	Needle size 4-6mm		1pcs	
	150mm, 6" total length			
	"Hartmann" jaw length 28mm			
2.3.13	• Tip 6,0mm		1pcs	
	• 155mm, 6 1/8" total length			
	"Killian" na jaw length 56mm		1pcs	
2.3.14	• Tip 7,0mm			
	• 140mm, 5 ½" total length			
	"Brünings" width of endings 19,5 / 15,2mm			
2.3.15	Light cur		1pcs	
	• 190mm, 7 ½" total length			
	"Langenbe 30x30mm			
2.3.16	• 210mm, 8 1/4" total length		2pcs	
2.3.17	"Brünings- Inner mouth part with teeth		1pcs	
-	"Freer" ele double en.			
	• 3,7/3,7mm wide			
2.3.19	Sharp/blunt		1pcs	
	• 185mm, 7 1⁄4" total length			
2.3.20	 "Cottle" ra curved, Sharp 8,0mm wide 195mm, 7 ³⁄₄" total length 		1pcs	
2.3.21	 "Sewai" rablunt, 5,9mm Wide 200mm, 8" total length		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	Ritter from Ø 3.0mm			
2.3.22	• 160m, 6 1/4" total elngth		1pcs	
2.3.23	Ritter from Ø 5,0mm		1pcs	
2.3.23	160mm, 6 1/4" total length		Tpcs	
	Gouge straight			
2.3.24	Mouth 4mm		1pcs	
	140mm, 5 ½" total length			
	Gouge straight			
2.3.25	Mouth 6mm		1pcs	
	140mm, 5 ½" total length			
	Gouge straight			
2.3.26	Mouth 8mm		1pcs	
	140mm, 5 ½" total length			
0.0.07	• "Passow" b 2,5 x 2,5mm		1pcs	
2.3.27	• 120mm, 4 ¾" total length			
	'Hajek" mahead- Ø 27mm			
2.3.28	• 140g		1pcs	
	• 220mm, 8 ¾" total length			
	"Uffenords width 6,0mm			
2.3.29	Curved leftwards		1pcs	
	• 170mm,6 ¾" total length			
	Uffenords width 6,0mm Curved rightwards			
2.3.30			1pcs	
~_,	• 170mm,6 ¾" total length			
2.3.31	"Coakley" ethmoid currette		1000	
۷.۵.۵۱	• 170mm, 6 ¾" total length		1pcs	
	"Volkmann fig. 0			
2.3.32	Mouth 5,2x7.3mm		1pcs	
	• 170mm, 6 ¾" total length			
	"Kerrison" 90° cutting upwards			
2.3.33	Bite 4mm		1pcs	
	85mm, 3 ¼" total of shaft			

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.3.34	 "Kerrison" 90° cutting upwards Bite 5mm 85mm, 3 ¼" total of shaft 		1pcs	
2.3.35	"Marquard curved 200mm, 8" total length		1pcs	
2.3.36	 "Hartmann notch 10,0mm long Tip 3,0mm 215mm, 8 ½" total length 		1pcs	
2.3.37	 "Heymann angled sidewards 175mm, 7" total length		1pcs	
∠.3.38	 "Blaksley" str. Mouth 7x3mm 110mm, 4 ¼" length of shaft 		1pcs	
2.3.39	 "Blakesley" str. Mouth 10x4,2mm 110mm, 4 ¼" length of shaft 		1pcs	
2.3.40	 "Weil-Blake 140° angl. Upwards, fig 3 Mouth 10x4.2mm 110mm, 4 ¼" length of shaft 		1pcs	
2.3.41	 "Watson-V serrated 120mm, 4 ¾" total length 		1pcs	
2.3.42	 "Siebenma Ø 2,5mm 130mm, 5 1/8" total length		1pcs	
3.43	 Nasal sucti width tip 6,5mm With ler hub 180mm, 7 1/8" total length 		1pcs	
2.3.44	Wire baske with fall handle480x250x64		1pcs	
2.4	FRONTAL SINUS SET x1			
2.4.1	 "Backhaus" curved, Tip 1,5mm Sharp 110mm, 4 ¼" total length 		4 pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.4.2	 Towel clan buttoned tip 115mm, 4 ½" total length 		4pcs	
2.4.3	Scalpel han for blades fig, 10-15, 40,42125mm, 5" total length		1pcs	
2.4.4	 "Joseph" d. sh/sh Curved 150mm, 6" total length		1pcs	
2.4.5	 "Metzenba" bl/bl Curved 145mm, 5 ¾" total length 		1pcs	
2.4.6	 Surgical sci. sh/bl, str Tip 5,0mm 145mm, 5 ¾" total length 		1pcs	
<i>≟</i> .4.7	 Surgical for str, Tip 1,25mm 1x2 teeth Flat handle 145mm, 5 3/4" total length 		2pcs	
2.4.8	 "DeBakey" Safety-Pin, Tip 2,0mm 155mm, 6 1/8" total length		2pcs	
2.4.9	 "Adson-Bru str Tip 2,2mm, 9x9 Teeth Flat Handle 120mm, 4 3/4" total length 		1pcs	
2.4.10	 "Gruenwal str Tip 2,0mm Serrated Flat handle 200mm, 8" total length 		2pcs	
2.4.11	 "Crile-Woc" straight Tip 1,8mm Needle Size 4-6mm 150mm, 6" total length 		1pcs	
2.4.13	 "Halsted-IV" curved, Tip 1,0mm Serrated Jaw 125mm, 5" total length 		4pcs	
2.4.14	 "Hartmann jaw length 28mm Tip 6,0mm 155mm, 6 1/8" total length 		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.4.15	 "Killian" na Jaw length 56mm Tip 7,0mm 140mm, 5 ½" total length 		1pcs	
2.4.16	"Langenbe 30x10mm210mm, 8 ¼" total length		2pcs	
2.4.17	 "Freer" ele double en 3,7/3,7mm wide Sharp/blunt 185mm, 7 ¼" total length 		1pcs	
2.4.18	 "Cottle" ra vurved Sharp 8,0mm wide 195mm, 7 ¾" total length 		1pcs	
4.19	 "Sewal" ra blunt, 5,9mm wide 200mm, 8" total length 		1pcs	
2.4.20	 Ritter from Ø 2,5mm 160mm, 6 ¼" total length 		1pcs	
2.4.21	 "ritter from Ø 4,0mm 160mm, 6 ¼" total length 		1pcs	
2.4.22	 Ritter from Ø 5,0mm 160mm, 6 ¼" total length 		1pcs	
2.4.23	 Gouge straight Mouth 4mm 140mm, 5 ½" total length 		1pcs	
2.4.24	 Gouge straight Mouth 6mm 140mm, 5 ½" total length 		1pcs	
2.4.25	 Gouge straight Mouth 8mm 140mm, 5 ½" total length 		1pcs	
2.4.26	 "Hajek" mahead Ø 27mm, 140g 220mm, 8 ¾" total length 		1pcs	
2.4.27	 "Halle" bon fig. 00 Mouth 4,4mm Malleable 210m, 8 ¼" total length 		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.4.28	 "Halle" bon fig. 0 Mouth 5,2mm Malleable 210m, 8 ¼" total length 		1pcs	
2.4.29	 "Volkmann fig. 0 Mouth 5,2x7,3mm 170mm, 6 ³/₄" total length 		1pcs	
2.4.30	 "Hajek-Kof 90° cut upw. Bite 4,0mm 140mm, 5 ½" length of shaft 		1pcs	
2.4.31	 "Marquard Curved 200mm,8" total length		1pcs	
2.4.32	 "Hartmann Notch 10,0 mm long Tip 3,0mm 215mm, 8 ½" total length 		1pcs	
2.4.33	 "Blakesley" str Mouth 10x4,2mm 110mm, 4 ¼" length of shaft 		1pcs	
2.4.34	 "Weil-Blake 140° angle. Upwards Mouth 10x1,2mm 110mm, 4 ¼" length of shaft 		1pcs	
2.4.35	 "Watson-V serrated 120mm, 4 ¾" total length 		1pcs	
2.4.36	Nasal sucti width tip 6,5mmWith luer hob180mm, 7 1/8" total length		1pcs	
2.4.37	 "Blakslet" str Mouth 10x4,2mm 110mm, 4 ¼" length of shaft 		1pcs	
2.4.38	 "Weil-Blake 140° angl. Upwards Mouth 10x4,2mm 110mm, 4 ¼" length of shaft 		1pcs	
2.4.39	 "Watson-V serrated 120mm, 4 ¾" total length 		1pcs	
2.4.40	 Nasal sucti width tip 6,5mm With luer hub 180mm, 7 1/8" total length 		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.4.41	"Hajek" irr tip ø 2,0mm		1pcs	
2.4.41	165mm, 6 ½" total length		Tpcs	
2.4.42	Wire baske with fall handle		1pcs	
2.4.42	• 540x250x50mm		Tpcs	
	ETHMOID NASAL SET x1			
	"Backhaus" Curved			
	• Tip 1,5mm		4	
2.5.1	Sharp		4pcs	
	• 110mm, 4 ¼" total length			
	Towel clan button tip			
2.5.2	• 115mm, 4 ½" Total length		2pcs	
	"Hartmann jaw length 28mm			
2.5.3	• Tip 6,0mm		1pcs	
	• 155mm, 6 1/8" total length			
	"Killian" na jaw length 56mm		1pcs	
2.5.4	• Tip 7,0mm			
	• 140mm, 5 ½" total length			
	"Gruenwal" str			
	• Tip 2,0mm		1pcs	
2.5.5	Serrated			
	Flat handle			
	200mm, 8" total length			
	"Hartmann notch 10,0mm long			
2.5.6	• Tip 3.0mm		1pcs	
1	• 215mm, 8 ½" total length			
	"Brünings" septum knife		4	
2.5.7	• 160mm, 6 1/4" total length		1pcs	
	"Freer" ele double en.			
	• 3,7x3,7mm wide			
2.5.8	Sharp/Blunt		1pcs	
	• 185mm, 7 ¼" total length			
0.5.5	Nasal polyp knee angled		4	
2.5.9	250mm, 10" total length		1pcs	
	Wire loop Ø 0,3mm			
2.5.10	• 10/pckg		1pac	
2.5.11	Conchoton durchschneidend		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	Maul 10x2mm			
	120mm Schaftänge			
	"Blakesley" str.			
2.5.12	Figure 1		1pcs	
2.3.12	Mouth 8x3,6mm		1905	
	110mm, 4 ¼" length of shaft			
	"Blakesley" str			
2.5.13	• Figure 3		1pcs	
2.5.10	• Mouth 11x4,8mm		1,500	
	110mm, 4 ¼" length of shaft			
	"Weil-Blak" 140° angl. Upwards			
2.5.14	• Mouth 10x4,2mm		1pcs	
	110mm, 4 1/4" length of shaft			
	"Halle" Boi fig. 00			
2.5.15	Mouth 4,4mm		1pcs	
	Malleable			
	210mm, 8 ¼" total length			
2.5.16	"Fergussor" Ø 3,0mm = 9 Charrier		1pcs	
	11mm, 4 ¼" working length			
2.5.17	"Fergussor" Ø 4,0mm = 12 charrier		1pcs	
	• 110mm, 4 ¼" working length			
2.5.18	Killian Nasal speculum different sizes			
2.5.19	● Size #1	35mm	1pcs	
2.5.20	• Size #2	50 mm	1pcs	
- 2.5.21	• Size #3	75 mm	1pcs	
2.5.22	• Size #4	90mm	1pcs	
2.5.23	Ball Probe Double Ended Ø2mm and Ø 1.2mm	19cm	3 pcs	
2.5.24	Lucae Packing Forceps	14cm	5pcs	
2.5.25	Tilley Packing Forceps	13cm	5pcs	
2.5.26	Dental Syringe		6pcs	
2.5.27	Left antrum punch, backward cutting, Ø2.5mm	10cm	2pcs	
2.5.28	Right antrum punch, backward cutting, Ø2.5mm	10cm	2pcs	
2.5.29	Gruenwald Nasal Cutting Forceps, straight, through- cutting, extra tissue sparing	13cm	3pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
2.5.30	•Sphenoid Punch Straight Ø3.5mm	16cm	2pcs	
2.5.31	Nasal Left Sided Scissors	13.5cm	1pcs	
2.5.32	Nasal Right Sided Scissors	13.5cm	1pcs	
2.5.18	Wire basket with handle255x245x70mm		1pcs	
	SPHENOID NASAL SET x1			
2.6.1	 "Backhaus" curved Tip 1,5mm Sharp 110mm, 4 ¼" total length 		4pcs	
2.6.2	 Towel clan buttoned tip 115mm, 4 ½" total length 		2pcs	
2.6.3	 "Hartmann jaw length 28mm Tip 6,0mm 155mm, 6 1/8" total length		1pcs	
2.6.4	 "Killian na jaw length 56mm Tip 7,0mm 140mm, 5 ½" total length 		1pcs	
2.6.5	 "killian" na jaw lengh 75mm Tip 7,0mm 140mm, 5 ½" total length 		1pcs	
2.6.6	"Gruenwal str. Tip 2,0mm Serrated Flat handle 200mm, 8" total length		1pcs	
2.6.7	 "Hartmann notch 10,0mm long Tip 3,0mm 215mm, 8 ½" total length 		1pcs	
2.6.8	"Brünings" septum knife 160mm, 6 ¼" Total length		1pcs	
2.6.9	 "Freer" ele doble en. 3,7/3,7mm wide Sharp/Blunt 185mm, 7 ¼" total length 		1pcs	
2.6.10	 "Freer" sepstraight, 6,0mm wide 150mm 6" total length		1pcs	
2.6.11	"Hajek" mahead-Ø 27mm 140g 220mm, 8 ¾" total length		1pcs	
2.6.12	 "Hajek-Kof" 90° cut. Upw. Figure 1 Bite 3,3mm 140mm, 5 ½" length of shaft 		1pcs	
2.6.13	"Halle" boi fig 00 Mouth 4,4mm		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	Malleable			
	210mm, 8 ¼" total length			
2.6.14	"Fergussor" Ø 3,0mm = 9 charrier		1pcs	
	110mm, 4 ¼" working length		4	
2.6.15	Wire basket with fall handle		1pcs	
	• 255x245x70mm			
2.7	ANTRUM SET X1			
	"Backhause" curved			
	Tip 1,5mm		4===	
2.7.1	Sharp		4pcs	
	• 11mm, 4 1/4" total length			
0.7.0	Towle clan button tip		2pcs	
2.7.2	115mm, 4 ½" total length			
	"Hartmann jaw length 28mm	1000		
2.7.3	• Tip 6,0mm		1pcs	
	• 155mm, 6 1/8" toal length			
	"Killian" najaw length 56mm		1000	
2.7.4	• Tip 7,0mm		1pcs	
	• 140mm, 5 ½" total length			
	"Gruenwal" str.			
	• Tip 2,0mm		1pcs	
2.7.5	Serrated		TPCS	
	Flat handle			
	200mm, 8" total length			
	"Hartmann notch 10,0mm long		1pcs	
2.7.6	• Tip 3,0mm		1,000	
	215mm,8 ½" total length			
2.7.7	"Brünings" septum knife		1pcs	
2.7.1	• 160mm, 6 1/4" total length			
	• Freer" ele double en 3,7/3,7 mm wide			
2.7.8	1		1pcs	
	Sharp/Blunt			
	185mm, 7 ¼" total length			
.7.9	"Heymann angled sidewards		1pcs	
	175mm, 7" total length		, , , , ,	
2.7.10	"Struycken mouth 0,7x19mm		1pcs	
	120mm, 4 ¾" length of shaft			
	"Grüwald intersected		4	
2.7.11	• Mouth 12x2,5mm		1pcs	
	• 120mm, 4 3/4" length of shaft			
2.7.12	"Freer" chi curved		1pcs	
	• 160mm, 6 ¼" total length			
	"Hajek" mahead-Ø 27mm		4	
2.7.13	• 140g		1pcs	
	22mm, 8 ¾" total length			1
2.7.14	Antrum rasharp Antrum rasharp		1pcs	
	• 180mm, 7 1/8" long			
2.7.15	"Sewal" rablunt,		1pcs	
	• 5,9mm Wide			

Ref	Description	Size	Quantity	Price inclusive (Inc)
	200mm, 8" total length			
2.7.16	"Hajek-Kof 90° cutt.upw Figure 1 Bite 3,3mm		1pcs	
2.7.17	 140mm, 5 ½" length of shaft "Coakley" ethmoid curette 170mm, 6 ¾" total length 		1pcs	
2.7.18	 "Halle" boi mouth 4,4mm Malleable 210mm, 8 ¼" total length 		1pcs	
2.7.19	 "Fergussor" Ø 5,0mm = 15charrier 110mm, 4 ¼" working length 		1pcs	
2.7.20	Suction bipolar forceps and cables for sinonasal cautery		1pcs	
2.7.21	Ligaclip applicator for SPA clipping		1pcs	
2.7.22	Wire basket with fall andle 405c255x40cm		1pcs	
8				
2.8	NASAL FRACTURE SET x1			
2.8.1	 "Hartmann" Jaw length 28mm Tip 6,0mm 155mm, 6 1/8" total length 		1pcs	
2.8.2	 "Killian" na jaw length 56mm, Tip 7,0mm 140mm, 5 ½" total legth 		1pcs	
2.8.3	 "Fergussor" Ø 3,0mm = 9 charrier 110mm, 4 ¼" working length 		1pcs	
2.8.4	Nose fracture reconstructor boles Oval 180mm, 7 1/8" total length		1pcs	
2.8.5	"Cottle-Walsham" septum forceps 220mm, 8 ¾" total length		1pcs	
2.8.6	 "Gruenwal str Tip 2,0mm Serrated Flat Handle 200mm, 8" total length 		1pcs	
2.8.7	Brünings" septum knife 160mm, 6 1/4" total length		1pcs	
2.8.8	 "Freer" ele double en 3,7/3,7mm wide Sharp/Blunt 185mm, 7 ¼" total length 		1pcs	
2.8.9	 Blakesley" str. Figure 3 Mouth 11x4.8mm 110mm, 4 ¼" length of shaft 		1pcs	
2.8.10	 "Adson- Bro" str Tip 2,2mm 9x9 teeth Flat handle 		1pcs	

Ref	Description		Quantity	Price inclusive (Inc)
	120mm, 4 ¾" total length			
2.8.11	 Needle holder a. Senning 170mm, 6 ½" total length 		1pcs	
2.8.12	 Iris- and lig sh./sh Curved 26mm blade 110mm, 4 ¼" total length 		1pcs	
2.8.13	Wire basket with fall handle 255x245x70mm 1pcs		1pcs	
2.9	MYRINGOTOMY and GROMMET X5 UNITS			
2.9.1			1pcs	
2.9.1 3.9.1	"Hartmann" Ø 4,0mm "Hartmann" Ø 5,0mm		1pcs	
-	"Hartmann" Ø 5,0mm **Hartmann" Ø 7.0mm **Hartmannn" Ø 7.0mm **Hartmannn" Ø 7.0mm **Hartmannnn" Ø 7.0mm *			
2.9.1	"Hartmann" Ø 7,0mm "Hartman straight 0.8%mm		1pcs	
2.9.1	 "Hartman straight, 0,8x6mm 80mm working length		1pcs	
2.9.1	 "Lucae" for str Tip 1,0 mm Serrated Flat Handle 140mm, 5 ½" total length 		1pcs	
2.9.1	 "Buck" ear fig. 1 Curved Sharp 150mm, 6" length		1pcs	
2.9.1	Sichelmess leicht gebogen 155mm Gesamtläge		1pcs	
2.9.1	 Micro earl 90° angled, 0,8mm 160mm, 6 ¼" total length 		1pcs	
9.1	 "Farrell" cc Ø 1,2mm Round serrated end 110mm, 4 ¼ total length 		1pcs	
2.9.1	Suction set with 2 Rosen suction Channels0,5mm/0,7mm/1mm/1,2mm		1pcs	
2.9.1	 "Fergussor" Ø 1,5mm = 5 charrier W. finger cut-off 110mm, 4 ¼" working length 		1pcs	
2.9.1	Mini Conta grauDeckel perfriert Wanne Nicht315x142x70mm		1pcs	
2.9.1	Wire basket for mini container 265x125x50mm		1pcs	
2.9.1	Alligator en 0,8x9,0mm95mm working length		1pcs	
2.9.1	"Wagener" probe ended		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	150mm, 6" total length			
2.9.1	Jobson Horne probe		1pcs	
2.9.1	Ear knife (myringotomy knife)		1pcs	
2.9.1	Ear forceps duckbill flat serrated jaws		1pcs	
2.10	NECK SET X1			
2.10.1	 "Maier" sp with lock Curved 265mm, 10 ½" total length 		2pcs	
10.2	 "Backhaus" curved Tip 1,5mm Sharp 110mm, 4 ¼" total length 		4pcs	
2.10.3	Towel clan button tip 115mm, 4 ½" total length		4pcs	
2.10.4	 Scalpel han for blades fig. 18-36 135mm, 5 ¼" total length 		1pcs	
2.10.5	Scalpel han for blades fig. 10-15, 40, 42125mm, 5" total length		1pcs	
2.10.6	 "Metzenba" bl./bl. Curved 145mm, 5 ¾" total length 		1pcs	
2.10.7	 "Metzenba" bl./bl. Cur Tip 2,8mm 180mm, 7 1/8" total length		1pcs	
2.10.8	Power TC I curved Wavecut 180mm, 7 1/8" total length		1pcs	
ു .10.9	 "Lexer" po bl./bl. Cur Tip 2,8mm 165mm, 6 ½" total length 		1pcs	
2.10.10	 Surgical sci sh./bl str Tip 5,0mm 145mm, 5 ¾" total length 		1pcs	
2.10.11	 Anatomic 1 str. Tip 2,2mm Serrated Flat handle 145mm, 5 ³/₄" total length 		1pcs	
2.10.12	 Surgical for str. Tip 1,25mm 1x2 Teeth Flat handle 145mm, 5 ³/₄" total length 		2pcs	
2.10.13	"DeBakey" Safety-Pin,		2pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	• Tip 2,0mm			
	155mm, 6 1/8" total length			
	Surgical for str.			
	• Tip 1,7mm,			
2.10.14	1x2 Teeth		2pcs	
	Flat handle			
	180mm, 7 1/8" total length			
	"Halsted-IV curved			
2.10.15	• Tip 1,0mm		12pcs	
2.10.13	Serrated Jaw		12003	
	125mm, 5' total length			
	"Halstead-IV" cur.			
	• Tip 1,5mm			
2.10.16	1x2 Theeth		6pcs	
	Serrated jaw			1
	125mm, 5" total length			
	"Pean" hae curved			
10.17	• Tip 2,5mm,		6nos	
10.17.	Serrated jaw		6pcs	
	• 140mm, 5 ½" total length			
	"Kocher" h curved			
	• Tip 2,0mm			1
2.10.18	1x2 Teeth		6pcs	
	Delicate			
	• 140mm, 5 1/2" total length			
	"Halstead" I straight			
0.40.40	• Tip 1,7mm		4	
2.10.19	Serrated jaw		4pcs	
	• 185mm, 7 1/4" total length			
	"Baby-Mix' curved			
	• Tip 1,4mm			
2.10.20	Serrated		2pcs	
	180mm, 7 1/8" total length			
	"Braun" tis			
2.10.21	2x2 Teeth		1pcs	
	155mm, 6 1/8" total length			
	"Czerny" u			
	4x4 Teeth			
2.10.22	Straight		1pcs	
L. 1 Q.LL	11mm Wide		.,,	
	200mm, 8" total length			
	"Crile-Woc" straight			
	Tip 1,8mm			
2.10.23	Needle size 4-6mm		1pcs	
	150mm, 6" total length			
	"Hegar-Ma" Straight Tip 2.9mm			
2.10.24	• Tip 2,8mm		2pcs	1
	Needle size 1-4mm 205mm 2 1/8" total longth			
	205mm, 8 1/8" total length "DeBelov" exteriols			
0.40.05	"DeBakey" straight May the 1 Groups		1000	
2.10.25	Mouth 1,8mm		1pcs	
	Serrated jaw			

Ref	Description S		Quantity	Price inclusive (Inc)
	180mm, 7 1/8" total length			
	Wound ret small curve			
2.10.26	1 Tooth		2pcs	
2.10.20	• Sh.		2003	
	• 165mm, 6 1/2" total length			
0.40.07	Retractor		0	
2.10.27	Sharp AGE		2pcs	
	165mm, 6 ½" total legth "Volkmann 4 teeth			
2.10.28	8,5x19mm Semi-sharp		2pcs	
	220mm, 8 ¾" total length			
	"Langenbe" 30x14mm			
2.10.29	210mm, 8 ¼" total length		2pcs	
	"Langenbe" blunt			
2.10.30	Blade 40x13mm		2pcs	
~	• 210mm, 8 1/4" total length			
	"Adson-Ba with joint			
2.10.31	Blunt		1pcs	
2.10.01	3/4 Teeth		1,000	
	140mm, 5 ½" total length			
	"Adson-Ba with joint			
2.10.32	Blunt		1pcs	
	• 4/4 Teeth		1 '	
	• 190mm, 7 ½" total length			
	• "Freer" ele double en			
2.10.33	3,7/3,7mm wideSharp/blunt		1pcs	
	185mm, 7 ¼" total length			
	"Zaufal-Jar" curved			
2.10.34	3x15mm jaw		1pcs	
	180mm, 7 1/8" total length		1 '	
0.40.05	"Killian" bo angulated to the left		1pcs	
2.10.35	200mm, 8" total length		ipus	
2.10.36	"Fergussor Ø 5,0mm = 15 charrier		2pcs	
ح. ۱۷،۵۵	110mm, 4 1/4" working length		2000	
2.10.37	Inner case perforated		1pcs	
2.10.07	• Ø 65mm		.,	
	Laborschal B4,			
2.10.38	Capacity 0,16L		1pcs	
	• Ø 85mm		'	
	• 40 mm Höhe			-
	Kidney tray Capasity 0.50 l			
2.10.39	Capasity 0,50 LHeight 39mm		1pcs	
	250mm, 10" total length			
	"Redon" gv carr, 8			
	• Ø 2,7mm			
2.10.40	Slightly Curved		1pcs	
	180mm, 7 1/8" total length			
2.10.41	"Redon" gv carr, 10		1pcs	

Ref	Description	Size	Quantity	Price inclusive (Inc)
	• Ø			
	• 3,3mm			
	Slightly Curved			
	180mm, 7 1/8" total length			
2.10.42	Tray for au with fall handle		1pcs	
2.10.72	• 485x255x50mm		1,000	
2.10.43	Paper filter half-, middle- and full-size container		1pcs	
2.10.40	Single-use, packg./ 100pcs. Ø 20		1,000	
	"Joseph" d sh./sh			
2.10.44	Curved		1pcs	
	150mm, 6" total length			
	"Adson-Bro str.			
	• Tip 2,2mm			
2.10.45	9x9 Teeth		2pcs	
	Flat handle			
	120mm, 4 ¾" total length			
3	"Kosher" n sharp			
10.46	Blade 15x1,0mm		1pcs	
	220mm, 8 ¾" total length			
	Cushing wc blunt			
2.10.47	1 Blade 9x10mm		1pcs	
	200mm, 8" total length			
2.10.48	Schoenborn retractor		1pcs	
	200mm, 8" t.long			
2.10.49	"Plester" ra 8,0mm wide		1pcs	
	170mm, 6 ¾" total length			
	MOUTH GAGS x1 each			
2.11.1	Mouth gag Kilner Doughty		1 piece	
2.11.2	Mouth gag Dingman		1 piece	

R	IDI	DER'S	CON	MMEI	NTS:

SCHEDULE OF OPTIONAL ACCESSORIES

Bidders must quote the price of the optional accessories listed as well as any other accessories that may be useful to the end users. The receiving Institutions may purchase individual accessories necessary for their particular Institution.

Cat No	Item	Price including VAT
9-		

DETAILED TECHNICAL SPECIFICATION

GENERAL INFORMATION REQUIRED

FAILURE TO COMPLETE THIS PART WILL DISQUALIFY THE BIDDER

Make:				
Model Number / Part Number for:		-		
ountry of Origin		<u></u>		
Final Bid / Quotation Price	e inclusive of V.A.T.			
Local (KwaZulu-Natal) Ag	ent			
Delivery Period		3		
R S A Import Permit Holde	er	Q=		
BIDDER				
SIGNATURE			DATE	
ADDRESS				
_				
TELEPHONE NO.			FAX NO	
CONTACT PERSON (PLEASE PRINT)				