0

SharePoint

Mthembu Khulani - ?



KZN HEALTH

KZN Health Intranet

Search this site

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY

DISTRICT OFFICES HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

HEALTH REPUBLIC OF BOUTH AFRICA	Quotation Advert	
Opening Date:	2021-08-13	
Closing Date:	2021-08-90	
Closing Time:	11:00	
INSTITUTION DETAILS		
Institution Name;	select King Edward V. 11 hospital	F
Province:	KwaZulu-Nalal	
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	King Edward VIII Hospital I-Block	
Date Submitted	2021-08-12	
ITEM CATEGORY AND DETAILS		
Quotation Number:	ZNQ: Kev 418/21	
Item Category:	Select. Service	*
item Description:	Plumbing and ablution maintenance and repairs at I-4A and B, Quote is attached to advert please print it and bring it with you for briefing session so it can be stamped and signed you will not participate if yo not have a copy, wear your ppe gear and bring your own pen a regist will be signed. No Emails are allowed compulsory site briefing	u do
Quantity (if supplies)		
COMPULSORY BRIEFING SESSION	SITE VISIT	
Select Type:	select. Compulsory Bricking Session	v
Date :	2021-08-18	
Time:	11h00	
Venue:	King Edward Viii Hospital Outside maintenence	
QUOTES CAN BE COLLECTED FROM:	Attached to advert	
QUOTES SHOULD BE DELIVERED TO:	King Edward Viii Hospital tendor box	
ENQUIRIES REGARDING THE ADVE	RT MAY BE DIRECTED TO:	
Name;	Khulani Mthembu \ L.G Sopika	
Email:		
Contact Number:	031 360 3446 \ 031 360 3465	
Finance Manager Name:	Mrs.V=Migritato	
Finance Manager Signature;	At)	ē



END-USER SPECIFICATION

DRM

Ite	ote Number:	Y	-		
	m Description: pl	ımbing and ablutions re	pairs in I 4	A and B	
De	partment/Section: Ma	intenance Purpose	of Item:	Toilets are	e leaking
1.	Pre-qualification criter	a if any:			
		d to have a regulatory be ation required if Yes:			SS, SANS, SANAS, ISO, CIDB, etc.)? Yes / No
	1.2. Is a compulsory s if Yes, specify: Date	te inspection / briefing s	session requ _: Plac	uired? Yes / No >e	0
		and content part of the			
		lon 4(1)(a) of the PPPFA			cable? Yes / No
	1.5. Liability Cover Ins	urance? Yes / No			
2.	What is the specificati	on of the required item?	ġ.		
Lis	t specifications to be adve				Comment
1.	See attached specificati	on and picture			
2.					
3.					
4.					
5.					
3.	Does a sample need to 3.1. Deadline for submit	be submitted? Yes / No sion if Yes: Date/_	select optio	on 3.1 or 3.2) Fime;	Place
0,	3.2. Specify that sample	s must be made available	when reque	ested in writing.	Yes or No
4.	contract, the purchas a penalty, a sui prime interest rate	to deliver any or all of user shall, without prejudic in calculated on the delive calculated for each day of	ce to its othe ered price of the delay un	r remedies und f the delayed g ntil actual delive	
5.		criteria / special terms a			
	t evaluation criteria / speci		be advertise	ed (if applicable)
1.	Pre-qualification criteria	CIDB grade 1			
2.	Administrative	Does the offer comply to			
3.	Conformance:	Was the product made of			
	Performance:	Will/does the product/se from all liabilities under t What characteristics doe	the contract?	?	bligation, in a manner that releases the supplie
4.	Functional		es me produz	ct or service na	ver
4. 5.	Features:			fellower and the	
4. 5. 6.	Reliability:	How long can a product	go between		e need for maintenance? (guarantee)
4. 5. 6. 7.	Reliability: Durability:	How long can a product What is the useful life fo	go between or the product	t? How will the p	e need for maintenance? (guarantee) product hold up under extended use?
4. 5. 6. 7. 8.	Reliability: Durability: Serviceability:	How long can a product What is the useful life fo How easy is it to repair,	go between or the product maintain or s	t? How will the processing the proce	e need for maintenance? (guarantee) product hold up under extended use? duct or service? (customer support)
4. 5. 6. 7.	Reliability: Durability: Serviceability: Ability & Capacity	How long can a product What is the useful life fo	go between or the product maintain or s of the vendo	t? How will the property the property to execute the	e need for maintenance? (guarantee) product hold up under extended use? duct or service? (customer support) e contract

SOPIKA L9	Name of SCM Rep (in full)	
CHIEF ARTISAN	Designation/ Rank (in full)	
	Signature	
07/07/ 2021	Date	
	CHIEF APTISAN	CHIEF APTISAN Designation/ Rank (in full) Signature

STANDARD QUOTE DOCUMENTATION SUPPLY CHAIN MANAGEMENT OVER R30 000.00 YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: KING EDWARD VIII HOSPITAL DATE ADVERTISED: 2021-08-13 FACSIMILE NUMBER: 031 205 6722 E-MAIL ADDRESS: PHYSICAL ADDRESS: GATE 2 FRANCIOS ROAD CONGELLA 4013 ZNQ NUMBER: KEV 418\ 21 DESCRIPTION: PLUMBING AND ABLUTIONS MAINTENANCE AND REPAIRS I-4A AND B CONTRACT PERIOD..... VALIDITY PERIOD 60 Days SARS PIN..... (if applicable) CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO. UNIQUE REGISTRATION REFERENCE DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS) Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration. The quote box is open from 08:00 to 15:30. ALL QUOTES MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RE-TYPED) THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO WILL RESULT IN YOUR QUOTE BEING DISQUALIFIED) NAME OF BIDDER POSTAL ADDRESS STREET ADDRESS TELEPHONE NUMBER CODE......NUMBER.......FACSIMILE NUMBER CODENUMBER...... CELLPHONE NUMBER E-MAIL ADDRESS VAT REGISTRATION NUMBER (If VAT vendor) HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1)

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

OFFICIAL PRICE PAGE FOR QUOTATIONS		ZNQ NUMBER: KEV 418\ 21				
		MBING AND ABLUTIONS MA				
SIGNATURI By signing t	E OF BIDDER	I hereby agree to all terms and conditions]	DATE			
CAPACITY	UNDER WHI	CH THIS QUOTE IS SIGNED				
Item No Quantity Description		Description	Brand & model	Country of manufacture	Price R c	
1.	72	PLUMBING AND ABLUTIONS MAINTENA	201000000		- 18.	1
		AND REPAIRS I-4A AND B				
						+
						+
				- 1		
				_	_	-
	-					
	b			-		
	-				_	+
						+
	0;					-
						-
VALUE A	 DDED TAX @	15% (Only if VAT Vendor)			_	4
The state of the s	A TOTAL CONTRACTOR OF THE STATE	RICE (VALIDITY PERIOD 60 Days)				
Does This (Offer Comply	With The Specification? Does The A	Article Conform To The S.	A.N.S. / S.A.B.S. Specif	ication?	
Is The Price			ery Period E.G. <i>L.G. 1da</i>			
38	- 2	ne quote may be directed to:	Enquiries regarding tecl	hnical information ma	y be directed	to:
91. C.		LANI Tel: 0313603446	Contact Person: MUZI			

DECLARATION OF INTEREST

1.	Any legal person, including persons employed by the state ¹ , or persons having a kinship will blood relationship, may make an offer or offers in terms of this invitation to quote (includes a limited quote or proposal). In view of possible allegations of favouritism, should the resulting employed by the state, or to persons connected with or related to them, it is required that declare his/her position in relation to the evaluating/adjudicating authority where-	price quotation, advertised competitive quote quote, or part thereof, be awarded to persons
	the bidder is employed by the state; and/or the legal person on whose behalf the bidding document is signed, has a relationship wi evaluation and or adjudication of the quote(s), or where it is known that such a relationsh on whose behalf the declarant acts and persons who are involved with the evaluation and	ip exists between the person or persons for o
2.	In order to give effect to the above, the following questionnaire must be completed and subm	itted with the quote.
		ion Number:
2.3.	Identity Number:	nber:umber:
2.7.	 The names of all directors / trustees / shareholders / members, their individual identity num employee / persal numbers must be indicated in paragraph 3 below. 	bers, tax reference numbers and, if applicable [TICK APPLICABLE]
	3. Are you or any person connected with the bidder presently employed by the state?	YES NO
2.8.	3.1.If so, furnish the following particulars:	
	Name of person / director / trustee / shareholder/ member:	
	Position occupied in the state institution:	ulars:
2,8,	3.2. If you are presently employed by the state, did you obtain the appropriate authority to unit	lertake remunerative work outside employmen
300000	in the public sector?	YES NO
	3.2.1. If yes, did you attach proof of such authority to the quote document? e: Failure to submit proof of such authority, where applicable, may result in the disqualification of	f the quote
	3.2.2. If no, furnish reasons for non-submission of such proof:	
2.9.	9. Did you or your spouse, or any of the company's directors / trustees / shareholders / memi	ers or their spouses conduct business with the
	state in the previous twelve months?	YES NO
2.9.	9.1. If so, furnish particulars:	norman
2.1	10. Do you, or any person connected with the bidder, have any relationship (family, friend, othe may be involved with the evaluation and or adjudication of this quote?	
2.1	10.1. If so, furnish particulars:	
	11. Are you, or any person connected with the bidder, aware of any relationship (family, friend,	
	employed by the state who may be involved with the evaluation and or adjudication of this	
2.1	11.1. If so, furnish particulars:	
2.1	 Do you or any of the directors / trustees / shareholders / members of the company have any or not thou are hidding for this contract? 	YES NO
21	or not they are bidding for this contract? 12.1. If so, furnish particulars:	
102		
3. NB	Full details of directors / trustees / members / shareholders. The Department Of Health will validate details of directors / trustees / members / shareh to ensure that their details are up-to-date and verified on CSD. If the Department cannot not be considered and passed over as non-compliant according to National Treasury Instru	alidate the information on CSD, the quote w
4	DECLARATION	
I, T	THE UNDERSIGNED (NAME)URNISHED IN PARAGRAPHS 2.	CERTIFY THAT THE INFORMATION
	ACCEPT THAT THE STATE MAY REJECT THE QUOTE OR ACT AGAINST MIROVE TO BE FALSE.	SHOULD THIS DECLARATION

"Slate" means -

Name of bidder

- any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999);

Signature

any municipality or municipal entity;

OSSESSOR AND DESCRIPTION OF THE PARTY OF THE

......

- provincial legislature;
 national Assembly or the national Council of provinces; or
- e) Parliament.

Position

Date

[&]quot;Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi ct executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid,

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

COMPULSORY SITE INSPECTION / BRIEFING SESSION

.1. Bidders who fail to attend the compulsory The institution has determined that a compulsory DateTime:	pulsory site meeting take place
Institution Stamp:	Institution Site Inspection / briefing session Official
	Full Name:
	Signature:
	Date:

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - B-BBEE Status level certificate issued by an authorized body or person;
 - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - Any other requirement prescribed in terms of the B-BBEE Act;
- "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes:

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P \min}{P \min} \right) \text{ Where}$$

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration
Pmin = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5. BID DECLARATION

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
- 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1
- 6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7.	SUB-CONTRACTING	(Tick applicable box)	
7.1	Will any portion of the contract be sub-contracted?	YES	NO
7.1.1	If yes, indicate:		
	i) What percentage of the contract will be subcontracted		
8.	Whether the sub-contractor is an EME or QSE	(Tick applicable box)	

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations.2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		100
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR	esalitato de la companya de la comp	- 57
Any EME	3-011-2-0-	
Any QSE		

Э.	DECLARATION WITH REGARD TO COMPANY/FIRM					
9.1	Name of company/firm:					
9.2	VAT registration number:					
9,3	Company registration number:					
9.4	TYF	PE OF COMPANY/ FIRM [TICK APPLICABLE	BOX			
		Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited				
9.5	DES	SCRIBE PRINCIPAL BUSINESS ACTIVITIES				
9.6	co	MPANY CLASSIFICATION [TICK APPLICAB	LE BOX]			
	П	Manufacturer Supplier Professional service provider Other service providers, e.g. transporter,	etc.			
9.7	Tot	al number of years the company/firm has bee	n in business:			
9.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 the preference(s) shown and I / we acknowledge that:			ed to do so on behalf of the company/firm, certify that the points claimed, based on paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for that:			
	i)	 The information furnished is true and correct; 				
	 The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; 					
	 iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct; 					
	iv)	s been claimed or obtained on a fraudulent basis or any of the conditions of contract in addition to any other remedy it may have –				
		(a) disqualify the person from the bidding p	rocess;			
		(b) recover costs, losses or damages it has	incurred or suffered as a result of that person's conduct;			
		 (c) cancel the contract and claim any dam arrangements due to such cancellation; 	ages which it has suffered as a result of having to make less favourable			
		who acted on a fraudulent basis, be re-	or, its shareholders and directors, or only the shareholders and directors stricted by the National Treasury from obtaining business from any organ years, after the audi alteram partem (hear the other side) rule has been			
		(e) forward the matter for criminal prosecut	ion.			
	w	TITNESSES	PICMATURE(E) OF BIDDEDE(E)			
	ī.		SIGNATURE(S) OF BIDDERS(S)			
			DATE:			
	2.		ADDRESS			

	PROVINCE OF KWAZUL	U-NATAL - DEPAR	RTMENT OF HEALTH	
	ATE FORM FOR : THE MAINTENANCE, REILLATIONS INSTALLED IN KWAZULU-NAT			QUIPMENT AND
SUBM	IT TO: KHULAN I MTHEMBU		FOR ATTENTION:031 360 34	146
INSTIT	TUTION: KING EDWARD VIII HOSPITAL		ZNQ NO.:KEV 418-21	
SCOP	E OF WORK: PLUMBING AND ABLUTION M	IAINTENANCE AND	REPAIRS AT I-4A AND B	
I/We h	ereby quote for the above work in accordance	with the conditions	as specified in Tender docume	ent.
	als, component/ancillary parts: Firm Price. A c			W-000
A.		cluding VAT)(Carri		R
	Contract very presidency and property and pr		R0.00 to R500 000.00)	R
В.	nancione de la companya del companya de la companya del companya de la companya del companya de la companya de la companya de la companya del companya de la	cluding VAT)(Carri	CONTRACTOR CONTRACTOR AND AND ADDRESS OF THE CONTRACTOR AND ADDRES	R
C.	Target and the second of the Wallet and the second of the	cluding VAT)(Carri		R
	Mark Up @ %		5 0	R
(Item r	reserved for specialist task only and may not e	xceed 25% of prima	ry contractor total amount)	
All sub	ocontractor work/materials shall be broken dow	n the same manner	as the primary contractor.	
D.	Labour, Travelling, Subsistence and Transpo materials etc. quoted for. (Ex	ort. This price shall cluding VAT) (Bro		R
E.	Less credit for redundant materials, parts an	d equipment if appli	cable	R()
			SUBTOTAL	R
			VAT @ %	R
F.	This Price in SA Currency firm for 90 days shall not be exceeded. To be measured of		estimate quotation and	R
Time	required for completion weeks fr	rom receipt of off	ficial order.	
	OF SERVICE PROVIDER:			:297/2021
CIDB	UNIQUE NUMBER		CIDB CATEGORY	
PROV	'INCIAL SUPPLIERS DATABASE REGISTRA'	TION NUMBER:		,
SERV	ICE PROVIDER'S AUTHORISED SIGNATUR	E:	ZNQ No:297/	2021
NAME	IN BLOCK LETTERS:	.,,		
	PANY STAMP		DATE	

SCHEDULE OF PRICES: MATERIALS, COMPONENT/ANCILLARY PARTS AND SUB CONTRACT WORK

The service provider shall add here, <u>ALL</u> materials, components/ancillary parts which are required for the completion of the work quoted for.

In the event that more pages are required, this page may be copied.

ITEM	DESCRIPTION	MANU- FACTURER	FIGURE /MODEL NO.	QUANTITY	UNIT	TOTAL COST (Excluding VAT)			
						BOUGHT OUT	PRO- PRIETARY	SUB CONTRACT	
3				6					
- 8									
		TOTAL	COST BO	UGHT OUT IT	TEMS (A)	8			
				COST PROP		00			
				TOTAL C	OST SU	B CONTRAC	CT ITEMS (C) ractors quote)		

TOTAL AMOUNT (A) (B) (C) TO BE CARRIED FORWARD TO PAGE 1

D.1 SCHEDULE OF PRICES LABOUR, SUBSISTENCE, TRAVEL AND TRANSPORT REPLACEMENT AND ADDITIONAL EQUIPMENT

D.1,1	LABOUR No. of		TOTAL HOURS	RATE/HR		AMOUNT
a)	Artisans			R 365.00		R
b)	Apprentice 1 st Year 2 nd Year 3 rd Year			R1	18.00 50.00 80.00	R R
	4 th Year			R 2	65.00	R
c)	Semi-skilled			R 1	75.00	R
d)	Unskilled		***************************************	R 1	10.00	R
D.1.2	TRAVEL		TOTAL Km	RAT	ΓΕ/Km	
D.1.2.1 a)	From service provider's premises to site trips(Driver)			Petrol Delete as R 7.78	Diesel applicable R 7.58	R
b)	(skilled) @km per triptrips (Semi-skilled)(Driver) @km per trip		***************************************	R 5.80	R 5.60	R
D.1.3	ADDITIONAL LABOUR TRAVELLING WITH DRIVER		TOTAL HOURS	RA ⁻	TE/HR	AMOUNT
a)	x Additional Artisan/s km per trip ÷ 80km/hr		***********	R 3	65.00	R
b)	x Additional Semi-Skilled trips (semi) @ km per trip ÷ 80km/hr		mannama.	R 1	75.00	R
c)	x Additional Unskilled trips (unskilled) @ km per trip ÷ 80km/hr			R 110.00		R
d)	x Additional Apprenti trips (semi) @ per trip ÷ 80km/hr			R		R
		SUBT	OTAL CARRIED F	ORWARD	TO PAGE 4	R

	SUB	TOTAL BROUGHT FORWA	ARD FROM PAGE 3	R
D.1.4	TRANSPORT	TOTAL Km	RATE	
a)	Haulage to site trips			
	@km per trip	2.5 tone	R 9.31	R
	@km per trip	3 tone	R10.80	R
	@km per trip	5 tone	R12.50	R
	@km per trip	7 tone	R14,50	R
	@km per trip	10 tone	R16.80	R
b)	Cranage to and on site @ sub contract rate	R	x 1.10	R

TOTAL AMOUNT CARRIED FORWARD TO PAGE 1 ITEM (D) R ...



PROVINCE OF KWAZULU-NATAL

DEPARTMENT OF HEALTH

Plumbing and ablution Repairs at 14A and B ZNO NO: KEH_

Closing Date & Time

@ 11h00 3

Contract Period

: 02 Weeks

Validity Period

: 60 Days

Technical Contact Person

: MR. M.M. S Mngomezulu

Contact Telephone Number : 031 360 3716

On Site Inspection

DOCUMENTS DELIVERED BY HAND MUST BE DEPOSITED IN THE QUOTATION BOX SITUATED IN:

THE QUOTATION BOX IS AVAILABLE ON THE THE TENDER-BOX FOLLOWING DAYS AND TIMES: MONDAYS TO KING EDWARD 8 HOPITAL

FRIDAYS 07h30 - 16h00

DOCUMENTS POSTED SHALL BE ADDRESSED TO:

SUPPLY CHAIN MANAGEMENT: KING EDWARD 8 HOPITAL P/BAG

N.B.: THE QUOTATION BOX WILL BE CLEARED AT 11:00Hrs ON THE DUE DATE.

Name of Tenderer

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

Plumbing and ablution Repairs at 14A and B

ZNQ NO: KEH____

PROJECT SPECIFICATIONS

- 1. NOTES TO TENDERERS
- 1.1. SCOPE OF CONTRACT

This Contract is for the complete execution of the project indicated above.

- 1.2. CONDITIONS OF CONTRACT AND PRELIMINARIES
- 1.2.1 PERIOD OF CONTRACT

03 Weeks as the Contract Period for the completion of all Works from date of Site handover.

1.2.2 CONTRACT GUARANTEE:

The successful Tenderer will NOT be required to submit a contract guarantee.

1.2.3 GUARANTEE PERIOD

The guarantee period for all Works and all materials must be for a minimum of One (1) Year from the date of first delivery.

1.2.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing Institution.

The Contractor is advised that the existing premises will be occupied throughout the period of the contract.

Damage to existing buildings - Tenderers to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Tenderer.

The repairs must be to the satisfaction of the KwaZulu- Natal Department of Health.

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

Plumbing and ablution Repairs at 14A and B ZNO NO: KEH

TECHNICAL SPECIFICATIONS

2. TECHNICAL SPECIFICATION

2.1GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

Specifications

BY LAW REQUIREMENTS

14. TILING

MATERIALS

River Sand: —ts to be clean, sharp, coarse sand, free from all impurities, washed if so directed and complying with SANS Specification 1090.

Plaster Sand: — for wall backings is to be clean, sharp, free from impurities, washed if so directed and complying with SANS Specification 1090.

Cement: —unless otherwise specified, is to be Portland cement of normal setting quality complying with SANS Specification 47I and must be used fresh. Cement containing more than 15 % blast furnace slag will not be permitted to be used.

Water: —is to be clean, fresh and free from injurious amounts of acids, alkalis and other organic substances.

MEASUREMENT OF CONSTITUENT PARTS OF BACKINGS, ETC.: — Cement and sand are to be measured exactly by means of gauge boxes or purpose made wheelbarrows. Part filling or heaping of normal wheelbarrows will not be permitted:

Water is to be accurately measured for each batch to approval.

Waterproofing compounds, where specified, are to be added to the mixture in the quantities recommended by and in strict accordance with the manufacturers' instructions.

MOVEMENT JOINTS:-

Aluminium Structural Screed joints bolted to slab to be capable of total movement of minimum of 5mm either way with flexible PVC Hospital Insert.

Movement joints to be in high traffic area's as "Migua" FV35/1500 or "Kirk" ASSJ390H of approved height with hospital insert bolted to slab before screeding.

Metal movement joints in low traffic area's with hospital insert strips...

PAINTING

MATERIALS: — Proprietary materials where specified are to be of the brand specified or other approved by the Department.

All primers, emulsion paints, enamels, stains, varnishes, etc. are to comply with the relevant SANS Specification.

Paints, etc. shall be suitable for application on the surfaces to which they are being applied and those used externally shall be of exterior quality or suitable for exterior use.

For any particular work the priming coat and subsequent coats of paint are to be executed with paints from the same manufacturer and in accordance with that manufacturer's instructions

The materials are to be brought to the site in unopened containers and no adulteration will be permitted, except thinners of a quantity and quality directed by the manufacturer.

The Department shall at all times be permitted to take samples for testing purposes from open containers of any brand of paint being used on the work.

All materials, if and when required by the Department, will be subject to tests by the South African Bureau of Standards, and the cost of such tests, should the material under test not meet the requirements of this specification, shall be borne by the Contractor. Fillers and stoppings are to be suitable for use with the material being filled or stopped and to the approval of the Department.

PREPARATORY WORK: — All new and existing surfaces are to be thoroughly dry and are to be cleaned of all dust, dirt, grease, oil, rust, scale, efflorescence, fungus, loose or flaking material, etc. rubbed down, stopped, filled, knotted and sanded smooth as required in accordance with the paint manufacturer's recommendations and to the approval of the Department prior to the application of paint, etc.

Cellings are to have nail heads, including those to cornices and cover strips, primed and stopped up as necessary and rubbed down smooth.

Asbestos cement shall be primed with an approved alkali resistant primer before the application of subsequent coats which are not, in themselves, alkali resistant.

Iron, steel and other ferrous metals shall be cleaned in accordance with SANS Code of Practice 064 to remove rust, scale, grease, oil, etc. and the surface brought to a bright metallic condition.

Galvanized iron and zinc shall be cleaned in accordance with SANS Code of Practice 062 to remove the manufacturer's temporary protective coating, white rust, etc.

Other non-ferrous metals shall be thoroughly cleaned to remove all milling oils, temporary protective coatings, etc. and the surface abraded with fine water-paper and white spirit.

Woodwork to be painted shall have all knots and resinous areas treated with an approved knotting, the surface shall then be primed and all holes, etc. stopped and rubbed down smooth,

Woodwork to be oiled, stained, varnished, etc. shall be free of all stains, pencil marks and other surface discolorations and all holes, etc. stopped with finled stopping and rubbed down smooth.

In preparing existing glazed sashes and sash doors, all loose putty is to be removed, the rebates primed and glass re-sprigged and re-puttied as necessary before the painting is commenced.

Previously distempered or lime washed surfaces to receive any other type of paint, are to have the existing distemper or lime wash completely removed by scraping or wire brushing and the surfaces treated with an approved bonding liquid.

Where existing paint film are in good condition any flaking or bared patches are to be properly feathered into the surrounding paint and spot primed as necessary.

Where existing paint films are in poor condition and require to be removed completely, they are to be removed by means of wire brushing, paint remover, burning off, or other approved method. Paint removers shall be free of wax and caustic substances and shall preferably be of water rinseable type. When burning off paint from wood, care must be taken to avoid charring the wood.

The final state of preparatory work to existing decorated surfaces shall in all cases produce in the finished decorated surfaces a condition similar to new work.

The Contractor will be held responsible for the proper and adequate preparation of the surfaces and any work which fails to meet the manufacturer's recommendations must be made good at the Contractor's expense to the satisfaction of the Department.

APPLICATION OF PAINTS, ETC.. — Painting may be carried out by brush, roller or spray as recommended by the manufacturer and to the approval of the Department. All paints, etc. are to be applied in strict accordance with the manufacturer's instructions — Each coat of paint is to be adequately and permanently keyed onto the previous coat or surface and shall be evenly distributed and continuous and shall dry to a smooth film, free from sags, runs or other imperfections. Each coat of paint is to be of a colour distinctive from previous or succeeding coats.

All painting must be done in accordance with a colour scheme which will be provided by the Department, and rates for painting etc. are to include for all cutting in of contrasting colours and masking as required. No distinction has been made where more than one colour of the same material is required on the walls or ceiling of the same room.

Samples of colours for the final coats are to be prepared in all cases to the approval of the Department and all work must be finished to the approved colours.

Backs of wood door and similar frames an the surfaces of other new or prefixed joinery in contact with brickwork, etc. and built in as the work proceeds, shall be primed or sealed before building in to prevent moisture seeping into the wood from the mortar bedding.

Tongued and grooved and rebated edges of boards in batten doors and other such tike inaccessible parts of new joinery shall, before assembly, be primed, or where the joinery is to receive a finish other than paint, be given one coat of such other finishing material.

All new external structural timbers shall be primed before the timbers are fixed in position and shall include all surfaces such as backs of fascias and barge boards.

RATES: — Rates for painting, etc. are to include for all preparatory work, and where spraying is employed, are to include or adequately masking all surrounding areas.

Where diameters of pipes are stated these are the nominal internal diameters, and rates for painting pipes are to include for painting the holderbats, hangers, clips, etc. supporting the pipes.

Rates are to include for providing all necessary dust sheets, covers, etc. taking all necessary precautions to prevent marking the surfaces of joinery, walls, floors, glass, electrical fittings, etc. All surfaces disfigured or otherwise damaged shall be completely renovated or replaced as necessary to the approval of the Department at the Contractor's own expense.

SANITARY PLUMBING AND FITTINGS, WASTE, VENTILATION AND ANTI-SIPHON PIPES

- (a) Unplasticised polyvinyl chloride (UPVC) pipes and fittings shall be of approved manufacture marked with the manufacturer's name and trade name, the nominal bore and the South African Bureau of Standards mark and shall comply with SANS Specification 967. Joints shall be made with injection moulded fittings in accordance with the manufacture's instructions and SANS Code of Practice 0112. The pipes must be fixed clear of the finished wall face with aluminium alloy holderbats fitted with plastic cushion strips with the holderbats fixed to plugs in wall.
- (b) Polypropylene pipes and fittings shall be of approved manufacture and shall have a mechanical form of jointing. Pipes and fittings are to be fixed and jointed in accordance with the manufacturer's instructions.
- (c) Multilayed pipes shall be of approved manufacture and shall have a mechanical form of jointing. Pipes and fittings are to be fixed and jointed in accordance with the manufacturer's instructions.

SANITARY FITTINGS: — All sanitary were must comply with SANS 497 Specifications and be fitted with Ball-O-Cock valves in supply lines.

Wash hand basins shall be of white glazed firectay or vitreous china of the type and size specified. Basins shall have an integral overflow to non patient treatment facilities and be fitted with 32mm chromium plated waste union with flange and grating, rubber plug on chromium plated brass chain and, where required, tap hole stopper cemented in.

WC pans shall be of white glazed fireclay or vitreous china of the type specified with 'S' or "P" trap with straight or side outlet and shall be fitted with single or double flap plastic seat as required, secured to pan with concealed brass holding down bolts. Pans shall be bedded on the concrete floors in 1:3 cement mortars. Pans in seclusion rooms and other public areas to be 'Gypsy' vandal proof – or other approved.

Glazed ceramic urinals of the bowl or stall type shall be of white glazed fireclay or vitreous china. Bowl urinals shall be fitted with 40mm chromium plated waste union, with flange and

domical grating and with spreader with flush pipe connector. Stall urinals shall be fitted with 75mm chromium plated waste union with flunge and hinged domed grating and with spreader with flush pipe connector.

Flushing cisterns shall be as specified, either of white porcelain enamelled cast iron, white glazed fireclay, vitreous china or black plastic complying with SANS Specification 821, each with body and cover. Cisterns shall be a maximum of 11 litre capacity and the flushing apparatus shall be of brass, copper or other corrosion resistant metal, PVC or other approved plastic or of an approved ceramic material. All cistern lids must be able to be screwed down. Connections for flush pipe, inlet and overflow pipe must be provided in the body. Cisterns shall be fitted with 15mm brass ball valve with copper, PVC or polystyrene ball and with either chromium plated operating lever handle or galvanized steel pull chain and handle. A galvanized, white enamelled or chromium plated steel or copper flush pipe, of the required length, as specified, is to be jointed to the flush pipe connection on the body of the cistern and in the case of WC pans is to be fixed to the inlet of the pan with an approved patent adaptor. From the overflow connection on each cistern a 22mm copper overflow pipe, bent as required, shall be taken through wall to discharge externally, with ends splay cut and projecting 50mm beyond wall face, or where this is not possible, bent to discharge into WC pan.

Baths shall be enamelled cast iron baths of the type and size specified, holed for and fitted with chromium plated brass overflow union with grating, 40mm chromium plated brass waste union with flange and grating, rubber plug on chromium plated brass chain and fitted with adjustable cast iron feet. The fall along bottom of baths from head ends to outlets must be adequate for complete emptying.

Stainless steel sinks and drainers shall be of the types and sizes specified with exposed surfaces buffed to a satin finish and sound deadened on underside by application of an approved sound deadening coating. Splashbacks with tiling keys shall be provided at back and at ends against walls or as specified. Sink bowls are to be pressed out of single sheets with complete drainage to outlets and each bowl is to be fitted with integral built-in overflow with chromium plated brass grating and 40mm recessed waste outlets with chromium plated brass waste union with grating, rubber plug and chromium plated brass chain. Sink bowls, unless otherwise specified, are to be 450 x 355 x 140mm deep. Drainers are to be pressed out of single sheets and are to have pressed flutes to give complete drainage

- (a) For domestic use Sinks shall comply with SANS Specification 242 and shall be manufactured from A.I.S.I. Type 430 stainless steel 0.8mm thick for units not exceeding 2.4m long and from stainless steel 1.2mm thick for units exceeding 2,4m Long. -
- (b) For hospital use and laboratories Sinks shall be manufactured from A.I.S.1. Type 304 stainless steel 0.9mm thick for units not exceeding 2.4m long and from stainless steel 1.2mm thick for units exceeding 2.4m long.

Stainless steel wash hand basins and wash troughs shall be of the types and sizes specified complying with SANS Specification 906, with exposed surfaces buffed to a satin finish and sound deadened on underside by application of an approved sound deadening coating. Each basin or wash trough in non patient treatment area's are to be fitted with integral built-in overflow with chromium plated brass grating and 40mm recessed waste outlet with chromium plated brass waste union with grafing, rubber plug and chromium plated brass chain.


Stainless steel urinals shall be of the types and sizes specified complying with SANS Specification 924 and shall be manufactured from A.I.S.I. Type 304 stainless steel, 1.2mm thick, buffed to a satin finish and sound deadened at back by application of an approved sound deadening coating. The back and sides of urinals are to be made rigid by means of integral pressed ribs or by bowing. Edges at sides and top are to have plaster key. Tread plates are to be ribbed and the front edges are to be stiffened and bent to form key for floor finish. The trough shall be a minimum of 125mm wide and half round in section with all corners radiused and shall fall to ensure complete dramage to 75mm recessed outlet with

chromium plated domed hinged grating and frame.


RATES FOR SANITARY WARE. — shall include for the supply and fixing of the units as specified and for cleaning, washing and leaving in a satisfactory condition on completion.

TR5 5 Roll Toilet Roll Dispenser- Square- Stainless steel

- Roll Capacity: 5 Toilet Rolls
- Installation Height: 65 75 cm to floor
 Installation Height for Disabled People: 70 cm to the floor
- Dimensions (WxHxD): 130 x 570 x 140mm
- Weight: 2,5 kg







Product Features

- Back to wall pan back inlet
- Screwed to Floor (fixing screws not supplied)
- 20 Year guarantee against manufacturing defects

Technical Specifications

Colour:

White

Material:

Vitreous

Height:

395mm

Width: Depth: 366mm 520mm

Weight:

20.37kg



Product Features

- · Exposed type, top entry toilet flush valve with wall flange.
- · Straight flush pipe.
- · Compression pan connector.
- · SABS approved, SANS 1240.
- Integral vacuum breaker prevents back-syphonage.
- · Push button flush activation.
- Butterfly control inlet.
- Warranty: 2 years

Technical Specifications

Height:

153mm

Length:

143mm

Diameter:

38.2mm

Inlet:

31.75mm

Projection:

68mm

Weight:

3.77g

3. SCOPE OF WORKS.

The work to be carried out under this contract includes the plumbing and ablution repairs

Plumbing and ablution Repairs at I 4A and B

_General

- 1. Allow for excavation backfilling and repairs to surfaces.
- 2. Allow for the plumbing materials as specified
- 3. Only class 02 copper must be used inside.

141

Male and Female patients toilets Toilet

- Replace old pan and junior flush master and supply and install new flush master (code FJ2,000) with pan connector(code C-FM8-20) and offset flush master (code FJT5.7 or FM 1.210) and site cover refer to page 11for complete specification and picture
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe(code class 02)and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe
- Supply and replace broken shower nozzles

Hand basin plumbing repairs at I4A

- Chasing of walls 2.5 m, remove existing white pipe line cold and replace with 15 mm class 02 copper pipes
- Supply and install new 15 mm TPEE copper to copper and 15mm male to female elbow
- Cover the pipe with the plaster and replace all white wall tiles 15mm x15mm
- Paint all damage walls with odorless same as existing cream white

14B

Patients and staff toilets

- Replace old pan and junior flush master and supply and install new flush master (code FJ2,000) with pan connector(code C-FM8-20) and offset flush master (code FJT5.7 or FM 1.210) and site cover refer to page 11 for complete specification and picture
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe (code class 02) and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe
- Supply and replace broken shower nozzles
 Replace broken ceiling panel and aluminums rails

Hand basin plumbing repairs at I4B

- Chasing of walls 2.5 m, remove existing white pipe line cold and cold water and replace with 15 mm class 02 copper pipes
 - Supply and install new 15 mm TPEE copper to copper and 15mm male to female elbow
- Cover the pipe with the plaster and replace all white wall tiles 15mm x15mm
- Paint all damage walls with odorless same as existing cream white

	Date 07-07-2012
MMS Mngomezulu	Date 07/07/ 2021
Fod user	Date

4.	white		25		
3.	15mm x15mm Paint all damage walls with odorless same as existing cream	M ²	30		-
2.	15mm male to female elbow Cover the pipe with the plaster and replace all white wall tiles	M ²	22		
1.	Chasing of walls 2.5 m, remove existing white pipe line cold and cold water and replace with 15 mm class 02 copper pipes. Supply and install new 15 mm TPEE copper to copper and	M ² UNIT	25		-37
	Hand basin plumbing repairs at I4B				
4.	Replace broken ceiling panel and aluminums rails	M²	50		
3.	Supply and replace broken shower nozzles	UNIT	02		
2.	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe(code class 02)and TPEE reducer 50mm x 28 mm	М	20		
1.	Replace old pan and junior flush master and supply and install new flush master (code FJ2,000) with pan connector(code C- FM8-20) and offset flush master (code FJT5.7 or FM 1.210) and site cover refer to page 11 for complete specification and picture	UNIT	04		
	I 4B				
4.	Paint all damage walls with odorless same as existing cream white	M ²	25		
3.	Cover the pipe with the plaster and replace all white wall tiles 15mm x15mm	M ²	30		
2.	Supply and install new 15 mm TPEE copper to copper and 15mm male to female elbow	UNIT	22	= - 16	
1.	Chasing of walls 2.5 m, remove existing white pipe line cold and cold water and replace with 15 mm class 02 copper pipes	M ²	25		
2.	copper pipe(code class 02)and TPEE reducer 50mm x 28 mm Hand basin plumbing repairs at I4A		20		
1.	new flush master (code FJ2,000) with pan connector(code C-FM8-20) and offset flush master (code FJT5.7 or FM 1.210) and site cover refer to page 11 for complete specification and picture Remove 15mm supply pipes, supply and install new 2m x28mm	UNIT	04		
	Replace old pan and junior flush master and supply and install	2300000			
	Male and Female patients toilets Toilet				
	All equipment and material used in this contract shall be that which is specified or other SABS approved. I 4A				
	The Tenderer is advised that the buildings are occupied PROPRIETARY ARTICLES:				
	INSTITUTION: KING EDWARD HOSPITAL ZNO NO: KM All rates quoted shall be inclusive of transport, Labour and profit.				

PROJECT
DESCRIPTION:

ZNO NO:	KEH	
ZINU INU.	IXIDII	

NOTE:

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE QUOTATION FORM.

Collection Summary PS 1	R	
Safety requirements	R	
10% Contingencies	R	
Sub total	R	

Company Director/ Company name

KEH-Maintenance Project Policy

- 1. Stores issue the Company an order number and company confirms.
- 2. Stores notify the maintenance department
- The Company contacts the maintenance department within a period of 2 days to confirm that they have received an order number.
- 4. Company is given a period of 1 week to compile and submit a work plan, safety requirements as briefed by a safety officer (In a table form)
- 5. Presentation of an official order, work plan
- 6. No work will be commenced without submitting a work plan and a safety plan.
- Company must sign a contractors register and complete the daily job card (This will be done on a daily basis with no fail)
- 8. There will be progress meeting every week depending on the project period.

Evaluation criteria

- 1. The rates must be clear and be on the attached schedule.
- 2. Collection summary.
- 3. Schedule of references
- 4. Artisan Qualification Plumbing Trade Test
- 5. Detailed work plan showing the all the mile stones. (to cover the contract period)
- 6. Valid CIDB Grading LEVEL 1

Company	Director/ Company name
Sign	((
Date	28

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

Plumbing and ablution Repairs at 14A and B ZNO NO: KM

SCHEDULE OF RATES

3.1 ITEMS AND PRICING

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his quote for the contract and of the rates and prices stated in the Schedule of Rates.

3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

3.3 RATES

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all Labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

OFFICIAL BRIEFING SESSION / SITE INSPECTION CERTIFICATE KING EDWARD HOSPITAL

Site/Security Office King Edward Hospital involved:	Plumbing and ablution Repairs at 14A and B					
Quotation No. ZNQ NO.:KEH	-	_				
THIS IS TO CERTIFY	THAT	AND	DDECTEUS.	77117	OF	
ON (D CIRCUMSTANCES AND THE		THEREFORE		THE WITH	SITE	
SIGNATURE OF TENDERER	OR AUTHORISI	ED REPRESEN	TATIVE			

DATE:....

SCHEDULE OF REFERENCES

References of previous work completed for the department of health or other to be listed below.

PLACE WORK WAS DONE	CONTACT PERSON	PHONE NUMBER	JOB COMPLETED

NB. If this is not filled, your document will not be evaluated
SIGNATURE OF TENDERER:
DATE: