SharePoint

Ntlangeni Andile Leon + 🥊



KZN Health Intranet

Search this site		Q

HOME CORPORATE INFORMATION COMPONENTS

NENTS DIRECTORY

DISTRICT OFFICES

HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

W H	g Date: g Time: 11:00 TUTION DETAILS tion Name: Madadeni hospital ce: KwaZulu-Natal Department of Health on or section: Where goods / services is required Madadeni Hospital 2021-08-30 CATEGORY AND DETAILS tion Number: MAD/363/22 ategory: Services Relocate the Gate and the Guard house at Rosary clinic Requirements: CID8 1GB, 1SO and 1EB Registration with NHBRC ty (if supplies) As per Specification PULSORY BRIEFING SESSION / SITE VISIT Type: Compulsory Briefing Session 2021-09-02 14:15 Rosary clinic Cuotes have been uploaded together with the advert. Service providers are requested to come with their documents.	
Opening Date:		2021-08-30
Closing Date:		2021-09-
Closing Time:		3 T 2 W 2 T (A T II)
INSTITUTIO	N DETAILS	
Institution Nan	ne:	Madadeni hospital
Province:		
Department or	Entity:	Department of Health
Division or sec	tion:	Central Supply Chain Management
Place where go	oods / services is required	Madadení Hospital
Date Submitted	i	2021-08-30
ITEM CATEG	SORY AND DETAILS	the state of the s
Quotation Num	ber:	
Item Category:		Services
Item Description	n:	Relocate the Gate and the Guard house at Rosary clinic
		Requirements: CIDB 1GB, 1SO and 1EB
Quantity (if sup	oplies)	As per Specification
COMPULSO	RY BRIEFING SESSION	I / SITE VISIT
Select Type:		Compulsory Briefing Session
Date :		2021-09-02
Time:		
Venue:		Rosary clinic
QUOTES CAN I	BE COLLECTED FROM:	Quotes have been uploaded together with the advert. Service providers are requested to come with their documents.
QUOTES SHOU	ILD BE DELIVERED TO:	Quotes must be sent to <u>Madadeni.SCM@kznhealth.gov.za</u> or hand deliver at Madadeni hospital, in the Admin tender box.
ENQUIRIES I	REGARDING THE ADVI	ERT MAY BE DIRECTED TO:
Name:		
Email:		ti di

Finance	Manager	Name:
---------	---------	-------

Finance Manager Signature:

No late quotes will be considered

STANDARD QUOTE DOCUMENTATION SUPPLY CHAIN MANAGEMENT OVER R30 000.00 YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: MADADENI PROVINCIAL HOSPITAL DATE ADVERTISED: 30/08/2021 CLOSING TIME: 11:00 E-MAIL ADDRESS: Madadeni.SCM@kznhealth.gov.za FACSIMILE NUMBER: 034328 8068 PHYSICAL ADDRESS: F0001 SECION 6 MADADENI ZNQ NUMBER: MAD/363/22 DESCRIPTION: RELOCATE THE GATE AND THE GUARD HOUSE AT ROSARY CLINIC CONTRACT PERIOD..... VALIDITY PERIOD 60 Days SARS PIN..... (if applicable) CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO. UNIQUE REGISTRATION REFERENCE DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS) Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration. The quote box is open from 08:00 to 15:30. ALL QUOTES MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RE-TYPED) THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO WILL RESULT IN YOUR QUOTE BEING DISQUALIFIED) NAME OF BIDDER POSTAL ADDRESS STREET ADDRESS TELEPHONE NUMBER **CELLPHONE NUMBER** E-MAIL ADDRESS VAT REGISTRATION NUMBER (If VAT vendor) YES NO HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1)

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

JEFIGIAL FRIG	EPAGEI	FOR QUOTATIONS	ZNQ NU	JMBER:	***************************************
DESCRIPTION:	*.1				
SIGNATURE OF By signing this d	BIDDER locument	I hereby agree to all terms and conditions]	l	DATE	
CAPACITY UND	ER WHIC	H THIS QUOTE IS SIGNED			
Item No C	Quantity	Description	Brand model	& Country of manufacture	Price R c
1 0	NCE OFF	RELOCATE THE GATE AND THE GUARD HOUSE A	AT ROSARY CLINIC		
		REQUIREMEMTNS: CIDB 1GB, 1SC			
	-				
		15% (Only if VAT Vendor)			
TOTAL QUOT	ATION P	RICE (VALIDITY PERIOD 60 Days)		·	
Does This Offer			The Article Conform To To Delivery Period E.G. E.G.		pecification?

Enquiries regarding the quote may be directed to: Contact Person: NTLANGENITel: 0343288269 E-Mail Address:	Enquiries regarding technical information may be directed to: Contact Person: S MBATHA Tel:0343288020.
--	---

DECLARATION OF INTEREST

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
 - the bidder is employed by the state; and/or

any municipality or municipal entity;

- the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.

	on whose behalf the	e declarant acts and persons who a	ire involved wi	th the evaluation an	d or adjudication of the qu	iote.
2.	In order to give effect t	o the above, the following question	naire must be	completed and sub	mitted with the quote.	
		epresentative				
2.2.	Identity Number:	***************************************	2.5.	Tax Reference Nu	ımber:	************
2.3.	•	ne Company (director, trustee, shar		VAT Registration	Number:	
27		ctors / trustees / shareholders / me		adividual identity nu	mhere tay reference num	hore and if applicable
£11 ·		mbers must be indicated in paragra		idividual identity nui		K APPLICABLE]
2.8.		n connected with the bidder presen		y the state?	[YES NO
2.8.	1. If so, furnish the follow					
	Name of person / direct	ctor / trustee / shareholder/ membe	Г			
		on at which you or the person conn				
201	Position occupied in tr	e state institution:employed by the state, did you ob	tain the annea	Any other parti-	culars:	
2.0.	in the public sector		am me appro	phate authority to tir	idertake remunerative wo	
285		: ach proof of such authority to the q	uote documen	t?		YES NO
		of such authority, where applicable			of the quote.)	
2.8.2	2.2. If no, fur	nish reasons for non-submission of	such proof:			
2.9.	Did you or your spous	se, or any of the company's directo				
	state in the previous t				·	YES NO
2.9.	1. If so, furnish particu	llars:				
2.10	. Do you, or any person	n connected with the bidder, have a	ıny relationshi	p (family, friend, oth	er) with a person employe	
2.10	may be involved with	the evaluation and or adjudication	of this quote?			YES NO
2.10	. τ. τι su, turnish particu Δre volu or anv nerso	ılars:n connected with the bidder, aware	of any relatio	nchin (family friend	other) between any other	hidder and any nerson
2,11	employed by the state	e who may be involved with the eva	or any retation altration and or	radiudication of this	nuote?	YES NO
2.11	.1. If so, furnish particu	Ilars:		aujuuluusun on uno		TES NO
		lirectors / trustees / shareholders / i				ted companies whether
	or not they are biddin				•	YES NO
2.12	2.1. If so, furnish particu	ılars:				
3.	Full details of directo	ors / trustees / members / shareh	olders.			
NB:	The Department Of H	ealth will validate details of direct	ors / trustees	/ members / share	holders on CSD. It is the	suppliers' responsibility
	to ensure that their d	etails are up-to-date and verified o	n CSD. If the	Department cannot	validate the information	on CSD, the quote will
	not be considered an	d passed over as non-compliant ac	cording to Nat	tional Treasury Instr	uction Note 4 (a) 2016/17	
4	DECLARATION					
I, T	HE UNDERSIGNEI	O (NAME)			CERTIFY THAT TI	HE INFORMATION
	RNISHED IN PARA					
ΤA	CCEPT THAT THE	STATE MAY REJECT THE Q	HOTE OR A	CT AGAINST M	E SHOULD THIS DE	T ARATION
	OVE TO BE FALSE		COLLOR	ier mermier in	E SHOOLD HINDDL	CEMMITTON

Nan	ne of bidder	Signature	F	Position	Date	
1ºCt-	te" means –					
a)	any national or provincia	I department, national or provincial public		provincial legislature;		
		thin the meaning of the Public Finance Ma	nagement d)	national Assembly or	the national Council of provinces	s; or

^{2&}quot;Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1.	Bidders who fail to attend the compulsory meeting will be disqu	alified from the evaluation process.
(i) (ii)	The institution has determined that a compulsory site meeting Date/ Time: Place	take place
Instit	ution Stamp:	Institution Site Inspection / briefing session Official
		Full Name:
		Signature:
		Date:

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued:
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the **KZN Department of Health** (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

(A) A (A) (A) (A) (A) (A) (A) (A) (A) (A	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person:
 - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P\min}{P\min}\right)$$
 Where

Ps Points scored for price of bid under consideration

Pt Price of bid under consideration Pmin Price of lowest acceptable bid

POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR 4.

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

BID DECLARATION 5.

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING (Tick applicable box)

7.1 Will any portion of the contract be sub-contracted?

		_
YES	NO	

7.1.1 If yes, indicate:

8.

- What percentage of the contract will be subcontracted.....%
- The name of the sub-contractor.....
- The B-BBEE status level of the sub-contractor.....

Whether the sub-contractor is an EME or QSE iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of

(Tick applicable box) YES NO

Preferential Procurement Regulations, 2017: Designated Group: An EME or QSE which is at last 51% owned by: **EME** OSE Black people Black people who are youth Black people who are women Black people with disabilities Black people living in rural or underdeveloped areas or townships Cooperative owned by black people Black people who are military veterans OR Any EME Any QSE

9.	DECLA	RATION WITH REGARD TO COMPANY/FIRM				
9.1	Name	e of company/firm:				
9.2	VAT r	egistration number:				
9.3	Comp	any registration number:				
9.4	TYPE	TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]				
		Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited				
9.5	DESC	CRIBE PRINCIPAL BUSINESS ACTIVITIES				
9.6		PANY CLASSIFICATION [TICK APPLICABLE BO)	()			
		Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc.				
9.7	Total	number of years the company/firm has been in bus	siness:			
9.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the preference(s) shown and I / we acknowledge that:						
	i) ·	The information furnished is true and correct;				
	ii)	The preference points claimed are in accordance v	vith the General Conditions as indicated in paragraph 1 of this form;			
	iii) l	In the event of a contract being awarded as a resu be required to furnish documentary proof to the sat	It of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may isfaction of the purchaser that the claims are correct;			
		If the B-BBEE status level of contributor has been on the B-BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of contributor has been of the BBEE status level of the	claimed or obtained on a fraudulent basis or any of the conditions of contract ion to any other remedy it may have —			
	(a)) disqualify the person from the bidding process;				
	(b)) recover costs, losses or damages it has incurre	ed or suffered as a result of that person's conduct;			
	(c)	cancel the contract and claim any damages warrangements due to such cancellation;	hich it has suffered as a result of having to make less favourable			
	(d)	who acted on a fraudulent basis, be restricted	hareholders and directors, or only the shareholders and directors by the National Treasury from obtaining business from any organ after the audi alteram partem (hear the other side) rule has been			
	(e)) forward the matter for criminal prosecution.				
	WIT	NESSES				
			SIGNATURE(S) OF BIDDERS(S)			
	1.		DATE:			
	2.		ADDRESS			

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

Relocate the gate with the guard house Rosary clinic MADADENI HOSPITAL ZNO NO:

PROJECT SPECIFICATIONS

- 1. NOTES TO TENDERERS
- 1.1. SCOPE OF CONTRACT

This Contract is for the complete execution of the project indicated above.

- 1.2. CONDITIONS OF CONTRACT AND PRELIMINARIES
- 1.2.1 PERIOD OF CONTRACT

01Week as the Contract Function for the completion of all Works from date of Site handover.

1.2.2 CONTRACT GUARANTEE:

The successful Tenderer will NOT be required to submit a contract guarantee.

1.2.3 GUARANTEE PERIOD

The guarantee period for all Works and all materials must be for a minimum of One (i) Year from the date of first delivery. UNLES SPECIFIED

1.2.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing Institution.

The Contractor is advised that the existing premises will be occupied throughout the period of the contract.

Damage to existing buildings - Tenderers to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Tenderer.

The repairs must be to the satisfaction of the KwaZulu-Naral Department of Health.

1.2.5 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, REGULATION R158, the KZNPA General Electrical Specification, the South African Bureau of Standards Code of Practice for the Wiring of Premises 0142-1 and the Occupational Health and Safety Act 85 of 1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Electrical Specification are available at the office of the Secretary for Health – KwaZulu-Natal and can be obtained on request.

1.2.6 CERTIFICATE OF COMPHANCE

NB: COC will be required for any electrical work done

1.2.7 Health and safety act 85(1993)

Safety file must be produced and handed to safety department before commencement

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH Relocate the gate with the guard house Resary clinic MARADENI HOSPITAL ENG NO:

TECHNICAL SPECIFICATIONS

2. TECHNICAL SPECIFICATION

2.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

Specifications

ROOF:

0.6mm "S" PROFILE CHROMADEK ROOF SHEETING AS PER MANUFACTURES DETAILS. CORRUGATED PATTERN FORCEN PURIFICIOSURES UNDER CHROMADEK RIDGE CAPPING. DETERMINE THE DIRECTURE IN MARCH THE SHEETS ARE TO BE LAID, BEARING IN MIND THE DIRECTION OF THE PROVALING WINDS AND RAIN. (START DOWN WIND) SHEETS MUST PROJECT MONIMUM SUMM PAST THE PURLINS. PREFABRICATED TRUSSES BY APPROVED PABRICATOR TO ELSO ENGINEERS SPECIPICATION AND DETAILS. TRUSSES SPACED AT MAX. 1200mm c/c.

EXPOSED POOF TIMBERS FAILTED WITH 2 COATS ABE PROVONITE, BEFORE FIXING OF ROOF SHEETS, FASCIAS AND BARGEBOARDS. TRUSSES TIED TO 114x38mm WALL PLATE AS PER ENGINEER'S DETAILS.

FASCIAS:

EVERITE NUCLC MEDIUM DENSITY FIBRE-CEMENT FASCIA BOARDS. (PRODUCT No.041-202). 12mm THICK & 225mm WITH ALUMINE M R-PROFILE FASCIA JOINERS (PRODUCT No.685-135). DRILL FOR AND FIX WITH HOT-DIP GALW, DRIVE SCREWS AND WASHERS.

GUTTERS AND DOWNPIPES:

100x75x0,6mm THICK ROLL-FORMED COLOMET GUTTER. GUTTER BRACKETS TO BE FIXED AT MAX. 1000mm c.e. 75mm. DOWNPIPES TO DISCHARGE OVER SUMP CONNECTED TO STORMWATER SYSTEM. DOWNPIPES TO BE POSITIONED IN ACCORDANCE WITH DRAWINGS.

CONCRETE SURFACE BEO:

THE GROUND UNDER SUPSACE BEDS SHALL BE POISONED WITH AN APPROVED REGISTERED SOIL FOISONING MATERIAL OF THE CHLODANE OR ALDRIN TYPE MIXED WITH WATER APPLIED AT THE RATE OF NOT LESS THAN 5 litres/m². IN ACCORDANCE TO SABS SPECIFICATION. CONCRETE SURFACE BED ON 250 MICRON DAMP PROOF MEMBRANE ON 25mm SAND LAYER ON APPROVED FILLING AND COMPACTED SUB BASE AS PER ENGINEERS SPECIFICATION. 25mm SCREED, STEEL-TROWELLED TO RECEIVE WELDED VINYL SHEETS.

FLOOR FINISHES:

VINYL SHEET:

2.5mm VINYL SHEET WITH WELDED JOINTS AND FINISHED WITH METALISED SEALER WHERE SPECIFIED.

GRANOLITHIC SCREED:

25mm GRNOLITHIC SCREED TO CONSIST OF 3 PARTS GRANITE CHIPPINGS, 2 PARTS SIEVED CONCRETE SAND AND ONE PART CEMENT.

SKIRTINGS:

70x22mm S.A. H/W SKIRTING WITH 19mm QUADRANT NAILED TO WALL, ALL NAILS TO BE PUNCHED AND HOLES FILLED WITH MATCHING FILLER. SAND DOWN AND STAIN SKIRTING TO UNIFORM COLOUR BEFORE VARNISHING WITH 3 COATS GLOSS OF POLYURE THANE VARNISH.

CEILING:

6mm RHINO BOARDS WITH RHINO "M" COVER STRIPS FIXED ON 50 x 38 BRANDERING AT 4000/c, 75mm RHINO COVE CORNICE, ALL TO BE PAINTED WITH TWO COATS OF FLAT WHITE. Acrolic

WALLS:

EXTERNAL:

SELECTED LIGHT FACE BRICK IN STRETCHER BOND WITH RULED JOINTS AND PERPENDS EXTERNALLY. 375 MICRON PMBOSSED DAMP PROOF MEMBRANE THROUGH WALLS AT TOP OF FLOOR SLAB LEVEL AND STEPPED 2 COURSES BELOW ALL WINDOW CRASS. (EXCEPT COVERED WALKWAY WINDOWS)

WALLS AS SHOWN ON DRAWINGS.

GALV. CRIMPED WIRE WALL TIES TO 220 WALLS AT 7/m LAID STAGGERED. EXTERNAL FACE OF IMMER SKIN TO BE PAINTED WITH BITUMEN. BRICK BEAM FILLING AND MORTAR INFILL TO UNDERSIDE OF ROOF SHEET.

INTERRALL

12mm CEMENT PLASTER WITH I COAT UNDERCOAT AND 2 COATS PLASCON DOUBLE VELVET.

FOUNDATIONS:

260x600 CONC STRIP FOUNDATIONS IN NATURAL GROUND FOR 220 WALLS AND 400x200 FOR 110 WALLS

WINDOWS:

GALVANISED METAL RESIDENTIAL SECTION COTTAGE, PANE TYPE WITH 4MM GLAZING SPECIFICATIONS.

INTERNAL CILLS - 15mm HIGH DENSITY GREY FIBRE CEMENT.

EXTERNAL CILLS - BRICK ON EDGE ROLLER COURSE WITH 250uM DPC UNDER.

DOORS:

D1; 2032x813x40 HARD WOOD FRAMED, LEDGED, BRACED AND BATTENED DOOR WITH I PAIR 100mm BRASS BUTTS, 3 LEVER MORTICE LOCKSET.
RUBBER DOOR STOP BEHIND DOOR.
6mm LAMINATED SAFETY GLASS TO PANELS.
D2; 2032x813x44 SEMI SOLID FLUSH PANEL COMMERCIAL VENEERED WITH CONCEALED EDGES. PRIME, UNIVERSAL

UNDERCOAT AND TWO COATS OF GLOSS ENAMEL. DOOR WITH I PAIR 100mm BRASS BUTTS, 3 LEVER MORTICE LOCKSET, RUBBER BUFFER HAT AND COAT HOOK BEHIND DOOR.

FIRE EXTINGUISHERS:

WHERE SPECIFIED DCP 9Kg TYPE FIRE EXTINGUISHER COMPLYING WITH SABS 889 AND PEXED IN POSITION ON WALL BRACKET SCREWED TO AND INCLUDING 20mm THECK CHAMFERED AND OILED WROT HARDWOOD BACKBOARD SIZE 450 x 100mm SCREWED AND PLUGGED TO WALL.

FITTINGS SCHEDULE:

600mm WIDE WORKTOP WITH FORMICA FINISH WITH A CUPBOARD UNDER ON ONE SIDE AND THREE DRAWERS UNDER ON THE OTHER SIDE. UNIT TO BE CONSTRUCTED OUT OF 150mm BLOCKBOARD WITH MELAMINE FINISH TO ALL EDGES, DOOP TO BE LOCKABLE AS WELL AS TOP DRAWER.

PINNING BOARD:

800 x 1200 Fee FIGH PUNNING BOARD CONSTRUCTED OUT OF SOFTBOARD PAINTED WINTE GLOSD TO WALL WITH 30:22 REBATED HARDWOOD EDGING CHAMFERRED AND SCREWED TO WALL AT +/- 400 CENTRES. TIMBER TO BE SANDED AND VARNISHED WITH TWO COATS OF POLYURETHANE TYPE VARNISH SANDENG BETWEEN COATS.

GENERAL SPECIFICATION NOTES:

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE BILL OF QUANTITIES SPECIFYING ALL THE WORK THAT HAS TO BE DONE AND PINISHES THAT ARE REQUIRED UNDER THIS SERVICE.

ALL TRADE NAMES TO BE AS SPECIFIED ON OTHER APPROVED. ON SITE PRIOR TO COMMENCING CONSTRUCTION, ANY DISCREPANCIES TO BE REPORTED TO THE CONTROL WORKS INSPECTOR.

SANITARI : CHEDULE:

W.C. : YAAL 'HIBISCUS' CLOSE COUPLED 104 DEGREE OUTLET OPEN RIM WASHDOWN

PAN (CODE TE200) AND MATCHING 9 LITRE CISTERN (CODE 710531) COMPLETE WITH HEAVY DUTY LID AND FUTNIENTS.

TOILET ROLL HOLDER AS HALCAST CHROME THIEFPROOF ITEM No. 366

WASH HAND BASIN: VAAL THIBISCUS' LAVATORY BASIN 510 x 405 mm WHITE (CODE 70°1) BOLTED TO WALL USING TWO 8 mm BOLTS (CODE 8446ZO). PILLAR TAP AS 'COBRA' No. 114 WITH CARINA HANDLE. BASIN WASTE, PLUG AND CHAIN

PLUG AND CHAIN AS 'COBRA' No. 301. C.P. BOTTLE TRAP AS 'COBRA' No. 340 WITH 75 mm DEEP SEAL. BASIN TO BE SEALED WITH SILICONE AT WALL JUNCTION.

COLD WATER PIPE TO BE 15 mm DIA. COPPER AND FITTED WITH APPROVED 'COBRA'

FULLWAY BULCOCK.

450 x 600 mm HIGH MIRROR WITH POLISHED EDGES, SCREWED TO WALL WITH CHROME DOMED SCREWS, POSITIONED ABOVE 3 TILE HIGH CERAMIC TILE SPLASHBACK.

GENERAL:

SANITARY SCHEDULF:

15mm DIA. COLD WATER SUPPLY TO WC AND WHB TAKEN FROM EXIST. CHECK FOR SUPPLY POINT ON SITE,

ALL CWS PIPES ABOVE GROUND TO BE SOFT DRAWN COPPER WITH COPPER CAPILLARY FITTINGS.

ALL FITTINGS TO BE FIXED IN ACCORDANCE TO MANUFACTURERS INSTRUCTIONS.

APPROVED COBRATELLEMAN BULLCOCK ON COLD WATER TO EACH FITTING. ALL SEWER PIPES AND VIASTE PIPES TO BE LAID AS SHOWN AND CONNECTED TO EXIST. SYSTEM

ALL JUNCTIONS AND BEADS TO HAVE IE'S. ALL WASTE PIPES TO BE BURNEDIA. PVC. ALL SOIL PIPES TO BE HELDIN DIA. PVC.

Scope of works

1. Supply and erect the goard room as per specifications at resary clinic (Amajuba district)

SCHEDULE OF RATES WORK TO BE DONE AT MADADENI HOSPITAL AND SCHEDULE OF PRICES:

em	DESCRIPTION	UNIT	QTY	RATI	E/UNIT	TOT	AL
			No. of the latest	R	e	R	C
	INSTITUTION: Rosary clinic				- Total		T
	ZNO NO: All rates quoted shall be inclusive of transport, Labour and				100		
	profit.						
	The Tenderer is advised that the buildings are occupied				*		
	PROPRIETARY ARTICLES:				-		-
	All equipment and material used in this contract shall be that						
	which is specified or other SABS approved.					0 0 0 0 0 0	
1	Site preparations, cutting of trees and poisoning	Item					t
2	CONCRETE SURFACE BED:	Item					T
	the ground under surface beds shall be poisoned with an		1		***		1
	approved registered soil poisoning material of the chlordane						
	or aldrin type mixed with water applied at the rate of not		l		all states		
	less than 5 litres/m ² , in accordance to sabs specification.					The same of the sa	
	concrete surface bed on 250 microu damp proof membrane				100		
	on 25mm sand layer on approved "illing and compacted sub				i i		
	base as per engineers specification. Johnn screed, steel-			-			
	trowelled to receive welded vinyl specia. (Ensure the re-						
	enforce.gent		e e e		2		
3	FOUNDATIONS: 200x600 cone strip is undations in	Item					╁
	natural ground for 220 walls and 400x200 for 110 walls				•		
	(Easure the re-enforcement)						THE REAL PROPERTY.
à	WALLS: External: selected light face brick in stretcher			-			_
4	bond with ruled joints and perpends externally, 375 micron	Item			4		
	embossed damp proof membrane through walls at top of						
	floor slab level and stepped 2 courses below all window						
	cills. (except covered walkway windows)			1	i i		-
	cms. (except covered wantway windows)						
	Walls as shown on drawings.				D-7	and the same of th	
	Galv. Crimped wire wali ties to 200 walls at 7/m laid						-
	staggered. External face of inner skin to be painted with			į			
	bitumen. Brick beam filling and mertar infill to underside	1					
	of roof sheet internal:12mm cement plaster with 1 coat						
	undercoat and 2 coats plasoon double velvet. (Ensure the						-
	re-enforcement)						
	,		}				
					R		
ARF	HED TO COLLECTION SUMMARY PS 1		TOTAL		Ì		1

SCHEDULE OF RATES

WORK TO BE DONE AT MADADENI HOSETTAL AND SCHEDULE OF PRICES:

Item	DESCRIPTION	UNIT	QTY	RATE/UNIT TO			ΓAL
	INSTITUTION:Reserved inic ZNO NG: All rates quoted shall be inclusive of transport. Labour and profit. The Tenderer is advised that the buildings are occupied PROPRIETARY ARTICLES: All equipment and nuterial used in this contract shall be that which is specified or other SABS approved. ROOF: 0,6mm "s" profite chromadek roof sheeting as per manufactures details, corrugated pattern sondor polyclosures under abromadek ridge capping, determine the direction in which the sheets are to be isid, bearing in mind			R	e	R	e
Š	the direction of the prevailing winds and rain, (start down wind) sheets must project minimum 50mm past the purlins, prefabricated masses by approved indicator to be to engineers specification and details, trusses spaced at max. 1200mm o/c purlins at max. 1200mm o/c. before fixing of roof sheets, fasclus and bargeboards, musses field to 114x38mm wall plate as per engineer's details. FASCIAS:	item Item			And the state of t		Andre met terrene men a sombite melle made propriation propries. Propries and the 1880 constitue
	Everite nuted medium density fibre-coment fascia boards. (product no.041-202). 12mm thick x 225mm with aluminium h-profile fascis joiners (product no.685-195). Drill for and fix with hot-dig galw. Drive screws and washers.						
7	GUTTERS AND DOWNFIPES. 100x75x6,6mm thick roll-formed colorate gutter gratter brackets to be fixed at max. 1000ram e/c. 75mm. downpipes to discharge over sump connected to stormwater system, downpipes to be positioned in accordance with drawings.	item					
3	CEILING: 6mm rhino boards with rhino "m" cover strips fixed on 50 x 38 brandering at 400c/c. 75mm rhino cove comice, all to be painted with two coars of flas white acrylic	Item		The state of the s			
ARRI	ED TO COLLECTION SUMMARY PS 2		1	TOTA	I		-

SCHEDULE OF RATES WORK TO BE DONE AT MADADENT HOSPITAL AND SCHEDULE OF PRICES:

_				RATE/UNIT T			OTAL	
	INSTITUTION:Rosary clinic			R	e	R	e	
	INSTITUTION:Rosary clinic				1	1	1	
	ZNO NO:							
	All rates quoted shall be inclusive of transport, I abour and		1					
	profit. The Tenderer is advised that the buildings are occupied	4				The state of the s		
			-					
	ROPSIETAPS ARTICLES: All equipment and a sterial used in this contract shall be that							
	which is specified or other SABS approved.							
						The state of the s		
	WINDOWS:			12				
	Galvanised metal residential section cottage, pene type with							
	4mm glazing specifications.		1		100			
	Internal citis - 15mm high density grey fibre coment.		1		Par a			
0	External cills - brick on edge roller course with 250um dpc under.	Ta a sur						
	DOORS:	Item	1		-		+	
10	BOOKS.	ltem	4		9		-	
32 22 23	D1; 2032x877x40 Hard wood framed, ledged, braced and				1			
	battened door with I pair 100mm brass butts. 3 lever		ŀ				and an expense	
	mortice lockser.	1			1			
	The state of the s							
	Rubber door stop behind door.	1					and animal deal of	
	6mm luminated safety glass to panets.						The second second	
	D2; 2032x813x-14 semi solid flush panel commercial		And the second				a special in community	
	vencored with concealed edges, prime, universal			ļ	100		-	
	undercoat and two coats of gloss enamed.		1		-			
	andercoat and two coats of gloss enterior.				and the state of t			
	Door with Unair 100mm brass butts, 3 lever mortice				t deres en	1		
	lockset, ribber buffer hat and coat hook behind door.			l l		ŧ		
11	FIRE EXTINGUISHERS:	Item						
	1							
	where specified dop 9kg type fire onlinguisher complying		1					
	with sabs 889 and fixed in position on wall bracket		5 5		1			
Ì	screwed to and including 20mm thick chamfered and							
	oiled west basis and health and it is 100	i L						
	oiled wrot hardwood backboard size 450 x 100mm							
	screwed and plugged to well.		Commission and commis				-	
2	Supply and install the abiutions and plumbing as per the	Item					+	
	sanitary schedule: include all the signs				The second secon		**	
					*		100	
ARRII	ED TO COLLECTION SUMMARY PS 3			TOTA				

WORK TO BE DONE AT MADADENI HOSPITAL AND SCHEDULE OF PRICES:

tem	DESCRIPTION	UNIT	QTY	RATE/UNIT TOTA			ľAL
				R	e	R	c
	INSTITUTION: Rosary clinic						
	ZNO NO: All rates quoted shall be inclusive of transport, Labour and	Î					ĺ
	profit.						
	The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES:						7
	All equipment and material used in mis contract shall be that which is specified or other SABS approved.						
	Floor finishes:	į.					
	Vinyi sheet:						Ì
	2.5mm vinyl street with welded joints and finished with metalized						
	sealer where specified.	1					
	Granolithic serzed:						ĺ
	25mm granolithic serond to consist of 7 parts granite chippings, 2			Prince of the Pr			
	parts sieved concrete sand and one part cement.						
	Skirring:					Mary Parket	
	70x22mm s.a. h/w skirting with 19 mm quadrant nailed to wall, all		5				and the same of
	nails to be punched and holes filled with matching filler. Sand						
13	down and stain skirting to uniform colour before varnishing with 3 coats gloss of polyurethane varnish.	Mana					
14	I programme a particular programme and the progr	ltem			-		-
<u> </u>	THE THOUS SCHEDOLE.	nem					4
	600лип Wide worktop with formea finish with a cupboard						
	under on one side and three drawers under on the other side, unit						
	to be constructed out of 16mm blockbased with exclaming finish			İ			
	to all edges, door to be inclushed as well to top drawer		**				
15	PINNING BOARD:	Item					
	800 x 1200 mm high pinning board constructed out of						
	softboard pairted white gived to wall with 30x22 rehated						
	hardwood edging shapperred and serewed to wall at +/- 400						
	centres, timber to be sanded and varnished with two coats of			- A Company			
	polyurethane type varnish sanding between coats. This will						
	include the clime signs (space given separate)						
16	Allow for Electrical installations as per the specifications	Item	-				-
		i					
17	Allow for the movement of the gate with accessories from	Item					1
	the current to the proposed position				and the same of th		
18	Allow for the paving of the drive way to the clinic	M ²					
	(Follow the civil paving specification) Fig. 6 and	-36.1					-
	interlocking bricks)		130				
			. 00				
ADDE	ED TO COLLECTION SUMMARY PS 4		1	1			+

COLLECTION SUMMARY

PROJECT DESCRIPTION:

Relocate the gate with the guard house Rosary clinic

ZNO NO:				
ZN() N():	201 14 The 15th APRIL	William Control		
ZINE PINE P	7 10 1 5 10	2 2 2		
August 1997 1998 1998	1 1013 3	1 61 5 5 6		
	All and the second second	2 2 2 6		

BICO	11111	
1 2 3	1 for	,
TAC	1 1	į

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE QUOTATION FORM.

Collection Summary PS I	R
Collection Summary PS 2	R
Collection Summary PS 3	R
Collection Stammery 28 4	R
Safety requirements	R
Sub total	R

1000	
Mr. SV Mbatha	
Chief Artisan	

21

19/05/2021

Mr. N Ndamane Deputy Director Systems	Date
Mr C Zwane Assistant Director SCM	Da
Company Director Company (аше

MADADENI HOSPITAL

Maintenance Project Policy

Relocate the gate with the guard house Rosary clinic

- 1. Presentation of an official order, work pian or Program (Service provider must indicate the delivery period on the quotation).
- 2. No work will be commenced without submitting a work plan and a safety plan.
- 3. There will be progress meeting a very week depending on the project period. (Friday at 11h00) and only the company director or a proxy to attend.
- 4. Take note of paragraph 13 and 14 on the quote special conditions.
- 5. Reference page must be completed.

Mr. SV Mbatha Chief Artisan	19/08/2021
Mr. N Ndamane Deputy Director Systems	Date
Mr T Zwane Assistant Director SCM	Date
Company Director/ Company n	ame

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

Relocate the gate with the guard house Rosary clinic

ZNO NO:

SCHEDULE OF RATES

3.1 ITEMS AND PRICING

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his quote for the contract and of the rates and prices stated in the Schedule of Rates.

3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes revied by the government or statutory body having jurisdiction on the goods provided unuse this contract, including Value Added Tax (applicable to the current rate).

3.3 RATES


Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labour, transport, overhead charges and profit, etc. as well as the general liabilities obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

SCHEDULE OF REFERENCES

References of previous work completed for the department of health or other to be listed below.

PLACE WORK WAS DONE	CONTACT PERSON	PHONE NUMBER	JOB COMPLETED
		anne illinia illi se	
	~.		
		The second secon	
	7		

IN B.	. 11	This	13	no	lilico	Is V	OUY	w	cun	ient	WIII	noi	ve	evaluat	ted
SIG	NA"	ruri	E O	r T	ENDE	RER	**************************************	******	-8: 1089 *	00.48 • 0 w 0 8	*********	*10 × 10 × 4			
DAT	E:	l O e s a n a u t	e 5 4 0 6 1		4-16-5-6-6-6	40563.45	v 6 - 4 - 0								



O DE ZOA DELUG ٩į DB SCHEMATIC LICHTS - 1 LIGHTS SPARE

CEILING MOUNTED 2 PLOW BULKHEAD BURFACE MOUNTED ZPLSW BUCKHEAD

DISTRIBUTION BOARD
TELEPHONE OUTLET
JS UTILITY BOX 1986 FOR TELEPHONE 1570mm 2 TUBE OPEN CHANNEL FLUORESCENT FITTING WITH ELECTRONIC BALLAST DOUBLE SWITCHED SOCKET OUTLET

5038H MATE SUPPLY ADDRESS

FIXING DETAIL A

DO # 105 42.5 mm GALY, M.S.POSTS

O.Kmm "3" PROFILE CHROMADES ROOF SMEETING KS BER MANGRECTINGTE DETAILS. COMPUGATED PATTERN SONDER POLYCLOSURES UNDER CHROMADES (IDCE CAMPING) NE AT WAR. IZDENIM #74. \$20 NOOP THERES PARTED WITH 2 COATS ARE PROVIDEIT NE FURNO OF MOST THEETS, FASCIAS AND BANGEROAMDS. NEXT TIED TO TRANSMINN WALL PLATE AS MEN EMBINEER'S IC MUTCH MIDDING CHMSTM FRANCISCHEST FARCIA GOARDS.
DET PAGESTAGES.
MITCA ALDRANDA SE-MESTIC FARCIA ACMESTA
CHIEF OF RESISTANT CALLERY AND THE WITH MOT-DIM DALY
INCOMES AND MASKERS. Damm helde BOLL-FORMED COUNTET OUTER.
HEARITY TO BE FREED AT WAX. TODDING NAME
OFFINITION OF BESTANDE COUNTED BOTH FORMED TO
MENTIFER TYPICAL COMMITTEES TO BE POSITIONED
MENTIFER TYPICAL COMMITTEES. THE PROCESSON HE WHISH THE SHEEPS ARE TO BE THE PROCESSON HE WHISH THE SHEEMALING THE SHEEMALING THAT SHEET HAS THE SHEEMALING THAT SHEET HAS THE PROJECT OWN WHICH SHEETS HAS THE SHEET THE PROJECT FAMILY OF THE TO SHEET HAS THE THE SHEET HAS THE THE SHEET HAS THE SHEET HE SHEET HAS THE SHEET HAS

OMPT. ENECT: SUCEY WITH WELDED JOINTS AND TWISHED WITH METALFED CALER WHERE SPECIFIED A mention their sharet data shall be mission with an Appendix

But a first shared at the last of and less has 8 may/m.

But a first shared at the last of and less has 8 may/m.

But a first shared at the last of and less has 8 may/m.

But a first shared at the last of and less has 8 may/m.

But a first shared at the shared of the country of the shared first of the shared first of the shared first and the shared first of the

TO BE PUPCHED AND HAVE TILES WITH 13 MM BLADDANT MALED TO WALL ALL TO BE PUPCHED AND HAVE TILES WITH MATCHING TILES, TAND AND ATTAIN TARRING OF DIFFERENCE COROUM GATCHER TARRING A COATS CLOSS OF POLYLETTHAKE VARHESMY HAND STREED; PROGUNKE SCREED TO COMBIST OF 3 PARTY DEARINE CHIPPINGS, PRINCE CONCRETE SAKE AND CHE TARE SCREET

Symm BRING MONARDS WITH REING "N" COVER STRIPS FIXED ON SO A 30 BRANDERING AT AGREA, 75mm RHANG COVE CORNICE, ALL TO BE RANTED WITH TWO COATS OF FANT WHITE PAR

NAC DATE THE METERS CONSIGNED TO THE OWNER CONSIST THE NAME OF THE OWNER CONSIST THE NAME OF THE OWNER CONSIST THEORY. AL TRUCT PARES TO BE AS SPECIFIC OR OF THE PROPERTY OF SEMENTING CONTROL OF SEPORED TO THE CONTROL WOODEN SERVICION.

MAT DESCRIPTION WOODEN SERVICION.

MATTARY SCHOOLS: ADVENTAGES OF THE PROPERTY OF THE STATE OF T YHIS DRAWHOU IS TO BE ACAD IN CONJUNCTION WITH THE BILL OF DOARTING SPECIFYING ALL HE WASHES WORK THAT HAS TO BE DOOD AT THE BILL OF DOARD AND THE SERVICE THAT ARE ACCOUNTED UNDER THIS SERVICE DEMERAL SPECIFICATION MOTERS

ALL JOHETHMES AND MEMOS TO MAYE (EX ALL WASTE PIPES TO BE SOME DIA, PYC ALL SOIL PIPES TO BE 110 mm DIA, PYC. MAKE DODD ALL WORK UMBBHC. ARCHAEL STANDARD ARCHAE

TYPE TOIL	0		ス		A BUMBOS	Transference 1	HODWHEELL	STREET	CHAP	WHEN ELECTRONIC			2	
ABBOT LEL HOUSE AAAL AAAL	CLINIC	ORFA	WAZULU-NATA	PROVINCE OF	Н	ř	EAL	F.		TUTAL BAS			17	
47		ORPARTMENT OF HEALTH	Z	2						PF II PERE			3	
A Z T H	H H H	YT OF	Ċ	ŝ	П			_		Ë	GHAN			ļ
υΞő	m	Ě	TAY.	<u>Q</u>			_				ž			
		ľ	₽	.,							DIFF		JMET.	
										_	_	Į.	_	_