

SharePoint

Osindisweni Hospital, PROC 1 - ?



KZN Health Intranet  
 KZN Health > Components > Supply Chain Management

AdvertQuote

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES  
 HEALTH FACILITIES



**KWAZULU-NATAL PROVINCE**  
 HEALTH  
 REPUBLIC OF SOUTH AFRICA

Quotation Advert

**Opening Date:** 2021-08-13

**Closing Date:** 2021-08-20

**Closing Time:** 11:00

**INSTITUTION DETAILS**

**Institution Name:** Osindisweni hospital

**Province:** KwaZulu-Natal

**Department or Entity:** Department of Health

**Division or section:** Central Supply Chain Management

**Place where goods / services is required** Osindisweni Hospital, Oakford Road, Verulam, 4340

**Date Submitted:** 2021-08-13

**ITEM CATEGORY AND DETAILS**

**Quotation Number:** ZNQ:  
OSI 43-2021/2022

**Item Category:** Goods

**Item Description:** FRIDGE DIAL THERMOMETERS SABS APPROVED + COOLER BOXES + ICE PACKS + FRIDGE TAGS + DEVICE ELECTRONIC IRREVERSIBLE FREEZER -

**Quantity (if supplies):** 621 UNITS

**COMPULSORY BRIEFING SESSION / SITE VISIT**

**Select Type:** Not Applicable

**Date :** Not Applicable

**Time:** Not Applicable

**Venue:** Not applicable

**QUOTES CAN BE COLLECTED FROM:** PRINT FROM WEBSITE

**QUOTES SHOULD BE DELIVERED TO:** OSINDISWENI HOSPITAL IN BOX NEAR MAIN SECURITY GATE

**ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:**

**Name:** Suresh Parasutomi

**Email:** NO e-mailed Quotes Accepted - Only FAX OR DROP OFF


Contact Number:

032-5419342

Finance Manager Name:

Mr M.J. MTHEMBU

Finance Manager Signature:



No late quotes will be considered



OFFICIAL PRICE PAGE FOR QUOTATIONS

ZNQ NUMBER: **OSI 43 -2021/22**

DESCRIPTION: FRIDGE DIAL THERMOMETERS SABS APPROVED + COOLER BOXES THERMALLY INSULATED 10LT - OUTER SIZE + ICE PACKS + FRIDGE TAGS + DEVICE ELECTRONIC IRREVERSIBLE FREEZE INDICATOR

SIGNATURE OF BIDDER \_\_\_\_\_ DATE: \_\_\_\_\_  
 [By signing this document I hereby agree to all terms and conditions]

CAPACITY UNDER WHICH THIS QUOTE IS SIGNED \_\_\_\_\_

Item No	Quantity	Description	Brand & model	Country of manufacture	Price	
					R	c
	30 UNITS	FRIDGE DIAL THERMOMETERS SABS APPROVED				
	10 UNITS	COOLER BOXES THERMALLY INSULATED 10LT - OUTER SIZE : +- 380 x +- 250 x +- 270MM INSIDE SIZE : +- 320 x +- 120 +- 210MM				
	20 UNITS	COOLER BOXES THERMALLY INSULATED 45LT - OUTER SIZE : +- 670 x +- 460 x +- 440MM - INSIDE SIZE : +- 500 x +- 380 +- 380MM				
	500 UNITS	ICE PACKS SOLID - 400MLS				
	55 UNITS	FRIDGE TAGS FOR 30 DAYS ELECTRONIC TEMPERATURE LOGGER DEVICE , SIZE OF LCD DISPLAY : +- 95MM x +- 27MM EXTERNAL DIMENSIONS : +- 128MM x +- 75MM x +- 14.5MM				
	05 UNITS	DEVICE ELECTRONIC IRREVERSIBLE FREEZE INDICATOR OR FREEZE TAGS EXTERNAL DIMENSIONS : +- 49MM x +- 30MM x +- 10.5MM DISPLAY SIZE : +- 10MM x +- 10MM				
		ABOVE ITEMS USED FOR FFG REASONS : MONITORING OF VACCINES AND COLD CHAIN MEDICATIONS TO MAINTAIN COLD CHAIN DURING TRANSPORT TO MONITOR TEMPRATURES OF COLD CHAIN FOR ALL WARDS , CLINICS AND PHARMACY FRIDGES				
VALUE ADDED TAX @ 15% (Only if VAT Vendor)						
TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days)						

Does This Offer Comply With The Specification?	Does The Article Conform To The S.A.N.S. /S.A.B.S. Specification?
Is The Price Firm?	State Delivery Period E.G. E.G. 1day, 1week

Enquiries regarding the <u>quote</u> may be directed to: Contact Person: <b>S.PARSUTOM</b> Tel: 032-5419349 E-Mail-Address: <b>NO EMAIL QUOTES ACCEPTED</b>	Enquiries regarding <u>technical information</u> may be directed to: Contact Person: <b>ROCHELLE</b> Tel: 032-5149230
---	--

**DECLARATION OF INTEREST**

1. Any legal person, including persons employed by the state<sup>1</sup>, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where:
  - the bidder is employed by the state; and/or
  - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.

2. In order to give effect to the above, the following questionnaire must be completed and submitted with the quote.

- |   |  |
|---|--|
| 2.1. Full Name of bidder/representative .....                                 | 2.4. Company Registration Number ..... |
| 2.2. Identity Number .....  | 2.5. Tax Reference Number .....        |
| 2.3. Position occupied in the Company (director, trustee, shareholder?) ..... | 2.6. VAT Registration Number .....     |

2.7. The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / persal numbers must be indicated in paragraph 3 below. [TICK APPLICABLE]

2.8. Are you or any person connected with the bidder presently employed by the state? YES  NO

2.8.1. If so, furnish the following particulars:  
 Name of person / director / trustee / shareholder / member: .....  
 Name of state institution at which you or the person connected to the bidder is employed: .....  
 Position occupied in the state institution: ..... Any other particulars: .....

2.8.2. If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work outside employment in the public sector? YES  NO

2.8.2.1. If yes, did you attach proof of such authority to the quote document?

*(Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the quote.)*

2.8.2.2. If no, furnish reasons for non-submission of such proof: .....

2.9. Did you or your spouse, or any of the company's directors / trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months? YES  NO

2.9.1. If so, furnish particulars: .....

2.10. Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this quote? YES  NO

2.10.1. If so, furnish particulars: .....

2.11. Are you, or any person connected with the bidder, aware of any relationship (family, friend, other) between any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this quote? YES  NO

2.11.1. If so, furnish particulars: .....

2.12. Do you or any of the directors / trustees / shareholders / members of the company have any interest in any other related companies whether or not they are bidding for this contract? YES  NO

2.12.1. If so, furnish particulars: .....

**3. Full details of directors / trustees / members / shareholders.**

NB: The Department Of Health will validate details of directors / trustees / members / shareholders on CSD. It is the suppliers' responsibility to ensure that their details are up-to-date and verified on CSD. If the Department cannot validate the information on CSD, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

**4 DECLARATION**

I, THE UNDERSIGNED (NAME)..... CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 2,

I ACCEPT THAT THE STATE MAY REJECT THE QUOTE OR ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

..... Name of bidder	..... Signature	..... Position	..... Date
-------------------------	--------------------	-------------------	---------------

<sup>1</sup>State<sup>1</sup> means –

- |   |   |
|---|---|
| a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999); | c) provincial legislature;                                    |
| b) any municipality or municipal entity;  | d) national Assembly or the national Council of provinces; or |
|   | e) Parliament.  |

<sup>2</sup>Shareholder<sup>2</sup> means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

## SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

### 1. AMENDMENT OF CONTRACT

- 1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

### 2. CHANGE OF ADDRESS

- 2.1. Bidders must advise the Department of Health (Institution where the offer was submitted) should their address (*domicilium citandi et executandi*) details change from the time of bidding to the expiry of the contract.

### 3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest of any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
- (i) *that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk*
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

### 4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited.
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

### 5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery;
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

**6. SAMPLES**

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
  - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
  - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. **Samples must be made available when requested in writing or if stipulated on the document.**
  - (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

**7. COMPULSORY SITE INSPECTION / BRIEFING SESSION**

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

- (i) The institution has determined that a compulsory site meeting  take place
- (ii) Date: / / Time: Place:

Institution Stamp:	Institution Site Inspection / briefing session Official  Full Name: ..... Signature: ..... Date: .....
--------------------	--

**8. STATEMENT OF SUPPLIES AND SERVICES**

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

**9. SUBMISSION AND COMPLETION OF SBD 6.1**

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference points allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

**10. TAX COMPLIANCE REQUIREMENTS**

- 10.1. In the event that the tax compliance status has failed on CSD, *it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.*
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, *the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4(a) 2016/17.*

**11. TAX INVOICE**

11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:

- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

**12. PATENT RIGHTS**

The supplier shall indemnify the **KZN Department of Health** (here after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

### 13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

### 14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
  - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
  - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
  - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

### 15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.



**PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017**

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

**NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.**

**1. GENERAL CONDITIONS**

1.1 The following preference point systems are applicable to all quotes:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.

1.3 Points for this quote shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contributor.

1.4 The maximum points for this quote is allocated as follows:

	<b>POINTS</b>
<b>PRICE</b>	80
<b>B-BBEE STATUS LEVEL OF CONTRIBUTOR</b>	20
<b>Total points for Price and B-BBEE must not exceed</b>	<b>100</b>

1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

**2. DEFINITIONS**

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) **"B-BBEE status level of contributor"** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) **"bid"** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) **"EME"** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **"functionality"** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) **"prices"** includes all applicable taxes less all unconditional discounts;
- (h) **"proof of B-BBEE status level of contributor"** means:
  - 1) B-BBEE Status level certificate issued by an authorized body or person;
  - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) **"QSE"** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) **"rand value"** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

**3. POINTS AWARDED FOR PRICE**

**3.1 THE 80/20 PREFERENCE POINT SYSTEMS**

A maximum of 80 points is allocated for price on the following basis:

$$P_s = 80 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right) \text{ Where}$$

- P<sub>s</sub> = Points scored for price of bid under consideration
- P<sub>t</sub> = Price of bid under consideration
- P<sub>min</sub> = Price of lowest acceptable bid

**4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR**

4.1. In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

**5. BID DECLARATION**

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

**6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1**

6.1 B-BBEE Status Level of Contributor: = ..... (maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

**7. SUB-CONTRACTING**

(Tick applicable box)

7.1 Will any portion of the contract be sub-contracted?

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

7.1.1 If yes, indicate:

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

Designated Group: An EME or QSE which is at least 51% owned by:	EME √	QSE √
Black people	<input type="checkbox"/>	<input type="checkbox"/>
Black people who are youth	<input type="checkbox"/>	<input type="checkbox"/>
Black people who are women	<input type="checkbox"/>	<input type="checkbox"/>
Black people with disabilities	<input type="checkbox"/>	<input type="checkbox"/>
Black people living in rural or underdeveloped areas or townships	<input type="checkbox"/>	<input type="checkbox"/>
Cooperative owned by black people	<input type="checkbox"/>	<input type="checkbox"/>
Black people who are military veterans.	<input type="checkbox"/>	<input type="checkbox"/>
OR		
Any EME	<input type="checkbox"/>	<input type="checkbox"/>
Any QSE	<input type="checkbox"/>	<input type="checkbox"/>

9. DECLARATION WITH REGARD TO COMPANY/FIRM

9.1 Name of company/firm: .....

9.2 VAT registration number: .....

9.3 Company registration number: .....

9.4 TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]

- Partnership/Joint Venture / Consortium
- One person business/sole propriety
- Close corporation
- Company
- (Pty) Limited

9.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....  
.....

9.6 COMPANY CLASSIFICATION [TICK APPLICABLE BOX]

- Manufacturer
- Supplier
- Professional service provider
- Other service providers, e.g. transporter, etc.

9.7 Total number of years the company/firm has been in business: .....

9.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
  - (a) disqualify the person from the bidding process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution.

**WITNESSES**


1: .....

2: .....

**SIGNATURE(S) OF BIDDERS(S)**

DATE: .....

ADDRESS: .....



## REMOTE MONITORING

# MINUS40

# ICE3 EXTRA



### BEYOND WIRELESS ICE3 EXTRA

The ICE3 is the world's most advanced and reliable remote temperature-monitoring device (RTMD).

### Designed for Africa

The Beyond wireless technology was originally developed to measure the reliance of the NHS Blood cold chain from vein to vein throughout Africa.

Today, the ICE3 and ICE Extra is the preferred temperature monitoring devices in Africa, operating in high ambient temperatures of -20 °C to 55°C. It does not rely on a strong WIFI connection, with a very light internet requirement. Additionally, in case of power connection failure, the unit retains 30 days of data (23000 data records). Data is secure, with each probe assigned to a corresponding user.

With the ability to monitor multiple temperature points of one device; or four different refrigeration units, the ICE3 lends itself to a range of uses. In addition, the probes also monitor data external to the unit, e.g. humidity levels.

### Specifications

Model	BC440
Mode of operation	Electronic
Mode of Communication	GSM
Device Operating Range	-10 °C to 55 °C
Probe Read Range	-200 °C to 200 °C
Display	Onboard LCD
Material	ABS
Dimension (cm)	(W) 23 x (H) 26 x (D) 8.5
Weight (Kg)	1.5
Probe Type	HJ Precision AP Thermistor
Accuracy	0.2 °C at 0 °C
Number of Inputs	4 x External Temperature Inputs
Other Inputs	Onboard Ambient Temperature, Humidity, Door, Mains Power
Power Supply Required	00-260V AC (50-440Hz)
Memory Capacity	23 000 data records
Power Source	Lithium-ion Rechargeable Battery
Battery Type	3 x Panasonic 18650B
Battery Operating Life	Up to 1000 Cycles
Memory Capacity	23 000 data records
Minimum Logging Interval	60 seconds (configurable)
Standard Upload Frequency	10 minutes (configurable)
Onboard Alarm	LCD & Audio
Remote Alarm	SMS, Email & App
User Interface	Internet Browser
Programmability	Remotely User Programmable
Quality Standard	ISO 9001: 2008
Warranty	1 Year

### Features

- ✳ Global Connectivity
- ✳ No power supply required
- ✳ Lowest cost of deployment
- ✳ Low Maintenance Free
- ✳ Class leading input capacity
- ✳ GPS Tracking
- ✳ User Friendly Dashboard
- ✳ No Data Corruption
- ✳ WHO PQS Approved



### Connectivity

Its dual-SIM design with global SIM card with data included, gives the ICE3 Extra™ complete network redundancy.

### Power

Both AC and DC power supply configurations enabling deployment across a host of applications using mains or solar power.

### Battery

Its onboard 3 cell lithium-ion 18650B rechargeable battery pack allows the system to run for up to 7 days without an external power source.

### Inputs

The standard configuration allows the RMD to simultaneously monitor up to 8 fully configurable analogue inputs (NTC Thermistor, 4-20mA, 0-10V) and 8 x Digital inputs.

### Warranty

The ICE3 comes standard with a 3 year hardware warranty, where we'll gladly swap the device at no cost should it fail.



# ICE3 WIRELESS CONTROLLER



## REMOTE TEMPERATURE MONITORING Beyond Wireless ICE<sup>3</sup> EXTRA

The ICE<sup>3</sup> is the world's most advanced and reliable remote temperature-monitoring device (RTMD).

**Class leading input capacity:** It can simultaneously monitor up to 4 temperature sensors as well as the mains power status, and door position. It also monitors both the ambient temperature and humidity.


**GPS Tracking:** It also offers real time GPS tracking when monitoring the cold chain in mobile assets like trucks, containers and cooler boxes.

**Expandability:** The system can be expanded by adding an 8 channel PT100 board or our 868MHz wireless expansion board that provides an additional 30 wireless analogue / digital inputs (NTC Thermistor, Sensirion Temperature and Humidity, 4-20mA, 0-10V) with range of up to 1000m making the ICE3 Extra™ ideal for almost any application.



Based on the performance, hold-over, and it's unique embedded remote monitoring and control capability, this should be the new norm for all hospitals. 99

- Ian CEO of Beyond Wireless





# ICE3 WIRELESS CONTROLLER



## REMOTE TEMPERATURE MONITORING Beyond Wireless ICE<sup>3</sup> EXTRA

The ICE<sup>3</sup> is the world's most advanced and reliable remote temperature-monitoring device (RTMD).

**Class leading input capacity:** It can simultaneously monitor up to 4 temperature sensors as well as the mains power status, and door position. It also monitors both the ambient temperature and humidity.


**GPS Tracking:** It also offers real time GPS tracking when monitoring the cold chain in mobile assets like trucks, containers and cooler boxes.

**Expandability:** The system can be expanded by adding an 8 channel PT100 board or our 868MHz wireless expansion board that provides an additional 30 wireless analogue / digital inputs (NTC Thermistor, Sensirion Temperature and Humidity, 4-20mA, 0-10V) with range of up to 1000m making the ICE3 Extra™ ideal for almost any application.



Based on the performance, hold-over, and it's unique embedded remote monitoring and control capability, this should be the new norm for all hospitals. 99

- Ian CEO of Beyond Wireless





## REMOTE MONITORING

# MINUS 40



# ICE3 EXTRA

### BEYOND WIRELESS ICE3 EXTRA

The ICE3 is the world's most advanced and reliable remote temperature-monitoring device (RTMD).

### Designed for Africa

The Beyond wireless technology was originally developed to measure the reliance of the NHS Blood cold chain from vein to vein throughout Africa.

Today, the ICE3 and ICE Extra is the preferred temperature monitoring devices in Africa, operating in high ambient temperatures of -20 °C to 55°C. It does not rely on a strong WiFi connection, with a very light internet requirement. Additionally, in case of power connection failure, the unit retains 30 days of data (23000 data records). Data is secure, with each probe assigned to a corresponding user.


With the ability to monitor multiple temperature points of one device, or four different refrigeration units, the ICE3 lends itself to a range of uses. In addition, the probes also monitor data external to the unit, e.g. humidity levels.

### Specifications

Model	BC440
Mode of operation	Electronic
Mode of Communication	GSM
Device Operating Range	-10 °C to 55 °C
Probe Read Range	-200 °C to 200 °C
Display	Onboard LCD
Material	ABS
Dimension (cm)	(W) 23 x (H) 26 x (D) 8.5
Weight (kg)	1.5
Probe Type	Hi Precision AP Thermistor
Accuracy	0.2 °C at 0 °C
Number of Inputs	4 x External Temperature Inputs
Other Inputs	Onboard Ambient Temperature, Humidity, Door, Mains Power
Power Supply Required	90-260V AC (50-440Hz)
Memory Capacity	23,000 data records
Power Source	Lithium-ion Rechargeable Battery
Battery Type	3 x Panasonic 18650B
Battery Operating Life	Up to 1000 Cycles
Memory Capacity	23,000 data records
Minimum Logging Interval	60 seconds (configurable)
Standard Upload Frequency	10 minutes (configurable)
Onboard Alarm	LCD & Audio
Remote Alarm	SMS, Email & App
User Interface	Internet Browser
Programmability	Remotely User Programmable
Quality Standard	ISO 9001: 2008
Warranty	1 Year

### Features

- ✳ Global Connectivity
- ✳ No power supply required
- ✳ Lowest cost of deployment
- ✳ Low Maintenance Free
- ✳ Class leading input capacity
- ✳ GPS Tracking
- ✳ User Friendly Dashboard
- ✳ No Data Corruption
- ✳ WHO PQS Approved



### Connectivity

Its dual-SIM design with global SIM card with data included, gives the ICE3 Extra™ complete network redundancy.

### Power

Both AC and DC power supply configurations enabling deployment across a host of applications using mains or solar power.

### Battery

Its onboard 3 cell lithium-ion 18650B rechargeable battery pack allows the system to run for up to 7 days without an external power source.

### Inputs

The standard configuration allows the RMD to simultaneously monitor up to 8 fully configurable analogue inputs (NTC Thermistor, 4-20mA, 0-10V) and 8 x Digital inputs.

### Warranty

The ICE3 comes standard with a 3 year hardware warranty, where we'll gladly swap the device at no cost should it fail.



JPY - ¥

AUD - \$

CAD - \$

CHF - Fr

MXN - \$

NZD - \$

Detection - Measurement

Detection - Measurement

Flow, Pressure and Level Measurement

Temperature and Humidity Measurement

Position, Speed and Acceleration Measurement

Force Measurement

Optical and Acoustic Measurement

Electrical Measurement

Metrology - Laboratory


Metrology - Laboratory

Analytical Instrumentation

Metrology and Test Equipment



<iframe src="//www.googletagmanager.com/ns.html?id=GTM-C79C" height="0" width="0" style="display:none;visibility:hidden"></iframe>

 English

Back

Français

Español

Italiano

Deutsch

中文

日本語

Português

Русский

EUR - €

Back

EUR - €

USD - \$

GBP - £

CNY - ¥

BRL - R\$

RUB - руб.

Motors and Motor Control  
Bearings and Linear Guides  
Mechanical Transmission  
Actuators and Positioning Systems  
Hydraulics - Pneumatics  
Hydraulics - Pneumatics  
Pumps  
Compressors  
Hydraulic and Pneumatic Actuators  
Valves  
Pipes, Tubes and Fittings  
Filters and Separators  
Materials - Tools - Components  
Materials - Tools - Components  
Semi-finished products  
Lubrication  
Hand Tools, Power Tools  
Automotive maintenance equipment  
Auto body shop equipment

Inspection and Monitoring

Laboratory Equipment

Optical Components

Robotics - Automation - Industrial IT

Robotics - Automation - Industrial IT

Automation

Industrial Robotics

Service Robotics

Industrial Computing

Industrial Software

Electricity - Electronics

Electricity - Electronics

Energy: Production and Distribution

Power Supplies

Switches and Relays

Cables, Connectors, Enclosures

Electronic Components

Power Transmission - Mechanical components

Power Transmission - Mechanical components

Welding and Assembly

Printing, Marking and Engraving

Furnaces and Heat Treatment

Heat Exchangers and Refrigeration

Mixing and Dosing

Food industry

Food industry

Meat Processing

Fish Processing

Fruit and Vegetable Processing

Grain processing and pasta making

Dairy processing

Bakery-pastry

Other Food Machinery

Packing - Handling - Logistics

Packing - Handling - Logistics

Packing and Packaging

Handling and Lifting

Conveying

## Standard Mechanical Components

Machine-tools

Machine-tools

Machining Centers

Finishing Machines

Cutting Tools

Machine Tool Accessories

Production Machines

Production Machines

Additive Manufacturing, 3D Printing

Cutting Machines

Forming Machines

Plastics Processing

Textile machinery

Other Manufacturing Equipment

Industrial machines and equipment

Industrial machines and equipment

Surface Treatment Equipment

Surface Treatment

Transports: Automotive/ Aerospace

IT & Technology - Telecom

Energy

Industry (Production, process)

Building and Construction

Medical

Food Industry

Projects

Product Trends

Industry News

People

Trade Shows & Events

White Papers

News & Trends

E-MAGAZINE

SELL YOUR PRODUCTS

Top of Form

Storage

Environment - Health - Safety

Environment - Health - Safety

Air Treatment and Noise Management

Water Treatment

Waste Treatment

Personal Protective Equipment

Building Security and Machine Safety

Cleaning and Hygiene

Building - Construction

Building - Construction

Industrial Building Equipment

Construction and Mining Equipment

Production of building materials

Construction tools

Products


Catalogs


Robotic Automation







Catalogs

Search among 466,055 industrial products  Products

Search amongst our 237,473 catalogs  Catalogs

Search amongst 755 projects  Projects


Search amongst 69,016 News & Trends  News & Trends

Bottom of Form

Catalogs >

Berlinger & Co. AG >

Fridge-tag

 **berlinger** Website: Berlinger & Co. AG

Catalogs

Products

Catalogs

News & Trends

Exhibitions

Fridge-tag

2 / 3 Pages

6

Highly accurate, ultra-precise



Technical specifications and details for the sensor, including accuracy and range information.



feel safe Technical Specification Fridge-tag® 3 TYPICAL APPLICATION AREA STORAGE CONDITION (INACTIVE) Electronic temp. logger with USB and real-time alert Fridge-tag 3 Storage ambient conditions Storage cooling conditions (fridges, freezers, etc.) 136 x 98 x 21 mm, Display 95 x 27 mm 170 g 0 °C to +30 °C / +32 °F to +86 °F DISPLAY VISIBLE ALARM TEMPERATURE RANGE ACCURACY OF TEMPERATURE MEASUREMENT -35 °C to +55 °C, in 0.1 °C increments / -31 °F to +131 °F +/- 0.8 °C, from -40 °C to +30 °C +/- 1.44 °F from -40 °F to +104 °F +/- 0.9 °F from -22 °F to +104 °F +/- 0.8...

Open the catalog to page 2

6

Technical Specification

6



Technical specifications and details for the sensor, including accuracy and range information.




& berlinger feel safe Technical Specification External Sensors for temperatures below 0 °C (+32 °F) and above 40 °C (+104 °F) we recommend to use an external sensor in order to avoid a shorter battery life. CABLE LENGTH 1 meter or 1.5 meter flat cable WEIGHT (CABLE AND FILLED VIAL) 22 g CONTENT OF

Are you interested in the products in this catalogue?

See contact information

Catalog excerpts

Berlinger  
Berlinger & Co. AG  
Berlinger & Co. AG



Technical Specification: Fridge-tag® 3: USB to read out report Real-time alerting Last 30 days history Alarm indicator Port to insert external Sensor Battery indicator Alarm state Current Temp. Alarm state expl. READ Button Real-time alerts when it matters most From anywhere to everywhere Thanks to a programmable built-in cellular module, it enables operators all around the world to receive automatically generated real-time alerting or warning messages by SMS. Additionally it can be easily integrated into a web based server application. In case of a temperature deviations, the Fridge-tag 3 sends immediately a notification by SMS to predefined person(s) in charge. A fully comprehensive emergency plan can now be activated in order to prevent damage of the goods. • Built-in cellular module Real-time alert Notification by SMS and E-Mail WHO product qualification E006/041 Berlinger & Co. AG Switzerland +41 71 982 88 11 Berlinger USA LLC +1 508 366 0084 info@berlinger.com • www.berli


Open the catalog to page 1

1901 1910

BIOSAFE GLYCOL 7 ml ACCURACY OF TEMPERATURE +/- 0.8 °C from -40 °C to +30 °C +/- 0.5 °C from -30 °C to +40 °C +/- 0.9 °F from -22 °F to +104 °F +/- 0.8 °C from +40 °C to +60 °C +/- 1.44 °F from +104 °F to +140 °F CABLE LENGTH 1.5 meter (flat cable); 1.7 meter or 2.3 meter (round cable)...

Open the catalog to page 3

All Berlinger & Co. AG catalogs and technical brochures



**The last mile solution**

Im Bereich der letzten Meile sind die Anforderungen an die Netzwerke besonders hoch. Die Anforderungen an die Netzwerke sind:

Die Netzwerke müssen in der Lage sein, eine hohe Anzahl an Endgeräten zu unterstützen, die in einem kleinen Bereich konzentriert sind.

Die Netzwerke müssen in der Lage sein, eine hohe Anzahl an Endgeräten zu unterstützen, die in einem kleinen Bereich konzentriert sind.

Die Netzwerke müssen in der Lage sein, eine hohe Anzahl an Endgeräten zu unterstützen, die in einem kleinen Bereich konzentriert sind.

Die Netzwerke müssen in der Lage sein, eine hohe Anzahl an Endgeräten zu unterstützen, die in einem kleinen Bereich konzentriert sind.

Die Netzwerke müssen in der Lage sein, eine hohe Anzahl an Endgeräten zu unterstützen, die in einem kleinen Bereich konzentriert sind.




# smartLine

Product Information

THE CONTRACT CONTROLS

Experience the  
power of control



SmartLine: Product Information

5 Pages





# smartLine

certified by the manufacturer

Product Data Sheet **SMARTPOINT TERS** (THERMAL POINT TERS)


## smartPoint

Experience the power of control

smartPoint TERS is the most powerful and accurate thermal point TERS available. It is designed to be used in a wide range of applications, from industrial to residential. It is the most accurate and reliable thermal point TERS available.

### Key Features SmartPoint TERS (Temperature/External Feed Sensors)

- High accuracy and reliability
- Low power consumption
- Wide operating temperature range
- High accuracy and reliability
- Low power consumption
- Wide operating temperature range
- High accuracy and reliability
- Low power consumption
- Wide operating temperature range



SmartPoint

3 Pages

# smartLine

THE TRANSFORMER

PRODUCTION SHEET

smartPoint T (optional)

## smartPoint

smartPoint is a powerful, flexible, and easy-to-use software solution for creating and managing your business's information. It's designed to help you work more efficiently and effectively, so you can focus on what matters most.


smartPoint is a powerful, flexible, and easy-to-use software solution for creating and managing your business's information. It's designed to help you work more efficiently and effectively, so you can focus on what matters most.

smartPoint is a powerful, flexible, and easy-to-use software solution for creating and managing your business's information. It's designed to help you work more efficiently and effectively, so you can focus on what matters most.

smartPoint is a powerful, flexible, and easy-to-use software solution for creating and managing your business's information. It's designed to help you work more efficiently and effectively, so you can focus on what matters most.

smartPoint is a powerful, flexible, and easy-to-use software solution for creating and managing your business's information. It's designed to help you work more efficiently and effectively, so you can focus on what matters most.

smartPoint is a powerful, flexible, and easy-to-use software solution for creating and managing your business's information. It's designed to help you work more efficiently and effectively, so you can focus on what matters most.



### FEATURES

- Simple and intuitive interface
- Easy to learn and use
- Powerful reporting and analytics
- Integration with other business systems
- Customizable workflows and automation
- Secure and reliable data storage
- 24/7 customer support

### Benefits

- Increased productivity and efficiency
- Improved data accuracy and consistency
- Enhanced collaboration and communication
- Reduced risk and compliance
- Scalable and flexible solution
- Cost-effective and easy to implement

### SmartPoint T (optional)

SmartPoint T is an optional feature that provides advanced reporting and analytics capabilities. It allows you to create custom reports and dashboards, and provides detailed insights into your business's performance.



### At a Glance

SmartPoint is a powerful, flexible, and easy-to-use software solution for creating and managing your business's information. It's designed to help you work more efficiently and effectively, so you can focus on what matters most.

### SmartPoint T (optional)

SmartPoint T is an optional feature that provides advanced reporting and analytics capabilities. It allows you to create custom reports and dashboards, and provides detailed insights into your business's performance.

### SmartPoint T (optional)

SmartPoint T is an optional feature that provides advanced reporting and analytics capabilities. It allows you to create custom reports and dashboards, and provides detailed insights into your business's performance.

smartPoint T

2 Pages

## smartPoint & 2

smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently. smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently.


smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently. smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently.

smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently. smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently.

smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently. smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently.

smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently. smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently.

smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently. smartPoint is a powerful, easy-to-use, and secure web-based system for managing your business. It is designed to help you manage your business more effectively and efficiently.



### Features

- Real-time reporting and analytics
- Customizable dashboards
- Mobile access via smartphone and tablet
- Integration with other business systems
- Secure data storage and backup
- User-friendly interface
- Scalable architecture
- 24/7 customer support
- Regular updates and improvements
- Comprehensive training and documentation

berlinger  
Professional Services







Fast and easy monitoring of shipments

### Q-tag 2 plus - Q-tag 2R plus

For such temperature sensitive goods as:


- Vaccines
- Pharmaceuticals/Medicine
- Blood and Blood Products
- Perishable Food
- Chemicals/Adhesives/Flint

OK/ALARM for immediate reaction  
Data analysis without any computer or software  
Delivered time and temperature to each ALARM event  
Direct display of time and temperature (min./max./average)

Complete documentation of the cold chain

Brochure Q-tag® 2/2R plus

4 Pages



Q-tag® CLM doc Family

12 Pages



**Q-tag® CLm** 00-03-M1

alarm limits dry month year

5min > 43°C	100
5min > 25°C	250
2h > 40°C	300
1h < 0°C	300
1h < 15°C	300

hour clock

min, max, histogram

history, use deleted

OK  ALARM

**STOP**


**INFO** BAGK12345

[www.q-tag.ch](http://www.q-tag.ch)

Break tab

A




# Q-tag® CLm - Multi-Limit Temperature Indicator



Brochure Q-tag® CLm


8 Pages





Brochure Q-tag CLm doc

12 Pages



## Freeze-tag® = 0°C/32°F Indicator

Electronic temperature monitoring  
of frost-sensitive goods.

- Veggies
- Medicines
- Pharmaceutical
- Pediatric Food
- Charitable
- Purified Waters


Reliable - Exact - Good Value  
Safe - Reproducible  
Easy and Immediate Read Out  
Long Shelf Life

Temperature monitoring for highest quality requirements

Brochure Freeze-tag®



2 Pages

Related Searches

 berlinger  
tag® serie

Broschure Q-tag® Quad

4 Pages



**Q-tag® Quad - Multi Limit  
Temperature Indicator**

Data logger

Temperature data logger

Data logger with screen

Wireless data logger

Programmable data logger

Monitoring datalogger

Temperature indicator

Analog indicator

Pharmaceutical product data logger

Storage datalogger

Data logger with connector

Direct-reading indicator

USB indicator

Temperature monitor

Data transfer module

Active label

\*Prices are pre-tax. They exclude delivery charges and customs duties and do not include additional charges for installation or activation options. Prices are indicative only and may vary by country, with changes to the cost of raw materials and exchange rates.



### HOW TO SOURCE PRODUCTS

Contact us

Brand list

Manufacturer account

Buyer account

Newsletter subscription

About VirtualExpo Group

© 2021 All rights reserved - Terms - Privacy policy - General Terms - Manage cookies - Distributor list - 鄂ICP备16017613号-2 -


France

Compare

**&berlinger**  
feel safe

# Technical Specification

## Fridge-tag® 3



Remove all

Compare up to 10 products



2 / 3

Favorites

Top of Form

Search

Bottom of Form

X



Product Information

P. 1



P. 2-3


Print

[Direct access to a catalog page](#)



# Technical Specification

## Fridge-tag® 3



DESCRIPTION	Electronic temp. logger with USB and real-time alert	
MANUFACTURER'S REF	Fridge-tag 3	
TYPICAL APPLICATION AREA	Storage ambient conditions Storage cooling conditions (fridges, freezers, etc.)	
EXTERNAL DIMENSIONS (L X W X H)	136 x 98 x 21 mm, Display 95 x 27 mm	
WEIGHT	170 g	
STORAGE CONDITION (INACTIVE)	0 °C to +30 °C / +32 °F to +86 °F	
OPERATING TEMPERATURE*	EXTERNAL SENSOR	INTERNAL SENSOR
DISPLAY VISIBLE	-40 °C to +60 °C / -40 °F to +140 °F	-20 °C to +55 °C / -4 °F to +131 °F
ALARM TEMPERATURE RANGE	-35 °C to +55 °C, in 0.1 °C increments / -31 °F to +131 °F	-10 °C to +55 °C / +14 °F to +131 °F
ACCURACY OF TEMPERATURE MEASUREMENT	+/- 0.8 °C from -40 °C to +30 °C +/- 1.44 °F from -40 °F to +22 °F +/- 0.5 °C from -30 °C to +40 °C +/- 0.9 °F from +22 °F to +104 °F +/- 0.8 °C from +40 °C to +60 °C +/- 1.44 °F from +104 °F to +140 °F	+/- 0.8 °C from -25 °C to -10 °C +/- 1.44 °F from -13 °F to +14 °F +/- 0.5 °C from -10 °C to +40 °C +/- 0.9 °F from +14 °F to +104 °F +/- 0.8 °C from +40 °C to +55 °C +/- 1.44 °F from +104 °F to +131 °F
ALARM AND WARNING LIMITS	2 individually programmable alarm and warning limits (1 upper and 1 lower alarm/warning limit)	
ALARM TRIGGER TIME	1 minute to 23 h 59 min	
ALARM INDICATION	SMS, audible (buzzer) and server	