SharePoint Zulu Siphamandla • ?



KZN Health Intranet

Search this site

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES HEALTH FACILITIES

KZN Health > Components > Supply Ghain Management AdvertQuete

KWAZULU-NATAL PROVIN	Quotation Advert
Opening Date:	Cancanon Mayeri
Closing Date:	
_	2021-08-25
Closing Time:	11:00
INSTITUTION DETAILS	
Institution Name:	Vryheid hospital
Province:	KwaZulu-Natal
Department or Entity:	Department of Health
Division or section:	Central Supply Chain Management
Place where goods / services is required	vryheid hospital, coswald brown street
Date Submitted	2021-08-16 18 08 2621 E
ITEM CATEGORY AND DETAILS	
Quotation Number:	ZNQ:
Ham Catagony	ZNQ-VRH-250-21-22
Item Category: Item Description:	Services
Quantity (if supplies)	
COMPULSORY BRIEFING SESSION /	SITE VISIT
Select Type:	Select
Date :	
Time:	
Venue:	
QUOTES CAN BE COLLECTED FROM:	
QUOTES SHOULD BE DELIVERED TO:	
ENQUIRIES REGARDING THE ADVER	T MAY BE DIRECTED TO:
Name:	Mr S.Zulu
Email:	Siphamandia.Zulu@kznhealth.gov.za
Contact Number:	034 989 5948
Finance Manager Name:	Miss N.P Thabethe
Finance Manager Signature:	blaute-

No late quotes will be considered

#### STANDARD QUOTE DOCUMENTATION SUPPLY CHAIN MANAGEMENT OVER R30 000.00

YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: VRYHEID HOSPITAL	1
DATE ADVERTISED: 19.08.2021 CLOSING DATE: 25.08.2021 CLOSING TIME: 11:00	
FACSIMILE NUMBER: 034 989 1658 E-MAIL ADDRESS: nomathemba.makhoba@kznhealth.gov.za	
PHYSICAL ADDRESS: COSWALD BROWN STREET, VRYHEID 3100	
ZNQ/VRH/250-21-22	
DESCRIPTION: MAINTENANCE	
CONTRACT PERIOD	
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.	
UNIQUE REGISTRATION REFERENCE	
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS)  Vryheid hospital, Coswald brown street, Vryheid 3100	
or email to: nomathemba.makhoba@kznhealth.gov.za or fax to: 034 982 1658	
Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted fo consideration.	r
The quote box is open from 08:00 to 15:30.	
ALL QUOTES MUST BE SUBMITTED ON THE OFFICIAL FORMS – (NOT TO BE RE-TYPED)	
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.	L L
THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO WILL RESULT IN YOUR QUOTE BEING DISQUALIFIED)	
NAME OF BIDDER	
POSTAL ADDRESS	
STREET ADDRESS	
TELEPHONE NUMBER CODENUMBER FACSIMILE NUMBER CODENUMBER	
CELLPHONE NUMBER	
E-MAIL ADDRESS	
/AT REGISTRATION NUMBER (If VAT vendor)	
HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1)	ĺ

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

#### OFFICIAL PRICE PAGE FOR QUOTATIONS

ZNQ NUMBER: ZNQ/VRH/250-21-22

DESCRIPTION: MAINTENANCE	
SIGNATURE OF BIDDER [By signing this document I hereby agree to all terms and conditions]	DATE
CAPACITY UNDER WHICH THIS QUOTE IS SIGNED	

tem Na	Quantity	Description	Brand &	Gountry of manufacture	Price	
1	ONCE OFF	MA IOD OFFICIOR TO OTANDON OFFICE ATOD AS THE	medel	manufaeture	R	4
	ONCE OFF	MAJOR SERVICE TO STANDBY GENERATOR AS PER		_		4
		SPECIFICATION AND SERVICE SCHEDULES				4
		VRYHEID HOSPITAL				4
						4
						_
						_
						Ī
						_
						Ī
						-
						٦
						1
						+
						1
						+
						+
						+
						+
				1		+
LUE ADI	DED TAX @ 1	5% (Only if VAT Vendor)			-	+

Does This Offer Comply With The Specification?	Does The Article Conform To The S.A.N.S. / S.A.B.S. Specification?
Is The Price Firm?	State Delivery Period E.G. E.G. 1day, 1week

Enquiries regarding the quote may be directed to:  Contact Person: Mr. S. Zulu Tel: 0349895948  E-Mail Address: Siphamandla. Zulu @ kznhealth.qq	Enquiries regarding technical information may be directed to:  Contact Person: Mr. Tshabalala Tel: 034989591.5.
--------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------

#### **DECLARATION OF INTEREST**

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
  - the bidder is employed by the state; and/or
  - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.

2.	In order to give effect to the above, the following questionnaire must	be	completed and submitted with th	e quote.	
	Full Name of bidder/representative	2.4. 2.5.	Company Registration Number Tax Reference Number:		
	Position occupied in the Company (director, trustee, shareholder²):2	2.6.	VAT Registration Number:		***************************************
2.8.1 2.8.1 2.8.2 2.8.2 (Note: F	The names of all directors / trustees / shareholders / members, the employee / persal numbers must be indicated in paragraph 3 below Are you or any person connected with the bidder presently employed. If so, furnish the following particulars:  Name of person / director / trustee / shareholder/ member:	ed by	y the state?  dder is employed: Any other particulars: riate authority to undertake remu? the disqualification of the quote.)	[TICK	X APPLICABLE] YES NO  K outside employment YES NO
	.2. If no, furnish reasons for non-submission of such proof Did you or your spouse, or any of the company's directors / trustees state in the previous twelve months? . If so, furnish particulars:	s/s	shareholders / members or their	spouses cond	duct business with the
2.10. 2.10.	Do you, or any person connected with the bidder, have any relations may be involved with the evaluation and or adjudication of this quote 1. If so, furnish particulars:	ship e? 	(family, friend, other) with a pers		YES NO
2.11. 2.11.	Are you, or any person connected with the bidder, aware of any relat employed by the state who may be involved with the evaluation and 1. If so, furnish particulars:	or a	ship (family, friend, other) betwee adjudication of this quote?	-	YES NO
	Do you or any of the directors / trustees / shareholders / members of or not they are bidding for this contract?  1. If so, furnish particulars:			y other relate	d companies whether YES NO
	Full details of directors / trustees / members / shareholders.  The Department Of Health will validate details of directors / trustee to ensure that their details are up-to-date and verified on CSD. If the not be considered and passed over as non-compliant according to N	e D	epartment cannot validate the in	nformation or	uppliers' responsibility n CSD, the quote will
4	DECLARATION				
	IE UNDERSIGNED (NAME) NISHED IN PARAGRAPHS 2.		CERTIFY	THAT THI	E INFORMATION
	CEPT THAT THE STATE MAY REJECT THE QUOTE OR VE TO BE FALSE.	AC	T AGAINST ME SHOULD	THIS DECI	LARATION
	of bidder Signature		sition	Date	
a)	constitutional institution within the meaning of the Public Finance Management	d)	provincial legislature; national Assembly or the national Counc Parliament.	il of provinces; o	r

<sup>2&</sup>quot;Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

#### SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

#### 1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

#### 2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

#### 3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
  - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

#### 4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

#### 5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

#### 6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

#### 7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1.	Bidders who fail to attend the compulsory meeting will be disqua	alified from the e	evaluation process.
(i) (ii)	The institution has determined that a compulsory site meeting  Date/ Time:Place		take place
Institu	ution Stamp:	Institution Site	e Inspection / briefing session Official
		Full Name:	
		Signature:	
		Date:	

#### 8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

#### 9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

#### 10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

#### 11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

#### 12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

#### 13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

#### 14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

#### 15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

#### PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

#### 2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
  - B-BBEE Status level certificate issued by an authorized body or person;
  - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

#### 3. POINTS AWARDED FOR PRICE

#### 3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left( 1 - \frac{Pt - P\min}{P\min} \right)$$
 Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration
Pmin = Price of lowest acceptable bid

#### 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

#### 5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

#### 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: = .......(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7.	SUB-CONTRACTING	(Tick applicable box)
7.1	Will any portion of the contract be sub-contracted?	YES NO
7.1.1	If yes, indicate:	

- i) What percentage of the contract will be subcontracted......%
  - ii) The name of the sub-contractor.....
    The B-BBEE status level of the sub-contractor.....
- 8. Whether the sub-contractor is an EME or QSE (Tick applicable box)

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations 2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √
Black people	·	
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

9.	DECLA	ARATION WITH REGARD TO COMPANY/FIRM	
9.1	Nam	e of company/firm:	
9.2	VAT	registration number:	
9.3	Com	pany registration number:	
9.4	TYPE	E OF COMPANY/ FIRM [TICK APPLICABLE BO	XJ
		Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited	
9.5	DESC	CRIBE PRINCIPAL BUSINESS ACTIVITIES	
9.6	COM	DANV CLASSIFICATION (TICK ADDITION F. B.	0.01
3.0		PANY CLASSIFICATION [TICK APPLICABLE Bottom Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc.	JAJ
9.7	Total	number of years the company/firm has been in bo	usiness:
9.8	the B-	the undersigned, who is / are duly authorised to a -BBE status level of contributor indicated in para reference(s) shown and I / we acknowledge that:	do so on behalf of the company/firm, certify that the points claimed, based on graphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for
	i) T	The information furnished is true and correct;	
	ii) T	The preference points claimed are in accordance	with the General Conditions as indicated in paragraph 1 of this form;
	iii) lı b	n the event of a contract being awarded as a res be required to furnish documentary proof to the sa	ult of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may atisfaction of the purchaser that the claims are correct;
	iv) If h	f the B-BBEE status level of contributor has been nave not been fulfilled, the purchaser may, in addi	claimed or obtained on a fraudulent basis or any of the conditions of contract ition to any other remedy it may have –
	(a)	disqualify the person from the bidding process	;;
	(b)	recover costs, losses or damages it has incurr	ed or suffered as a result of that person's conduct;
	(c)	cancel the contract and claim any damages warrangements due to such cancellation;	which it has suffered as a result of having to make less favourable
	(d)	who acted on a fraudulent basis, be restricted	shareholders and directors, or only the shareholders and directors by the National Treasury from obtaining business from any organ after the audi alteram partem (hear the other side) rule has been
	(e)	forward the matter for criminal prosecution.	
	WITN	IESSES	
			SIGNATURE(S) OF BIDDERS(S)
	1		DATE:
	2		ADDRESS



Vryheid district Hospital Coswald Brown Street Private Bag X 9371, Vryheid 3100

## ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS FOR VRYHEID DISTRICT HOSPITAL

#### PROJECT SPECIFICATIONS

- 1. NOTES TO TENDERERS
- 1.1. SCOPE OF CONTRACT

This Contract is for the complete execution of the project indicated above.

1.2. CONTRACT DRAWINGS

This quotation document is to be read in conjunction with the drawings listed below which is issued together with this document.

Drawing No.: None

These drawings may be updated from time to time during the course of the Contract, and the Contractor must ensure at the time of the installation that he has the latest copy of all drawings. No claim will be considered for work, which requires to be changed due to the use of outdated drawings.

- 1.3. CONDITIONS OF CONTRACT AND PRELIMINARIES
- 1.3.1 PERIOD OF CONTRACT:ONCE

ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VRYHEID HOSPITAL

1.3.2 CONTRACT GUARANTEE:

The successful Tenderer will NOT be required to submit a contract guarantee.

1.3.3 GUARANTEE PERIOD

The guarantee period for the structural work and all materials must be for a minimum of three (3) months from the date of first delivery.

The guarantee period for Electrical and Mechanical Installations shall be for a minimum of twelve (12) months from the date of first delivery.

1.3.3 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing Institution.

The Contractor is advised that the existing premises will be occupied throughout the period of the contract.

Damage to existing buildings - Tenderers to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Tenderer.

The repairs must be to the satisfaction of the KwaZulu- Natal Department of Health.

NB: Tenderers are advised to examine the drawings and visit the site prior to quoting and to acquaint themselves with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim will be allowed on the grounds of ignorance of the conditions under which the work will be executed.

#### 1.3.4 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Electrical Specification, the South African Bureau of Standards Code of Practice for the Wiring of Premises and the Occupational Health and Safety Act 85 of 1993 as amended.

#### 1.3.5 CERTIFICATE OF COMPLIANCE

On completion of the service, a "Test Certificate in accordance with procedures must be submitted to the office of the Chief Engineer –Department of Health: KwaZulu Natal.

#### 1.3.6 GENERAL

The Bidder's / Contractors will be responsible for all masonry work associated with the electrical installation and making good of all work related to the electrical installation. The patching and painting must be to the satisfaction of the KwaZulu-Natal Department of Health.

#### 2. TECHNICAL SPECIFICATION

#### 2.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular service, whether any specific clauses are referred to or not

- 2.2 The bidder shall submit accreditation certificate from ECB/DOL.
- 2.3 The Bidder shall submit Letter of Good Standing from Department of Labour.
- 2.4 The Bidder shall submit CSD FULL REPORT.
- 2.5 The Bidder shall submit certified copy of Technician competence certificate.

#### SCOPE OF WORK

#### 3.1The work comprises of:

#### **EMERGENCY GENERATORS SERVICE**

#### 1. Control Panel

- 1.1 Blow out panel. (Do not use compressed air)
- 1.2 Check tightness of all connections
- 1.3 Check alternator MCB contacts and record trip settings
- 1.4 Replace defective indicator lamps in panel.
- 1.5 Replace defective fuses in panel.
- 1.6 Check changeover contactor coils, contacts and mechanical interlock (if not mechanical, specify)

#### 2. Fuel System

- 2.1 Check all electrical connections on fuel alarm panel.
- 2.2 Check fuel transfer pump electrical connections
- 2.3 Check for correct free travel and electrical operation of float switches

#### 3. Batteries

- 3.1 Clean and grease terminals. Change battery clamps if necessary.
- 3.2 Check / fill battery cells to working level.
- 3.3 Battery No. 1 (Make and no.)
- 3.4 Battery No. 2 (Make and no.)

#### 4. Engine Starter

- 4.1 Check condition of bendix
- 4.2 Check commutator
- 4.3 Check brushes
- 4.4 Check contacts on slave solenoid
- 4.5 Check starter sensor relay (i.e. discharge on start)

#### 5. Fuel (Stop/Start) Solenoid/Relays

5.1 Check level

- 5.2 Check condition of linkages
- 5.3 Check connections

#### 6. Main Alternator

- 6.1 Blow out main frame (Do not use compressed air)
- 6.2 Check all connections for tightness
- 6.3 Listen for noisy bearings and report on same
- 6.4 Grease bearings (where applicable)
- 6.5 Check status of brushes / slip rings
- 6.6 Check all diode connections
- 6.7 Check holding down bolts

#### 7. Testing

- 7.1 Check manual mode start
- 7.3 Simulate Mains Failure, Carry out run on load test (minimum time 20 minutes, obtain permission before proceeding)
- 7.4 Check the following

Time MCB "off"

Time engine starts

Time alternator "On load"

Time MCB "On"

Time sensor change over to Eskom power/Gen Set

Engine cooling down time

7.5 Check the following for correct operation of all safety circuits

Low oil pressure cut out

Water temperature cut out

Over speed cut out

Under speed cut out

Battery charger cut out

Radiator coolant level cut out (where applicable)

Check day tank fuel low level audible alarm

Check bulk tank - low level audible alarm

Check audible range and condition of siren.

- 8.1 Oil must be drained and replaced with new oil
- 8.2 Oil filters to be replaced
- 9. Check fan belt:
- 9.1 Condition
- 9.2 Tension adjust if necessary
- 9.3 Pulleys
- 10. Clean radiator air passage & check that the coolant is at the correct level.
- 11. Check that oil cooler air passages are clear clean if necessary
- 12. Check all radiator hoses and clamps
- 13. Check oil level
- 14. Change fuel filters primary fuel filters / water traps
- 15. Bleed fuel system
- 16. Check oil level of fuel pump cam box and governor
- 17. Check fuel pump drive shaft and couplings
- 18. Remove air filter
- 19. Check turbo for free rotation and bearing wear.
- 20. Check seal faces of elements, air cleaner hoses and clamps for dust ingress

- 21. Fit new or clean air filter (washable paper air filters to be washed 3 times before discarding).
- 22. Check water jacket emission heater operation.
- 23. Check that all gauges are in position and secure
- 24. Check battery charger Log volts Log amps
- 25. Check battery water top up if necessary
- 26. Check battery cable lugs, clean and tighten as required
- 27. Simulate Mains Failure Start engine and run on load for 20 minutes and record the following. (obtain permission before proceeding)
- 27.1 Voltage
- **Amperage** 27.2
- Hertz 27.3
- Oil pressure 27.4
- Water temperature 27.5
- 28. Listen for unusual noises
- On Starting 28.1
- When running 28.2
- When stopping
- 28.3
- 29. Check for oil and water leaks and repair if necessary
- 30. On completion of load test, restart engine and check the following
- Low oil pressure shut-off 30.1
- High temperature shut-off 30.2
- 30.3 Low water shut-off
- 31. Check alternator coupling and terminals
- 32. Blow dust out of alternator / generator
- 33. Check all air vents on alternator / generator are clean and secure

#### 34. Fuel Tanks

- Drain of water from filter separator 34.1
- Drain off water 34.2
- Check level control switch 34.3
- Check electric pump 34.4
- Check hand pump 34.5
- Check low level fuel alarm 34.6
- Check low, low fuel alarm. 34.7
- Check engine cut out alarm 34.8 Check covers and breathers
- 34.9
- Check pipes and fittings 34.10
- Charge engine filter element 34.11
- 35. Check exhaust manifold, silencer, tall pipe, supports, etc.
- 36. Check air ducts
- 37. Check generator set's base, engine / alternator mountings etc.
- 38. Clean down engine, alternator, pressure clean the plant and mounting base.

#### 39. Panel

- Check circuit breaker 39.1
- Check volt meter and selector 39.2

- 39.3 Check ammeters 39.4 Check Hz meter 39.5 Check hour meter 39.6
- 40. Pressure Clean the plant room.
- 41. Check and adjust tappets
- 42. Replace rocker cover gasket
- 43. Drain and refill radiator with ant-freeze liquid.
- 44. Add 3 litres inhibitor to 10 litres water
- 45. Pressure test cooling system to 150kPa
- 46. Pressure test radiator cap and record pressure
- 47. Check rocker faces are smooth and not pitted
- 48. Check rocker lubrication operation.
- 49. Supply and replace manual drain pumps.
- 50. Replace emersion heater unit.
- 51. Replace diesel gauge high and low unit (float switch for day tank).
- 52. Replace drain valve for compressed air engine starter.
- 53. Replace water pipe on gen set 2
- 54. Replace water drain valve for generator 1 and gen 2
- 55. Maternity Gen-Set replace leaking seals on diesel pump.
- 56. Replace injectors, O-ring seals at North Block Generator set.

## TECHNICAL REQUIREMENTS AND SCOPE OF WORK FOR IN-SITU DIESEL FUEL STORAGE TANK CLEANING AND DIESEL FUEL REMEDIATION

#### **NOTE TO CONTRACTORS**

- No subcontracting of this service shall be allowed. Failure to comply shall result in the disqualification of this bid.
- Failure to complete all the relevant documentation in its entirety shall result in the disqualification of this bid. Please note documents marked as RETURNABLE must be submitted with all other relevant documentation.
- The KwaZulu-Natal Department of Health Infrastructure Development Directorate reserves the right to inspect the Contractors diesel fuel cleaning equipment and associated material, staff accreditation documents and valid Safety File at the Contractors premises prior to the awarding of any bids or BEFORE the commencement with any services.

NOTE: Only companies who specialize in this type of work may undertake this project.

NOTE: The site must be left clean and tidy by the contractor.

- 3. 2 Supply report and certificate on completion of services
- 3.3 The Bidder shall carry out all work according to the Standard Preambles to all Trades. The standard preambles can be obtained from Department of Health Facilities Management
- 3.4 The Bidder shall submit accredited certificate for the technician to operate on Electric Machinery.
- 3.5 The Bidder shall submit certified copy of Technician competence certificate.
- 3.6 The Bidder shall submit the Letter of Good Standing from Department of Labour

		AND ACCUSED USE OF
٧	VORK	TO BE DONE AND SCHEDULE OF
		DESCRIPTION:_ AL SERVICES AND REPAIRS TO E
	ANNU	AL SERVICES AND REPAIRS TO SER
Item	ACTIO	ON FOR DIESEL FUEL TANKS AT
	HOSP	ITAL
l "		
	NOTE	
	All ite	ms to be priced fully including.  r, plant, profit, etc., but excluding.
1	labou	r, plant, promi
	The A	Administration reserves the right to
	in the	Bill of Quantities.
1	All m	ified, or other approved by the
1	Spec	th
	Con	tractors are advised to visit sites
	thon	selves with the site and the site
A	as	no claims on the grounds of Igain and Igain an
	loca	antyroung -
	Cor	ntractors are informed that living on
	pre	ntractors are informed that itting out the contract is not the contract in the contract in the contract is not the contract in the
	arra	engements to accommodate the property of the p
	IN:	STITUTION: VRYHEID HOSPITAL INUAL SERVICES AND REPAIRS T
	AC	TION FOR DIESEL FUEL TANKS
	H	OSPITAL
-		
-	1)	
	2)	
	3)	
	4)	
	5)	
	6)	
	7)	
	8)	
	9)	
	10)	
	11)	
	12)	
	13)	
	14)	
	15)	SAFETY PLAN
	16)	
	Carr	ied To Collection Summary
	Jan	

SCHEDULE OF RATES
WORK TO BE DONE AND SCHEDULE OF PRICES:

Ite		DESCRIPTION: ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VRYHEID HOSPITAL	UNIT	QTY	RATE/ U		TOTAL	
		NOTES: All items to be priced fully inclusive of all charges: e.g. labour, plant, profit, etc., but excluding Value Added Tax. The Administration reserves the right to negotiate prices in the Bill of Quantities. All materials used in this contract shall be that which is specified, or other approved by the Department of Health.  Contractors are advised to visit site to acquaint themselves with the site and the layout of the institution as no claims on the grounds of ignorance of the locality/siting of the institution will be entertained later.  Contractors are informed that living on the institutions premises during the contract is not allowed and arrangements for accommodation will have to be			R	С	R	С
1	)	allowed for.  INSTITUTION: VRYHEID HOSPITAL ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VYHEID HOSPITAL						
2								
3	)							
4								
5								
6								
7								
8								
9								
10)	_							
11	3							
12	_							
13								
14	-							
15	-							
16	32	SAFETY PLAN	01					
	-	ed To Collection Summary PS 1				R		

RETURNABLE

Institution to strike through sections that are not applicable.

To be completed by the relevant institution prior to the bid being issued for pricing.								
	Diesel Tank Location  bulk fuel Tank Capacity (In Litres)  Current fuel level of Buld Fuel Tank (In Litres)  Current fuel level of Buld Fuel Tank (In Litres)  Current fuel level of Day Tank (In Litres)  Current fuel level of Day Tank (In Litres)							
1	Generator 1							
2	Generator 2							
Carry R	Carry over to quotation page.							

#### RETURNABLE

### TECHNICAL REQUIREMENTS AND SCOPE OF WORK FOR IN-SITU DIESEL

#### FUEL STORAGE TANK CLEANING AND DIESEL FUEL REMEDIATION

#### **TECHNICAL REQUIREMENTS (Contractor to ensure):**

1) Compliance with all legislated safety requirements pertaining to in-situ sampling, diesel dank cleaning, fuel remediation and DOH site specific requirements.

These safety requirements shall comply with SANAS 10089 for in-situ underground bulk diesel fuel tanks and SANAS 11089/1 for in-situ above ground bulk diesel fuel tanks.

- 2) Only proven accredited tank cleaning and fuel remediation equipment and technology to be utilised that has:
  - A processing flow rate of no less than 1:8 to tank volume ratio.
  - Full spectrum water extraction capability (free, entrained and emulsified).
  - BV accredited or similar induction conditioning fuel remediation technology.

- Three phase tiltration and separate
- Metallic particulate extraction.
- 3) Service personnel shall be trained, experienced and accredited tank cleaning operators suitable skilled in system operation, fuel remediation procedures and safety requirements.

Certified copies of all training documentation shall be provided at time of tender.

- 4) A process that results in minimal waste/disposal of fuel of less than 1% of tank capacity (excluding water sludge and inorganic debris).
- 5) All contaminated disposable fuels and materials shall be disposed of at an accredited site. Original documentation shall be provided to the KwaZulu-Natal Department of Health at the time of invoicing for work done. Failure to comply shall result in the delay of these payments.

### RETURNABLE

### SCOPE OF WORK:

Upon commencement of the service the appointed Contractor shall do the following:

- 1. Draw two bottom diesel tank samples of the diesel fuel prior to the commencement of the cleaning of the tanks. Samples shall be drawn utilising recognised diesel tank sampling equipment as per the DN10/07 procedure.
- 2. Samples shall be drawn from the tanks and sealed in the presence of the KwaZulu-Natal Departments Institutions Chief Artisan or his / her authorised designee.

The drawn samples shall be signed off by the relevant KZN Department of Health Institutions Chief Artisan or his / her authorised designee.

- 3. Samples shall be clearly labelled detailing, date, location and tank type and volume.
- 4. One sample to be supplied to the KwaZulu-Natal Departments Institutions Chief Artisan or his / her authorised designee.
- 5 Provide tank cleaning and fuel remediation services to the diesel tanks which will be remove/remediate the following:
- a) Tank bottom debris
- b) Free, Entrained and Emulsified water
- c) Solid contaminants
- d) Bio-film build-up / accumulation on tank walls and if applicable on baffles, supports
- e) Remediation of the fuel to comply with SANS 342 (excluding Sulphur content compliance and raising of flashpoint levels)
- f) The Contractor shall provide specification sheets of tank cleaning equipment to be utilised.

g) The Contractor shall provide a list of chemicals and dosage ratios to be used in the tank cleaning and fuel remediation process utilising the MSDS sheets.

### Upon completion of the service:

- 1) Draw samples again as per items 1 to 4 above and provide a sample to KwaZulu-Natal Departments Institutions Chief Artisan or his / her authorised designee. The other, to be sent for SANS 342 laboratory analysis from a recognized laboratory.
- 2) The Contractor shall provide the name of the independently recognised test laboratory that shall be testing the diesel fuel samples.
- 3) Provide written confirmation of completion and successful remediation and cleaning per tank.
- 4) Record the volume of waste generated from each tank, remove from site and arrange for disposal at an accredited waste disposal facility.

#### RETURNABLE

- 5) Obtain departments duly appointed site representative signature on an appropriate document confirming the above per tank.
- 6) Provide an independent SANS 342 laboratory analysis from a recognized accredited laboratory confirming fuels remediation status per tank (excluding Sulphur content compliance and raising of flashpoint levels).
- 7) Provide a waste disposal certificate confirming waste has been received from an accredited waste disposal facility for such waste.

acility for such waste.
Confirmation of Compliance  I (full name)
Identity No.
Duly authorised to sign on behalf of (Company Name)
Company Reg. No.
Hereby confirm that I / we have read the requirements of this specification and will fully comply with this specification. I / we further confirm that I / we have the required technology and skills to perform the tasks.
Dated thisday of20at
Signature:
Witness:
Name :Signature:

### RETURNABLE

# DIESEL FUEL TANK AD DIESEL FUEL CLEANING REGIME FOR IN-SITU STORAGE TANKS.

### WORK METHOD STATEMENT

Upon arrival on site: Explain procedures to be followed.
<u></u>
Drawing of diesel fuel sample: Explain procedures to be followed.
Explain the procedure to be followed.
Setting up and commencement of diesel fuel cleaning process: Explain the procedure to be followed.

RETURNABLE
After completion of diesel fuel cleaning process: Explain the procedure to be followed.
Aiter completion of all the control of the control
Signature of Contractor:
Name of Contractor:

Contractors Company Stamp:

#### Permission to Commence Work / Control Sheet Checklist

### Items to confirm prior to issuing authorisation to commence with service

- 1) Tank cleaning equipment to be utilised conforms to the DOH Specification, Copies of Tank Cleaning Equipment Specification Sheets to be provided.
- 2) Service personnel's accreditation documentation.
- 3) Health & Safety File
- 4) Material Safety Data Sheets of Chemicals to be utilized.

Confirmation of C	ompliance			
I (full name)				hereby
compliance with the	spected the abovemention he specification. The Conper Order No.:	tractor is hereby permitte	ed to commence v	
Dated this	day of	20	at	
Signature:				

#### **Emergency Power Generator Diesel Fuel Analysis Report**

#### SANS 17025: 2005

Institution:
Tank type and Capacity:
(One report per tank)
Tank serial / Reference Number:
Name of Company conducting cleaning regime and collecting of samples:
Name of Technician:
Sample Date:
Received Date:
Reported Date:
Type of Sample Container used:
Volume of sample taken in ml:
Fuel Sample ID Code:
Name of Laboratory conducting testing regime:
SANAS Accreditation Number:
Name of Technician:
Sample Date:
Received Date:
Reported Date:

NOTE: One test analysis sheet to accompany each individual fuel sample.

Each test analysis sheet and fuel sample to have the same ID code.

Test results shall be returned to the relevant institution and a copy thereof supplied to the office of the Manager: KZN DoH Infrastructure Development prior to payment being made to the Service Provider. Provide a certificate stipulating volumes of waste contaminant removed from each tank and a safe Disposal certificate from an accredited waste disposal facility for such waste. A copy thereof supplied to the Office of the Director – KZN Department of Health: Infrastructure Development – Maintenance and engineering sub directorate.

### Test Results

Tests	Sample No:	SANS 342:2006 Specification
16212	Gampie 146:	5/ 11 to 0 12 12 to 0 12 to 0

	Results	Units	Limits	Comments
Density @ 20oC (ASTM D7042)*		Kg/L	0.800min	
Viscosity @ 40°C (ASTM D7042)*		Cst	2.2-5.3	
Flashpoint (ASTM D 93)*		Oc	55 min	
Water Content (ASTM D604)		%	0.05 max	
90% Recovery Temp. (ASTM D86)*		οС	362 max	
Total Contamination (IP40)*		Mg/Kg	24 max	
Sulphur (ASTM D4294)*		ppm	500 max	
Residue (ASTM D86)*		%		
Cetane Index (ASTM D976)*				
* Not an Accredited SANAS Method				

Visual Inspection / Additional Tests

Visual mopeotion / Auto	Unit	Result	Comments
Free water			
Colour			
Appearance			
Bacteria Content			
Total Acid Number	mgKOH/g		
IP Contamination			

### <u>Distillation & Graph</u> <u>Insert reading in relevant column on left and project values onto the graph on right</u>

#### **Distillation date**

IBP							
10		380					
20		360			-		
30	Ol	340				-	
40	9	320					
50	Tempetature °C	300					
60	ta	280					
70	<u>d</u> u	260					
80	<u>je</u>	240					
90		220					
FBP		200					
Rec %	irsadu	180					
			DIS	DIS	DIS	DIS	
		IBP	20	40	60	80	FB P
				% Re	ecovery		

# Diagnosis / Remarks RESULT: PASS / FAIL (circle relevant item) Date: \_\_\_ Name & Signature Laboratory Technician Company Stamp **QUOTATION FORM** ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VRYHEID HOSPITAL **ALTERNATIVES** It is required that the Contractor's main offer be in accordance with the specification. However, should Contractors wish to make alternative offers these must only be made on this form or copies thereof as necessary. Note that all of the information required in this document must be supplied for all alternative offers as well. Where the Contractor does not wish to submit alternatives, the word "NIL" shall be inserted against each section and the page signed by the Contractor. ALTERNATIVE NO ALTERNATIVE PRICE (IN WORDS) DETAIL VARIATIONS FROM SPECIFICATION DETAIL BENEFITS TO OWNER IN TERMS OF THE ALTERNATIVE OFFER **REMARKS** CONTRACTORS'S AUTHORISED SIGNATURE / FULL NAME AND ADDRESS OF FIRM

NAME IN BLOCK LETTERS			
DATE	,		

#### QUOTATION FORM

# ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VRYHEID HOSPITAL

#### DEVIATIONS FROM SPECIFICATION

If the Contractor's main offer contains any deviations from the specification these deviations must be listed below:

Where no deviations from specification occur, the word "NIL" shall be entered under Deviation, and the page signed by the Contractor.

CLAUSE NO	DEVIATION
CONTRACTOR'S AUTHORISED SIGNATURE	
FULL NAME AND ADDRESS OF FIRM:	
NAME IN BLOCK LETTERS:	
DATE:	

## PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

## ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VRYHEID HOSPITAL

#### **EDULE OF RATES**

#### 3.1 ITEMS AND PRICING

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his quote for the contract and of the rates and prices stated in the Schedule of Rates.

#### 3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

#### 3.3 RATES

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

SCHEDULE OF RATES
WORK TO BE DONE AND SCHEDULE OF PRICES:

Item	DESCRIPTION: ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VRYHEID HOSPITAL		QTY	RATE/ UNIT		TOTAL	
	NOTES: All items to be priced fully inclusive of all charges: e.g labour, plant, profit, etc., but excluding Value Added Tax. The Administration reserves the right to negotiate prices in the Bill of Quantities. All materials used in this contract shall be that which is specified, or other approved by the Department of Health.  Contractors are advised to visit site to acquaint themselves with the site and the layout of the institution as no claims on the grounds of ignorance of the locality/siting of the institution will be entertained later.  Contractors are informed that living on the institutions premises during the contract is not allowed and arrangements for accommodation will have to be allowed for.	d s s f		R	C	R	С
	INSTITUTION: VYHEID HOSPITAL ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VYHEID HOSPITAL						
1)	MAIN PLANT ROOM 1100 KVA		01				
2)	SOUTH WARD BLOCK 500KVA		01				
3)	REPLACE OIL MANUAL DRAIN PUMP		01				
04)	REPLACE WATER DRAIN VALVE GEN 1&2						
04)	REPLACE DIESEL PUMP LEAKING SEAL AT		02				
05)	BASEMENT		01				
06)	REPLACE EMERSION HEATER UNITS						
07)	REPLACE CIRCULTING PUMPS		01				
08)	REPLACE DIESEL GAUGE HIGH AND LOW(FLOAT SWITCH)		04				
00)	REPLACE DRAIN VALVE FOR COMPRSSED AIR		01				
09)	ENGINE STARTER GEN 1&2		02				
10)	DIESEL CLEANING OF DAY TANKS AND BULK TANKS Diesel Bulk Tank 23 000 litres Outside the plant under		ITEM				
11)	ground ground		01				
12)	Diesel Bulk Tank 2 250 litres inside generator plant		01				
13)		set	6				
14)	SAFETY FILE		01				
Carried To Collection Summary PS 1							



#### **COLLECTION SUMMARY**

INSTITUTION:

VYHEID DISTRICT HOSPITAL

PROJECT DESCRIPTION:

ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VYHEID HOSPITAL

#### NOTE:

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE QUOTATION FORM.

Collection Summary PS 1	R	
SUB-TOTAL: CARRIED TO QUOTATION FORM	R	

#### IMPORTANT

THIS FORM IS ONLY TO BE INCLUDED AND COMPLETED WHEN APPLICABLE TO THE QUOTATION.



#### OFFICIAL BRIEFING SESSION / SITE INSPECTION CERTIFICATE

Site/building/institution involved:	VRYHEID DISTRICT HOSPITAL
Quotation No.:	
Service:	ANNUAL SERVICES AND REPAIRS TO EMERGENCY POWER SUPPLY GENERATORS & THE REMEDIAL ACTION FOR DIESEL FUEL TANKS AT VRYHEID HOSPITAL
	OF (STATE NAME OF TENDERER)
(DATE) AND	IS THEREFORE FAMILIAR WITH THE CIRCUMSTANCES AND
THE SCOPE OF THE SERVICE TO BE	RENDERED.
SIGNATURE OF TENDERER OR AUTH	 HORISED REPRESENTATIVE
DATE:	
SIGNATURE OF DEPARTMENTAL RE	PRESENTATIVE
DEPARTMENTAL STAMP:	
DATE:	