SharePoint

Thwala Nkosikhona - ?



KZN HEALTH

# **KZN** Health Intranet

Search this site	٩

CORPORATE INFORMATION COMPONENTS DIRECTORY

DISTRICT OFFICES

HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

HEALTH REPUBLIC OF SOUTH AFRICA	Quotation Advert
Opening Date:	2021-12-08
Closing Date:	2021-12-22
Closing Time:	11:00
INSTITUTION DETAILS	
Institution Name:	Select His never removal Huspital
Province:	KwaZulu-Natai
Department or Entity:	Department of Health
Division or section:	Central Supply Chain Management
Place where goods / services is required	GROENVLEI CLINIC
Date Submitted	2021-12-07
ITEM CATEGORY AND DETAILS	
Quotation Number:	ZNQ: NMH237/21-22
Item Category:	Select Services
Item Description:	PAINT WALLS INSIDE CLINIC ROOF COUGH BOOTH; REPLACE BURST COPPER PIPES WITH CLASS 2 AND REPLACE CISTERN COVERS AND TOILET SEAT COVERS AT GROENVLEI CLINIC AS PER SPECIFICATION.
Quantity (if supplies)	
COMPULSORY BRIEFING SESSION	SITE VISIT
Select Type:	select Compulsory Bridging Lession
Date :	2021-12-13
Time:	10H00
Venue:	GROENVLEI CLINIC
QUOTES CAN BE COLLECTED FROM:	Quotes have been uploaded together with the advert, service providers are requested to come with them.
QUOTES SHOULD BE DELIVERED TO:	Quotes must be sent to Niemeyer.Quotations@kznhealth.gov.za or hand deliver at Niemeyer Memorial Hospital, in the tender box.
ENQUIRIES REGARDING THE ADVE	
Name:	S.M. Tshabalala
Email:	Siphelele. Tshabalala@kznhealth.gov.za
LIII aii.	Sinnelete, i Snanaizia@k7nneaith gov 72

Finance Manager Name:

Mr. N.R. Tshabalala

Finance Manager Signature:

No late quotes will be considered

Print this page

Site Updated:07 December, 2021, 07:51 am The materials on this website may be copied for non-commercial use as long as our copyright notice and website address are included.

Copyright © KwaZulu-Natal Department of Health, 2000

Contact the Web Administrator

STANDARD QUOTE DOCUMENTATION SUPPLY CHAIN MANAGEMENT OVER R30 000.00 YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: NIEMEYER MEMORIAL HOSPITAL DATE ADVERTISED: 08/12/2021 CLOSING DATE: 22/12/2021 ...... CLOSING TIME: 11:00 FACSIMILE NUMBER: (034) 331 4498 E-MAIL ADDRESS: Niemeyer.Quotations@kznhealth.gov.za PHYSICAL ADDRESS: NO.31 KANTOOR STREET, UTRECHT, 2980. ZNQ NUMBER: NMH237/21-22 DESCRIPTION: PAINT WALLS INSIDE CLINIC ROOF COUGH BOOTH; REPLACE BURST COPPER PIPES CONTRACT PERIOD ONCE OFF VALIDITY PERIOD 60 Days SARS PIN..... (if applicable) CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO. UNIQUE REGISTRATION REFERENCE DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS) NO.31 KANTOOR STREET, UTRECHT, 2980. **OPEN 24/7** Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration. The quote box is open from 08:00 to 15:30. ALL QUOTES MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RE-TYPED) THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO WILL RESULT IN YOUR QUOTE BEING DISQUALIFIED) NAME OF BIDDER POSTAL ADDRESS STREET ADDRESS TELEPHONE NUMBER CODE......NUMBER...... FACSIMILE NUMBER CODE ......NUMBER.....NUMBER..... CELLPHONE NUMBER ...... E-MAIL ADDRESS VAT REGISTRATION NUMBER (If VAT vendor) ...... HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1) [A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

Quotation documents may be hand delivered, faxed or emailed.

Email address: Niemeyer.Quotations@kznhealth.gov.za

There is no alternative email address for receiving of quotation documents. No any other emailed quotation documents will be considered apart from those received from the aforementioned email address.

OFFICIAL PRICE PAGE FOR QUOTATIONS	ZNQ NUMBER: 237/21-22
DESCRIPTION: PAINT WALLS INSIDE CLINIC ROOF COUGH BO	OTH; REPLACE BURST COPPER PIPES
SIGNATURE OF BIDDER [By signing this document I hereby agree to all terms and conditions]	DATE
CAPACITY UNDER WHICH THIS QUOTE IS SIGNED	

	Quantity	Description				
			model	Country of manufacture	R	С
		PAINT WALLS INSIDE CLINIC, ROOF COUGH BOOTH;				
		REPLACE BURST COPPER PIPES WITH CLASS 2				Т
		AND REPLACE CISTERN AND TOILET COVERS AND				
		TILE AREAS BEING SCRATCHED BY PEDAL BINS				Т
		AT GROENVLEI CLINIC AS PER ATTACHED				П
		SPECIFICATION.				Т
						$\top$
						Т
						T
4.3						
						T
					1	$\top$
	T			Ì		$\top$
		NB: BIDDERS ARE REQUESTED TO FURNISH ANY INFORMATION				T
		WHERE REQUIRED, FAILURE TO DO SO WILL DISQUALIFY THE BID				$\neg$
						$\top$

Does This Offer Comply With The Specification?	Does The Article Conform To The S.A.N.S. / S.A.B.S. Specification?	
Is The Price Firm?	State Delivery Period E.G. E.G. 1day, 1week	

Contact Person: Mr. Tshabalala Tel: 0343312369 E-Mail Address: Siphelele Tshabalala@kznhealtha Enquiries regarding <u>technical information</u> may be directed to:

Contact Person: Mr. R.S. Manana Tel: 0343313011

#### **DECLARATION OF INTEREST**

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
- the bidder is employed by the state; and/or
- the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.

2,	In order to give effect to the above, the following questionnaire must	be (	completed and submitted with the quo	te.		
2.2.	Full Name of bidder/representative	2.5.	Tax Reference Number:			
	The names of all directors / trustees / shareholders / members, the employee / persal numbers must be indicated in paragraph 3 below	<i>i</i> .			APPLICAB	LE]
	Are you or any person connected with the bidder presently employed. If so, furnish the following particulars:  Name of person / director / trustee / shareholder/ member:				YES	NO
	Name of state institution at which you or the person connected to the Position occupied in the state institution:	e bic	lder is employed:			
2.8.2	If you are presently employed by the state, did you obtain the appling the public sector?	prop	riate authority to undertake remunerat			
	2.1. If yes, did you attach proof of such authority to the quote docun Failure to submit proof of such authority, where applicable, may resu.					
2.8.2	<ol> <li>If no, furnish reasons for non-submission of such proo</li> </ol>	f:				
	Did you or your spouse, or any of the company's directors / trustee state in the previous twelve months?  If so, furnish particulars:		·	es condu	rct busines YES	NO NO
	. Do you, or any person connected with the bidder, have any relation may be involved with the evaluation and or adjudication of this quoingly. It is on furnish particulars:	te?		mployed t	by the state	e and who
2.11	. Are you, or any person connected with the bidder, aware of any relation employed by the state who may be involved with the evaluation and 1. If so, furnish particulars:	ation d or	ship (family, friend, other) between an adjudication of this quote?	y other bid	dder and a YES	ny person NO
2.12	. Do you or any of the directors / trustees / shareholders / members o or not they are bidding for this contract? .1. If so, furnish particulars:	f the	company have any interest in any oth	er related	companie YES	s whether NO
3. NB:	Full details of directors / trustees / members / shareholders.  The Department Of Health will validate details of directors / truste to ensure that their details are up-to-date and verified on CSD. If the notice considered and passed over as non-compliant according to	ees i	/ members / shareholders on CSD. It Department cannot validate the inform	nation on		
4	DECLARATION					
	HE UNDERSIGNED (NAME) RNISHED IN PARAGRAPHS 2.	••••	CERTIFY TH	AT THE	INFORM	MATION
	CCEPT THAT THE STATE MAY REJECT THE QUOTE OF DVE TO BE FALSE.	R A	CT AGAINST ME SHOULD TH	IS DECL	ARATIC	N
	ne of bidder Signature	 P	osition D	ate		
¹"Sta a) b)	te" means — any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999); any municipality or municipal entity;	c) d) e)	provincial legislature; national Assembly or the national Council of Parliament.	provinces; o	ır	

<sup>2&</sup>quot;Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

#### SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

#### 1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties,

#### 2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (*domicilium citandi et executandi*) details change from the time of bidding to the expiry of the contract.

#### 3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote,
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
  - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered,
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

## 4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

### 5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED OUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

#### 6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract,
- If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

#### 7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1.	Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.					
(i) (ii)	The institution has determined that a compulsory site meeting  Date 13 / 12 / 2021 Time 10 : 00 Place GROENVLEI CLINIC					
Instit	tution Stamp:	Institution Site In:	spection / briefing session Official			
		Full Name:	постоприлення в посторования в посто			
		Signature:	more and a second secon			
		Date:				

#### 8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

## 9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

## 10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

#### 11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied:
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

## 12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

#### 13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

#### 14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

#### PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
  - (a) Price: and
  - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

POINTS
80
20
100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

## 2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
  - 1) B-BBEE Status level certificate issued by an authorized body or person;
  - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

## 3. POINTS AWARDED FOR PRICE

## 3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left( 1 - \frac{Pt - P\min}{P\min} \right)$$
 Where

Ps

= Points scored for price of bid under consideration

Pt

Price of bid under consideration

Pmin = Price of lowest acceptable bid

## 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5	RID	DECL	ARAT	NOL

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
- 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1
- 6.1 B-BBEE Status Level of Contributor: = .......(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor,

7.	SUB-CONTRACTING	(Tick applicable box)
7.1	Will any portion of the contract be sub-contracted?	YES NO
7.1.1	If yes, indicate:	
	i) What percentage of the contract will be subcontracted% ii) The name of the sub-contractor	
8.	Whether the sub-contractor is an EME or QSE	(Tick applicable box)

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations 2017:

EME	QSE
-	•
	EME V

9.	DECLAR	ATION WITH REGARD TO COMPANY/FIRM			
9.1	Name	of company/firm:			
9.2	VAT re	gistration number:			
9.3	Compa	any registration number:			
9,4	TYPE	OF COMPANY/ FIRM [TICK APPLICABLE BOX]			
		Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company			
		(Pty) Limited			
9.5	DESCI	RIBE PRINCIPAL BUSINESS ACTIVITIES			
9.6	COMP	ANY CLASSIFICATION [TICK APPLICABLE BO	XI		
		Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc.			
9.7	Total n	number of years the company/firm has been in bu	siness:		
9.8	I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based or the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:				
	i) T	he information furnished is true and correct;			
	ii) T	he preference points claimed are in accordance v	with the General Conditions as indicated in paragraph 1 of this form;		
			ult of points claimed as shown in paragraphs 1.4 and 6.1, the contractor ma tisfaction of the purchaser that the claims are correct;		
		the B-BBEE status level of contributor has been ave not been fulfilled, the purchaser may, in addition	claimed or obtained on a fraudulent basis or any of the conditions of contraction to any other remedy it may have –		
	(a)	disqualify the person from the bidding process			
	(b)	recover costs, losses or damages it has incurre	ed or suffered as a result of that person's conduct;		
	(c)	cancel the contract and claim any damages warrangements due to such cancellation;	hich it has suffered as a result of having to make less favourable		
	(d)	who acted on a fraudulent basis, be restricted	shareholders and directors, or only the shareholders and directors by the National Treasury from obtaining business from any organ after the audi alteram partem (hear the other side) rule has been		
	(e)	forward the matter for criminal prosecution.			
	WITN	NESSES	SIGNATURE(S) OF BIDDERS(S)		
	1		DATE:		
	2		ADDRESS		

## KWAZULU-NATAL DEPARTMENT OF HEALTH

## NIEMEYER MEMORIAL HOSPITAL UTRECHT

ROOF COUGH BOOTH, REPLACE BURST COPPER PIPES WITH CLASS 2, REPLACE CISTERN AND TOILET SEAT COVERS AND TILE AREAS BEING SCRATCHED BY PEDAL BINS

## PART ONE **QOUTATION FORM**

TO BE COMPLETED BY THE CONTRACTOR AND SUBMITTED TO:

SUPPLY CHAIN OFFICE NIEMEYER MEMORIAL HOSPITAL PRIVATE BAG X1004 UTRECHT 2980 FOR ATTENTION: MR SM ZULU

I/We hereby quote for the following service in accordance with the conditions as specified in the

contract.	ance wan the conditions as specified in the
Roof cough booth, replace burst copper pipes with c and tile areas being scratched by pedalbins	lass 2,replace cistern and toilet seat cover
A: Equipment and material including mark -up and V	AT. R
B: Labour, travelling, subsistence and transport incl	uding VAT. R
A+B Fixed price for scope of the works qouted for , Valid for 90 days from date of qoutation: including V.	4 <i>T.</i> @15%
(Should there be any additions or omission to the wo accordingly.)	orks qouted for , this price shall be adjusted
Time required for completion of service as specified	from receipt of official order:- Lead Time
	Site time
	Total time
Contractor's signature	Company name& address
<i>.</i> 0	***************************************
Name in block letters	
······································	
Data	



## KWAZULU -NATAL DEPARTMANT OF HEALTH

## NIEMEYEYER MEMORIAL HOSPITAL UTRECHT

ROOF COUGH, REPLACE BURST COPPER PIPES WITH CLASS 2, REPLACE CISTERN AND TOILET SEAT COVERS AND TILE AREAS BEING SCRATCHED BY BEDAL BINS

# PART TWO CONDITION OF CONTRACT

These works will be carried out in accordance with the ZNT...... Contract for maintenance, servicing and repairs to fixed mechanical plant and equipment installed in KWAZULU NATAL Government buildings and institution.

ROOF COUGH BOOT, REPLACE BURST COPPER PIPES WITH CLASS 2 ,REPLACE CISTERN AND TOILET SEAT COVER AND TILE AREAS SCRATCHED BY PEDAL BINS

#### NIEM-21/22

## **Duration of Contract:**

NOTE: PLEASE NOTE THAT THIS CONTRACT PERIOD IS FOR (4)
WEEKS\_CONTRACTOR IS TO ENSURE THAT THEY HAVE STAFF IN PLACE
TO COMPLETE THIS CONTRACT WITHIN THE STATED PERIOD.

NOTE: ALL WORK MUST BE OF A HIGH STANDARD NEAT AND CLEAN, AND CORRECT.

#### WORK DISCIPLINE:

This is a multi-disciplinary Contract and Contractors should only tender for services in respect of their own area/s of expertise. The Tenderer shall in the Schedule of Information, and by way of supplementary information, satisfy the Head of Department or his or her designee that sufficient equipment is possessed to execute the services, or an indication shall be given as to the manner in which such equipment would be sourced. Should the Tenderer not be able to prove possession of, or ability to access, sufficient equipment, the Tender will be wholly disqualified. The Head of Department or his or her designee reserves the right to investigate the existence and/or proposed sourcing of equipment.

The Tenderer also will be required to satisfy the Head of Department or his or her designee that a sufficient/qualified and experienced labour force is employed, or that sufficient

experienced labour can be acquired, to complete the services and produce a fair quality of workmanship. The Tenderer will be required to produce adequate and sufficient references to enable the Head of Department or his or her designee to inspect previously completed work and assess the capacity of the Tenderer.

The Head of Department or his or her designee reserves the right to recommend that Tenderers execute work of only certain types and up to certain capacities due to the limitations of experience and skills of the Tenderer. Any limitations to such work tendered for will be recommended to the Central Procurement Committee for approval and will be applied strictly during the contract period.

The successful Tenderer shall supply all materials, labour, tools and plant etc., necessary to carry out maintenance, repairs, servicing, upgrading, replacement, and minor new works to buildings.



## KWAZULU - NATAL DEPARTMENT OF HEALTH

#### NIEMEYER MEMORIAL HOSPITAL

ROOF COUGH BOOT, REPLACE BURST COPPER PIPES WITH CLASS 2, REPLACE CISTER AND TOILET SEAT COVER AND TILE AREAS BEING SCRATCHED BY PEDAL BINS

QOUT	TATION DOCUMENT CONTENT	NUMBER OF PAGES		
PART ONE:	QOUTATION FORM	1		
PART TWO:	CONDITION OF CONTRACT	1		
PART THREE:	TECHNICAL SPECICATION	2		
PART FOUR:	SCHEDULE OF PRICES	3		

The contract is required to check this document and the number of pages listed above which together form the CONTRACT OF AGREEMENT. The contractor shall satisfy himself that this document is complete in accordance with above schedule and if pages are found to be missing, or duplicated shall immediately request the rectification of the discripency. No laibility will be admitted by administration in respect of errors in the contractors quute due to the foregoing.

Scope of Works:

This contract calls for: ROOF COUGH BOOT, REPLACE BURST COPPER PIPES WITH CLASS 2, REPLACE CISTERN AND TOILET SEAT COVER AND TILE AREAS BEING SCRATCHED BY PEDAL BINS

## COUGH BOOTH:

- Area is 6m²
- Supply and install 152x38mm blackcross SABS timber
- Supply and install 50x76mm SABS approved timber
- Galvanised 3.15mm wire shall be used to hold timber against the wall
- Supply and install IBR ISQ 550.Z160 0.5 FH 0.762X3.6m
- Supply roof screws for IBR

## 2. OUTSIDE ABLUTIONS FACILITY

- Remove all the existing plumbing pipes around the building
- Supply and install class 2 copper pipes and fittings to hot & cold water, 15mm/22mm where necessary
- Ensure that showers, wash basins, sink are fully functional on departure for you invoice to be processed.
- Service hot water storage container (geyser) drain water out and clean the vessel, replace valves and element if necessary.
- Paint wall and ceiling(60m²)

#### OUTSIDE ROOM

- Supply and fit kitchen steel sink drop on 460x800 sink single and bowl complete
  with P- trap connected to 50mm PVC pipe discharging to the nearby galley/drain
  which is 20m away and sink shall be mounted under the window on the built- in
  cupboard matching the existing. The elbow on a discharging pipe shall also be
  provided with rodding eye
- Supply and install ISCA TRI sink mixer wall type
- Stopper shall be provided for both cold and hot water supply lines
- Supply and install ceramic window seals

## MALE AND FEMALE TOIET

Replace toilet seat covers with white porcelain type

## WAITING AREA

Replace missing window sliding stay and screw and window handles with right.
 /left handle with screw and bush

## OBSERVATION ROOM, ROOM 13,14,15,17,22

Make a strip of 1m with tile protect walls from being scratched by pedal bins.

# LABOUR WARD TOILET AND SHOWER

- Replace cistern porcelain type
- Paint walls and ceilings in the toilet and shower
- Supply and install extraction fan in the shower

#### Note to service provider:

- 1. All material used in the scope of this project shall be S.A.B.S. approved.
- 2. Service provider to visit site and measurements to be checked before fabrication commences.
- All enquiries will be handled within normal working hours, Monday to Friday between 7H30 to 16H00 and supervision will be carried out by a representative of the Department of Health, Niemeyer Memorial Hospital.

NOTE: PLEASE NOTE IF THE CONTRACTOR FAILS TO BEGIN WORK WITHIN ONE WEEK AFTER THE ORDER FOR THE CONTRACT WAS HANDED TO HIM THIS TENDER WILL BE TERMINATED.



# **BILLS OF QUANTITIES**

NON-SCHEDULED RATES

ITEM DESCRIPTION UNIT QUANTITY RATE SUPPLY RATE  ROOF COUSH BOOTH:  Supply and install \$2x33mm x 2m blackcross \$ASE timber  Supply and install \$5x76mm \$ABS approved timber  Gaivanised 3.16mm wire  Supply roof serews for IBR  2. OUTSIDE ABLUTION FACILITY  Remove all the existing burst copper and poly-cop pipes and freplace them with class?  Supply and install 6iss 2 copper pipes. NB. Make sure showers, wash hand basis taps, and kitchen sink taps are fully functional on departure  Service 150.1 but water vessel(geysen) replace valves and element if necessary  Paint walls and callings, comice to match existing, Apply two coats ACRLIC on wells and callings, Fungi shall be removed and cleaned on existing tiles  3. OUTSIDE ROOM  Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with 9-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match the existing  Supply and install SCA TRI sink milter well type. Stopper shall be provided to both hot and cold water supply lines  Supply and install SCA TRI sink milter will type. Stopper shall be provided to both hot and cold water supply lines  Supply and install SCA TRI sink milter will type. Stopper shall be provided to both hot and cold water supply lines  Supply and install secarmic window seals to existing window  4. MALE AND FEMALE TOILES  Replace titled sear covers with white each procelain type.  Supply and install secarmic window seals to existing window  MALE AND FEMALE TOILES  Replace titled sear covers with white procelain type.  Supply and install sear sovers with white procelain type.  Supply and install sear sovers with white procelain type.  Supply and install sear sovers with white one procelain type or of adhesive.  Supply and install sear sovers with white one procelain type or of adhesive.	- F000	ION-SCHEDULED RATES		-p		
**Supply and install 152x38mm x 3m blackcross SABS imber **Supply and install 50x76mm SABS approved timber **Galveniesed 3.15mm wire **Supply and install IBR ISG 560.2160, 05FH 0.762x3.6M **Supply and install IBR ISG 560.2160, 05FH 0.762x3.6M **Supply roof screws for IBR  2. OUTSIDE ABLUTION FACILITY **Remove all the existing burst copper and poly-cop pipes and repiace them with class2 **Supply and install class 2 copper pipes and fitting to hot awash hand basin taps, and kitchen sink taps are fully functional on departure **Service 150L hot water vessel(gysyer), replace valves and element if necessary **Paint walls and ceiling, comice to match existing, Apply two coats ACRLIC on walls and ceiling, Fungi shall be removed and cleaned on existing tiles  3. OUTSIDE ROOM **Supply and install kitchen steel sink drop on 460x80 sink single bowl, complete with P-rap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a builthin cupboard match the evisiting **Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines **Supply and install SCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines **Supply and install scaramic window seals to existing window  4. MALE AND PEMALE TOILES ** Replace toilet seal covers with white processing siding stay and screws and window handles with right/lieft handle with screw and bush **AND TOILETS** ** Replace missing siding stay and screws and window handles with right/lieft handle with screw and bush ** AND TOILETS** ** Replace missing siding stay and screws and window handles with right/lieft handle with screw and bush ** AND TOILETS** ** Replace missing siding stay and screws and window handles with right/lieft handle with screw and bush ** AND TOILETS** ** Replace missing siding stay and screws and window handles with right/lieft handle with screw and bush ** AND TOILETS** ** Replace missing siding stay and screws and window handles with right/lie	ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	SUPPLY RATE
Bupply and install 152x38mm x 3m blackcross SABS imber Supply and Install 50x76mm SABS approved timber Galvenised 3.15mm wire Galvenised 3.15mm wire Galvenised 3.15mm wire Galvenised 3.15mm wire Supply and install IBR ISG 550.Z160, 05FH 0.762x3 MM Supply roof screws for IBR  2. OUTSIDE ABLUTION FACILITY Remove all the existing burst copper and poly-cop pipes and repiace them with class2 Supply and install class 2 copper pipes and fitting to hot awash hand basin taps, and kitchen sink taps are fully functional on departure Service 150L hot water vessel(gysyer), replace valves and slement if necessary Paint walls and ceiling. Comice to match existing. Apply two coats ACRILIC on walls and ceiling fulls pitall be removed and cleaned on existing tiles  3. OUTSIDE ROOM Supply and install kitchen steel sink drop on 460x80 sink single bowl, complete with P-rap connected to 50mm PVC discherging to nearby drain which is 20m away. Sink shall be mounted on a builtin cupboard match the existing Supply and install SCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines Supply and install SCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines Supply and install scarmic window seals to existing window  4. MALE AND FEMALE TOILES Replace toilet seal covers with white protection by Complete with type. ONSULTING ROOMS AND TOILETS Replace missing sliding stay and screws and window handles with right/lifet handle with screw and bush in high filet handle with screw and bush in the protect walls petal bins. Tiles to be laid with water proof adnessive.  7. LABOUR WARD TOILET AND SHOWER Supply and install instal universal white cistarn Apply who costs ACRLIVIC paint on wait mixed.	1.	ROOF COUGH BOOTH:				
Supply and install BOX76mm SABS approved timber Galvenised 3.15mm wire Supply and install IBR ISO 550,Z160, 05FH 0,762X3.6M Supply roof screws for IBR  2. OUTSIDE ABLUTION FACILITY Remove all the existing burst copper and poly-cop pipes and replace them with class 2. Supply and install class 2 copper pipes and fitting to hot and cold water pipes. NS. Make sure showers, wash hand basin taps, and kitchen sink taps are fully functional on departure. Service 150L hot water vessel(geyse), replace valves and element if necessary Paint walls and ceilings, cornice to match existing. Apply two coats ACRLIC on walls and ceilings, cornice to match existing. Apply two coats ACRLIC on walls and ceilings, cornice to match existing. Apply two coats ACRLIC on walls and ceiling, remain shall be removed and cleaned on existing tiles  3. OUTSIDE ROOM Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupborard match the existing Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines Supply and install ceramic window seals to existing window  4. MALE AND FEMALE TOILES Replace tiles seat covers with white porcelain type.  MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS Replace missing skiding stay and screws and window handles with right/left handle with screw and bush  G. OBSRENYATION ROOM, ROOM 13,14,15,177 8.22  Make a strip of 200x20x1m tile to proteic viralls pedal bins. Tiles to be laid with water proof alchesive.  Japply woo coats ACRLIC/Opaint on well  7. LABOUR WARD TOILETS AND SHOWER Supply and install universal white cistern Apply by coats ACRLIC/Opaint on well			Each	06		
Supply and install IBR ISQ 550.Z160, 08FH 0.762X3.6M Supply roof screws for IBR  OUTSIDE ABLUTION FACILITY Remove all the existing burst copper and poly-cop pipes and replace them with class2 Supply and install class 2 copper pipes and fitting to hot and cold water pipes. NS. Make sure showers, wash hand basin taps, and kitchen sink taps are fully functional on departure Service 150L hot water vesself(geyse), replace valves and element if necessary Paint walls and ceilings, cornice to match existing. Apply two coats ACRLIC on walls and ceilings, fungi shall be removed and cleaned on existing titles each 01  OUTSIDE ROOM Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match the existing Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines Supply and install eramic window seals to existing window  MALE AND FEMALE TOILES Replace tollet seat covers with white porcelain type  MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS Replace missing sliding stay and screws and window handles with right/left handle with screw and bush with water proof adhesive  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  LABOUR WARD TOILET AND SHOWER Supply and install universal white distarn walpy in the water proof adhesive.  LABOUR WARD TOILET AND SHOWER Apply two coats ACRLIC paint on wall in the proof adhesive.		<ul> <li>Supply and install 50x76mm SABS</li> </ul>	Each	06		
Supply roof screws for IBR		<ul> <li>Galvanised 3.15mm wire</li> </ul>	Each	01 roll		
2. OUTSIDE ABLUTION FACILITY  * Remove all the existing burst copper and poly-cop pipes and replace them with class2  * Supply and install class 2 copper pipes and fitting to hot and cold water pipes. NB. Make sure showers, wash hand besin taps, and kitchen sink taps are fully functional on departure  * Service 150L hot water vessel(geyser), replace valives and element if necessary  * Paint walls and cellings, cornice to match existing. Apply two coats ACRIC on walls and cellings, Fungi shall be removed and cleaned on existing tiles  3. OUTSIDE ROOM  * Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with P-trap connected to 60mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a bitlift neupboard match the existing  * Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines  * Supply and install rollEE  * Replace tollet seat covers with white porcelain type  5. MAIN WAITING AREA, CONSULTING ROOMS  AND TOILETS  * Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17  & 8.22  * Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  * Supply and install universal white cistern  * Apply two coats ACRLY/C paint on wail  * May Apply two coats ACRLY/C paint on wail  * May Apply two coats ACRLY/C paint on wail  * May Apply two coats ACRLY/C paint on wail  * May Apply two coats ACRLY/C paint on wail  * May Apply was coats ACRLY/C paint on wail  * May Apply was coats ACRLY/C paint on wail		05FH 0.762X3.6M		9 8 5		
Remove all the existing burst copper and poly-cop pipes and replace them with class2  Supply and install class 2 copper pipes and fitting to hot and cold water pipes. NB. Make sure showers, wash hand basin taps, and kitchen sink taps are fully functional on departure  Service 150L hot water vessel(gyseyr), replace valves and slement if necessary  Paint walls and ceilings, cornice to match existing. Apply two coats ACRLIC on walls and ceiling. Fungi shall be removed and cleaned on existing tiles  3. OUTSIDE ROOM  Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match the existing  Supply and install ISCA TRI sink mixer wall type. Stopper shall be grovided to both hot and cold water supply lines  Supply and install ceramic window seals each  4. MALE AND FEMALE TOILES  Replace tollet seat covers with white porcalain type  5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17  8.22  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Apply two coats ACRLY(C paint on wail		Supply roof screws for IBR	Cacii	100		
Remove all the existing burst copper and poly-cop pipes and replace them with class2  Supply and install class 2 copper pipes and fitting to hot and cold water pipes. NB. Make sure showers, wash hand basin taps, and kitchen sink taps are fully functional on departure  Service 150L hot water vesset(geyen), replace valves and slement if necessary  Paint walls and ceilings, cornice to match existing. Apply two coats ACRLIC on walls and ceiling, Eungli shall be removed and cleaned on existing tiles  3. OUTSIDE ROOM  Supply and install kitchen steel sink drop on 450x500 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m sway. Sink shall be mounted on a built-in cupboard match the existing  Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines  Supply and install ceramic window seals cach  4. MALE AND FEMALE TOILES  Replace tollet seat covers with white porcelain type  5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with water boush  6. OBSERVATION ROOM, ROOM 13,14,15,17  8.22  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Apply two coats ACRLY(C paint on wall	_	CUTOUS ADJUSTION PAON 1737				
Supply and install class 2 copper pipes and fitting to hot and cold water pipes. N.B. Make sure showers, wash hand basin taps, and kitchen sink taps are fully functional on departure  Service 150L hot water vessel(geyser), replace valves and slement if necessary  Paint walls and ceilings, comice to match existing. Apply two coats ACRLIC on walls and ceiling. Fungl shall be removed and cleaned on existing tiles  OUTSIDE ROOM  Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match the existing  Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines  Supply and install ceramic window seals to existing window  MALE AND FEMALE TOILES  Replace tollet seat covers with white porcelain type  MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  Make a strip of 200x200x1m file to protect walls pedal bins. Tiles to be laid with water proof adhesive.  Judge 12 was provided to protect walls pedal bins. Tiles to be laid with water proof adhesive.  Apply two coats ACRLYIC paint on wail  May by two coats ACRLYIC paint on wail  Page 12 was provided to be laid with water proof adhesive.  Apply two coats ACRLYIC paint on wail	۷.	<ul> <li>Remove all the existing burst copper and poly-cop pipes and replace them</li> </ul>	Each	12		
### Service 150L hot water   vessel(geyser), replace valves and slement if necessary   Paint walls and ceilings, cornice to match existing. Apply two coats ACRLIC on walls and ceiling. Fungi shall be removed and cleaned on existing tiles    3. OUTSIDE ROOM		<ul> <li>Supply and install class 2 copper pipes and fitting to hot and cold water pipes.</li> <li>NB. Make sure showers, wash hand</li> </ul>	Each	12		
Paint walls and ceilings, cornice to match existing. Apply two coats ACRLIC on walls and ceiling. Fungi shall be removed and cleaned on existing tiles  3. OUTSIDE ROOM  Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match the existing  Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines  Supply and install ceramic window seals to existing window  4. MALE AND FEMALE TOILES  Replace toilet seat covers with white porcelain type  5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17  &222  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  Apply two coats ACRLYIC paint on wall  Page 101  To 101  To 201  To 301  To 401  To 40		fully functional on departure  Service 150L hot water vessel(geyser),replace valves and	Each	01		
3. OUTSIDE ROOM  Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match the existing  Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines  Supply and install ceramic window seals to existing window  4. MALE AND FEMALE TOILES  Replace follet seat covers with white porcelain type  MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17  222  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Apply two coats ACRLYIC paint on wall		<ul> <li>Paint walls and ceilings, cornice to match existing. Apply two coats ACRLIC</li> </ul>	m²	60		
Supply and install kitchen steel sink drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match the existing Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines Supply and install ceramic window seals to existing window  4. MALE AND FEMALE TOILES Replace tollet seat covers with white porcelain type  5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17 8.22 Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER Supply and install universal white cistern Apply two coats ACRLYIC paint on wall  8 Teach O1  12  14  15  16  17  18  18  19  10  11  12  15  16  17  18  18  19  10  11  11  12  13  14  15  16  16  17  18  18  19  10  11  11  12  13  14  15  16  16  17  18  18  18  19  19  10  10  11  11  12  13  14  15  16  16  17  18  18  18  19  19  10  10  11  11  12  13  14  15  16  16  17  18  18  18  19  19  10  10  11  11  12  13  14  15  16  16  17  18  18  18  19  19  19  10  10  10  10  10  10  10			each	01		
drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match the existing  Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines  Supply and install ceramic window seals to existing window  4. MALE AND FEMALE TOILES Replace toilet seat covers with white porcelain type  5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17 &222 Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER Supply and install universal white cistern Apply two coats ACRLYIC paint on wall  Back  O1  12  01  14  15  Each 01  16  17  18  18  19  10  10  11  12  16  11  11  12  13  14  15  16  15  16  16  17  18  18  18  18  18  18  18  18  18	3.		Each	04		
Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to both hot and cold water supply lines Supply and install ceramic window seals to existing window  MALE AND FEMALE TOILES Replace toilet seat covers with white porcelain type  MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  MABOUR WARD TOILET AND SHOWER Supply and install universal white cistern Apply two coats ACRLYIC paint on wall  Bach  12  01  12  13  14  15  16		drop on 460x800 sink single bowl, complete with P-trap connected to 50mm PVC discharging to nearby drain which is 20m away. Sink shall be mounted on a built-in cupboard match	Laur			
Supply and install ceramic window seals to existing window  MALE AND FEMALE TOILES  Replace toilet seat covers with white porcelain type  MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  Make a strip of 200x200x1m tiles to be laid with water proof adhesive.  LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Apply two coats ACRLYIC paint on wall m² 16		<ul> <li>Supply and install ISCA TRI sink mixer wall type. Stopper shall be provided to</li> </ul>	Each	01		
4. MALE AND FEMALE TOILES  Replace toilet seat covers with white porcelain type  5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17  &22  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Apply two coats ACRLYIC paint on wall  04  05  06  07  08  09  09  10  10  10  10  10  10  10  10		<ul> <li>Supply and install ceramic window seals</li> </ul>	each	12		
5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17 &22  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Apply two coats ACRLYIC paint on wall  Make a strip of 200x200x1m tile to make a strip of	4.					
5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17 8.22  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Apply two coats ACRLYIC paint on wall  APPLY TO MAIN TOILE TAND SHOWER  Bach Apply two coats ACRLYIC paint on wall  Bach Main Tolle Tand Main To		ALL STATE OF THE S	each	04		
5. MAIN WAITING AREA, CONSULTING ROOMS AND TOILETS  • Replace missing sliding stay and screws and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17 8.22  • Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  • Supply and install universal white cistern Apply two coats ACRLYIC paint on wall						
and window handles with right/left handle with screw and bush  6. OBSERVATION ROOM, ROOM 13,14,15,17 &22  • Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER • Supply and install universal white cistern • Apply two coats ACRLYIC paint on wall  • Apply two coats ACRLYIC paint on wall	5.	MAIN WAITING AREA, CONSULTING ROOMS				
OBSERVATION ROOM, ROOM 13,14,15,17  8.22  Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  LABOUR WARD TOILET AND SHOWER Supply and install universal white cistern Apply two coats ACRLYIC paint on wall  Apply two coats ACRLYIC paint on wall		and window handles with right/left	each	16		
Make a strip of 200x200x1m tile to protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER      Supply and install universal white cistern Apply two coats ACRLYIC paint on wall      Apply two coats ACRLYIC paint on wall	6.					1
protect walls pedal bins. Tiles to be laid with water proof adhesive.  7. LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Apply two coats ACRLYIC paint on wall  m² 16	10000					
7. LABOUR WARD TOILET AND SHOWER  Supply and install universal white cistern Each 01 Apply two coats ACRLYIC paint on wall m² 16		protect walls pedal bins. Tiles to be laid	m	12		
<ul> <li>Supply and install universal white cistern</li> <li>Apply two coats ACRLYIC paint on wall</li> <li>m²</li> <li>16</li> </ul>	7.					1
and celling to march existing		<ul> <li>Supply and install universal white cistern</li> <li>Apply two coats ACRLYIC paint on wall</li> </ul>				
Remove fungi on existing wall tile and   m²   16			m²	16		

*	make clean.  Supply and install 100mm Xpel extractor fan to extract moisture and stale air inside shower and fitted on ceiling or wall, supplied circuit breaker fitted in the DB to 1.5mmx 45m long surface cable inside ceiling, water tight socke recommended for moist areas.	e, smell, toilet, d by 5A poard, e running	01	
			8	
				TOTAL