



KZN Health Intranet

KZN HEALTH

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote



Quotation Advert

Opening Date: 2021-07-02

Closing Date: ~~2021-07-29~~ 2021/07/19

Closing Time: 11:00

INSTITUTION DETAILS

Institution Name: Select... King Edward VIII hospital

Province: KwaZulu-Natal

Department or Entity: Department of Health

Division or section: Central Supply Chain Management

Place where goods / services is required: King Edward VIII Hospital Maintenance

Date Submitted: 2021-07-01

ITEM CATEGORY AND DETAILS

Quotation Number: ZNQ: KEV 334

Item Category: Select... Service

Item Description: DQ ablation maintenance and repairs, Quotation is attached to Advert please print it and bring it with you for site briefing. You will not participate if you do not have a copy all document will be stamped and signed after briefing session, no emails are allowed quote should be hand delivered and dropped of at the tender box

Quantity (if supplies)

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Select... Compulsory Site Briefing

Date: 2021-07-08

Time: 11H00

Venue: Outside maintenance dept

QUOTES CAN BE COLLECTED FROM: Attached to Advert

QUOTES SHOULD BE DELIVERED TO: tender box

ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: Khulani Mthembu

Email:

Contact Number: 031 360 3446 \ 031 360 3467

Finance Manager Name: Mrs V. Mtantato

Finance Manager Signature:

No late quotes will be considered

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

- 1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

- 2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (*domicilium citandi et exccutandi*) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
- (i) *that the price(s), rate(s) & preference: quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk*
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- 3.7. Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotation submitted must be complete in all respects.
- 4.5. Any alteration made by the bidder must be initialled.
- 4.6. Use of correcting fluid is prohibited
- 4.7. Quotation will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. **Samples must be made available when requested in writing or if stipulated on the document.**
 - (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

- (i) The institution has determined that a compulsory site meeting take place
- (ii) Date ____/____/____ Time ____:____ Place _____

Institution Stamp:	Institution Site Inspection / briefing session Official Full Name: Signature: Date:
--------------------	--

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, *it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.*
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, *the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.*

11. TAX INVOICE

11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:

- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
 - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
 - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
- (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P \min}{P \min} \right) \text{ Where}$$

- Ps = Points scored for price of bid under consideration
- Pt = Price of bid under consideration
- Pmin = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING

(Tick applicable box)

7.1 Will any portion of the contract be sub-contracted?

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

7.1.1 If yes, indicate:

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations,2017:

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

Designated Group: An EME or QSE which is at least 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

9. DECLARATION WITH REGARD TO COMPANY/FIRM

9.1 Name of company/firm:.....

9.2 VAT registration number:.....

9.3 Company registration number:.....

9.4 TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]

- Partnership/Joint Venture / Consortium
- One person business/sole propriety
- Close corporation
- Company
- (Pty) Limited

9.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....
.....

9.6 COMPANY CLASSIFICATION [TICK APPLICABLE BOX]

- Manufacturer
- Supplier
- Professional service provider
- Other service providers, e.g. transporter, etc.

9.7 Total number of years the company/firm has been in business:.....

9.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.

WITNESSES	
1.
2.

..... SIGNATURE(S) OF BIDDERS(S)
DATE:
ADDRESS.....



PROVINCE OF KWAZULU-NATAL

DEPARTMENT OF HEALTH

DQ Ablutions Maintenance and Repairs – PHASE 1

KEH _____

Closing Date & Time : @ 11h00

Contract Period : 08 Weeks

Validity Period : 40 Days

Technical Contact Person : Mr. LG Sopika

Contact Telephone Number : 031 360 3716

On Site Inspection :

DOCUMENTS DELIVERED BY HAND MUST BE DEPOSITED IN THE QUOTATION BOX SITUATED IN:

THE TENDER-BOX
KING EDWARD 8 HOPITAL.
P/BAG

THE QUOTATION BOX IS AVAILABLE ON THE
FOLLOWING DAYS AND TIMES: MONDAYS TO
FRIDAYS 07h30 – 16h00

DOCUMENTS POSTED SHALL BE ADDRESSED TO:

SUPPLY CHAIN MANAGEMENT:
KING EDWARD 8 HOPITAL.
P/BAG

N.B.: THE QUOTATION BOX WILL BE CLEARED AT 11:00hrs ON THE DUE DATE.

Name of Tenderer _____

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH

DQ Ablutions Maintenance and Repairs

KEH_____

PROJECT SPECIFICATIONS

1. NOTES TO TENDERERS

1.1. SCOPE OF CONTRACT

This Contract is for the complete execution of the project indicated above.

1.2. CONDITIONS OF CONTRACT AND PRELIMINARIES

1.2.1 PERIOD OF CONTRACT

03 Weeks as the Contract Period for the completion of *all Works* from date of Site handover.

1.2.2 CONTRACT GUARANTEE:

The successful Service Provider will **NOT** be required to submit a contract guarantee.

1.2.3 GUARANTEE PERIOD

The guarantee period for *all Works* and all materials must be for a minimum of *One (1) Year* from the date of first delivery.

1.2.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing Institution.

The Contractor is advised that the existing premises will be occupied throughout the period of the contract.

Damage to existing buildings - Tenderers to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Tenderer.

The repairs must be to the satisfaction of the KwaZulu- Natal Department of Health.

1.2.5 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Electrical Specification, the South African Bureau of Standards Code of Practice for the Wiring of Premises 0142-1 and the Occupational Health and Safety Act 85 of 1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Electrical Specification are available at the office of the Secretary for Health – KwaZulu-Natal and can be obtained on request.

1.2.6 CERTIFICATE OF COMPLIANCE

NB: COC will be required for any electrical work done

1.2.7 Health and safety act 85(1993)

Safety file must be produced and handed to safety department before commencement

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH

DQ Ablutions Maintenance and Repairs

KEH _____

TECHNICAL SPECIFICATIONS

2. TECHNICAL SPECIFICATION

2.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

Specifications

BY LAW REQUIREMENTS

14. **TILING**

MATERIALS

River Sand: —is to be clean, sharp, coarse sand, free from all impurities, washed if so directed and complying with SANS Specification 1090.

Plaster Sand: — for wall backings is to be clean, sharp, free from impurities, washed if so directed and complying with SANS Specification 1090.

Cement: —unless otherwise specified, is to be Portland cement of normal setting quality complying with SANS Specification 471 and must be used fresh. Cement containing more than 15 % blast furnace slag will not be permitted to be used

Water: —is to be clean, fresh and free from injurious amounts of acids, alkalis and other organic substances.

MEASUREMENT OF CONSTITUENT PARTS OF BACKINGS, ETC.: — Cement and sand are to be measured exactly by means of gauge boxes or purpose made wheelbarrows. Part filling or heaping of normal wheelbarrows will not be permitted.

Water is to be accurately measured for each batch to approval.

Waterproofing compounds, where specified, are to be added to the mixture in the quantities recommended by and in strict accordance with the manufacturers' instructions.

MOVEMENT JOINTS:-

Aluminium Structural Screed joints bolted to slab to be capable of total movement of minimum of 5mm either way with flexible PVC Hospital Insert.

Movement joints to be in high traffic area's as "Migua" FV35/1500 or "Kirk" ASSJ390H of approved height with hospital insert bolted to slab before screeding.

Metal movement joints in low traffic area's with hospital insert strips..

PAINTING

MATERIALS. — Proprietary materials where specified are to be of the brand specified or other approved by the Department.

All primers, emulsion paints, enamels, stains, varnishes, etc. are to comply with the relevant SANS Specification.

Paints, etc. shall be suitable for application on the surfaces to which they are being applied and those used externally shall be of exterior quality or suitable for exterior use.

For any particular work the priming coat and subsequent coats of paint are to be executed with paints from the same manufacturer and in accordance with that manufacturer's instructions.

The materials are to be brought to the site in unopened containers and no adulteration will be permitted, except thinners of a quantity and quality directed by the manufacturer.

The Department shall at all times be permitted to take samples for testing purposes from open containers of any brand of paint being used on the work.

All materials, if and when required by the Department, will be subject to tests by the South African Bureau of Standards, and the cost of such tests, should the material under test not meet the requirements of this specification, shall be borne by the Contractor. Fillers and stoppings are to be suitable for use with the material being filled or stopped and to the approval of the Department.

PREPARATORY WORK — All new and existing surfaces are to be thoroughly dry and are to be cleaned of all dust, dirt, grease, oil, rust, scale, efflorescence, fungus, loose or flaking material, etc. rubbed down, stopped, filled, knotted and sanded smooth as required in accordance with the paint manufacturer's recommendations and to the approval of the Department prior to the application of paint, etc.

Coilings are to have nail heads, including those to cornices and cover strips, primed and stopped up as necessary and rubbed down smooth.

Asbestos cement shall be primed with an approved alkali resistant primer before the application of subsequent coats which are not, in themselves, alkali resistant.

Iron, steel and other ferrous metals shall be cleaned in accordance with SANS Code of Practice 064 to remove rust, scale, grease, oil, etc. and the surface brought to a bright metallic condition.

Galvanized iron and zinc shall be cleaned in accordance with SANS Code of Practice 062 to remove the manufacturer's temporary protective coating, white rust, etc.

Other non-ferrous metals shall be thoroughly cleaned to remove all milling oils, temporary protective coatings, etc. and the surface abraded with fine water-paper and white spirit.

Woodwork to be painted shall have all knots and resinous areas treated with an approved knotting, the surface shall then be primed and all holes, etc. stopped and rubbed down smooth.

Woodwork to be oiled, stained, varnished, etc. shall be free of all stains, pencil marks and other surface discolorations and all holes, etc. stopped with tinted stopping and rubbed down smooth.

In preparing existing glazed sashes and sash doors, all loose putty is to be removed, the rebates primed and glass re-sprigged and re-puttied as necessary before the painting is commenced.

Previously distempered or lime washed surfaces to receive any other type of paint, are to have the existing distemper or lime wash completely removed by scraping or wire brushing and the surfaces treated with an approved bonding liquid.

Where existing paint film are in good condition any flaking or bared patches are to be properly feathered into the surrounding paint and spot primed as necessary.

Where existing paint films are in poor condition and require to be removed completely, they are to be removed by means of wire brushing, paint remover, burning off, or other approved method. Paint removers shall be free of wax and caustic substances and shall preferably be of water rinseable type. When burning off paint from wood, care must be taken to avoid charring the wood.

The final state of preparatory work to existing decorated surfaces shall in all cases produce in the finished decorated surfaces a condition similar to new work.

The Contractor will be held responsible for the proper and adequate preparation of the surfaces and any work which fails to meet the manufacturer's recommendations must be made good at the Contractor's expense to the satisfaction of the Department.

APPLICATION OF PAINTS, ETC.. — Painting may be carried out by brush, roller or spray as recommended by the manufacturer and to the approval of the Department. All paints, etc. are to be applied in strict accordance with the manufacturer's instructions. Each coat of paint is to be adequately and permanently keyed onto the previous coat or surface and shall be evenly distributed and continuous and shall dry to a smooth film, free from sags, runs or other imperfections. Each coat of paint is to be of a colour distinctive from previous or succeeding coats.

All painting must be done in accordance with a colour scheme which will be provided by the Department, and rates for painting etc. are to include for all cutting in of contrasting colours and masking as required. No distinction has been made where more than one colour of the same material is required on the walls or ceiling of the same room.

Samples of colours for the final coats are to be prepared in all cases to the approval of the Department and all work must be finished to the approved colours.

Backs of wood door and similar frames on the surfaces of other new or prefixed joinery in contact with brickwork, etc. and built in as the work proceeds, shall be primed or sealed before building in to prevent moisture seeping into the wood from the mortar bedding.

Tongued and grooved and rebated edges of boards in batten doors and other such like inaccessible parts of new joinery shall, before assembly, be primed, or where the joinery is to receive a finish other than paint, be given one coat of such other finishing material.

All new external structural timbers shall be primed before the timbers are fixed in position and shall include all surfaces such as backs of fascias and barge boards.

RATES: — Rates for painting, etc. are to include for all preparatory work, and where spraying is employed, are to include or adequately masking all surrounding areas.

Where diameters of pipes are stated these are the nominal internal diameters, and rates for painting pipes are to include for painting the holderbats, hangers, clips, etc. supporting the pipes.

Rates are to include for providing all necessary dust sheets, covers, etc. taking all necessary precautions to prevent marking the surfaces of joinery, walls, floors, glass, electrical fittings, etc. All surfaces disfigured or otherwise damaged shall be completely renovated or replaced as necessary to the approval of the Department at the Contractor's own expense.

SANITARY PLUMBING AND FITTINGS, WASTE, VENTILATION AND ANTI-SIPHON PIPES

(a) **Unplasticised polyvinyl chloride (UPVC) pipes and fittings** shall be of approved manufacture marked with the manufacturer's name and trade name, the nominal bore and the South African Bureau of Standards mark and shall comply with SANS Specification 967. Joints shall be made with injection moulded fittings in accordance with the manufacturer's instructions and SANS Code of Practice 0112. The pipes must be fixed clear of the finished wall face with aluminium alloy holderbats fitted with plastic cushion strips with the holderbats fixed to plugs in wall.

(b) **Polypropylene pipes and fittings** shall be of approved manufacture and shall have a mechanical form of jointing. Pipes and fittings are to be fixed and jointed in accordance with the manufacturer's instructions.

(c) **Multilayered pipes** shall be of approved manufacture and shall have a mechanical form of jointing. Pipes and fittings are to be fixed and jointed in accordance with the manufacturer's instructions.

SANITARY FITTINGS: — All sanitary ware must comply with SANS 497 Specifications and be fitted with Ball-O-Cock valves in supply lines.


Wash hand basins shall be of white glazed fireclay or vitreous china of the type and size specified. Basins shall have an integral overflow to non patient treatment facilities and be fitted with 32mm chromium plated waste union with flange and grating, rubber plug on chromium plated brass chain and, where required, tap hole stopper cemented in.

WC pans shall be of white glazed fireclay or vitreous china of the type specified with "S" or "P" trap with straight or side outlet and shall be fitted with single or double flap plastic seat as required, secured to pan with concealed brass holding down bolts. Pans shall be bedded on the concrete floors in 1:3 cement mortars. Pans in seclusion rooms and other public areas to be 'Gypsy' vandal proof – or other approved.

Glazed ceramic urinals of the bowl or stall type shall be of white glazed fireclay or vitreous china. Bowl urinals shall be fitted with 40mm chromium plated waste union, with flange and

chromium plated domed hinged grating and frame.

RATES FOR SANITARY WARE: — shall include for the supply and fixing of the units as specified and for cleaning, washing and leaving in a satisfactory condition on completion.



Product Features

- Back to wall pan - back inlet
- Screwed to Floor (fixing screws not supplied)
- 20 Year guarantee against manufacturing defects

Technical Specifications

Colour: White
Material: Vitreous
Height: 395mm
Width: 366mm
Depth: 520mm

Weight: 20.37kg



Product Features

- Exposed type, top entry toilet flush valve with wall flange.
- Straight flush pipe.
- Compression pan connector.
- SABS approved, SANS 1240.
- Integral vacuum breaker prevents back-syphonage.
- Push button flush activation.
- Butterfly control inlet.
- Warranty: 2 years

Technical Specifications

Height:	153mm
Length:	143mm
Diameter:	38.2mm
Inlet:	31.75mm
Projection:	68mm
Weight:	3.77g

3. SCOPE OF WORKS.

DQ Ablutions Maintenance and Repairs

General

1. Allow for excavation backfilling and repairs to surfaces.
2. Allow for the plumbing materials as specified
3. Only class 02 copper must be used inside.
4. Remove all old vinyl carpets on the floors

Ground floor Southern side Male and Female Toilets

- Replace push button taps x 4 with star taps- SABS approved
- Paint floors epoxy three coats paint grey colour 25.56m²
- Paint ceilings with white SABS approved paint three coats 25.56 m²
- Paint walls with white SABS approved paint three coats 24 m²
- Replace main door 810mm x 2010mm and paint with three coats
- Replace all broken ceramic tiles 150mm x150mm (white)
- Replace mosaic tiles. Same as existing

Ground floor Northern side Male and Female Toilets

- Replace push button taps x 4 with star taps – SABS approved
- Paint floors epoxy SABS approved three coats paint grey colour 25.56m²
- Paint ceilings with white SABS approved paint three coats 25.56 m²
- Paint walls with white SABS approved paint three coats 24 m²
- Replace main door 810mm x 2010mm and paint with three coats(
- Replace all broken ceramic tiles 150mm x150mm (white)
- Replace mosaic tiles. Same as existing

First floor Southern side Male and Female Toilets

- Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 &10 for complete specification and picture NB (Pan must be Top inlet close rim back to wall pan)
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe
- Replace push button taps x 4 with star taps – SABS approved
- Paint floors epoxy three coats paint grey colour SABS approved
- Paint ceilings with three coats 25.56 m²
- Paint walls with white paint three coats SABS approved 24 m²
- Replace main door 810mm x 2010mm and paint with three coats
- Replace broken ceramic tiles 150mm x150mm white
- Replace mosaic tiles same as existing.
- Replace shower mixers, rose and unblock showers.

First floor Northern side Male and Female Toilets

- Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 & 10 for complete specification and picture NB (Pan must be Top inlet close rim back to wall pan)
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm
- Replace push button taps x 4 with star taps – SABS approved
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe
- Paint floors epoxy three coats paint grey colour SABS approved 24 m²
- Paint ceilings with white three coats paint SABS approved 25.56 m²
- Paint walls with white three coats paint SABS approved 24 m²
- Replace main door 810mm x 2010mm and paint with three coats
- Replace broken ceramic tiles 150mm x150mm white
- Replace mosaic tiles same as existing.
- Replace shower mixers, rose and unblock showers.

First floor Western North middle side Male and Female Toilets

- Replace old pan and junior flush master and supply and install new flush master (code FJ2,000) with pan connector and offset flush master and site cover refer to page 9&10 for complete specification and picture x 1 NB (Pan must be Top inlet close rim back to wall pan)
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe - SABS approved
- Paint ceilings with white three coats paint SABS approved 25.56 m²
- Paint walls with white three coats paint SABS approved 24 m²
- Paint floors with epoxy three coats grey colour paint SABS approved 25.56 m²
- Replace main door 810mm x 2010mm and paint with three coats
- Replace broken ceramic tiles 150mm x150mm white
- Replace mosaic tiles same as existing sheets
- Replace shower mixers, rose and unblock showers.

First floor Western Southern middle side Male and Female Toilets

- Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 & 10 for complete specification and picture x 1 NB (Pan must be Top inlet close rim back to wall pan)
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe – SABS approved
- Paint ceilings with white three coats SABS approved 25.56 m²
- Paint walls with white three coats SABS approved 24 m²
- Paint floors with epoxy three coats grey colour paint SABS approved 25.56 m²
- Replace main door 810mm x 2010mm and paint with three coats
- Replace broken ceramic tiles 150mm x150mm white
- Replace mosaic tiles same as existing sheets
- Replace shower mixers, rose and unblock showers.

West Southern outside Male and Female Toilets

- Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 &10 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe
- Supply & install hand broken basin and taps, same as existing - SABS approved
- Paint ceilings with white three coats paint SABS approved 10 M²
- Paint walls with white three coats paint SABS approved 24 M²
- Paint floors with epoxy three coats grey colour SABS approved 10 M²
- Replace main door 805mm x 2015mm and paint with three coats
- Replace broken ceramic tiles 150mm x150mm white
- Replace mosaic tiles same as existing sheets
- Replace shower mixers, rose and unblock showers.

Flat E 1

- Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 &10 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe – SABS approved

Flat F1

- Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 &10 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe - SABS approved

Flat G1

- Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 &10 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)
- Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm
- Mix cement and sand to fix the new pan.
- Connect new toilets pan to existing lines 50 mm waste pipe - SABS approved

SCHEDULE OF RATES

WORK TO BE DONE AT KING EDWARD HOSPITAL AND SCHEDULE OF PRICES:

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	INSTITUTION:KING EDWARD HOSPITAL KEH: All rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are Occupied.						
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	Ground floor Southern side Male and Female Toilets						
1	Replace push button taps x 4 with star taps – SABS approved.	Unit	04				
2	Paint floors epoxy three coats paint grey colour paint SABS approved	M ²	25.56				
3	Paint ceilings with white three coats paint SABS approved	M ²	25.56				
4	Paint walls with white three coats paint SABS approved	M ²	24				
5	Replace main door 810mm x 2010mm and paint with three coats	Unit	01				
6	Replace all broken ceramic tiles 150mm x150mm (white)	Unit	10				
7	Replace mosaic tiles. Same as existing sheets	Unit	4				
	Ground floor Northern side Male and Female Toilets						
1	Replace push button taps x 4 with star taps – SABS approved	Unit	04				
2	Paint floors epoxy three coats paint grey colour SABS approved	M ²	25.56				
3	Paint ceilings with white three coats paint SABS approved	M ²	25.56				
4	Paint walls with white three coats paint SABS approved	M ²	24				
5	Replace main door 810mm x 2010mm and paint with three coats.	Unit	01				
6	Replace all broken ceramic tiles 150mm x150mm (white)	Unit	15				
7	Replace mosaic tiles. Same as existing sheets	Unit	01				
CARRIED TO COLLECTION SUMMARY		PS 1			R		

SCHEDULE OF RATES

WORK TO BE DONE AT KING EDWARD HOSPITAL AND SCHEDULE OF PRICES:

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	INSTITUTION:KING EDWARD HOSPITAL KEH: All rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	Ground floor middle Western South side back entrance Male and Female Toilets						
1	Paint floors epoxy three coats paint grey colour paint SABS approved	M ²	25.56				
2	Paint ceilings with white three coats paint SABS approved	M ²	25.56				
3	Paint walls with white three coats paint SABS approved	M ²	24				
4	Paint Ceilings with white three coats paint SABS approved 25.56 m ²	M ²	25.56				
5	Replace main door 810mm x 2010mm and paint with three coats	Unit	01				
6	Replace all broken ceramic tiles 150mm x150mm (white)	Unit	15				
	Ground floor middle Western North side back entrance Male and Female Toilets						
1	Paint floors epoxy three coats paint grey colour paint SABS approved	M ²	25.56				
2	Paint ceilings with white three coats paint SABS approved	M ²	25.56				
3	Paint walls with white three coats paint SABS approved	M ²	24				
4	Replace main door 810mm x 2010mm and paint with three coats	Unit	01				
5	Replace all broken ceramic tiles 150mm x150mm (white)	Unit	18				
6	Replace mosaic tiles. Same as existing sheets	Unit	2				
7	Replace shower mixers, rose and unblock showers	Unit	3				
8	Supply and broken hand basin on top of the concrete slab	Unit	01				
CARRIED TO COLLECTION SUMMARY PS 2				R			

SCHEDULE OF RATES

WORK TO BE DONE AT KING EDWARD HOSPITAL AND SCHEDULE OF PRICES

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	INSTITUTION:KING EDWARD HOSPITAL, KEH All rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	Phase First floor Southern side Male and Female Toilets						
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9&10 for complete specification and picture	Unit	02				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	M	05				
3	Mix cement and sand to fix the new pan.	Sum					
4	Connect new toilets pan to existing lines 50 mm waste pipe	M	03				
5	Replace push button taps x 4 with star taps – SABS approved	Unit	04				
6	Paint floors with epoxy three coats paint grey colour paint SABS approved	M ²	25.56				
7	Paint ceilings with white three coats paint SABS approved	M ²	25.56				
8	Paint walls with white three coats paint SABS approved	M ²	24				
9	Paint floors with epoxy three coats grey colour paint SABS approved	M ²	25.56				
10	Replace main door 810mm x 2010mm and paint with three coats	Unit	01				
11	Replace broken ceramic tiles 150mm x150mm white pieces	Unit	10				
12	Replace mosaic tiles same as existing, sheets	Unit	3				
13	Replace shower mixers, rose and unblock shower.	Unit	3				
						R	
CARRIED TO COLLECTION SUMMARY PS 3							

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	INSTITUTION: KING EDWARD HOSPITAL. KEH All rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	First floor Northern side Male and Female Toilets						
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9&10 for complete specification and picture NB (Pan must be Top inlet close rim back to wall pan)	Unit	02				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPLE reducer 50mm x 28 mm	M	03				
3	Replace push button taps x 4 with star taps SABS approved	Unit	04				
4	Mix cement and sand to fix the new pan.	Sum					
5	Connect new toilets pan to existing lines 50 mm waste pipe	Unit	02				
6	Replace shower mixers, rose and unblock showers.	Unit	04				
7	Paint floors with epoxy three coats paint grey colour grey colour paint SABS approved	M2	25.56				
8	Paint ceilings with white colour three coats paint grey colour paint SABS approved	M2	25.56				
9	Paint walls with white three coats paint SABS approved	M2	24				
10	Replace main door 810mm x 2010mm and paint with three coats	Unit	01				
				R			
CARRIED TO COLLECTION SUMMARY				PS 4			

Item	DESCRIPTION	UNIT	QTY	RATE/UNIT		TOTAL	
				R	c	R	c
	INSTITUTION:KING EDWARD HOSPITAL. KEH All rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	First floor Western North middle side Male and Female Toilets						
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 &10 for complete specification and picture NB (Pan must be Top inlet close rim back to wall pan)	Unit	02				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	M	03				
3	Replace push button taps x 4 with star taps – SABS approved	Unit	04				
4	Mix cement and sand to fix the new pan.	Sum	02				
5	Connect new toilets pan to existing lines 50 mm waste pipe	Unit	02				
6	Replace shower mixers, rose and unblock showers.	Unit	02				
7	Paint floors with epoxy three coats paint grey colour SABS approved	M2	25.56				
8	Paint ceilings with white colour three coats paint SABS approved	M2	25.56				
9	Paint walls with white colour three coats paint SABS approved	M2	24				
10	Replace main door 810mm x 2010mm and paint with three coats	Unit	01				
11	Replace broken ceramic tiles 150mm x150mm white pieces	Unit	10				
CARRIED TO COLLECTION SUMMARY							
PS 5							
				R			

A

Item	DESCRIPTION	UNIT	QTY	RATE/UNIT		TOTAL	
				R	c	R	c
	INSTITUTION:KING EDWARD HOSPITAL. KEH All rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	West Southern outside Male and Female Toilets						
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 &10 for complete specification and picture NB (Pan must be Top inlet close rim back to wall pan)	Unit	03				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	Unit	03				
3	Mix cement and sand to fix the new pan.	Sum	02				
4	Connect new toilets pan to existing lines 50 mm waste pipe		02				
5	Supply & install hand basin and taps, same as existing	Unit	02				
6	Paint ceilings with white colour three coats paint SABS approved	M ²	25.56				
7	Paint walls with white colour three coats paint SABS approved	M ²	25.56				
8	Replace main door 810mm x 2010mm and paint with three coats	Unit	01				
9	Replace broken ceramic tiles 150mm x150mm white pieces	Unit	12				
10	Replace mosaic tiles same as existing. sheets	Unit	01				
				R			
CARRIED TO COLLECTION SUMMARY							
PS 6							

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	INSTITUTION:KING EDWARD HOSPITAL KEH All rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.						
West Southern outside Disabled Toilets							
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 &10 for complete specification and picture NB (Pan must be Top inlet close rim back to wall pan)	Unit	02				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	M	03				
4	Mix cement and sand to fix the new pan.	Sum	02				
5	Connect new toilets pan to existing lines 50 mm waste pipe	Unit	02				
6	Replace shower mixers, rose and unblock showers.	Unit	02				
7	Replace push button taps x 4 with star taps – SABS approved.	Unit	01				
8	Paint floors with epoxy three coats paint grey colour SABS approved	M ²	25.56				
9	Paint ceilings with white three coats paint SABS approved	M ²	10				
10	Paint walls with white three coats paint SABS approved	M ²	08				
11	Paint floors with epoxy three coats paint SABS approved	M ²	10				
12	Replace main door 810mm x 2010mm and paint with three coats	Unit	01				
13	Replace broken ceramic tiles 150mm x 150mm white pieces	Unit	10				
CARRIED TO COLLECTION SUMMARY PS 7				R			

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	INSTITUTION:KING EDWARD HOSPITAL KM <u>All rates quoted shall be inclusive of transport, Labour and profit.</u> <u>The Tenderer is advised that the buildings are occupied</u>						
	PROPRIETARY ARTICLES: <u>All equipment and material used in this contract shall be that which is specified or other SABS approved.</u>						
Flat E 1							
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 & 10 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)	Unit	02				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	M	03				
3	Mix cement and sand to fix the new pan.	Sum	02				
4	Connect new toilets pan to existing lines 50 mm waste pipe	Unit	02				
Flat F1							
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9 & 10 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)	Unit	02				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	M	03				
3	Mix cement and sand to fix the new pan.	Sum	02				
4	Connect new toilets pan to existing lines 50 mm waste pipe	Unit	02				
Flat G1							
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9&10 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)	Unit	02				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	M	03				
3	Mix cement and sand to fix the new pan.	Sum	02				
4	Connect new toilets pan to existing lines 50 mm waste pipe	Unit	02				
Flat H1							
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and	Unit	02				


	site cover refer to page 9&10 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)						
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	M	03				
3	Mix cement and sand to fix the new pan.	Sum	02				
4	Connect new toilets pan to existing lines 50 mm waste pipe	Unit	02				
Flat BI							
1	Replace old pan and junior flush master and supply and install new flush master with pan connector and offset flush master and site cover refer to page 9&0 for complete specification and picture x 3 NB (Pan must be Top inlet close rim back to wall pan)	Unit	02				
2	Remove 15mm supply pipes, supply and install new 2m x28mm copper pipe SABS approved and TPEE reducer 50mm x 28 mm	M	03				
3	Mix cement and sand to fix the new pan.	Sum	02				
4	Connect new toilets pan to existing lines 50 mm waste pipe	Unit	02				
CARRIED TO COLLECTION SUMMARY							R
PS 8							



Mr. M.M.S. Mngomezulu
 Artisan Foreman – Building



Mr. I.G. Sopika
 Chief Artisan



Ms. G. Mbatha
 Housekeeper

NOTE:

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE QUOTATION FORM.

Collection Summary	PS 1	R	
Collection Summary	PS 2	R	
Collection Summary	PS 3	R	
Collection Summary	PS 4	R	
Collection Summary	PS 5	R	
Collection Summary	PS 6	R	
Collection Summary	PS 7	R	
Collection Summary	PS8	R	
Safety Requirements			
10% Contingencies			
Sub total		R	

Company Director/ Company name

KEH-Maintenance Project Policy

1. Stores issue the Company an order number and company confirms.
2. Stores notify the maintenance department
3. The Company contacts the maintenance department within a period of 2 days to confirm that they have received an order number.
4. Company is given a period of 1 week to compile and submit a work plan, safety requirements as briefed by a safety officer (**In a table form**)
5. Presentation of an official order, work plan
6. No work will be commenced without submitting a work plan and a safety plan.
7. **Company must sign a contractors register and complete the daily job card (This will be done on a daily basis with no fail)**
8. There will be progress meeting every week depending on the project period.

Evaluation criteria

1. The rates must be clear and be on the attached schedule.
2. Collection summary.
3. Schedule of references
4. Detailed work plan showing the all the mile stones. (to cover the contract period)
5. Valid CIDB – Grading LEVEL 1

Company Director/ Company name

Sign

Date

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH

DQ Ablutions Maintenance and Repairs

KEH_____

SCHEDULE OF RATES

3.1 ITEMS AND PRICING

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. **The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his quote for the contract and of the rates and prices stated in the Schedule of Rates.**

3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

3.3 RATES

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all Labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

OFFICIAL BRIEFING SESSION / SITE INSPECTION CERTIFICATE KING EDWARD HOSPITAL

Site/Security Office
King Edward Hospital
involved:

DQ Ablutions Maintenance and Repairs - PHASE 1

Quotation No.
: KEH _____

THIS IS TO CERTIFY THAT OF
(.....) VISITED AND INSPECTED THE SITE
ON..... (DATE) AND IS THEREFORE FAMILIAR WITH THE
CIRCUMSTANCES AND THE SCOPE OF THE SERVICE TO BE RENDERED.

.....
SIGNATURE OF TENDERER OR AUTHORISED REPRESENTATIVE

DATE:.....

SCHEDULE OF REFERENCES

References of previous work completed for the department of health or other to be listed below.

PLACE WORK WAS DONE	CONTACT PERSON	PHONE NUMBER	JOB COMPLETED

NB. If this is not filled, your document will not be evaluated.

SIGNATURE OF TENDERER:.....

DATE:

Quote Number: _____

Item Description: **DQ ablutions maintenance and repairs**

Department/Section: **maintenance** Purpose of Item: **toilets are broken and are used by staff**

1. Pre-qualification criteria if any:

1.1. Is the item required to have a regulatory body certification (e.g. SABS, SANS, SANAS, ISO, CIDB, etc.)? Yes

Regulatory Body / certification required if Yes: CIDB Grade 1 and SABS approved

1.2. Is a compulsory site inspection / briefing session required? Yes / No

if Yes, specify: Date ____ / ____ / ____ Time ____:____ Place _____

1.3. Is local production and content part of the quote? Yes / No

if Yes, specify: _____

1.4. Provisions of section 4(1)(a) of the PPPFA Regulations, 2017 if applicable? Yes / No

if Yes, specify: _____

1.5. Liability Cover insurance? Yes / No

if Yes, specify: _____

2. What is the specification of the required item?

List specifications to be advertised	Comment
1. See attached specification	
2.	
3.	
4.	
5.	

3. Does a sample need to be submitted? Yes / No (select option 3.1 or 3.2)

3.1. Deadline for submission if Yes: Date ____ / ____ / ____ Time ____:____ Place _____

or


3.2. Specify that samples must be made available when requested in writing. Yes or No

4. Penalties to be noted by the suppliers:

4.1. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, **deduct from the contract price**, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

5. What is the evaluation criteria / special terms and conditions to be advertised?

List evaluation criteria / special terms and conditions to be advertised (if applicable)	
1. Pre-qualification criteria	CIDB GRADE 1
2. Administrative	Does the offer comply to stipulated administrative requirements?
3. Conformance:	Was the product made or service performed to specifications?
4. Performance:	Will/does the product/service fulfil its performance obligation, in a manner that releases the supplier from all liabilities under the contract?
5. Features:	What characteristics does the product or service have?
6. Reliability:	How long can a product go between failures and the need for maintenance? (guarantee)
7. Durability:	What is the useful life for the product? How will the product hold up under extended use?
8. Serviceability:	How easy is it to repair, maintain or support the product or service? (customer support)
9. Ability & Capacity	The ability and capacity of the vendor to execute the contract
10. Preference points	Preferential Procurement System (80/20) if applicable

Name of End-user (in full)	SOPIKA LG	Name of SCM Rep (in full)	
Designation / Rank (in full)	CHIEF ARTISAN	Designation/ Rank (in full)	
Signature		Signature	
Date	14/06/2021	Date	

PROVINCE OF KWAZULU-NATAL - DEPARTMENT OF HEALTH

ESTIMATE FORM FOR : THE MAINTENANCE, REPAIR OR REPLACEMENT OF FIXED PLANT, EQUIPMENT AND INSTALLATIONS INSTALLED IN KWAZULU-NATAL PROVINCIAL HOSPITAL AND BUILDINGS

SUBMIT TO:	FOR ATTENTION:
------------	----------------

INSTITUTION:	ZNQ NO.:
--------------	----------

SCOPE OF WORK: (A description of the work quoted for is required).

I/We hereby quote for the above work in accordance with the conditions as specified in Tender document.

Materials, component/ancillary parts: Firm Price. A detailed list of materials etc. showing unit costs shall be provided.

A.	Quoted for Bought Out Items (Excluding VAT)(Carried forward)	R	_____
	Mark Up @ % (Maximum Mark Up = 20% for values R0.00 to R500 000.00)	R	_____
B.	Quoted for Proprietary Items (Excluding VAT)(Carried forward)	R	_____
C.	Quote for Sub-Contract Items (Excluding VAT)(Carried forward)	R	_____
	Mark Up @ %	R.....	_____

(Item reserved for specialist task only and may not exceed 15% of primary contractor total contract amount)

All subcontractor work/materials shall be broken down the same manner as the primary contractor.

D.	Labour, Travelling, Subsistence and Transport. This price shall be firm in respect of materials etc. quoted for. (Excluding VAT) (Brought forward)	R	_____
----	--	---	-------

E.	Less credit for redundant materials, parts and equipment if applicable	R (_____)
----	--	-----	---------

	SUBTOTAL	R	_____
--	----------	---	-------

	VAT @ %	R	_____
--	---------------	---	-------

F.	This Price in SA Currency firm for 90 days from date of the estimate quotation and shall not be exceeded. To be measured on completion.	R	_____
----	---	---	-------

Time required for completion weeks from receipt of official order.

NAME OF SERVICE PROVIDER: ZNQ...../20....

CIDB UNIQUE NUMBER CIDB CATEGORY.....

PROVINCIAL SUPPLIERS DATABASE REGISTRATION NUMBER:

SERVICE PROVIDER'S AUTHORISED SIGNATURE: ZNQ No.....

NAME IN BLOCK LETTERS:

COMPANY STAMP:	DATE
----------------	------

**D.1 SCHEDULE OF PRICES
LABOUR, SUBSISTENCE, TRAVEL AND TRANSPORT REPLACEMENT AND
ADDITIONAL EQUIPMENT**

D.1.1	LABOUR	No. of	TOTAL HOURS	RATE/HR		AMOUNT
a)	Artisans	R 300.00		R.....
b)	Apprentice	R 118.00		R.....
	1 st Year	R 150.00		R.....
	2 nd Year	R 180.00		R.....
	3 rd Year	R 265.00		R.....
c)	4 th Year	R 142.00		R.....
d)	Semi-skilled	R 75.00		R.....
	Unskilled			R.....
D.1.2	TRAVEL		TOTAL Km	RATE/Km		
D.1.2.1	From service provider's premises to site			Petrol	Diesel	
a) trips(Driver) (skilled)		Delete as applicable		R.....
	@ km per trip		R 7.78	R 7.58	R.....
b)trips (Semi-skilled)(Driver)		R 5.80	R 5.60	R.....
	@.....km per trip					
D.1.3	ADDITIONAL LABOUR TRAVELLING WITH DRIVER		TOTAL HOURS	RATE/HR		AMOUNT
a) x Additional Artisan/s trips (skilled) @ km per trip ÷ 80km/hr		R 300.00		R.....
b) x Additional Semi-Skilled trips (semi) @ km per trip ÷ 80km/hr		R 142.00		R.....
c) x Additional Unskilled trips (unskilled) @ km per trip ÷ 80km/hr		R 75.00		R.....
d) x Additional Apprentice/s trips (semi) @ km per trip ÷ 80km/hr		R.....		R.....
SUBTOTAL CARRIED FORWARD TO PAGE 4						R.....

SUBTOTAL BROUGHT FORWARD FROM PAGE 3				R.....
D.1.6	TRANSPORT		TOTAL Km	RATE
a)	Haulage to site trips			
	@km per trip		2.5 tone	R 9.31
	@km per trip		3 tone	R10.80
	@km per trip		5 tone	R12.50
	@km per trip		7 tone	R14.50
	@km per trip		10 tone	R16.80
b)	Cranage to and on site @ sub contract rate		R.....	x 1.10
				R.....

TOTAL AMOUNT CARRIED FORWARD TO PAGE 1 ITEM (D) **R**_____.

**SCHEDULE OF PRICES: MATERIALS, COMPONENT/ANCILLARY PARTS
AND SUB CONTRACT WORK**

The service provider shall add here, ALL materials, components/ancillary parts which are required for the completion of the work quoted for.

In the event that more pages are required, this page may be copied.

ITEM	DESCRIPTION	MANU-FACTURER	FIGURE /MODEL NO.	QUANTITY	UNIT COST	TOTAL COST (Excluding VAT)		
						BOUGHT OUT	PRO-RIETARY	SUB CONTRACT
TOTAL COST BOUGHT OUT ITEMS (A)								
TOTAL COST PROPRIETARY ITEMS (B)								
TOTAL COST SUB CONTRACT ITEMS (C) (Attach copy of sub contractors quote)								

TOTAL AMOUNT (A) (B) (C) TO BE CARRIED FORWARD TO PAGE 1