




KZN Health Intranet

COMPONENTS

[Home](#)
[About Us](#)
[Contact Us](#)
[Help](#)
[AdvertQuote](#)


Quotation Advert

Opening Date:	2021-06-30	
Closing Date:	2021-07-13	
Closing Time:	11:00	
Institution Name:	Emmaus hospital	▼
Province:	KwaZulu-Natal	
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	BUSINGATHA CLINIC	
Date Submitted	2021-06-30	
Quotation Number:	ZNQ EMM 125/05/2021	
Item Category:	Goods	▼
Item Description:	CONVERT PIT TOILET TO WATER BORN TOILET AT BUSINGATHA CLINIC	

Quantity (if supplies)


[COMPONENTS](#)
[ADVERTS](#)
[QUOTES](#)
[BIDDING](#)
[TENDERS](#)
[NON-CORPUS VISIT](#)

Select Type:	Compulsory Briefing Session	▼
Date :	2021-07-05	
Time:	11:00	
Venue:	BUSINGATHA CLINIC	
QUOTES CAN BE COLLECTED FROM:	BUSINGATHA CLINIC	
QUOTES SHOULD BE DELIVERED TO:	EMMAUS HOSPITAL	
Name:	KC NTSHALINTSHALI	
Email:	siphile.hlongwane@kznhealth.gov.za	
Contact Number:	063 488 8211	

Finance Manager Name:

MR WS MFUPHI

Finance Manager Signature:



No late quotes will be considered

Print this page



CAT. C

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH
EMM: 125/05/2021
UTHUK-H-BUSINGATHA CLINIC - 20/21
CONVERT PIT TOILET TO A WATER BORN TOILET AT
BUSINGATHA CLINIC

1. PROJECT SPECIFICATIONS

1.1 SCOPE OF CONTRACT

This Contract is for the execution of the project indicated above.

1.2 CONTRACT DRAWINGS

Drawing N/A

1.3 CONDITIONS OF CONTRACT AND PRELIMINARIES

1.3.1 PERIOD OF CONTRACT

Four six (04) *Weeks* as the Contract Period for the completion of the Work from date of Site handover.

1.3.2 CONTRACT GUARANTEE:

Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Tenderer.

Minor repairs must be done to the satisfaction of the Kwa Zulu- Natal Department of Health (infrastructure).

Bidders are advised to visit the site prior to tendering and to acquaint themselves with the nature of the work to be done and access to the sitting of the existing buildings etc., as no claim whatsoever will be allowed on the grounds of ignorance of the conditions under which the work will be executed.

1.3.3 GUARANTEE PERIOD

The guarantee period for the completion of the Structure indicated above and all materials must be a minimum of twelve Calendar Months from the date of final delivery.

1.3.3.1 PENALTY FOR NON COMPLETION

Penalties of 5% a day shall apply for non-completion.

1.3.4 SITE AND MODE OF PROCEDURE

The work or services contained in this contract will be carried out on the site of the existing **Busingatha clinic (Pit Toilets)**

The Bidder is advised that the existing premises (**Pit toilets**) will be fully occupied throughout the period of the contract, and that the minimum amount of disruption to services is of the utmost importance.

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH
EMM:125/05/2021
UTHUK-H-BUSINGATHA CLINIC - 20/21
**CONVERT PIT TOILET TO A WATER BORN TOILET AT
BUSINGATHA CLINIC**

1.3.5 SATISFACTORY INSTALLATION

The whole repairs shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Specification, the South African Bureau of Standards Code of Practice and the Occupational Health and Safety Act and Regulations 85/1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Specification are available at the office of the Secretary for Health – KwaZulu-Natal and can be obtained on request.

1.3.7 GENERAL

The Bidders / Contractors will be responsible for all repairs, painting work associated with the renovations of all work related to renovations. Cleaning of the entire is compulsory and shall be added to the schedule of works and must be to the satisfaction of the KwaZulu-Natal Department of Health.

2. TECHNICAL SPECIFICATION

2.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular renovation, whether any specific clauses are referred to or not.

2.1.1 SCOPE

Supply labour and materials to complete convection of pit toilets to a flash born toilets for Busingatha clinic

All Materials which are used are to comply to original manufactures standards. Bidders are to ensure that all materials shall be handed over to Systems manager/maintenance Manager for inspection and approval before assuming of duty, any materials which do not comply will not be accepted, it is compulsory to communicate with Systems Manager/Maintenance Manager for any clarities which may be required. Bidders are to note that no part payment will be granted in this contract, contractor to complete works to the satisfaction of the clinic and submit invoice for payment.



PROVINCE OF KWAZULU-NATAL
 DEPARTMENT OF HEALTH
 EMM:125/05/2021
 UTHUK-H-BUSINGATHA CLINIC - 20/21
**CONVERT PIT TOILET TO A WATER BORN TOILET AT
 BUSINGATHA CLINIC**

2.1.2 WORK TO BE CARRIED OUT.

1. Supply labour and SABS approved materials to convert pit toilet to a flash born toilet at Busingatha Clinic as per below scope.

3. SCHEDULE OF RATES

PREAMBLE TO SCHEDULE OF RATES

Items and Pricing

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order, which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the contract and of the rates and prices stated in the Schedule of Rates.

Tax and Duties

Prices, tendered and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, **including Value Added Tax (applicable to the current rate).**

Rates


Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.


health

 Department:
 Health
 PROVINCE OF KWAZULU-NATAL

PROVINCE OF KWAZULU-NATAL
 DEPARTMENT OF HEALTH
 EMM:125/05/2021
UTHUK-H-BUSINGATHA CLINIC - 20/21
CONVERT PIT TOILET TO A WATER BORN TOILET AT
BUSINGATHA CLINIC

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	NOTE: 1) All rates for items contained in this Schedule of Prices must be computed excluding the applicable Sales Tax. 2) Where items are described as "Or other approved", approval must be obtained prior to tendering or submission of documents. 3) All rates quoted shall be inclusive of transport, labour and profit. 4) THE DEPARTMENT WILL NOT BE RESPONSIBLE FOR ANY MISTAKES AND SPOILED DOCUMENTS 5) ALL ENQUIRIES ABOUT THE PRINTING SHOULD BE LEASED WITH MAINTENANCE DEPARTMENT FOR EMMAUS HOSPITAL. 6)						
	INSTITUTION: BUSINGATHA CLINIC PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH EMM: 125/05/2021 UTHUK-H-BUSINGATHA CLINIC - 20/21 CONVERT PIT TOILET TO A WATER BORN TOILET AT BUSINGATHA CLINIC						
	1.Remove an old three (03) type of toilet seats to an existing public toilets at Businga Clinic and hand it to maintenance department at Emmaus Hospital.		01				

<p>3 Supply and install eight (08) X 20mm ring force to close three holes where three sits Where removed,</p> <p>4 NB. There are three holes outside the toilets that must be closed</p> <p>Supply and install Six (06) X 2mm thick steel plate that will fit an existing holes</p> <p>PROCEDURE Cut existing concrete slab to 200mm (L) and 50mm deep Lay four (04) ring force vertically and other four (04) Horizontally and tie it together using galvanized wire that 2mm thick. Lay the plate/s on top of the ring force Back fill with a concrete cement, cement with a strength of 42.5N.</p>						
<p>5.Supply and install SABS approved close couple suite (white in colour)</p> <p>NB. Two must be installed to a disable toilet with hand rail (Plashaid grab rail dog leg 304x604x106)</p>		06				
<p>8. Supply and install 110mm of diameter SABS approved: PVC,ABS (Sewer pipes) with rodding Eye.</p>		03				
<p>10 NB. PVC access bend 110mmX45 degree soil & vent</p>		04				
<p>11.Supply and install SABS approved hand washing basin (white in colour) single tab. At 18" wide by 10" deep, this tiny wall-mount is one of the smallest sinks out There.</p>		04				
<p></p> <p>P Trap Standard size Connect it using 50mm PVC to the main main the main pipe (sewer pipe).</p>		02				
<p>13. Supply and install floor tile that will fit a space of 3,8m X 2,7m X 2toilets</p> <p>PROCEDURE ➤ Clean and prepare the floor for new tiles apply key coat and allow</p>						

	<p>to cure and dry for at list</p> <ul style="list-style-type: none"> ➤ 24 hours before applying new tile fix and lay new tiles. ➤ Supply labour and materials to lay floor tiles 300mmX300mmx8.5mm full bodies non-slip resistant tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREROOF" water proof joining compound, "TAL GOLD STAR" adhesive and TAL FINE EPOXY Grouting ➤ Contractor can choose nylon cross spacers but s normally 4mm gives you better finishing ➤ Contractor must also allow cleaning chemicals to clean and seal the fixed tiles ➤ NB. Scatting of 100mm with cream edges ➤ Colour must be caramel 						
	<p><u>14.DOORS, WINDOWS & DOOR FRAMES</u></p> <ul style="list-style-type: none"> • Prepper the door, windows and door frames for painting using the following method: • Sand the surface. Use a medium or fine grade sandpaper to get the door looking and feeling as smooth as possible • Wipe the door frame with a rag dipped in isopropyl alcohol to remove all sanding dust. • Apply a coat of rust-inhibiting metal primer with a paintbrush • Apply two (02) coats of rust-inhibiting paint, using a gloss white NB. paint that has 15 years warrantee 						
	<p>15. Supply and install SABS approved Jojo tank with a capacity of 5 000L.</p>		05				
	<p>16. Supply and install steel water tank Stand that is 2m height from the Ground.</p> <ul style="list-style-type: none"> • Made with high-grade steel • Designed by engineers • Painted with red oxide to prevent rust • Strong enough to hold the entire weight of the tank when full • Durable & robust • 10-year guarantee • Supplied in a self-assemble kit with all parts required for installation 		01				

- Top part (plate) must be finish with lip channels (welded) 100x50x20mm



PROCEDURE

Dig four (04) holes that are 500mm deep (each hole)
 Each pole must be welded with a plate that 2 to 3mm thicknes and 300mm X300mm that will inside the hole
 Backfill with a concrete, cement must be 42,5 strength
 2m hight should on the ground
 1,6 mm thickness x 100mm gulvenized square tube (upright)

18.Connect hand washing basin X2, Toilets X3 urinal X1 to a Jojo tank for supplying of water using Polyethylene pipe that is 15mm

NB. Waste be directed to an existing sewer tank

19.Dig a trench lay the sewer pipes and direct it to an existing sewer tank

20.Walls to be painted with Brocken what paint acrylic paint that has 15 Years warranty.

NB. Walls must be prepared for painting.

21. Supply labour and approved SABS materials to Construct a hump with a drainage system underneath, hump will be from the outside of the two (02) main door toilet to the outside 1,5 (w) X 2m (L) **(concrete slab with drainage systems).**

Materials for preparation and mixing of 25 MPa concrete for newly walkway Medium strength concrete,

Reinforced the slab To make 1 cubic metre of 25 Mpa concrete you will need to mix cement with 0, 70 cubic metres of sand and 0, 70 cubic metres of stone. 5 inches thickness,

02

NB. The schedule of rates must be completed by tendered in full

The successful bidder to ensure that he/she make the appointment with Assistant Director: Systems for the proper site hand over after receiving the call or order before commencing any work, failure to make these necessary arrangement will result in an intruding offence. Contact number: 036 488 1570

COLLECTION SUMMARY

NOTE:

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE TENDER FORM.

Collection Summary	PS 1		
Collection Summary	PS 2		
SUB-TOTAL "A"			
ADD Provision for Value Added Tax Allow 14% of SUB-TOTAL "A"			
<u>TOTAL: CARRIED TO TENDER FORM</u>			

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH
EMM:125/05/021
UTHUK-H-BUSINGATHA CLINIC - 20/21
**CONVERT PIT TOILET TO A WATER BORN TOILET AT
BUSINGATHA CLINIC**

IMPORTANT
THIS FORM IS ONLY TO BE INCLUDED AND COMPLETED WHEN APPLICABLE TO THE QUOTATION.

OFFICIAL BRIEFING SESSION / SITE INSPECTION CERTIFICATE

Site/building/institution involved:

Quotation No.:

Service:

THIS IS TO CERTIFY THAT..... OF (STATE NAME OF TENDERER)
..... VISITED AND INSPECTED THE SITE ON
..... (DATE) AND IS THEREFORE FAMILIAR WITH THE CIRCUMSTANCES AND THE SCOPE OF THE
SERVICE TO BE RENDERED.

.....
SIGNATURE OF TENDERER OR AUTHORISED REPRESENTATIVE

DATE :.....

.....
SIGNATURE OF DEPARTMENTAL REPRESENTATIVE

DEPARTMENTAL STAMP:

DATE:.....



PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF HEALTH
EMM: 125/05/2021
UTHUK-H-BUSINGATHA CLINIC - 20/21
CONVERT PIT TOILET TO A WATER BORN TOILET AT
BUSINGATHA CLINIC

Minimum requirements for the project

NB. TO BE SUBMITTED WITH THE DOCUMENT (COMPULSORY)

- 2GB and 1SL
- Proof of Completion of 3 completed similar projects of a value of R 50,000 to R200,000 with Government
- Department or other institution 3 Completion certificate must be attached
- Valid Tax Clearance Certificate.
- Proof of registration with CSD
- copy of BBBEE Certificate
- Plumber/Artisan to include three (03) Traceable references or Trade test certificate.

The contractor shall also guarantee:

- ❖ That equipment shall be installed, commissioned and set properly in order to attain the design conditions specified

Declaration

I have read with understanding and agree to all terms and conditions and requirements printed on this document.

I/We undertaken to complete the project within four (04) week

Tenderer _____

Signature _____ Position _____