



KZN Health Intranet KZN HEALTH

Search this site ρ

HOME CORPORATE INFORMATION COMPONENTS

DIRECTORY

DISTRICT OFFICES

HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

HEALTH REPUBLIC OF SOUTH AFRICA	Quotation Advert	
Opening Date:	2021-05-18	
Closing Date:	2021-05-25	i
Closing Time:	11:00	
NSTITUTION DETAILS		
nstitution Name:	Grey's hospital	•
Province:	KwaZulu-Natal	
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	Grey's Hospital	
Date Submitted	2021-05-18	
TEM CATEGORY AND DETAILS		
Quotation Number:	ZNQ: GRS615/05/21	
tem Category:	Goods	•
tem Description:	SUPPLY & INSTALL AN INTEGRATED HD IP CCTV SYSTEM IN X-RAY, ONCOLOGY, MAIN REGISTRY, ALLIED HEALTH, ADMIN BLOCK, U/COVER PARKING, MATERNITY AREA, MAINTENANCE W/SHOP, BOILER HOUSE, TRANSPORT & MAIN PLANT ROOM. NB PROVIDE MAINTENANCE FOR PERIOD OF 24 MONTH (SPEC ATTACHED & SITE MEETING COMPULSO	4
Quantity (if supplies)	34 CAMERAS	
COMPULSORY BRIEFING SESSION /	SITE VISIT	
Select Type:	Compulsory Site Visit	,
Date :	2021-05-20	
Fime:	11:00	
/enue:	MAINTENANCE	
QUOTES CAN BE COLLECTED FROM:	DEPARTMENTAL WEBSITE	
QUOTES SHOULD BE DELIVERED TO:	GREY'S TENDER BOX	
ENQUIRIES REGARDING THE ADVER	RT MAY BE DIRECTED TO:	
Name:	PEARL MSOMI	
Email:	NO EMAIL	
Contact Number:	033 897 3482	
Finance Manager Name:	MRS T.M.MAZIBUKO	



GRS 615 ps/21

TERMS OF REFERENCE

APPOINTMENT OF A SUITABLE SERVICE PROVIDER TO SUPPLY& INSTALL AN INTEGRATED HD IP CCTV SYSTEM TO X-RAY / ONCOLOGY / MAIN REGISTRY / ALLIED HEALTH / ADMIN BLOCK / UNDER COVER PARKING / MATERNITY AREA / MAINTENANCE WORKSHOP / BOILER HOUSE / TRANSPORT & MAIN PLANT ROOM AT GREYS HOSPITAL, KZN DEPARTMENT OF HEALTH AND PROVIDE MAINTENANCE FOR A PERIOD OF 24 MONTHS

PURPOSE

The purposes of this specification is to get a suitable service provider to supply and install an Integrated High Definition, Internet Protocol Close Circuit Television System and provide maintenance to the installed CCTV system to OPD & ED at Greys Hospital, KZN Department of Health for a period of 24 months.

2. PROJECT IMPLEMENTATION TABLE

PROJECT PHASE	PROJECT PEROID
Installation of a HD; IP CCTV system(supply, installation, commissioning and training)	1 months/30 days calendar period
Guarantee period on the Installed integrated HD; IP CCTV (repairs and workmanship on breakdowns at no additional cost)	12 months/1 year
Maintenance (after guarantee period)	24 months
Project life span (inclusive of installation, guarantee and maintenance contract)	36 months

3. BACKGROUND

The scope of work is summarised as follows:

- To Supply, Install and commission HD IP CCTV systems;
- II. To Integrate existing analogue CCTV system where applicable,
- III. Train the operator to use the new CCTV systems; and
- IV. Repair; replace fixtures (e.g. cameras, cables, conduits, etc.) and workmanship at no additional cost during the guarantee period from the date of commissioning and handing over to Greys Hospital.
- V. Maintain and repair the system for a period of 24 months after guarantee period; and

VI. KZN Department of Health reserve the right to extent the maintenance contract for an additional 24 months

4. GENERAL PROVISIONS APPLYING TO THE SYSTEM AND STANDARD SPECIFICATIONS

Although not bound in nor issued with this document, the latest issues of the following standards and specifications shall form part of this Contract:

- a) EN 50132-1 European Standard: Alarm systems, CCTV surveillance systems for use in security application, March 2010
- b) BSIA Planning, design, installation and operation of CCTV Surveillance Systems, Code of Practice & associated Guidance, Feb 2014, Issue 3
- c) SABS-0222-5-2:1999, CCTV Installation Guidelines
- d) SANS 10222-5-1¬2:200h, Electrical security installations, CCTV installations, CCTV surveillance systems for use in security applications: System design requirements
- e) SANS 10222-5-1¬1:200h, Electrical security installations, CCTV installations, CCTV surveillance systems for use in security applications: Operational requirements
- f) SANS 10222-5-1¬3:200h, Electrical security installations, CCTV installations, CCTV surveillance systems for use in security applications: Installation, planning and implementation requirements
- g) SANS 10222-5-1¬4:2003, **Electrical security installations**, CCTV installations, CCTV surveillance systems for use in security applications: Testing, commissioning and hand-over requirements
- h) SANS 10222-5-1¬5:2003, Electrical security installations, CCTV installations, CCTV surveillance systems for use in security applications: Maintenance requirements
- i) SANS 10400 The application of the National Building Regulations;
- j) Occupational Health and Safety Act, 1993;

4.1 GUARANTEE

- a) The Contractor shall fully guarantee and provide fully comprehensive guarantee list per each component of the system from the date of notice of the completion of installations.
- b) The guarantee shall cover all costs for Warranty Service, e.g. including parts which are readily available in South Africa and delivery etc.
- c) Maintenance plan and licence fees must be supplied (renewable) e.g. service technician, turnaround response, pick-up, transportation etc.

4.2 DELIVERABLES

Please note the following deliverables:

- a) Supply, install and commission a HD IP CCTV System;
- b) Integrate existing analogue CCTV system where applicable;
- The functionality and reliability of all communications, cables, batteries, surge protection; settings, adjustments, equipment, etc. shall be installing correctly; and
- d) Training shall be provided to the operators and managers. Exceptions shall be explained and rectified.

5. GENERAL INSTALLATION REQUIREMENTS OF THE CCTV CAMERAS

NB: All installations must be mapped on an electronic and paper solution plan, including the wiring colour and marking used on the wires and specifications of all systems used. The electronic plan must be compatible with Microsoft products and these records will be the client's property, and must be editable to update any future changes and installations. The service provider must update the plans every time any updates and/or changes are made. All systems must have redundancy system in place including wiring. All systems used must be accessible on South African open market and of high quality and SANS approved.

All security system data reports must be compatible with Microsoft products. The client may use security specialist to verify the submitted proposals, and may verify hardware/software and security system used. The client also may conduct site visits of the proposed service provider.

NB: The CCTV system must be designed to allow for future expansion and integration of other electronic security systems (adding additional cameras, monitors, NVRs, etc.)

5.1 Security Systems

All hardware and software must be supplied by a service provider, including back-ups and redundancy systems. All computer systems installed must be new and the service provider must provide an acceptable maintenance and repair/replacement plan for the computer systems for the maintenance period, including a software restoration plan. The security system must have a data backup system in place, and backups must be done on a daily basis.

5.2 Equipment

- a) All equipment and components shall be new, of high quality, the most recent models and suitable for the application. Special attention shall be given to the availability of spare parts and support for at least 5 years.
- b) Power over Ethernet (PoE). Plug-to power supplies will only be allowed if it is not possible to feed a unit from a fixed power supply. Plug adaptors will not be allowed.
- c) Fast, accurate, reliable, high quality image capture.
- d) All cameras installed at access points to the buildings must allow for facial recognition both on entry and exit.

e) Avoid installing cameras too high above the subject thus preventing 'tip-of-head' video images

5.3 Environment

- a) Ensure that all components are properly protected against possible environmental conditions and tampering by patients.
- b) Waterproof, anti-dust protection.
- c) Operating temperature shall be -10 to 60 C and -5 -95% none condensing.
- d) Operate in low light 0.5 Lux with colour picture
- e) All galvanising shall be heavy, hot dipped galvanising suitable for high corrosive areas. Painting and finishes shall also be suitable for high corrosive areas.
- f) All screws, bolts, supports and other components shall be galvanised, stainless steel or shall be protected by another suitable method against the corrosive environment.

5.4 Competent Persons

It is definite requirements that competent technicians and engineers be used to install the systems. A second person (as a standby) with similar qualifications and experience shall be identified in case the preferred person cannot attend to a problem. The names, qualifications and experience of the persons shall be submitted to the Department for approval.

The systems require competent persons with in-depth experience of the following fields:

- a) Electronic systems.
- b) CCTV Security systems.
- c) Hardware and software setup and configuration.
- d) Intergration to the existing CCTV system at Pharmacy, Out patient and Main security offices at the main entrance.

6. LABELLING & SIGNAGE

6.1 Labels

All equipment shall have a unique number on a permanent label and fixed to the equipment, design and operating information.

The following information shall be indicated at each piece of equipment:

- a) The battery type and size. (next to the batteries)
- b) The sizes of all the fuses. (next to the fuses)
- c) The service provider must provider Greys Hospital with a comprehensive inventory list (including the serial number and area installed) of all cameras, switches, monitors, NVR, computers, etc.
- d) Complete schematic, wiring diagrams and operating instructions shall be laminated and fixed on the inside of all enclosures, kiosks and cabinets or on the wall next to a system.

6.2 Cable numbers

All cables shall be marked and neatly enclosed in conduit. At least the following requirements shall be met: Cables shall be numbered as follows:

- a) Cables shall be numbered with permanent labels fixed to the cables.
- b) Cables numbers shall be installed at each end of the cable, in each manhole and on each side of sleeves or other penetrations.
- c) A detailed cable schedule must be drawn up and submitted to the Department.

7. SYSTEM FEATURES

7.1 Cable Sleeves, wire ways, conduits and fixings

- a) All cable sleeves, wire ways, cable trays and conduits required by the security installation form part of the contract.
- b) The Contractor shall be responsible to ensure that the requirements of the security installation with regard to the cable sleeves, raceways and conduits shall be met.
- c) The Contractor shall provide detail layout drawings for the all cable sleeves, raceways, cable trays and conduits required by the security system for acceptance by the Department.
- d) The cable sleeves, raceways and conduits must conform to the current cable sleeves, raceways and conduits installed in the buildings.
- e) Protect cable ends at all times with acceptable end caps except during actual termination.
- f) Cable layout shall not be integrated with the Departments Information Technology (IT) cable layout infrastructure.

7.2 Sleeves

- a) PVC sleeves shall not be accepted. Only corrugated cable sleeves shall be used.
- b) The Contractor shall seal the ends of all sleeves with a non-hardening watertight and fireproof compound after the installation of cables. All sleeves intended for future use shall likewise be sealed.
- c) The position of sleeves shall be permanently marked on curbs, paving or other suitable surface.

7.3 Conduits

- a) Concealed conduits may be PVC, but exposed conduits shall be heavy galvanised steel. Only spacer saddles shall be used to fix conduit.
- b) The Contractor shall provide draw boxes in all conduits runs exceeding 25m, every 25 metres and after every two bends.
- c) Outdoor cable runs should be housed in UV-proof conduit.

7.4 Wire ways

- a) All wiring used must be clearly marked, where it connects, and on the inside of the control box where it connects, indicating at minimum the purpose, and to what system the wire is connected to.
- b) All control boxes installed must be lockable and have locks and keys.
- c) Concealed trunking may be PVC but exposed trunking shall be painted steel or heavy galvanised steel.

d) Small PVC trunking may be used for short runs close to installed equipment.

7.5 Cabling and Cable Trays

- a) Heavy galvanised wire mesh cable trays may be installed in equipment rooms and other concealed areas.
- b) All cabling to be neat and enclosed in conduit.
- c) Fibre optic cable shall not be subjected to any bend of less than an eight (8) inch radius.
- d) Avoid cable joins and avoid over-tightening cable-ties.
- e) Outdoor cable runs should be housed in UV-proof conduit.
- f) In lighting prone areas, install surge protection devices.
- g) Under no circumstances shall double sided tape be used anywhere on this installation for whatever purpose.

7.6 Fixings

- a) All conduit, wire ways and equipment shall be fixed with suitable screws. No glue or double sided tape fixing shall be acceptable.
- b) All fixings shall be according to the fixing supplier's recommendations for the type of surface that items are fixed to.

8. SYSTEMS FEATURES AND STANDARDS

8.1 Cameras

- a) Only high quality static, HD IP dome/swivel dome and/or Bullet type cameras and lenses must be installed (auto-iris and auto-focus lenses only).
- b) All cameras must be infrared and provided with motion detection to prevent unnecessary recording.
- c) FHD & HD and smooth picture, 1080p@30fps
- d) Composite monitoring, (Designing of the Optimum Viewing Distance where necessary)
- e) Low illumination, 0,05 with colour picture
- f) The cameras must allow for the cabling to exit from the rear end of the camera housing to prevent tampering of the cabling.
- g) Resolution generated by cameras must not be compromised.
- h) The system should be vandal resistance.
- i) All cameras must come with a 3 year warranty

8.2 Network Video Recorder (NVR)

- a) Each NVR must be able to accommodate a minimum for 15 Cameras and minimum external hard Drive storage of 4TB.
- b) The NVR must be able to store images for a period of 1 months/30 days on the external Hard Drive
- c) The monitoring image quality must be minimum of 1080P (1920x1080).
- d) The NVR should allow for analytic view.
- e) Digital time lapse/real time recorders
- f) The NVR must allow for rotation of cameras view at 5 to 8 seconds per frame and be able to

enlarge a specific frame for full viewing.

g) Watermark to be generated on all recorded images reflecting the institutions name.

8.3 Monitors

- a) The LED HD monitors/Screen should not be less than 32" and must be mounted on the wall for easy viewing.
- b) The maximum frames on the monitor must not exceed 16 cameras
- c) 1 Monitor will be used for static view of critical/high risk areas.
- d) 1 Monitor for displaying of maps, graphs and floor plan.

8.4 Operator/Client Workstation

CPU: Intel i7 4790

RAM: 8GB

Network: Ethernet (1000Base-T)
 Graphics card: 2GB Graphics Card

Disk: 120 GB SSD

OS: Windows 7 Pro 64 bit

8.5 Operating Temperature/humidity

-10 to 60 C

5-95% non-condensing

8.6 Housings

- a) Location indoor and outdoor.
- b) Vandalism resistant and total weight to be considered.
- c) Sufficient physical space for the camera, lens, electrical wiring and enough room to make the connections and allow for the future maintenance.
- d) Aluminium or rustproof and mounted onto load bearing points.
- e) Variation in temperature and washer camera housing.
- f) Intrinsically safe and highly corrosive.
- g) Cablings must exit from the rear of the cameras with protective housing.
- h) The CCTV-camera system must be maintained regularly during the guarantee period at least once quarterly.

8.7 Mounting

- a) Flat surface;
- b) Mounting plate must accept not less than four screws or bolts;
- c) Outdoor applications shall be in a weather-proof, ultra violet resistant housing.

8.8 Dry wall

Plugs or butterfly nuts may be used.

8.9 Brick wall

Expansion bolts or chemical bolts are acceptable

9. TRAINING

- 9.1 The service provider shall supply personnel to train identified Departmental employees on the operation of the system installed.
- 9.2 A training program shall be designed to provide a comprehensive understanding and the basic level competency with the system. It shall be sufficiently detailed to allow Departmental personnel to operate the system independent without any outside assistance and the training information should be inclusive in the system manual.
- 9.3 There must be a 24 hour call centre to provide technical support to the operator/end user of the CCTV system and/or a technician is available twice a week for a period of (6) six months to assist the ender user with any operational challenges. This should not be any additional call out cost for this purpose to KZN Health.

10. EARTHING, BONDING AND LIGHTNING PROTECTION

- a) The Contractor will be responsible for all earthing and bonding of the equipment supplied under this contract.
- b) The earthing and bonding of equipment is to be carried out strictly as described in the standard specifications and to the satisfaction of the Department.
- c) The Contractor shall provide high quality lightning protection equipment to protect the security equipment. The earthing and bonding shall be suitable for the lightning protection.
- d) The cost of earthing and bonding shall be included in other rates.
- e) All equipment must be guaranteed against lightning damage, and where damaged by lightning, maintenance and repairs will be for the cost of and the responsibility of the Contractor during the guarantee/warranty period.

11. OTHER WORK

- a) Construction and electrical works required for the contract should be carried out by persons registered with the CIDB or relevant regulatory bodies. The Contractor is however responsible to identify the work to be done by others and to inform the appropriate parties that the work needs to be done. The Contractor shall also follow up on the progress of the work and expedite the work if necessary.
- b) It is the responsibility of the Contractor to confirm that the quality of the work by others is acceptable for the security contract.

11.1 Builder's work

- a) Builder's work, holes, painting, making good, etc. required for this work forms part of this specification and must be allowed for in the rates.
- b) No cutting of structural concrete will be permitted unless the permission of the Department has been obtained beforehand in writing.
- c) The Contractor shall take care that all pipes, other electrical equipment and accessories to be chased, are firmly fixed in position in a manner acceptable to the Department.

d) The Contractor shall be responsible for the making good (including painting, plastering and patching) of all chases and openings in building work after equipment has been positioned.

11.2 Electrical work electrical requirement

- a) The electrical supply to the components of the system shall be supplied by others at 240V AC ±. Any electrical cabling and wiring from electrical supply to the equipment forms part of this contract. The contractor must appoint a qualified and licenced electrician to perform any electrical work which must be inclusive in the pricing.
- b) The power supply should comply with the Electrical Regulations and the SANS
- c) All electrical equipment shall be provided with a substantial earth terminal to which all metal parts are connected.
- d) All cabling must be housed in the existing trunking in the buildings. Where it is not possible for cabling to be routed in the existing trunking it shall be routed in YT 2 trunking where only machine bends will be acceptable.
- e) Any trunking shall be secured to walls by means round head brass screws and the correct inserts shall be installed at intervals of not more than 350mm.
- f) A UPS back up must be installed as part of the system and must be able to ensure that the system will work for at least 60 minutes during a power failure.
- g) Bidders must follow installation electrics in accordance with SANS 0142, certificate of compliance for electrical installations.
- h) All electrical equipment shall comply with the compulsory specification for the safety of electrical appliances as published in Government Gazette no 7464 under notice 466 of 1981.
- i) All electrical work is to be effected by, or under the direct supervision of, a licensed electrician.
- j) Ensure proper cooling or ventilation for power supplies

11.3 The bidder must submit the following requirements with the bid:

- a) Certificate of compliance with respect to safety requirements and quality assurance of the compulsory specification of the SANS;
- b) Submit the PSIRA registration certificate of the company and the project team members
- c) The Curriculum Vitae including certified qualifications and certificates of the directors and the project team members that will be utilised for the project must be submitted with the proposal.
- d) References and contact details relevant to similar CCTV systems projects.
- e) A comprehensive project plan must form part of the bid which must outline the following:
- should provide for how the service provider will submit the layout plans of the electronic security system,
 - · timeframes for reporting on progress and dealing with shortcoming,
 - the type of equipment/product that will be utilised,
 - the capabilities and skill of its Human Resources,
 - · the testing and commissioning of the CCTV systems,
 - the training strategy of KZN Health personnel,
 - Minimum disruption of Health Care Services during installation, and
 - · A comprehensive maintenance plan strategy.

NB: Failure to submit the above documents with the bid will result in being disqualified.

11.4 Mechanical work

Fans and air conditioning units will be supplied by the contractor according to the requirements of the control room where applicable.

11.5 Civil work

The security contractor is however responsible to repair areas immediately around the areas that he works. The cost for this should be included in the contract rates.

12. VOLTAGE SURGES

- a) All damage caused by voltage surges must be fixed under this contract at no additional cost. No claims for voltage surge damage will be considered.
- b) Please note that the installation areas may have high incidences of lightning and voltage surges must therefore be expected.
- c) The Contractor is advised to check the surge protection and earthing and install or replace the surge protection equipment on the systems and to regularly check the surge protection equipment for proper operation.
- d) The Contractor shall use the services of a surge protection specialist to determine what surge protection is required and to what standard the surge protection should be installed.
- e) The Contractor will be responsible for all earthing and bonding of the equipment supplied under this contract.
- f) The earthing and bonding of equipment is to be carried out strictly as described in the standard specifications and to the satisfaction of the Departments representative.
- g) Back-up emergency power supply should be provided

13. SOFTWARE & HARDWARE

All software supplied shall comply with the following:

- a) Software shall be supplied with installation CDs. Copies of the installation CDs shall be in the manuals and shall kept in the control room.
- b) The licensed of software must not be limited for the required number of users.
- c) Software and hardware licenses shall be permanent i.e. the licenses shall not expire, stop working after a period or attract an annual fee.
- d) Any annual maintenance fees should be included as part of the maintenance rates.
- e) Setup and configuration information of the operating systems and application software shall be properly documented in the manuals so that it will be easy for another person to set up and configure the system.
- f) Software must be updated/upgraded should a new version become available however it must not interfere with the systems operations.
- g) The system shall provide a graphical user interface (GUI) which enables users to easily see all resources (Cameras, Audio components, databases, Inputs, Outputs, Layouts etc.) on a complete site, and shall not be limited to specific I.P Network Video Servers
- h) The user shall be able to customise the monitors so that they can view different components (e.g. maps, cameras, integration data etc. on different monitors, or on window "tabs" on the same monitor.

14. SECURITY MEASURES

- a) All software programs, computers, networks and associated equipment shall be protected by suitable encryption and password structures to ensure that only authorised persons have access to the systems and software.
- b) Firewalls, passwords, keys and data encryption shall be used on all possible external links to the computer systems and networks. External links include WLAN, GSM, Internet, telephone systems, etc.
- c) A suitable password structure shall be put in place to limit the functions that a person can perform on the systems. At least the following structure shall be implemented:
- d) Administrator level: Software and system maintenance including configuration i.e. no restrictions.
- e) Supervisor level: This level will allow a supervisor to change some settings, create reports, make backups, etc.
- f) Operator level: This level will allow viewing, writing DVDs, printing reports and other operator functions.
- g) Viewing level: This is the default level and only allows basic viewing functions.
- h) Damage caused by negligence of a KZN Health employee performing unauthorised functions such as games, videos and music shall be repaired by the contractor at the cost of KZN Health.

15. SPECIAL TESTING OF AN INSTALLATION

- a) The Department may at any time inspect any part of the entire installation at his discretion order special tests to be carried out on complete installations, to verify the satisfactory functional condition of the installation.
- b) The Department reserves the right to select at random equipment and trade practices to be tested for compliance with specifications as specified in this Contract document.
- c) The Contractor shall provide all equipment, tools and instruments required for testing.
- d) The Contractor shall respond to a breakdown registration by travelling to Site to evaluate the breakdown (scope of repair work), estimate the realistic downtime and provide feedback to the Department.
- e) The delivery time of a new component/subassembly/machine or spares required for the repair of the defective component/subassembly does not enable the Contractor to successfully complete the repair work within the maximum breakdown down-time allowed

16. COMMUNICATION PLAN DURING THE GAURANTEE PERIOD

- a) The plan will provide, after agreement between the Contractor and the Department, including a communication and complaint logging procedure.
- b) The Contractor must be available 24 hours a day 24/7 365 days a year, with a max turnover of 1 hour for calls and a 8 hour max repair time.
- c) The Contractor shall establish a telephone and fax line and a cellular telephone connection to ensure that he/she can be reached at any time.

17. SPECIAL CONDITIONS OF CONTRACT (BY THE END-USER)

- a) The General Conditions of Contract issued by National Treasury as part of Supply Chain Practice Note 1 of 2003 will apply. No amendment to the General Conditions of Contract is allowed. The successful bidder (s) contracts will, in addition, enter into a Service Level Agreement, which will include the following conditions:
 - · Quarterly assessment of the performance;
 - · Penalties for poor performance;
 - Provisions for Penalties;
 - Communication with the appointed KZN Health contract officer;
- b) The Department reserves the right not to award the bid.
- c) Staffing requirements will be identified at the onset of the project and shall remain unchanged for the duration of the project, unless prior written consent has been granted by the KZN Health.
- d) No material or information derived from the provision of the services under the contract may be used for any other purposed except for those of the, except where duly authorized to do so in writing by the KZN Health.
- e) Copyright in respect of all documents and data prepared or developed for the purpose of the project by the Service Provider shall be vested in **KZN Health**.
- f) The successful Service Provider agrees to keep confidential all records and information of, or related to the project and not disclose such records or information to any third party without the prior written consent of KZN Health.
- g) The contractor is responsible to provide a shed to store all his equipment and tools. The KZN Health will not be held liable to safeguard the property of the contractor while such property is on KZN Health premises.
- h) Registration on the KZN Suppliers' Database.
- i) Over and above the awarding of preference points, the following activities will be regarded as a contribution towards achieving the goals of the Reconstruction and Development Programme. (Published in the Government Gazette No 16085 dated 23 November 1994) and will be taken into consideration during the evaluation and awarding process.
 - a) the promotion of enterprises located in the Province of KZN; or
 - b) the promotion of companies located in the District the bid, or
 - c) the promotion of companies located in a municipal area for services to be rendered in that municipal area

18. PRICING SCHEDULE

EQUIPMENT	MAKE	COST PER UNIT	COST PER QUANTITY
(0) x 1 MP HD IP Infrared Dome Cameras			
(10) x 2 MP IP HD Dome cameras:			
(0) x 1 MP IP HD Bullet Cameras with number plate recognition.			
(5) x 2 MP IP HD Infra-red Builet Cameras			
2 x NVRs: minimum 32 channels & minimum			
2x4 TB external Hard Drive			
1 x 20" HD monitor			
2 HD Monitors: Minimum 32"			
Work Station PC			
1 x 5 shelf double door lockable sever/NVR racks			
Switchers(to be determined by the service provider)			
CAT6e			
Consumables and sundries (conduit, screws, etc.)			
Sub Total			
Labour cost/travelling			
VAT			
Total			
Maintenance cost for 24 months inclusive of VAT			

Maintenance cost for 24 months

BILL OF QUANTIITES: GREYS HOSPITAL

"ANNEXURE A"

SUPPLY AND INSTALL AN INTEGRATED CCTV SYSTEM FOR GREYS HOSPITAL IN THE FOLLOWING IDENTIFIED AREAS AND SPECIFICATIONS:

1. Camera Positions & type:-

· Camera specifications are listed here under:

1.1	Χ-	RAY DEPARTMENT		
	1	Patient waiting area	1 x 2MP	Dome HD Infra-red camera
	2	Passage to	1 x 2MP	Dome HD Infra-red camera
	3	Entrance to	1 x 2MP	Dome HD Infra-red camera
1.2	ON	COLOGY		
	1	Patient waiting area	1 x 2MP	Dome HD Infra-red camera
	2	Passage to	1 x 2MP	Dome HD Infra-red camera
	3	Entrance to	1 x 2MP	Dome HD Infra-red camera
1.3	ME	EDICAL RECORDS		
	1	Patient waiting area	1 x 2MP	Dome HD Infra-red camera
	2	Passage to	1 x 2MP	Dome HD Infra-red camera
	3	Entrance to	1 x 2MP	Dome HD Infra-red camera
1.4	MA	IN REGISTRY		
	1	Patient waiting area	1 x 2MP	Dome HD Infra-red camera
	2	Passage to	1 x 2MP	Dome HD Infra-red camera
	3	Entrance to	1 x 2MP	Dome HD Infra-red camera
1.5	ALI	LIED HEALTH AREA		
	1	Patient waiting area	1 x 2MP	Dome HD Infra-red camera
	2	Passage to	1 x 2MP	Dome HD Infra-red camera
	3	Entrance to	1 x 2MP	Dome HD Infra-red camera
1.6	ADI	MIN BLOCK – INSIDE ENTRANCE		
	1	Front door, stair well & lift.	1 x 2MP	Dome HD Infra-red camera
	2	Rear entrance - Doctors floor	1 x 2MP	Dome HD Infra-red camera
	3	Switchboard	1 x 2MP	Dome HD Infra-red camera
1.7	UNI	DER COVER PARKING		
	1	Main Entrance to under cover parking	1 x 2MP	Bullet Type HD Infra-red camera
	2	Door leading to Medical Records	1 x 2MP	Dome HD Infra-red camera

1.8	M.A	ATERNITY / VISITORS CAR PARKING		
	1	Front entrance & parking	2 x 2MP	Dome HD Infra-red camera
	2	Back entrance	2 x 2MP	Dome HD Infra-red camera
1.9	MA	NNTENANCE WORKSHOP		
	1	Front entrance gate	1 x 2MP	Bullet Type HD Infra-red camera
	2	Workshop area	1 x 2MP	Bullet Type HD Infra-red camera
1.10	ВО	ILER HOUSE		
	1	Front entrance	1 x 2MP	Bullet Type HD Infra-red camera
	2	HFO tanks	1 x 2MP	Bullet Type HD Infra-red camera
	3	Rear of Boiler House	1 x 2MP	Bullet Type HD Infra-red camera
1.11	TR	ANSPORT DEPARTMENT		
	1	Parking area	2 x 2MP	Bullet Type HD Infra-red camera
1.12	MA	IN PLANT ROOM		
	1	Patient waiting area	1 x 2MP	Dome HD Infra-red camera
	2	Passage to	1 x 2MP	Dome HD Infra-red camera
	3	Entrance to	1 x 2MP	Bullet Type HD Infra-red camera

Totals:

2 MP Dome Infra-red HD: 25 2 MP Bullet Infra-red HD: 09

COMPREHENSIVE MAINTENANCE AFTER THE GUARENTEE/WARRANTY PERIOD HAS 1. **EXPIRED**

The Contractor shall fully guarantee and provide fully comprehensive maintenance for a period until after completion of the repairs.

Bullet Type HD Infra-red camera

The maintenance shall consist of preventative and breakdown maintenance (As specified in the Maintenance Specification) with the purpose of keeping the complete installation in fully working condition as specified in the additional specifications.

Please note the following deliverables:

Allow for monthly, on-site maintenance inspections and for call outs.

The functionality and reliability of all communications, cables, batteries, surge protection, settings, adjustments, equipment, etc. shall be confirmed and repaired and corrected if

Training shall be provided to the operators and managers. Exceptions shall be explained and rectified.

Software settings and configurations shall be confirmed and rectified. The IP-integrity (dust and water) and locks of all enclosures equipment areas shall be confirmed and rectified.

The log books shall be updated and completed and a monthly report shall be issued and submitted to the Department.

1. PART A

2.1 GENERAL EQUIPMENTS REQUIREMENTS

All equipment and components shall be brand new, of highest quality, the most recent models and suitable for the application. Special attention shall be given to the availability of spare parts and support for at least 5 years, after delivery, installation and commissioning.

Plug-top power supplies will only be allowed if it is not possible to feed a unit from a fixed power supply. Plug adaptors, however, are to be disallowed.

2.2 **ENVIRONMENT**

Ensure that all components are properly protected against possible environmental conditions.

All galvanising shall be heavy, hot dipped galvanising suitable for high corrosive areas. Painting and finishes, similarly shall also be suitable for high corrosive areas.

All screws, bolts, supports and other components shall be galvanised, stainless steel or shall be protected by another suitable method against the corrosive environments.

2.3 COMPETENT PERSONS

It is definite requirements that competent technicians and engineers be used to test, service, maintain and repair the systems. A competent person shall inspect the systems and shall attend to any problems requiring his attention. A second person (as a standby) with similar qualifications and experience shall be identified in case the preferred person cannot attend to a problem. The names, qualifications and experience of the persons shall be submitted to the Department for approval.

The systems require competent persons with in-depth experience in the following fields:

- a) Electronic systems.
- b) Security systems.
- c) Analogue and IP CCTV.
- d) Hardware and software setup and configuration.

2.4 OPERATING AND MAINTENANCE MANUALS

An existing operation and maintenance manual is available and shall be extended if the type of equipment and functioning of any component or system is changed. All additions to the manual shall be provided in printed.

2.5 **LABELLING & SIGNAGE**

2.5.1 Labels

All equipment shall have a unique number on a permanent label and fixed to the equipment. These numbers shall correspond with that on the drawings and in the manuals.

2.5.2 Design and operating information

The following information shall be indicated on each piece of equipment:

- The battery type and size. (next to the batteries)
- The sizes of all the fuses. (next to the fuses)

Complete schematic, wiring diagrams and operating instructions shall be laminated and fixed on the inside of all enclosures, kiosks and cabinets or on the wall next to a system.

2.5.3 Cable numbers

All cables shall be marked. At least the following requirements shall be met:

Cables shall be numbered as follows:

Cables shall be numbered with permanent labels fixed to the cables.

Cables numbers shall be installed at each end of the cable, in each manhole and on each side of sleeves or other penetrations.

2. CABLE SLEEVES, WIRE WAYS, CONDUITS AND FIXINGS

All cable sleeves, wire ways, cable trays and conduits required by the security installation form part of the contract.

The Contractor shall be responsible to ensure that the requirements of the security installation with regard to the cable sleeves, raceways and conduits shall be met. The Contractor shall check the security layout drawings and provide detail layout drawings for the all cable sleeves, raceways, cable trays and conduits required by the security system for acceptance by the Department.

3.1 Sleeves

PVC sleeves shall not be accepted. Only corrugated cable sleeves shall be used.

The Contractor shall seal the ends of all sleeves with a non-hardening watertight and fireproof compound after the installation of cables. All sleeves intended for future use shall likewise be sealed.

The position of sleeves shall be permanently marked on curbs, paving or other suitable surface.

3.2 Conduits

Concealed conduits may be PVC but exposed conduit shall be heavy galvanised steel. Only

spacer saddles shall be used to fix conduit.

The Contractor shall provide draw boxes in all conduits runs exceeding 25m, every 25metres and after every two bends.

3.3 Wire ways

Concealed trunking may be PVC but exposed trunking shall be painted steel or heavy galvanised steel. Small PVC trunking may be used for short runs close to installed equipment.

3.4 Cable trays

Heavy galvanised wire mesh cable trays may be installed in equipment rooms and other concealed areas.

3.5 Fixings

All conduit, wire ways and equipment shall be fixed with suitable screws. No glue or double sided tape fixing shall be acceptable.

All fixings shall be according to the fixing supplier's recommendations for the type of surface that items are fixed to.

3. EARTHING, BONDING AND LIGHTNING PROTECTION

The Contractor will be responsible for all earthing and bonding of the equipment supplied under this contract.

The earthing and bonding of equipment is to be carried out strictly as described in the standard specifications and to the satisfaction of the Department.

The Contractor shall provide high quality lightning protection equipment to protect the security equipment. The earthing and bonding shall be suitable for the lightning protection.

The cost of earthing and bonding shall be included in other rates.

4. OTHER WORK

Builders work and electrical work form part of this contract but some work as described below may be done by others. The Contractor is, however, remains responsible to identify the work to be done by others and to inform the appropriate parties that the work needs to be done. The Contractor shall, also, follow up on the progress of the work and expedite the work, if necessary.

It is the responsibility of the Contractor to confirm that the quality of the work by others is an acceptable standard for the security contract.

5.1 Builder's work

Builder's work, holes, painting, making good, etc. required for this work forms part of this specification and must be allowed for in the rates.

No cutting of structural concrete will be permitted unless the permission of the Department has been obtained beforehand in writing.

The Contractor shall take care that all pipes, other electrical equipment and accessories to be

chased, are firmly fixed in position in a manner acceptable to the Department.

The Contractor shall be responsible for the making good (including painting, plastering and patching) of all chases and openings in building work after equipment has been positioned.

5.2 Electrical work

The electrical supply to the components of the system shall be supplied by others at 230V AC \pm 10% as close as possible to but within 10m of the indicated positions. The Contractor will have to specify at which points he will require a power supply. Any electrical cabling and wiring from electrical supply to the equipment forms part of this contract.

5.3 Mechanical work

Fans and air conditioning units will be supplied by others according to the requirements of the control room.

6 SOFTWARE & HARDWARE

All software supplied shall comply with the following:

- a) Software shall be supplied with installation CDs. Copies of the installation CDs shall be in the manuals and shall kept in the control room.
- b) The licensed of software must not be limited for the required number of users.
- c) Software and hardware licenses shall be permanent i.e. the licenses shall not expire, stop working after a period or attract an annual fee.
- d) Any annual maintenance fees should be included as part of the maintenance rates.
- Setup and configuration information of the operating systems and application software shall be properly documented in the manuals so that it will be easy for another person to set up and configure the system.
- f) Software must be updated/upgraded should a new version become available however it must not interfere with the systems operations.
- g) The system shall provide a graphical user interface (GUI) which enables users to easily see all resources (Cameras, Audio components, databases, Inputs, Outputs, Layouts etc.) on a complete site, and shall not be limited to specific I.P Network Video Servers
- h) The user shall be able to customise the monitors so that they can view different components (e.g. maps, cameras, integration data etc. on different monitors, or on window "tabs" on the same monitor.

6.1 Security measures

- a) All software programs, computers, networks and associated equipment shall be protected by suitable encryption and password structures to ensure that only authorised persons have access to the systems and software.
- b) Firewalls, passwords, keys and data encryption shall be used on all possible external links to the computer systems and networks. External links include WLAN, GSM, Internet, telephone systems, etc.
- c) A suitable password structure shall be put in place to limit the functions that a person can perform on the systems. At least the following structure shall be implemented:
- d) Administrator level: Software and system maintenance including configuration i.e. no restrictions.
- e) Supervisor level: This level will allow a supervisor to change some settings, create reports, make backups, etc.
- f) Operator level: This level will allow viewing, writing DVDs, printing reports and other operator functions.
- g) Viewing level: This is the default level and only allows basic viewing functions.
- h) Damage caused by negligence of a KZN Health employee performing unauthorised functions such as games, videos and music shall be repaired by the contractor at the cost of KZN Health.

7. VOLTAGE SURGES

All damage caused by voltage surges must be fixed under this contract at no additional cost. No claims for voltage surge damage will be considered.

Please note that the installation areas may have high incidences of lightning and voltage surges must therefore be expected.

The Contractor is advised to check the surge protection and earthing and install or replace the surge protection equipment on the systems and to regularly check the surge protection equipment for proper operation.

The Contractor shall use the services of a surge protection specialist to determine what surge protection is required and to what standard the surge protection should be installed.

The Contractor will be responsible for all earthing and bonding of the equipment supplied under this contract.

The earthing and bonding of equipment is to be carried out strictly as described in the standard

specifications and to the satisfaction of the Departments representative.

8. MEASUREMENTS & PAYMENTS

8.1 REPAIR PERIOD

Monthly payment will be made for work that have been completed and tested. New rates shall be submitted to the Department for approval before the equipment is ordered and the work is done.

8.2 **GUARANTEE**

The Supplier shall fully guarantee all products for a minimum period of one year. Please note the following deliverables:

- a) Site Maintenance Administrator, Routine Housekeeping & regular Refresher training shall be provided to the operators and managers. Incident and Exceptions reports shall be explained and rectified.
- b) Software settings and configurations shall be confirmed and rectified.

PART B

1. COMPREHENSIVE MAINTENANCE SPECIFICATION

1.1 SCOPE

Maintenance of the specified systems, services and/or parts of buildings and infrastructure shall all be referred to as "Maintenance Control Plan of an Installation". Maintenance of all completed and commissioned installations shall ensure reliable functioning and optimum service life thereof

Maintenance of an installation shall be performed in accordance with the Specifications, the Operating and Maintenance Manuals (where applicable) and the Maintenance Control Plan.

Remuneration for maintaining "installations" (systems, services and/or buildings and parts of the infrastructure) in good functional condition is provided for in the Bills of Quantities by means of regular service payment items.

This Additional Specification covers maintenance requirements, development of a maintenance control plan, identification of equipment, site maintenance administration, maintenance performance measurement, as well as the items for measurement of the Contractor's service level and resulting payment.

2. CONTRACTOR'S RESPONSIBILITIES

The Contractor shall maintain the complete installations for the maintenance period.

Maintenance implies and shall include regular preventative maintenance, corrective maintenance, as well as breakdown maintenance on all components of the specified installations.

The maintenance control plan will be developed by the Contractor, to schedule the frequency of routine inspections and format of reports. The Contractor shall carry out 3-monthly inspections on the equipment as detailed in the maintenance control plan.

Each inspection, test or breakdown shall be recorded in an approved format and listed in the inspection report (part of the maintenance control plan).

The Contractor shall ensure through training that the operating and maintenance personnel are conversant with the instructions as presented in the Operating and Maintenance Manuals. Continued, on-going- regular refresher training shall be included in the scope of maintenance work for the duration of the maintenance contract period.

The Operating and Maintenance Manuals, as approved by the Department, shall be used as a basis of preventative maintenance. The Contractor shall perform all preventative and corrective maintenance as described in the Operating and Maintenance Manuals. This shall be in accordance with the Technical and Particular Specifications.

The Contractor shall, as part of his maintenance responsibilities repair or replace faulty equipment upon logging of a breakdown, within the specified down-time at the Contractor's cost.

The Contractor shall not claim additional establishment costs where repair work is to be carried out during the maintenance phase.

The Contractor shall rectify any faulty condition of which he becomes aware, even if it has not been logged. Such rectification shall also be logged and listed in the inspection report.

3. GUARANTEE & COMPREHENSIVE MAINTENANCE

The Contractor shall fully guarantee and provide fully comprehensive maintenance for a period until after completion of the expansion.

Please note the following deliverables:

Allow for monthly, on-site maintenance inspections and for call outs.

The functionality and reliability of all communications, cables, batteries, surge protection, settings, adjustments, equipment, etc. shall be confirmed and repaired and corrected if necessary.

Site Maintenance Administrator, Routine Housekeeping & regular.

Refresher training shall be provided to the operators and managers.

Incident and Exceptions reports shall be explained and rectified.

Software settings and configurations shall be confirmed and rectified.

The IP-integrity (dust and water) and locks of all enclosures equipment areas shall be confirmed and rectified.

The log books shall be completed and a monthly report shall be submitted to the Department.

4. CONDITIONS FOR EXCEEDING THE CONTRACTOR'S LIABILITY DUE TO OPERATIONAL DAMAGE BREAKDOWNS

Operational damage shall be defined for the purpose of this clause as being any damage caused on purpose, by accident or through negligence by the User Client's employees, associates (where applicable), suppliers, subcontractors, etc for any reason whatsoever. Where repair work is necessitated during the contract as a result of operational damage caused by User Clients or their associates, the Contractor will be requested to:

- (a) perform the work, using rates bid for the supply, delivery and installation of material forming part of the bills of quantities, within the maximum down-time allowed for operational damage, where the Department rules that the damage has been caused by incorrect operation;
- (b) submit one (1) quotation for repair and/or replacement of the damaged unit, where rates bid are not available and where the Department rules that the damage caused is operational;
- (c) perform the work on receipt of an official order from the Department, within the time offered as part of the quotation,
- (d) notify the Department well in advance of completion of the repair work [in order to] enable inspection, and
- (e) Refrain from claiming additional establishment costs for such work. The responsibility of determining whether damage to the installation was caused by people, other than employees or associates of the Contractor, shall rest with the Department.
- (f) Operational damage caused by the employees, associates, suppliers, subcontractors, etc of the Contractor, shall be repaired by the Contractor at his own cost.

5. CONDITIONS FOR EXCEEDING THE CONTRACTOR'S LIABILITY ABOVE MARGINAL BREAKDOWN COST

- a) The defective parts/components/subassemblies must be identifiable as the result of a single breakdown.
- b) The Contractor shall submit a written report to the Department for approval. This report shall contain the following information
- c) The make and model number of the item serviced/inspected/ repaired/replaced;
- A description or name and part number of the defective part/component or subassembly;
- e) A statement on whether the component could be repaired, together with a cost estimate;
- f) A quotation valid for a minimum period of 60 calendar days if the component/part/subassembly has to be replaced or repaired by an outside firm. If the sub-assembly/machine is to be repaired or replaced by an outside company, the Contractor shall supply one (1) quotation for such parts/repairs or a quotation from any sole supplier. Only an original quotation will be accepted.
- g) The expected urgency for the replacement or repairs, and
- h) The delivery time of a new component/subassembly/machine or delivery times on spares required to repair the defective component/ subassembly.
- i) A written approval to proceed with the work must be issued by the Department. Copies of the original VAT invoices from outside companies for all repairs or spare parts supplied must be

STANDARD QUOTE DOCUMENTATION OVER R30 000.00

YOU ARE HEREBY IN DATE ADVERTISED:, PHYSICAL ADDRESS								3		********					
ZNQ NUMBER:		CLOSIN	G DATE:				CL	OSIN	G TIM	1E: 11	:00				
DESCRIPTION															
CONTRACT PERIOD															
SARS PIN		······													
CENTRAL SUPPLIER D	ATABASE REGIST	RATION (CSD) I	NO. [I					
DEPOSITED IN THE QUE	OTE BOX SITUATE	ED AT (STREET	ADDRE	SS)				П				П	I		I
201 Northern Park,	Townbush Road	Pietermaritzt	ourg 32	 00	• • • • • • • • • • • • • • • • • • • •		••••••		******	••••••				• • • • • • • • • • • • • • • • • • • •	
Bidders should ensure consideration.	that quotes are o	delivered timeo	usly to	the corr	ect ac	dres	s. If th	ne qu	ote is	late,	it wi	ll not	be ac	cepte	
The quote box is open from	om 08:00 to 15:30.														
ALL QUOTES MUST BE	SUBMITTED ON T	HE OFFICIAL FO	DRMS -	(NOT TO	BE R	E-TYF	PED)								
THIS QUOTE IS SUB PROCUREMENT REGUL CONDITIONS OF CONT	-ATIONS, 2011, TH	REFERENTIAL E GENERAL CC	PROCU NDITION	IREMEN NS OF C	t po Ontr	LICY ACT (FRAN GCC)	IEWO AND,	RK A	ACT PLICA	AND ABLE,	THE ANY C	PREF)THEF	EREN R SPE	ITIAL :CIAL
	TH (FAILURE TC	E FOLLOWING DO SO WILL R	PARTICI ESULT I	ULARS I N YOUR	MUST QUO	BE FL TE BE	JRNIS ING D	HED ISQU	ALIFII	ED)					
NAME OF BIDDER	***************************************								• • • • • • • •						
POSTAL ADDRESS	***************************************		••••••				,,,								
STREET ADDRESS				•••••									••••		
TELEPHONE NUMBER	CODENUM	BER		. FACSI	MILE I	NUMB	ER	CODE		NU	MBER	l			
CELLPHONE NUMBER															
E-MAIL ADDRESS															
VAT REGISTRATION NU	MBER (If VAT vend	or)	•••••	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •										
HAS A B-BBEE STATUS													ES]	NO	
IF YES, WHO WAS THE	CERTIFICATE ISSU	ED BY?									[ΤΙΟ	K APP	LICAE	BLE B	OX]
AN ACCOUNTING OFFIC A VERIFICATION AGENC A REGISTERED AUDITO [A B-BBEE STATUS LEV TO QUALIFY FOR PREFI	REL VERIFICATION	CERTIFICATE/S	FRICAN	ACCRE	DITAT	ION S	SYSTE	M (SA	(NAS));	• • • • • • • • • • • • • • • • • • • •		•••••	•••••	
		•										YE	s	NO	

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS / SERVICES / WORKS OFFERED? [IF YES ENCLOSE PROOF]

	Quantity	Description		В		Country of	Price	
					Brand & model	manufacture	R	C
								+
								+
								+
								1
							<u> </u>	+
								+
								+
								+
								+
								+
								T
								_
								+
								+
								1
								+
/ALUE ADD	ED TAX (Or	ly if VAT Vendor)						+
TOTAL QUO	TATION PR	ICE (VALIDITY PERIOD 60 D	Days)					
oes This Offe	er Comply W	ith The Specification?	Door Ti	o Artiolo Confo	To The O A N C	. / 0 4 B 0 0 0 0 0 0 0		
The Price Fi	rm?	in the openication:	State D	elivery Period F	.G. E.G. 1day, 1wo	S. / S.A.B.S. Specification	n?	

DECLARATION OF INTEREST

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where
 - the bidder is employed by the state; and/or
- the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.

		oral artic acto arta por como milo art	o initiation carrie	the evaluation and or ad	judiodilon of the quote.		
2.	In order to give effect to the	e above, the following questionn	aire must be	completed and submitted v	with the quote.		
2.1	. Full Name of bidder/repre	sentative	2.4.	Company Registration N	umher		
2.2	. Identity Number:		2.5.	Tax Reference Number:	***************************************		
2.3	. Position occupied in the C	ompany (director, trustee, share	holder²):2.6.	VAT Registration Number	r:		
2.7	. The names of all directors	s / trustees / shareholders / mem rs must be indicated in paragrap	nbers, their in	dividual identity numbers,			applicable, PLICABLE
2.8	. Are you or any person con	nected with the bidder presently	v employed b	v the state?	· -	YES	NO
2.8	.1. If so, furnish the following	particulars:	,	,	<u>_</u>	ilo j	140
		trustee / shareholder/ member:					
	Name of state institution at	which you or the person connec	ted to the bid	lder is employed:			
2.0	Position occupied in the sta	ate institution:		Any other particulars:.			
2.8	in the public sector?	ployed by the state, did you obta	in the approp	riate authority to undertak			
2.8	•	proof of such authority to the quo	sta document	2	Ľ	YES	NO
		ich authority, where applicable, r			ruote)		
2.8	2.2. If no, furnish reasons	for non-submission of such proo	f:	no diagrammodion or the c			_
2.9	Did you or your spouse, o	r any of the company's directors	/ trustees / s	hareholders / members or	r their spouses conduct	busine	ss with the
	state in the previous twelv	e months?				/ES	NO
2.9	.1. If so, furnish particulars:		•••••				
2.1	U. Do you, or any person cor	nnected with the bidder, have an	y relationship	(family, friend, other) with			
2.1		evaluation and or adjudication of				/ES	NO
2.1	o. i. ii so, iuimisii particulais. 1. Are voli, or anv nerson co	nnected with the bidder, aware o	f any relation	shin (family friend other)	 hetween any other hidd	or and	any noreon
		o may be involved with the evalu			. <u> </u>	EI AIIU A	NO NO
2.1						IES	INO
2.13	Do you or any of the direct	ors / trustees / shareholders / me	embers of the	company have any interes	st in any other related ox	ompanie	es whether
	or not they are bidding for			•		ÆS	NO
2.13	If so, furnish particulars:		•••••	· · · · · · · · · · · · · · · · · · ·			
3. NB:	The Department Of Health to ensure that their details	trustees / members / sharehol a will validate details of director are up-to-date and verified on ased over as non-compliant acco	s / trustees / CSD. If the D	epartment cannot validate	e the information on C	iers' res SD, the	ponsibility quote will
4	DECLARATION						
	HE UNDERSIGNED (N. RNISHED IN PARAGRA	AME) APHS 2.		CEF	CTIFY THAT THE IT	VFORI	MATION
	CCEPT THAT THE STA OVE TO BE FALSE.	TE MAY REJECT THE QU	OTE OR A	CT AGAINST ME SHO	OULD THIS DECLA	RATIC)N
	ne of bidder	Signature		Position		•••••	•••••
14 Q to	ite" means –						
a) b)	any national or provincial depart	artment, national or provincial public e ne meaning of the Public Finance Mana tity:		provincial legislature; national Assembly or the nation Parliament.	nal Council of provinces; or		

^{2*}Shareholder* means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- The institution is under no obligation to accept the lowest or any quote.
- 3.2. The price quoted must include VAT (if VAT vendor). However, it must be noted that the department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.3. The bidder must ensure the correctness & validity of quote:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
- 3.4. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.5. This quotation will be evaluated based on the 80/20 points system, specification & correctness of information. All required documentation must be completed in full and submitted.
- 3.6. Offers must comply strictly with the specification.
- Only offers that meet or are greater than the specification will be considered.
- 3.8. Late quotes will not be considered.
- 3.9. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.10. A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
- 3.11. All delivery costs must be included in the quote price, for delivery at the prescribed destination.
- 3.12. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.13. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.14. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders have multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.

4. SAMPLES

- 4.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 4.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

COMPULSORY SITE INSPECTION / BRIEFING SESSION

5.1.	Bidders who fail to attend the compulsory meeting will be disqua	alified from the evaluation process.
(i) (ii)	The institution has determined that a compulsory site meeting Date/ Time: Place	take place
Instit	ution Stamp:	Institution Site Inspection / briefing session Official
l)		Full Name:
		Signature:
		Date:

6. STATEMENT OF SUPPLIES AND SERVICES

6.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

7. SUBMISSION AND COMPLETION OF SBD 6.1

7.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

8. TAX COMPLIANCE REQUIREMENTS

- 8.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 8.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

9. TAX INVOICE

- 9.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

10. PATENT RIGHTS

10.1. The supplier shall indemnify the KZN Department of Health (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

11. PENALTIES

11.1. if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract.

12. TERMINATION FOR DEFAULT

- 12.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 12.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 12.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act:
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - B-BBEE Status level certificate issued by an authorized body or person;
 - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

THE 80/20 PREFERENCE POINT SYSTEMS 3.1

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P \min}{P \min} \right)$$
 Where

Ps

Points scored for price of bid under consideration

Pt

Price of bid under consideration

Pmin

Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for 4.1 attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
44	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5.	BID	DECL	AR4	TIO
J.	טום	DEGL	AKA	A I IUI

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1 6.

6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING (Tick applicable box) 7.1 Will any portion of the contract be sub-contracted? YES NO 7.1.1 If yes, indicate: What percentage of the contract will be subcontracted.....% The name of the sub-contractor.... The B-BBEE status level of the sub-contractor.....

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms YES NO of Preferential Procurement Regulations, 2017: Designated Group: An EME or QSE which is at last 51% owned by: EME **QSE** $\sqrt{}$ Black people Black people who are youth Black people who are women Black people with disabilities Black people living in rural or underdeveloped areas or townships Cooperative owned by black people Black people who are military veterans OR **Any EME** Any QSE

9.	DECLARATION WITH REGARD TO COMPANY/FIRM						
9.1	Name of company/firm:						
9.2	VAT registration number:						
9.3		Company registration number:					
9.4	TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]						
	□ Or □ Ch □ Cc	ortnership/Joint Venture / Consortium the person business/sole propriety tose corporation the person business/sole propriety the person business/sole propri					
9.5		DESCRIBE PRINCIPAL BUSINESS ACTIVITIES					
 9.6	****************	Y CLASSIFICATION [TICK APPLICABLI					
	□ Ma □ Su □ Pro	nufacturer oplier ofessional service provider oer service providers, e.g. transporter, et					
9.7	Total number of years the company/firm has been in business:						
9.8	I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:						
	i) The information furnished is true and correct;						
	ii) The p	The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;					
	iii) In the	iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;					
	iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –						
	(a) disqualify the person from the bidding process		cess;				
		recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;					
	(c) ca	cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;					
	of	o acted on a fraudulelit basis, be restric	its shareholders and directors, or only the shareholders and directors cted by the National Treasury from obtaining business from any organ ars, after the audi alteram partem (hear the other side) rule has been				
	(e) for	ward the matter for criminal prosecution.					
	WITNESS		SIGNATURE(S) OF BIDDERS(S)				
1							
	2		ADDRESS				