


SharePoint

Doko Lwazi



KWAZULU-NATAL PROVINCE  
REPUBLIC OF SOUTH AFRICA

## KZN Health Intranet

Search this site

KZN HEALTH  
[HOME](#) [CORPORATE INFORMATION](#) [COMPONENTS](#) [DIRECTORY](#) [DISTRICT OFFICES](#) [HEALTH FACILITIES](#)

KZN Health > Components > Supply Chain Management  
**AdvertQuote**



KWAZULU-NATAL PROVINCE  
HEALTH  
REPUBLIC OF SOUTH AFRICA

### Quotation Advert

**Opening Date:** 2021-09-20  
**Closing Date:** 2021-09-28  
**Closing Time:** 11:00

#### INSTITUTION DETAILS

**Institution Name:** EG & Usher Memorial hospital  
**Province:** Kwazulu-Natal  
**Department or Entity:** Department of Health  
**Division or section:** Central Supply Chain Management  
**Place where goods / services is required:** EGUMH (SCM)  
**Date Submitted:** 2021-09-17

#### ITEM CATEGORY AND DETAILS

**Quotation Number:** ZNO:  
EGU73 /2021/2022  
**Item Category:** Goods  
**Item Description:** Bi-annual (2x6)servicing of fire gas suppression system in sensor room

**Quantity (if supplies):** 1  
**COMPULSORY BRIEFING SESSION / SITE VISIT**  
**Select Type:** Not Applicable

**Date :**  
**Time:**  
**Venue:**

**QUOTES CAN BE COLLECTED FROM:** EG & Usher Memorial Hospital, Cor of Elliot & The Avenue Street  
**QUOTES SHOULD BE DELIVERED TO:** Hospital tender box main Gate

**ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:**

**Name:** Mr L. Doko  
**Email:** lwazi.doko@kznhealth.gov.za  
**Contact Number:** 0397978128  
**Finance Manager Name:** Mrs N. Ndlopeni  
**Finance Manager Signature:**

No late quotes will be considered



**health**  
Department: \_\_\_\_\_  
Health  
PROVINCE OF KWAZULU-NATAL

One Esplanade & The Avenue, KwaZulu Natal  
Private X 506, KwaZulu Natal  
Tel: 031 979 7978/156 Fax: 031 979 7978  
Email: [vlm@kzn.gov.za](mailto:vlm@kzn.gov.za) [health@kzn.gov.za](mailto:health@kzn.gov.za)  
East, Gqeberha and Uitenhage Hospitals

**GAS SUPPRESSION SYSTEM**

**BI- ANNUAL SERVICING (2X6 MONTHLY) – SERVER ROOM**

**2021/2022**

NO	DESCRIPTION	QUANTITY	CHECK	
			Yes	No
1	Smoke Detectors (Addressable System) Connect various systems to the Panel & Evaluate, Test & re-instate the system	04		
2	Addressable Sounder – Test, Clean and re-connect	Item		
3	Check Gas Cylinder with HFC/FM 200 Gas Type	Item		
4	Check Gas Cylinder Actuator for HFC/FM 200 Gas Type	Item		
5	Tehnoswitch Alarm Fire Control Panel Test & Commissioning of Fire Panel	Item		
6	Provide Compliance Certificate	01		

**SERVICE PROVIDER TO ATTACH FOLLOWING DOCUMENTS, FAILING WHICH WILL RESULT IN IMMEDIATE DISQUALIFICATION**

- CIDB 1 ME
- PROVIDE GAS SUPPRESSION TRAINING CERTIFICATE
- 3 REFERENCE LETTERS OF SIMILAR WORK DONE

1 CERTIFY THAT SERVICE HAS BEEN CARRIED OUT TO MY SATISFACTION:	OFFICIAL STAMP
NAME OF SERVICE PROVIDE:	
SIGNATURE:	
DATE:	
	RESPONSIBLE PERSON:
	SIGNATURE:
	DATE: