Quotation Advert

Opening Date:	10-01-2021
· -	18/01/2021
Closing Date:	,
Closing Time:	11:00
nstitution Details	
nstitution Name:	Bruntville CHC
Province:	KwaZulu-Natal
Department or Entity:	Department of Health
Division or section:	Central Supply Chain Management
Place where goods / services is	Bruntville CHC, Old Main Road, Mooi
Date Submitted	10-01-2021
tem Category and Details	
Quotation Number:	BCHC :93/21/22
Item Category:	Goods
icili Calogory.	SUPPLY AND DELIVER OF OXYGEN REGULATOR (GAUGE) AT BRUNTVILLE CHC
Item Description:	
Quantity (if supplies)	1
,	
Compulsory Briefing Session /	site visit :
O-last Tomas	Select N/A
Select Type:	Select N/A
Date :	11:00
Time: Venue:	BCHC BOARDROOM, BRUNTVILLE CHC, OLD MAIN ROAD, MOOI RIVER, 3300
Quotes can be collected from:	BCHC BOARDROOM, BRUNTVILLE CHC, OLD MAIN ROAD, MOOI RIVER, 3300
Quotes should be delivered to:	TENDER BOX NEXT TO SECURITY GATE, BRUNTVILLE CHC, OLD MAIN, ROAD, 33
Enquiries regarding the advert i	may be directed to:
Enquirios rogaramy and dater.	,
Nome	Mr B MADUNA
Name: Email:	bulelani.maduna@kznhealth.gov.za
Email: Contact Number:	033 2631 545
Finance Manager Name:	M, N.J. Kauleza
i manoc manager rame.	
Finance Manager Signature:	
5 5	////
	#

No late quotes will be considered

STANDARD QUOTE DOCUMENTATION OVER R30 000.00 YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT BRUNTVILLE CHC DATE ADVERTISED: 10/01/2021 CLOSING DATE: 18/01/2021 CLOSING TIME: 11:00E-MAIL ADDRESS: bulelani.maduna@kznhealth.gov.za FACSIMILE NUMBER: 033-2631-638 PHYSICAL ADDRESS: BRUNTVILLE COMMUNITY HEALTH CENTER OLD MAIN RAOD, MOOI RIVER 3300 QUOTE NUMBER: BCHC 93-21/22 DESCRIPTION: SUPPLY AND DELIVER OF OXYGEN REGULATOR (GAUGE) AT BRUNTVILLE CHC CONTRACT PERIOD ONCE- OFF VALIDITY PERIOD 60 Days SARS PIN..... (if applicable) CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO. UNIQUE REGISTRATION REFERENCE DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS) TENDER BOX NEXT TO SECURITY GATE, BRUNTVILLE CHC, OLD MAIN ROAD MOOI RIVER 3300 Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration. The quote box is open from 08:00 to 15:30. QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RETYPED) THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED) NAME OF BIDDER POSTAL ADDRESS STREET ADDRESS TELEPHONE NUMBER CODE......NUMBER....... FACSIMILE NUMBER CODENUMBER...... CELLPHONE NUMBER **E-MAIL ADDRESS** VAT REGISTRATION NUMBER (If VAT vendor) HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1) [A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED TO QUALIFY

FOR PREFERENCE POINTS FOR B-BBEEL

•				BCHC 03 3	1/22	
		FOR QUOTATIONS PLY AND DELIVER OF OXYGEN RE		_{BER:} BCHC 93-2 DR (GAUGE)		
SIGNATUR (By signing	E OF BIDDE this documer	Rt, I hereby agree to all terms and conditions]	DATE.			
CAPACITY	UNDER WH	ICH THIS QUOTE IS SIGNED				*****
item No	Quantity	Description	Brand & model	Country of manufacture	Price R	C
1	10	SUPPLY AND DELIVER OF OXYGEN REGULATOR (GAUGE)	model	Tisaria (Maria	11	+
<u> </u>		NB: SPECIFICATION ATTACHED				
						+
						-
						44
						+
						+
		4 10 100 100 100 100 100 100 100 100 100				\perp
	_				,	
						+
						$\dashv \dashv$
						_
VALUE AD	DED TAV @	450/ (Only if VAT Vandar)				_
		15% (Only if VAT Vendor) RICE (VALIDITY PERIOD 60 Days)				
TOTAL QU	OTATIONT					
Does This	Offer Comply	With The Specification? Does The Article Specification?	Conform To	The S.A.N.S. / S.	A.B.S.	
Is The Price		State Delivery Period,	e.g., 1day, 1we	ek		
Enquiries regarding the quote may be directed to: Contact Person: BULELANI MADUNA Tel: 033-2631 545 E-Mail Address: bulelani.maduna@kznhealth.gov.za Enquiries regarding technical information may be directed to: Contact Person: MISS NG DLAMINI Tel: 033-2631 545						

DECLARATION OF INTEREST

1 .	Any legal person, including blood relationship, may ma limited quote or proposal). employed by the state or t declare his/her position in rethe bidder is employed to the legal person on who evaluation and or adjudion whose behalf the declared to the state of the legal person or whose behalf the declared to the state of the legal person or whose behalf the declared to the state of the legal person or whose behalf the declared to the legal person or whose behalf the declared to the legal person or whose behalf the declared to the legal person or whose behalf the declared to the legal person or whose behalf the legal person or whose	ke an offer or offer In view of possible o persons connect elation to the evaluation to the evaluation to the evaluation the evaluation of the duote cation of the duote the duote the duote the evaluation of the duote the duote the duote the duote the duote the duote the duote the duote th	is in terms of a allegations of allegations of allegations of all with or reparting/adjudic ing documents), or where	this invitation of favouritismolated to thein ating authorinatins signed, it is signed,	n to quote	(includes a page resulting of uired that the ionship with relationship	rice quotation, uote, or part the bidder or his/l persons/a pers exists betweer	advertised ereof, be avenue her authorise on who are in the person	competitive warded to pe sed represel etis involved n or persons	quote, ersons ntative in the
2.	In order to give effect to the	e above, the followi	ng questionn	aire must be	completed	l and submit	ed with the quo	te.		
2.1. 2.2. 2.3.	Identity Number:			2.4. trustee,2.5.	Compan Tax Refe	y Registratio erence Numb	n Number: er: mber:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	. , , , , , , , , , , , , , , , , , , ,	
2.8.		is must be indicated inected with the bid particulars: trustee / sharehold institution at	d in paragrap dder presently der/ member: which	h 3 below. y employed l you or	y the state	?		[TICAN AF	YES	NO
	employed: Position occupied	in th	e stat		titution:	********			Any	other
2.8. (Note: 2.8. 2.9. 2.10 2.10 2.11	Did you or your spouse, of state in the previous twelver. 1. If so, furnish particulars: 2. Do you, or any person of who may be involved with particulars. 3. Are you, or any person of person employed by the state of the particulars.	proof of such authous authority, where reasons for non-such and of the compare months? In any of the compare months?	rity to the que e applicable, in ibmission of sany's directors oidder, have d or adjudication	ote documer may result in such proof: s / trustees / any relation: ion of this quarter are of any re he evaluation	t? the disques sharehold ship (family ote? lationship n and or ac	ers / membe , friend, oth (family, frien	ne quote.) rs or their spousers er) with a perso d, other) betwee this quote?	ses conduction employeen any other	t business w YES d by the sta YES rer bidder a	vith the NO determined any NO determined any
2.12	Do you or any of the dir whether or not they are bi 2.1. If so, furnish particulars	ectors / trustees / dding for this contr	shareholders act?	/ members	of the cor	npany have	any interest in	any other	related com YES	panies NO
•	Full details of directors I The Department Of Hea responsibility to ensure th the quote will not be cons	trustees / membe	rs / shareho letails of di	lders. rectors / tr	u stees / i	members / the Departm	shareholders ent cannot valid	iate the im	ormation of	ppliers' 1 CSD,
4	DECLARATION									
	HE UNDERSIGNED (N RNISHED IN PARAGR						CERTIFY TH	IAT THE	INFORMA	TION
	CCEPT THAT THE STA OVE TO BE FALSE.	ATE MAY REJE	CT THE QU	JOTE OR A	ACT AGA	JINST ME	SHOULD TH	IS DECLA	ARATION	
	me of bidder	Signature			Position	***************************************		ate		
'*Sta a)	ate" means – any national or provincial dep constitutional institution within t Act, 1999 (Act No. 1 of 1999);	vartment, national or p he meaning of the Pub	rovincial public lic Finance Man	entity or diagement die	national A		national Council of	provinces; or		

SPECIAL CONTRACT CONDITIONS OF QUOTATIONS

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3. ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor). However, it must be noted that the Department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
- 3.5. The bidder must ensure the correctness & validity of the quotation:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
 - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.6. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.7. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria.

 All required documentation must be completed in full and submitted.
- 3.8. Offers must comply strictly with the specification.
- 3.9. Only offers that meet or are greater than the specification will be considered.
- 3.10. Late offers will not be considered.
- 3.11. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.12. Used/ second-hand products will not be accepted.
- 3.13. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.14. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.15. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.16. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.17. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.18. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.19. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response is incomplete in any respect, the said supplier meets all specification requirements and is lowest to quote, the Department reserves the right to request the bidder to complete/submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfit their obligation.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1.	. Bidders who fail to attend the computsory meeting will be disqualified from the evaluation process.							
(i) (ii)	The institution has determined that a compulsory site meeting Date/ Time: Place	take płace						
Institution Stamp:		Institution Site Inspection / briefing session Official						
		Full Name:						
		Signature:						
		Date:						

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hear after known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. FAILURE TO COMPLY WITH ABOVE WILL RESULT IN YOUR QUOTE BEING PASSED OVER.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- Failure on the part of a bidder to submit proof of 8-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

POINTS AWARDED FOR PRICE 3.

THE 80/20 PREFERENCE POINT SYSTEMS 3.1

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P \min}{P \min} \right)$$
Where

Ps

Points scored for price of bid under consideration =

Ρt

Price of bid under consideration

Pmin

price of lowest acceptable bid

POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR 4.

In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for 4.1 attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

_	Pro 1 Pro	DEAL	ARATI	~
F	210	1.11-1.1		(IN

- Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following: 5.1
- B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1 6.
- B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7.	SUB-CONTRACTING	(Tick			
	applicable box)		YES	NO	
7.1	Will any portion of the contract be sub-contracted?	•			
	and the second s				

If yes, indicate: 7.1.1

What percentage of the contract will be subcontracted.....% The name of the sub-contractor.....

The B-BBEE status level of the sub-contractor.....

Whether the sub-contractor is an EME or QSE 8,

(Tick applicable box)

Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of NO YES Preferential Procurement Regulations, 2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME	QSE
boolghalod Grouphy and an area with a second and a second a second and	√	٧
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		

Any	QSE				
DEC	CLAR	ATION WITH REGARD TO COMPANY/FIRM			
N	ame (of company/firm:		**********	
		gistration number:			
		any registration number:			
	•	OF COMPANY/ FIRM [TICK APPLICABLE BOX]		11+1111+11	
(1 (1 (1 (1) (2)		Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited			
		RIBE PRINCIPAL BUSINESS ACTIVITIES			
1.7					
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			· · · · · · · · · · · · · · · · · · ·		
C	OMP	ANY CLASSIFICATION (TICK APPLICABLE BOX	(J		
(1) (3) (4) (4) (5)		Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc.			
To	otal n	umber of years the company/firm has been in bus	iness:	*******	
l/v th	we, th	e undersigned, who is / are duly authorised to do BBE status level of contributor indicated in paragra ference(s) shown and I / we acknowledge that:	so on behalf of the comp	pany/firm, certify that the p	
i)	TI	ne information furnished is true and correct;			
ii)	T	ne preference points claimed are in accordance w	ith the General Condition	s as indicated in paragrapl	h 1 of this form;
iii		the event of a contract being awarded as a resule required to furnish documentary proof to the sati			
iv		the B-BBEE status level of contributor has been tract have not been fulfilled, the purchaser may,			nny of the condition
	(a)	disqualify the person from the bidding process;			
	(b)	recover costs, losses or damages it has incurred	d or suffered as a result o	of that person's conduct;	
	(c)	cancel the contract and claim any damages wharrangements due to such cancellation;	ich it has suffered as a r	esult of having to make le	ss favourable
	(d)	recommend that the bidder or contractor, its sh who acted on a fraudulent basis, be restricted to of state for a period not exceeding 10 years, a applied; and	by the National Treasury t	from obtaining business fro	om any organ
	(e)	forward the matter for criminal prosecution.			
\[\width\]	VITNI	ESSES			
1.				TURE(S) OF BIDDERS	(S)
2	, ,,,				Į.

Revised: 15/07/2016

PROVINCE OF KWAZULU-NATAL

DEPARTMENT OF HEALTH

HEALTH TECHNOLOGY SERVICES (H.T.S)

SPECIFICATION FOR:

UMDNS: 13323

REGULATOR – HIGH PRESSURE GAS (PRESSURE REGULATORS ALL)

SPECIFICATION: H.T.S. NO. A44 (ANAESTHETICS)

Page 1 SPECIFICATION: H.T.S. – A44 (ANAESTHETICS) REVISED: 15/07/2016 Page 1 of 15

NB: GENERAL CLAUSES THAT DO NOT APPLY TO THE EQUIPMENT OFFERED MUST BE ANSWERED "COMPLIES", "DOES NOT COMPLY" OR ANSWER THE QUESTION UNDER BIDDERS COMMENTS.

TOTAL TOTAL

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
Clause G1.1	The space provided under "Bidder's Comments" for each clause must be used for this purpose. Bidders who neglect to provide answers to every Clause in this Bid Specification will be disqualified. Bidders must note that abbreviated answers e.g. N/A etc. will not be accepted. Bidders must also note that no part of any clause/s in this Bid Specification may be altered. Where there are traces of alterations found to any clauses in this Bid Specification during Adjudication, the Adjudication Committee will reserve the right to disqualify the bidder. The Bidder must clearly indicate if their offered product complies with the stated requirements, by indicating, "Complies" or "Does not comply" or answer the question next to the corresponding clause.	
Clause G2	All responses must be clear and legible.	
Clause G3	GUARANTEE:	
Clause G3.1	All Equipment, Materials and Workmanship provided under this Contract must be Guaranteed for a minimum period of twenty four (24) Months. The successful bidder must arrange with the respective Hospital / Institution and the Health Technology Services before Commissioning the Equipment at the respective Hospital / Institution. The bidder to note that the Guarantee period must only take effect upon successful Commissioning at the respective Hospital / Institution and successful test and acceptance by the Health Technology Services.	
Clause G3.2	State percentage guaranteed up time of machine (Should be at least 99%).	
Clause G3.3	The recommended number of services, per annum, by the manufacturer, must be included during and up until the end of the guarantee period and all costs related to the provision of such service/s will be for the bidders account.	
Clause G3.4	The bidder must state the number of services that will be provided during and up to the end of the guarantee period.	
Clause G3.5	Any breakdown during the guarantee period must include all cost (spares, labour, travelling and sundries) for any prescribed maintenance services (major and minor) as well as any QA testing that is required by Department Health's Radiation Control Board during the guarantee period.	
Clause G3.6	Travelling and Travelling Time costs must be included during the Guarantee Period?	
Clause G3.7	Spares that may be required during the Guarantee Period will be supplied at the expense of the bidder.	
Clause G3.8	Downtime during the Guarantee Period must extend the Guarantee time on a Day-to-Day basis.	
Clause G3.9	Any repetition (twice or more) of the same type of fault that first occurred during the guarantee period must be considered as a repair under guarantee	

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
	(The Health Technology Services reserves the right to inspect the premises).	
Clause G8.5	State if the Technician(s) are in the direct employ of the bidder or a subcontractor.	
Clause G8.6	The bidder must supply information on the number of Technicians permanently working in KwaZulu-Natal and their names and contact Telephone Number/s must be listed (Directly employed or subcontracted) in an annexure to the bid document.	
Clause G8.7	The Technician(s) must be original equipment manufacturer trained to deal with the service, repair and calibration of the equipment quoted on. N.B. Proof of original equipment manufacturer training must be submitted with this bid / quotation offer.	
Clause G8.8	The Institution's requirement is that a technician is available within a reasonable time (24 hours) to attend to malfunctioning equipment. The Bidder to state the technician per install base e.g. equipment ratio to technician ratio, e.g. 1 technician per 10 pieces of equipment.	
Clause G9	The bidder must Guarantee that no additional equipment will be required for the successful operation of the equipment bided for on delivery and commissioning at the customers site. A starter pack of all essential accessories and disposables must be supplied so that the unit can be put into immediate operation. The cost of the starter pack must be included in the final bid price.	
Clause G10	Optional accessories must be offered for separately on the Schedule of optional accessories found at the end of this Technical specification, indicating catalogue numbers, correct descriptions and Prices inclusive of VAT.	
Clause G11	Bidder must state the period of time for delivery of Spare parts following the receipt of an official order as follows: 0 to 10 days; 0 to 20 days; 0 to 30 days; 0 to 60 days; 0 to 90 days; more than 90 days.	
Clause G11.1	The Bidder must supply with this offer a list together with the quantities of spares held locally in stock in the KwaZulu-Natal Province on the offered product. The Health Technology Services reserves the right to inspect the premises to verify the spares stock held.	
Clause G12	The bidder must include a firm commitment in writing, which must be attached with this bid that they would supply spares, components, upgrades, complete original service / repair manual, technical support and ongoing training support for technical staff of the Health Technology Services and the end users Department of Health, KwaZulu-Natal throughout the life cycle of the equipment offered.	
Clause G13	Spares must be available for 10 (Ten) years from the original equipment manufacturer for the product offered.	
Clause G14	The successful bidder must include in their offer at no extra cost to the final bid price:	

en consiste som consistence of

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
Clause G14.1	Complete user Operation / Maintenance Manual x 2 (two) Book / File; CD; DVD copies in English Language.	
Clause G14.2	Complete ORIGINAL Service / Repair Manual x 2 (two) Book / File; CD; DVD copies in English Language which MUST include the following information: Fault Finding Guide, Circuit Diagrams / Schematics, Circuit Descriptions, and PCB Layouts, Calibration Guide, Part Numbers and exploded diagram of Mechanical Parts / Panels.	
Clause G14.3	All the above Manuals must be properly bound in either a Book, File or CD form.	
Clause G14.4	The Bidder must supply all software (including software-keys and / or passwords) to allow for trouble shooting (faultfinding), maintenance, calibrations, repairs and services at no additional cost.	
Clause G15	Does your Company have an after hour service back up facility.	
Clause G16	If the equipment is taken away for repairs, a loan set must be made available on request to the end user by the Institution until the Institution's unit is returned. All costs incurred for providing the loan unit must be for the bidders account.	
Clause G17	Bidder must bid on the latest model and Technology that fully complies with this Technical Specification.	
Clause G17.1	The Bidder must state how long this technology has been commercially available (state when the model offered was launched).	
Clause G17.2	The bidder must state if there are any near future updates expected.	
Clause G18	The successful bidder must maintain a system for notifying and providing users with Updates, Modifications, new Software Releases and Recalls.	
Clause G19	The successful bidders must arrange for an acceptance test of the equipment with the Manager of the Health Technology Services and the Hospital Manager. A copy of the original answered Specification, copy of the invoice order and relevant paperwork (PH form) from the receiving Hospital must be submitted with the equipment when the ACCEPTANCE TEST is to be undertaken.	
Clause G20	Where equipment bided for, operates off 220 Volt, 50Hz a.c. supply, bidder must ensure that the product being quoted for is fitted with a 15 Amp approved mains plug top, which is held together by two screws.	
Clause G21	The unit must comply with an acceptable International Electrical Safety Standard such as IEC 60601-1 and 60601-1-2 for Medical Equipment where the quoted equipment operates off an electrical supply.	
Clause G22	All equipment, the installation and any alteration / additions must comply with:	
Clause G22.1	The Occupational Health and Safety Act (1993);	
Clause G22.2	The wiring code S.A.N.S. 0142.	
Clause G23	Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate.	

(P. 17) 編集 100 (1994) - 100 (1994) - 100 (1994) - 100 (1994) - 100 (1994) - 100 (1994) - 100 (1994) - 100 (1994)

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
Clause G24	The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded.	
Clause G25	The equipment being quoted for must be protected against Electro magnetic Interference.	
Clause G26	Only new equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted.	
Clause G27	Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested.	
Clause G28	All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price.	
Clause G29	NB. HAZARDOUS SUBSTANCE ACT:	
Clause G29.1	If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered.	
Clause G29.2	Bidder must state the Radiation Control licence number of the make and model of equipment offered.	License No:
Clause G29.3	Where it has been established by the bidder that the equipment offered does not require Radiation Control licence, proof from the Radiation Control authority must be submitted with this bid document.	
Clause G30	The system offered must comply fully with or exceed all of the minimum specification requirements per the Technical Clauses.	
Clause G31	The offer submitted must be supported by descriptive literature, colour pamphlets, colour brochures and technical data sheets applicable to the offer (i.e. supporting information for all components of the system) must accompany the bid, failing which the bid will not be considered.	
Clause G32	The equipment and any accessories ordered from the successful bidder will be delivered, installed, tested, calibrated, demonstrated (including specified training) and commissioned in the specific Hospital at the expense of the successful Bidder, prior to full payment being made.	
Clause G33	All prices are to include V.A.T. and must be quoted in the South African currency. The price must be valid for a period of 180 days from closing date of bid.	
Clause G34	If the product offered is unknown to the Department, the Department reserves the right to have the unit evaluated by a team of Technical and Clinical experts with regards to its functionality, performance and quality. The decision of this committee will be used as a motivation for the evaluation and recommendation of the bid. For this reason a demonstration unit must be readily available, or the bidder must take arrange for demonstration with	

NO	SPECIFICATION	BIDDERS COMMENTS: STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
	representatives of the Department for the equipment offered at a site within South Africa where a same make and model of unit is installed and is in full clinical operation. The cost of this site visit is for the account of the bidder and it must therefore not place any obligation on the Department to procure from the bidder.	
Clause G35	The Institution requesting the unit reserves the right to clinically trial and evaluate the unit in order to ensure that the unit meets the clinical requirements of the Department before adjudication of the bid.	
Clause G36	UPGRADEABILITY WHERE APPLICABLE:	
Clause G36.1	Bidders are to state the policy with regard to future software updates and the costs that will be involved.	
Clause G36.2	The Bidder to state what hardware and software will be available, with costs and projected dates.	
Clause G37	UPGRADE POLICY:	
Clause G37.1	All future upgrades (hardware and software) involving patient safety must be offered at no additional cost.	
Clause G37.2	All future upgrades removing software viruses from existing software must be supplied at no cost.	
Clause G37.3	Any upgrade before or after installation of the equipment involving additional cost must be brought to the attention of the Manager, Health Technology Services.	
Clause G38	The Bidder must indicate the expected life of their offered unit and software in years.	

p = 1/4) + 1/4 - 2/4/4/4

p 1 (40) (c) 2002005

TECHNICAL SPECIFICATION. Clause T1 Supplier to state type of regulator dedicated for service with only one type of medical gas. **BIDDER'S COMMENTS:** Clause T2 Regulator must be provided with an adjustable hand control for setting the outlet pressure in the range of atmospheric pressure to a maximum pressure not exceeding 1000 K.P.A. **BIDDER'S COMMENTS:** Clause T3 Regulator must have the outlet pressure pre-set to a specified pressure (not exceeding 1000 K.P.A.) and its means of adjustment must be sealed to prevent resetting without the use of special tools. **BIDDER'S COMMENTS:** Clause T4 The materials of construction must be suitable for the intended application and the gas to be regulated. BIDDER'S COMMENTS: Clause T5 Steel may not be used for valve seats or valve guides used on the high-pressure side of the regulator. **BIDDER'S COMMENTS:** Clause T6 Regulators to be effective in their application when the regulator is used at an ambient temperature in the range of $5-50^{\circ}$ C.

port, cigs and the companies of

BIDDER'S COMMENTS:

Clause 17
Regulator to be capable of being stored for at least 5 (five) years at a temperature in the range of \pm 10°C to 40°C. Without their capacity of subsequently meeting the requirement of (No.6) being effected.
BIDDER'S COMMENTS:
Clause T8
The high-pressure side of the body of a regulator must be constructed from brass.
BIDDER'S COMMENTS:
Clause T9
A regulator must have an inlet (High Pressure) connection as specified by the purchases.
BIDDER'S COMMENTS:
Clause T10
A regulator intended to be coupled directly to a gas cylinder must be fitted with a high-pressure inlet pipe having a normal protruding length of 135mm measured from the center line of the body of the regulator to the end of the connection of the gas cylinder.
BIDDER'S COMMENTS:
Clause T11
The regulator is intended to be coupled directly to a gas cylinder, the inlet connection will be that used on the particular type of gas cylinder.
BIDDER'S COMMENTS:
Clause T12
Regulator outlet connection must comply with the relevant requirements for the medical gas intended to be used with the regulator in service.
BIDDER'S COMMENTS:

\$4 15-12**5** + \$50 <u>12-12-03</u> =

10-11-641 - 1-0 . SettASF

A pressure gauge to be fitted to the inlet side of the regulator. BIDDER'S COMMENTS: Clause T14 A pressure gauge to be fitted to the outlet side of the regulator and calibrated either in kilo-pascals (Pressure) or litres perminute (Flow) as specified and have either the letters LP or HP (as relevant) legibly and indelibly marked on the stem of the pressure gauge. BIDDER'S COMMENTS: Clause T15 To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.) BIDDER'S COMMENTS:	Clause T13
Clause T14 A pressure gauge to be fitted to the outlet side of the regulator and calibrated either in kilo-pascals (Pressure) or litres per minute (Flow) as specified and have either the letters LP or HP (as relevant) legibly and indelibly marked on the stem of the pressure gauge. BIDDER'S COMMENTS: Clause T15 To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relef valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	A pressure gauge to be fitted to the inlet side of the regulator.
A pressure gauge to be fitted to the outlet side of the regulator and calibrated either in kilo-pascals (Pressure) or litres per minute (Flow) as specified and have either the letters LP or HP (as relevant) legibly and indelibly marked on the stem of the pressure gauge. BIDDER'S COMMENTS: Clause T15 To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	BIDDER'S COMMENTS:
A pressure gauge to be fitted to the outlet side of the regulator and calibrated either in kilo-pascals (Pressure) or litres per minute (Flow) as specified and have either the letters LP or HP (as relevant) legibly and indelibly marked on the stem of the pressure gauge. BIDDER'S COMMENTS: Clause T15 To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
A pressure gauge to be fitted to the outlet side of the regulator and calibrated either in kilo-pascals (Pressure) or litres per minute (Flow) as specified and have either the letters LP or HP (as relevant) legibly and indelibly marked on the stem of the pressure gauge. BIDDER'S COMMENTS: Clause T15 To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
minute (Flow) as specified and have either the letters LP or HP (as relevant) legibly and indelibly marked on the stem of the pressure gauge. BIDDER'S COMMENTS: Clause T15 To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	Clause T14
Clause T15 To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	minute (Flow) as specified and have either the letters LP or HP (as relevant) legibly and indelibly marked on the stem of the
To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	BIDDER'S COMMENTS:
To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator. BIDDER'S COMMENTS: Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
Clause T16 A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	To have a Self-reseating safety valve (or device) must be fitted to the outlet side of the regulator.
A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	BIDDER'S COMMENTS:
A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
A regulator must incorporate separate and dedicated filters to protect the following: T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	Clause T16
T16.1 The inlet port of the regulator. T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	A regulator must incorporate separate and dedicated filters to protect the following:
T16.2 The outlet port of the regulator. T16.3 The pressure relief valve seat. T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
T16.4 The main valve seat. T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	T16.2 The outlet port of the regulator.
T16.5 Each pressure (or flow) gauge fitted. BIDDER'S COMMENTS: Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
Clause T17 Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	BIDDER'S COMMENTS:
Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)	
synthetic materials and having opening not exceeding 66cm.)	Clause T17
BIDDER'S COMMENTS:	Regulator filters must be constructed from non-corrosive and non-combustible material (i.e. Brass, bronze, copper or certain synthetic materials and having opening not exceeding 66cm.)
	BIDDER'S COMMENTS:

Programme of the second

D 1045 (**) 2000 新選手。

provide the second

Page 10 SPECIFICATION: H.T.S. – A44 (ANAESTHETICS) REVISED: 15/07/2016 Page 10 of 15

Clause T1	8				
Regulator	finishes mu	st be free from burrs, properly finished and supplied in a clean condition fit for oxygen service.			
BIDDER'S	BIDDER'S COMMENTS:				
Clause T1	19				
Regulator	rs must be	supplied free from any paint finishes.			
Note:	a. b.	Nickel, nickel chromium, or anodized aluminium finishes. Nickel – Chromium finishes, where used, must be of quality at least complying with the relevant requirements for service condition. I (mild) of S.A.B.S. 728.			
BIDDER'S	S COMMEN	ITS:			
Clause T2	20				
Regulator	s must be s	service exchangeable.			
BIDDER'S	S COMMEN	NTS:			
Clause T	21				
Regulator	s to meet t	ne C.K.S. 605-1987 specification.			
BIDDER'S	S COMMEI	NTS:			
Clause T					
The high the body.	pressure si	de of the body must not contain any aluminum nor are any aluminum parts to be used in the H.P. side of			
BIDDER'	S COMME	NTS:			

The second of the second of the second

Clause T23

Regulator must bear the following information in legible and indelible marked:

The manufacturers name, trade name or trademark.

The name, chemical symbol or colour code of the medical gas intended to be used with the regulator in service.

Note: Where colour coding is used, it must comply with the relevant gas colours given in S.A.B.S. 1409.

Page 11 SPECIFICATION: H.T.S. - A44 (ANAESTHETICS) REVISED: 15/07/2016 Page 11 of 15

T23.3 The serial number or the control number.
T23.4 Arrows indicating the direction of gas flow for the inlet and outlet ports. T23.5 Where relevant, the letter "H" adjustment to the port for the high pressure gauge and the "L" adjustment to the port
for low pressure gauge.
T23.6 The letter "SV" adjustment to the port for the safety relief valve.
BIDDER'S COMMENTS:
Clause T24
The bidder must be prepared at the customers request provide the appropriate high pressure connection dependent on the application it is intended for.
BIDDER'S COMMENTS:
Clause T29
GUARANTEE / WARRANTY
The bidder must provide a minimum of 24-month warranty / guarantee period for the unit offered.
BIDDER'S COMMENTS:
Clause T30
MAINTENANCE AND SERVICE AGREEMENT
Upon termination of the guarantee / warranty period the DOH Health Technology Services Component Technicians will be responsible for the maintenance, repair and service of the unit offered.
BIDDER'S COMMENTS:

20 10 (2011年) - アンチャル (三張経過学・

事。1978年 - 1974年 - 1978年 - 197

SCHEDULE OF OPTIONAL ACCESSORIES

» ئۇھۇرىنىڭ ،، .

in strike the BANGER .

Bidders must quote the price of the optional accessories listed as well as any other accessories that may be useful to the end users.

Cat No	Item	Price including VAT			
		Year 1	Year 2	Year 3	Total
					W.
					And the state of t

SCHEDULE OF ACCESSORIES

to the second second

Bidders must quote for accessories that are used with the system offered. Bidders must also indicate if these accessories need to be compatible with the system offered or whether generic accessories can be utilized with the system offered.

Cat No	Item	Price	Price including VAT			
		Year	Year 1 Year 2		Total	
				•		
Fawar.						
į						
		100				
	View Margine and American State of the Control of t					
	The control of the co					

DETAILED TECHNICAL SPECIFICATION

A South Com September 2 Proceedings Company Company

GENERAL INFORMATION REQUIRED

FAILURE TO COMPLETE THIS PART WILL DISQUALIFY THE BIDDER

Maka	
Make:	
Model Number / Part Number for:	
Country of Origin	
Delivery Period	
·	
R S A Import Permit Holder (License No)	
Bidder	
Signature	Date
Address	
Add 655	
Telephone No	Fax No
Contact Person(Please Print)	

		BIDDERS COMMENTS:	
NO			
	if it occurs within the first year after the expiry of the guarantee period.		
Clause G3.10	The same guarantee conditions must apply to replacement units.		
Clause G4	The successful bidder must Supply, Deliver, Commission and install the Equipment and will be required to demonstrate the product to the applicable Staff at the Institution and costs for the abovementioned must be included in the final bid price.		
Clause G5	Bidders must offer the Health Technology Service's In House Technicians a demonstration of the product, which will enable the Health Technology Service's In House Technicians to become acquainted with the equipment during the Test and Acceptance phase.		
Clause G6	Preference may be given to a make and model that has been technically and clinically evaluated by a Government Institution within the R.S.A. (Attach proof of evaluation where applicable).		
Clause G7	The successful bidder must provide the Health Technology Service's in house Technicians, full training in the calibration, maintenance, service and repair of the product down to PCB Level. N.B. The quality and level of the training must be equivalent to the manufacturer's original factory training and any costs incurred to provide this training will be for the bidders account. A Certificate of Competency must be issued on completion of the training. The Training must be provided by the successful bidder to the Health Technology Services within three months from date of initial supply and delivery of the equipment to the end user.		
Clause G8	SERVICING:		
Clause G8.1	The bidder must have a well established service and repair facility in KwaZulu-Natal, to service, repair and calibrate the equipment offered. (The Health Technology Services reserves the right to inspect the premises).		
Clause G8.2	If the service is subcontracted to a local service agent, a signed copy of the letter of appointment by the bidder and acceptance by the subcontractor must be submitted with this bid / quotation. (The Health Technology Services reserves the right to inspect the premises).		
Clause G8.3	State Number of other medical equipment "Repair & Service" Agencies (excluding your Agency) represented by the subcontractor.		
Clause G8.4	Supply the Name, Address and Telephone Number/s of the Local Service Department within KwaZulu-Natal. Please supply details as follows: Company name Physical Address Telephone Number/s: Fax number:		