SharePoint

Tsaulwayo Nkosiphendulo + ?



KZN Health Intranet

Search this site Q

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

HEALTH HEPUR KI OF SOUTH AFRICA	Quotation Advert	
Opening Date:	2022-07-14	
Closing Date:	2022-08-01	100
Closing Time:	11:00	
NSTITUTION DETAILS		
nstitution Name:	King Edward VIII hospital	V
Province:	KwaZulu-Natal	
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	KEH Maintenance	
Date Submitted	2022-07-13	
TEM CATEGORY AND DETAILS		0.77
Quotation Number:	ZNQ:	
	KEV377/22	
Item Category:	Services	$\overline{\mathbf{v}}$
	Switch Board Ablutions: Quotation attached to the adv and bring it for briefing so it can be stamped and signe will result to disqualification	
Quantity (if supplies)		
COMPULSORY BRIEFING SESSION	/ SITE VISIT	
Select Type:	Compulsory Briefing Session	~
Date :	2022-07-21	17
Time:	11H00	
Venue:	KEH Outside Maintenance	
QUOTES CAN BE COLLECTED FROM:	Quotation Attached to the Advert	
QUOTES SHOULD BE DELIVERED TO:	KEH Tender Box Emails are not alllowed	
ENQUIRIES REGARDING THE ADVE	RT MAY BE DIRECTED TO:	
man account to the second state of the second	AND A STATE OF THE	
Name:	Mr. N . Tsaulwayo/ Mr . L . Sopika	
	мг. н., ташwayoy мг. с., зорка	
Name:	031 360 3707 /031 360 3465	

STANDARD QUOTE DOCUMENTATION OVER R30 000.00 YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: KING EDWARD VIII HOSPITAL DATE ADVERTISED: 2022-07-14 CLOSING DATE: 2022-08-01 CLOSING TIME: 11:00 z E-MAIL ADORESS: vuyokazi.mtantato@kznhealth.gov.za FACSIMILE NUMBER: 031 205 6722 PHYSICAL ADDRESS: Gate 5 Francies Road Congella QUOTE NUMBER: ZNQ / KEV / 377 / 2022 - 2023 DESCRIPTION: Urgent Repair Switch Board Suspended Ceiling; Painting; Ablutions; Doors, Floors; Air Con and Electrical CONTRACT PERIOD..... VALIDITY PERIOD 60 Days SARS PIN.. (if applicable) A A CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO. UNIQUE REGISTRATION REFERENCE DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS) Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration. The quote box is open from 08:00 to 15:30. QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RETYPED). THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED) NAME OF BIDDER POSTAL ADDRESS STREET ADDRESS

DESCRIP	TION:gen	t Repair Switch Board Suspend	ed Cailing ; Painting ; Ablu	ions; Doors , F	loors; Air Con and Elec	ctrical	
SIGNATU	RE OF BIDDE	R		DATE			
(By signing	g this docume	nt, I hereby agree to all terms an	d conditions]				
CAPACITY	Y UNDER WH	HICH THIS QUOTE IS SIGNED					
Item No	Overtite	I beautates		Brand &	- Downton of	Drice	
item No	Quantity	Description		model	Country of manufacture	Price	С
		Urgent Repair Switch Board S	Suspended Ceiling; Painting				
		Doors , Floors; Air C					
						_	
							-
	-					_	-
						-	
						_	- 0
	-					+	83
	+	-		-		+	- 10
	-					+	-
		9					
						1	- 8
							- 0
							- 03
							10
		9 15% (Only if VAT Vendor)					
TOTAL Q	UOTATION P	PRICE (VALIDITY PERIOD 60 D	ays)				100
2:		T	Does The Article	Conform To	The S.A.N.S. /	S.A.B.S.	
Does This	Offer Comply	With The Specification?	Specification		THE SAMO, /	v.n.u.u.	
Is The Pric			State Delivery Period		eek		
					A.C.C.	7.5	

E-Mail Address:

Contact Person: Mr. L.G Sopika Tel: 031 360 3465

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required because

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. BIDDER'S DECLARATION

- 2.1. Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state?
 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State Institution

- 2.2. Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution?
- 2.2.1. If so, furnish particulars:
- 2.3. Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO
- 2.3.1. If so, furnish particulars:

3. DECLARATION

- I, the undersigned (name)...... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:
- 3.1. I have read and I understand the contents of this disclosure;
- 3.2. I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium? will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PEMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

************		THE PROPERTY OF THE PARTY OF TH	****************
Name of Bidder	Signature	Position	Date

I the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person's having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

² Joint venture or Consortium means as association of persons for the purpose of combining their expertise, property, espital, efforts, skill and knowledge in an activity for the execution of a contract.

GENERAL CONDITIONS OF CONTRACT

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi of executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactority.
- 3.3. ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
 - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria.
 All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope, if this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of costing will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

1.	Bidders who fail to attend the compulsory meeting will be d	lisqualified from the evaluation process.
)	The institution has determined that a compulsory site meet Date/ Time: Place	take place
istitu	tion Stamp:	Institution Site Inspection / briefing session Official
		Full Name:
		Signature:

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) If the supplier falls to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practico on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - B-BBEE Status level certificate issued by an authorized body or person;
 - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes:

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P \min}{P \min} \right)$$
 Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration Pmin = price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

E.	BID	DECL.	VBV.	DION:

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7.	SUB-CONTRACTING	(Tick			
	applicable box)		YES	NO	

7.1 Will any portion of the contract be sub-contracted?

7 4 4	15	i
7.1.1	II VPS	, indicate:

i) What percentage of the contract will be subcontracted......................%

Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of

ii) The name of the sub-contractor......

iii) The B-BBEE status level of the sub contractor......

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

YES

Preferential Procurement Regulations, 2017: Designated Group: An EME or QSE which is at last 51% owned by: EME QSE V V Black people Black people who are youth Black people who are women Black people with disabilities Black people living in rural or underdeveloped areas or townships Cooperative owned by black people Black people who are military veterans OR Any EME Any QSE

NO

9.	DECLARATION WITH REGARD TO COMPANY/FIRM				
9.1	Name of company/firm:				
9.2					
9.3					
9.4	TYPE	OF COMPANY/ FIRM [TICK APPLICABLE BO)	XJ		
	000	Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited			
9.5	DESC	RIBE PRINCIPAL BUSINESS ACTIVITIES			
9.6		ANY CLASSIFICATION (TICK APPLICABLE 8	IOXI		
3.0	П П П	Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc.			
9.7	Total n	umber of years the company/firm has been in b	business:		
the B-BBE status level of contributor in			do so on behalf of the company/firm, certify that the points claimed, based on agraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for :		
	 The information furnished is true and correct; 				
	ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;				
	 In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contract be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct; 				
	iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –				
	(a)	disqualify the person from the bidding proces	58;		
	(b)	recover costs, losses or damages it has incu	irred or suffered as a result of that person's conduct;		
	(c)	cancel the contract and claim any damages arrangements due to such cancellation;	which it has suffered as a result of having to make less favourable		
	(d)	who acted on a fraudulent basis, be restricted	s shareholders and directors, or only the shareholders and directors and by the National Treasury from obtaining business from any organis, after the audi alteram partem (hear the other side) rule has been		
	(0)	forward the matter for criminal prosecution.			
	255	IESSES	SIGNATURE(S) OF BIDDERS(S)		
	2		ADDRESS		



Urgent repair switch board			
Orgent repair switch board	ZNQ NO:	KEH	
Closing Date & Time	:	@ 111	h00
Contract Period	:	03 Weeks	
Validity Period	:	60 Days	
Technical Contact Person	:	MR. M.M.	. S Mngomezulu
Contact Telephone Number On Site Inspection	:	031 360 37	116
DOCUMENTS DELIVERED BY SITUATED IN:	HAND	MUST BE	DEPOSITED IN THE QUOTATION BOX
THE TENDER-BOX KING EDWARD 8 HOPITAL P/BAG		FC	HE QUOTATION BOX IS AVAILABLE ON T DLLOWING DAYS AND TIMES: MONDAYS RIDAYS 07h30 - 16h00
DOCUMENTS POSTED SHALL B	E ADDRI	SSED TO:	
SUPPLY CHAIN MANAGEMENT: KING EDWARD 8 HOPITAL P/BAG			
N.B.: THE QUOTATION BOX WI	LL BE CI	EARED AT	11:00Hrs ON THE DUE DATE.

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

Urgent repair broken ceiling boards in switch board

ZNO NO: KEH

PROJECT SPECIFICATIONS

- 1. NOTES TO TENDERERS
- 1.1. SCOPE OF CONTRACT

This Contract is for the complete execution of the project indicated above.

- 1.2. CONDITIONS OF CONTRACT AND PRELIMINARIES
- 1.2.1 PERIOD OF CONTRACT

03 Weeks as the Contract Period for the completion of all Works from date of Site handover.

1.2.2 CONTRACT GUARANTEE:

The successful Tenderer will NOT be required to submit a contract guarantee.

1.2.3 GUARANTEE PERIOD

The guarantee period for all Works and all materials must be for a minimum of One (1) Year from the date of first delivery.

1.2.4 SITE AND MODE OF PROCEDURE

The work contained in this contract will be carried out on the site of the existing Institution.

The Contractor is advised that the existing premises will be occupied throughout the period of the contract.

Damage to existing buildings - Tenderers to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Tenderer.

The repairs must be to the satisfaction of the KwaZulu- Natal Department of Health.

1.2.5 SATISFACTORY INSTALLATION

The whole of the installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Electrical Specification, the South African Bureau of Standards Code of Practice for the Wiring of Premises 0142-1 and the Occupational Health and Safety Act 85 of 1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Electrical Specification are available at the office of the Secretary for Health - KwaZulu-Natal and can be obtained on request.

1.2.6 CERTIFICATE OF COMPLIANCE

NB: COC will be required for any electrical work done

1.2.7 Health and safety act 85(1993)

Safety file must be produced and handed to safety department before commence

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

Urgent repair broken ceiling boards in switch board ZNQ NO: KEH___

TECHNICAL SPECIFICATIONS

2. TECHNICAL SPECIFICATION

2.1GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

Specifications

BY LAW REQUIREMENTS

MOVEMENT JOINTS:-

Aluminium Structural Screed joints bolted to slab to be capable of total movement of minimum of 5mm either way with flexible PVC Hospital Insert.

Movement joints to be in high traffic area's as "Migua" FV35/1500 or "Kirk" ASSJ390H of approved height with hospital insert bolted to slab before screeding.

Metal movement joints in low traffic area's with hospital insert strips.

PAINTING

MATERIALS: — Proprietary materials where specified are to be of the brand specified or other approved by the Department.

All primers, emulsion paints, enamels, stains, varnishes, etc. are to comply with the relevant SANS Specification.

Paints, etc. shall be suitable for application on the surfaces to which they are being applied and those used externally shall be of exterior quality or suitable for exterior use.

For any particular work the priming coat and subsequent coats of paint are to be executed with paints from the same manufacturer and in accordance with that manufacturer's instructions.

The materials are to be brought to the site in unopened containers and no adulteration will be permitted, except thinners of a quantity and quality directed by the manufacturer.

The Department shall at all times be permitted to take samples for testing purposes from open containers of any brand of paint being used on the work.

All materials, if and when required by the Department, will be subject to tests by the South African Bureau of Standards, and the cost of such tests, should the material under test not meet the requirements of this specification, shall be borne by the Contractor. Fillers and stoppings are to be suitable for use with the material being filled or stopped and to the approval of the Department.

PREPARATORY WORK: — All new and existing surfaces are to be thoroughly dry and are to be cleaned of all dust, dirt, grease, oil, rust, scale, efflorescence, fungus, loose or flaking material, etc. rubbed down, stopped, filled, knotted and sanded smooth as required in accordance with the paint manufacturer's recommendations and to the approval of the Department prior to the application of paint, etc.

Ceilings are to have nail heads, including those to cornices and cover strips, primed and stopped up as necessary and rubbed down smooth.

Asbestos cement shall be primed with an approved alkali resistant primer before the application of subsequent coats which are not, in themselves, alkali resistant.

Iron, steel and other ferrous metals shall be cleaned in accordance with SANS Code of Practice 064 to remove rust, scale, grease, oil, etc. and the surface brought to a bright metallic condition.

Galvanized iron and zinc shall be cleaned in accordance with SANS Code of Practice 062 to remove the manufacturer's temporary protective coating, white rust/etc.

Other non-ferrous metals shall be thoroughly cleaned to remove all milling oils, temporary protective coatings, etc. and the surface abraded with fine water-paper and white spirit.

Woodwork to be painted shall have all knots and resinous areas treated with an approved knotting, the surface shall then be primed and all holes, etc. stopped and rubbed down smooth.

Woodwork to be oiled, stained, vamished, etc. shall be free of all stains, pencil marks and other surface discolorations and all holes, etc. stopped with tinted stopping and rubbed down smooth.

In preparing existing glazed sashes and sash doors, all loose putty is to be removed, the robates primed and glass re-sprigged and re-puttied as necessary before the painting is commenced.

Previously distempered or time washed surfaces to receive any other type of paint, are to have the existing distemper or time wash completely removed by scraping or wire brushing and the surfaces treated with an approved bonding liquid.

Where existing paint film are in good condition any flaking or bared palches are to be properly feathered into the surrounding paint and spot primed as necessary.

Where existing paint films are in poor condition and require to be removed completely, they are to be removed by means of wire brushing, paint remover, burning off, or other approved method. Paint removers shall be free of wax and caustic substances and shall preferably be of water rinseable type. When burning off paint from wood, care must be taken to avoid charring the wood.

The final state of preparatory work to existing decorated surfaces shall in all cases produce in the finished decorated surfaces a condition similar to new work.

The Contractor will be held responsible for the proper and adequate preparation of the surfaces and any work which fails to meet the manufacturer's recommendations must be made good at the Contractor's expense to the satisfaction of the Department.

APPLICATION OF PAINTS, ETC.: — Painting may be carried out by brush, roller or spray as recommended by the manufacturer and to the approval of the Department. All paints, etc. are to be applied in strict accordance with the manufacturer's instructions. Each coat of paint is to be adequately and permanently keyed onto the previous coat or surface and shall be evenly distributed and continuous and shall dry to a smooth film, free from sags, runs or other imperfections. Each coat of paint is to be of a colour distinctive from previous or succeeding coats.

All painting must be done in accordance with a colour scheme which will be provided by the Department, and rates for painting etc. are to include for all cutting in of contrasting colours and masking as required. No distinction has been made where more than one colour of the same material is required on the walls or ceiling of the same room.

Samples of colours for the final coats are to be prepared in all cases to the approval of the Department and all work must be finished to the approved colours.

Backs of wood door and similar frames an the surfaces of other new or prefixed joinery in contact with brickwork, etc. and built in as the work proceeds, shall be primed or sealed before building in to prevent moisture seeping into the wood from the mortar bedding.

Tongued and grooved and rebated edges of boards in batten doors and other such like inaccessible parts of new joinery shall, before assembly, be primed, or where the joinery is to receive a finish other than paint, be given one coat of such other finishing material.

All new external structural timbers shall be primed before the timbers are fixed in position and shall include all surfaces such as backs of fascias and barge boards.

RATES: — Rates for painting, etc. are to include for all preparatory work, and where spraying is employed, are to include or adequately masking all surrounding areas.

Where diameters of pipes are stated these are the nominal internal diameters, and rates for painting pipes are to include for painting the holderbats, hangers, clips, etc. supporting the pipes.

Rates are to include for providing all necessary dust sheets, covers, etc. taking all necessary precautions to prevent marking the surfaces of joinery, walls, floors, glass, electrical fittings, etc. All surfaces disfigured or otherwise damaged shall be completely renovated or replaced as necessary to the approval of the Department at the Contractor's own expense.

Specification

Switch board maintenance, ablutions and repairs

General

- Remove all existing ceiling boards and 38X38 button
- Fumigate building to prevent woodborer. Issue certificate on completion.
- Secure old ceiling with 38X38 batten to prevent falling before installing new one
- Supply and install new suspended ceiling boards
- Hang ceiling boards with a still brackets distance must be 1m between bracket
- Join ceiling boards with aluminium covers strip to cover the gap between ceiling boards
- Paint all interior walls with white odourless paint 1st and 2rd coat.
- Repair dry wall for male and female toilets and must look the same, paint with white our doles two coats paint
- Seal all the leaks and remove and replace rotten roof screws with new ones
- Replace damaged vinyl sheeting 1m X 2500m.
- Replace wooden skirting with new ones and paint them with two coats 3m X 7m
- Repair kitchen cupboards replace post form top with granite top 4m X 600mm
- Repair kitchen drawers
- Replace middle kitchen sink cupboard shelving with solid wood 500mm X 1500m
- Repair bottom kitchen sink cupboard shelving with solid wood 500mm X 1500m
- Repair underneath cuphoard take out rotten timber and replace with solid wood and cover with a stainless steel guard strip.
- Build a partitioned wooden long table to accommodate all switch board staff
- Replace aluminium main door handle with the new one.
- Replace male toilet door with new one
- Replace Masonite door in entrance to work area with town house door
- Replace door to computer room with new one
- Replace door to telephone mechanism
- Replace rotten wooden fascia boards with new ones
- Replace broken asbestos gutters
- Replace broken asbestos down pipes
- Paint asbestos gutters and asbestos down pipes with two coats.
- Fill all plaster cracks with mortar and paint with two coats whole area 1m X 7m X 11m
- Repair concrete ramp cracks
- Replace 3m hand rails four inch SHD 80 with dome cap X 2
- Allow for excavation backfilling and repairs to surfaces.
- Allow for the plumbing materials as specified
- Only class 02 copper must be used inside.
- All waste pipe must be connected to existing PVC pipe and ensure that all supply pipe must be connected to existing pipe

Window sizes

- 1) 1400m X 1400m
- 2) 680mm X 840mm
- 3) 1460m X 2m
- 4) 460mm X 650mm

Male and female toilcts

- Removed old pan and light duty flush master and replace with heavy duty flush master (code 106T 25mm diameter BSP, exposed, lever operated, chrome, toilet flushing valve with top entry flush pipe, SANS 1240 DZR Brass).
- Remove old star taps to hand basin and replace with new medical elbow action (code 515/055-21and battle trap as per spec refer to page

Electrical

- Remove old DB
- Supply and install new D/B-Schneider electric special S3A steel complete.
- Supply & install Fluorescent button double open channel fittings X 7
- Supply and install new 4x4 Crabtree socket X 7
- Supply & install new 4 X 4 of 2 lever lights switch X 2
- Supply install 1 lever light switch X 3
- Issue COC for electrical job done on completion

Air-cons

- Supply & install 1 x 48000BTU carrier Hi wall split unit for switch board server room
- Supply & install 1 x 24000BTU carrier Hi wall split unit in switch board operators
- Supply & install 1 x 12000BTU carrier mid wall split unit in switch board waiting area
- Supply & install 4 x whirly bird heat extractors on roof 2 meters apart
- Supply & install 2 isolators for extractor fans
- Supply New Cables for Extractors
- Supply & install new cables for air-cons
- Supply & install new 3 x Isolators for the Air-cons
- Supply COC for Air-cons

WORK TO BE DONE AT KING EDWARD. HOSPITAL AND SCHEDULE OF PRICES:

SCHEDULE OF RATES

tem	DESCRIPTION	UNIT	QTY	RATE/	UNIT		TOTAL	
				R	c	R		c
	INSTITUTION: KING EDWARD HOSPITAL ZNO NO: KM All rates quoted shall be inclusive of transport, Labour and							
	profit. The Tenderer is advised that the buildings are occupied							
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.							
		2						
1	Remove all existing ceiling boards and 38x38 button	M ²	75		- %:			-
2	Tuningate building to prevent woodswer	M ²	75					
3	Secure old ceiling with 38x38 batten to prevent falling before installing new one	M^2	75					
4	Supply and install new suspended ceiling boards	M ²	75					
5	Hang ceiling boards with a still brackets distance must be 1 m between bracket	UNIT	50					
6	Join ceiling boards with aluminium covers strip to cover the gap between ceiling boards		75					
7	Paint all interior walls with white odourless three coats		150					
5555	Repair dry wall for male and female toilets and must look the same, paint with white odourless three coats	M ^e						
8	paint Scal all the leaks and remove and replace rotten roof	Sum	3					1
9	screws with new ones you find them	M ²	20					
10	Replace damaged vinyl shooting 1m x2500m.	141	4			_		
	Replace wooden skirting with new ones and paint them with two clear vanish coats 3m x7m wood borer	М						
11	Protector Repair kitchen cupboards replace post form top with	М	21	-	-	+		-
12	granite top 4m x 600mm cut for the sink double bowl		4			1		
12	Repair kitchen drawers	SUM	-					+
13	And the second of the second o		3					_
14	Replace middle kitchen sink cupboard shelving with solid wood 500mm x 1500m	SUM	2					
1/4/8	Repair bottom kitchen sink cupboard shelving with	SUM						
15	solid wood 500mm x 1500m wood borer protector	8	2			-8		

[tem	DESCRIPTION	UNIT	QT	RATE/	UNIT	TOTAL	
				R	c	R	С
	INSTITUTION:KING EDWARD HOSPITAL					3	
	ZNO NO: KM						
	All rates quoted shall be inclusive of transport,						
	Labour and profit.						
	The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES:					2	
	All equipment and material used in this contract shall be that which is specified or other SABS approved.						
		M					
	Repair underneath cupboard take out rotten timber and						
1	replace with solid wood and cover with a stainless		02				
1	steel guard strip 100mm x 4m wood borer protector Build a partitioned wooden long table to	N42	02			-	-
	Build a partitioned wooden long table to accommodate all switch board staff 600mm x 500mm	IVI					
2	wood borer protector		06				
<u>~</u>	Replace aluminium main door handle with the new	Sum	00		_		
3	one.	Sum	01				
4	Replace male toilet door with new one	Sum	01	7			
•	Replace Masonite door in entrance to work area with	***	1			100000	
5	town house door with wood borer protector		01				
	Replace door for computer room with new one wood	Sum					
6	horer protector		01				
.00	Replace door to telephone mechanism wood borer	Sum	20000	960-0.			
7	protector	W-55	01				
	Replace rotten wooden fascia boards with new ones	Sum					
8	3m wood borer protector		0.5				_
9	Replace broken asbestos gutters 3m	Sum	03		-1-72		
10	Replace broken asbestos down pipes 3m	Sum	04				
	Paint asbestos gutters and asbestos down pipes with	M	40				
11	two coats.80m	3.43	40				
12	Fill all plaster cracks with mortar and paint with two	IVI	77				
12 13	coats whole area lm x 7m x 11m	M ³	01			-	
1.0	Repair concrete ramp cracks 1m x1m 100mm Replace 3m hand rails four inch SHD 80 with dome	231323	171	-		1	- 4
14	cap x2	171	02				
17	Windows all are wooden louvre windows to be		102	1	-	+	
15	changed						
10	Changes.						

NSTITUTION: KING EDWARD HOSPITAL NO NO: KM Il rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are occupied ROPRIETARY ARTICLES: Il equipment and material used in this contract shall that which is specified or other SABS approved. Liuminium window sizes 400m x 1400m 580mm x 840mm 460m x 2m 60mm x 650mm Male and female toilets	Sum Sum Sum	01	R	c	R	С
NO NO: KM	Sum	01				
Huminium window sizes 400m x 1400m 680mm x 840mm 460m x 2m 60mm x 650mm	Sum	01				
400m x 1400m 680mm x 840mm 460m x 2m 60mm x 650mm	Sum	01		10000		ADDRESS DOMEST
680mm x 840mm 460m x 2m 60mm x 650mm	Sum	1.33	1			
460m x 2m 60mm x 650mm	Sum	01				
60mm x 650mm	Duill.	01				
	Sum	01				
late and temate follots						
emoved old pan and light duty flush master and eplace with heavy duty flush master (code 106T 5mm diameter BSP, exposed , lever operated, hrome, toilet flushing valve with top entry flush pipe, ANS 1240 DZR Brass).		02				
temove old star taps to hand basin and replace with ew medical elbow action (code 515/055-21and attle trap as per spec refer to page		01				
Electrical						
temove old DB		01				
3A steel complete.		01				
upply & install Fluorescent button double open hannel fittings		07				
upply and install new 4x4 Crabtree socket	Sum	07				
upply & install new 4 X 4 of 2 lever lights switches	Sum	02				
supply & install 1 lever light switches	Sum	03				
COC for alastrical job dans as association	Unit	01	-		-	
at le u lu u u	tle trap as per spec refer to page ectrical move old DB pply and install new D/B-Schneider electric special A steel complete. pply & install Fluorescent button double open annel fittings pply and install new 4x4 Crabtree socket	tetrap as per spec refer to page ectrical move old DB pply and install new D/B-Schneider electric special A steel complete. pply & install Fluorescent button double open annel fittings pply and install new 4x4 Crabtree socket pply & install new 4 X 4 of 2 lever lights switches pply & install 1 lever light switches Sum	tetrap as per spec refer to page 01 ectrical 01 move old DB Sum 01 pply and install new D/B-Schneider electric special Sum A steel complete. 01 pply & install Fluorescent button double open annel fittings 07 pply and install new 4x4 Crabtree socket Sum 07 pply & install new 4 X 4 of 2 lever lights switches Sum 02 pply & install 1 lever light switches Sum 03	tetrap as per spec refer to page 01 ectrical 01 move old DB Sum 01 pply and install new D/B-Schneider electric special Sum 01 A steel complete. 01 pply & install Fluorescent button double open annel fittings 07 pply and install new 4x4 Crabtree socket Sum 07 pply & install new 4 X 4 of 2 lever lights switches Sum 02 pply & install 1 lever light switches Sum 03	tetrap as per spec refer to page 01 ectrical 01 move old DB Sum 01 pply and install new D/B-Schneider electric special Sum 01 A steel complete. 01 pply & install Fluorescent button double open annel fittings 07 pply and install new 4x4 Crabtree socket Sum 07 pply & install new 4 X 4 of 2 lever lights switches Sum 02 pply & install 1 lever light switches Sum 03	tetrap as per spec refer to page 01 ectrical 01 move old DB Sum 01 pply and install new D/B-Schneider electric special Sum 01 A steel complete. 01 pply & install Fluorescent button double open annel fittings 07 pply and install new 4x4 Crabtree socket Sum 07 pply & install new 4 X 4 of 2 lever lights switches Sum 02 pply & install 1 lever light switches Sum 03

tem	DESCRIPTION	UNIT	QTY	RATE/	UNIT	TOTAL	
				R	c	R	c
	INSTITUTION: KING EDWARD HOSPITAL ZNO NO: KM						
	All rates quoted shall be inclusive of transport, Labour and profit. The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES: All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	Air-cons						
1	Supply & install 48000BTU carrier Hi wall split unit in switch board server room	Sum	01			ii	
2	Supply & install 24000BTU carrier hi wall split unit in switch board operators	Sum	01				
3	Supply & install 12000BTU carrier mid wall split unit in switch board waiting area	Sum	01				
4	Supply & install whirly bird heat extractors on roof 2mt apart	Sum	04				
5	Supply& install new Isolators for Extractor Fans	Unit	04				
6	Supply & install new cables for Extractors (2.5 mm)	Meter	20				
7	Supply & install new cables for air-cons (2.5mm)	Meter	30				
8	Supply & install new Isolators for the Air-cons	Unit	03				
9	COC for Air-cons	Unit	03				

PROJECT	DESCRIPTI	ON:

ZNQ NO: KEH____

NOTE:

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE QUOTATION FORM.

Collection Summary PS 1	R	
Collection Summary PS 2	R	
Collection Summary PS 3	R	
Collection Summary PS 4	R	
Safety requirements	R	
10% Contingencies	R	
Sub total	R	

Mr. MMS Mngomezulu Building foreman	Date
Mr. LG Sopika Chief Artisan	22/06/22 Date
End user	Date

KEH-Maintenance Project Policy

- 1. Stores issue the Company an order number and company confirms.
- 2. Stores notify the maintenance department
- The Company contacts the maintenance department within a period of 2 days to confirm that they have received an order number.
- Company is given a period of 1 week to compile and submit a work plan, safety requirements as briefed by a safety officer (<u>In a table form</u>)
- 5. Presentation of an official order, work plan
- 6. No work will be commenced without submitting a work plan and a safety plan.
- Company must sign a contractors register and complete the daily job card (This will be done on a daily basis with no fail)
- 8. There will be progress meeting every week depending on the project period.

Evaluation criteria

- 1. The rates must be clear and be on the attached schedule.
- 2. Collection summary.
- 3. Schedule of references
- 4. Proposed work plan showing the all the mile stones. (to cover the contract period)
- 5. Valid CIDB Grading SO; SE
- Air conditioning SARACCA A4 registration card front and back copy attached to tender.
- 7. EB Grade 1 Registration
- 8. Electrical Artisan with certified copies of Qualifications
- 9. Traceable References
- 10. Letter of good standing
- 11. Register with ECA.SA

Compan	y Director/ Company name
Sign	
Date	

OFFICIAL BRIEFING SESSION / SITE INSPECTION CERTIFICATE KING EDWARD HOSPITAL

Site/Security Office King Edward Hospital involved:	Urgent repair broken ceiling boards in switch board	
Quotation No. ; ZNQ NO.: KM		
THIS IS TO CERTIFY	THAT	OF SITE
	DATE) AND IS THEREFORE FAMILIAR WITH ESCOPE OF THE SERVICE TO BE RENDERED.	THE
SIGNATURE OF TENDERE	R OR AUTHORISED REPRESENTATIVE	
DATE	<u> </u>	

References of previous work completed for the department of health or other to be listed below.

PLACE WORK WAS DONE	CONTACT PERSON	PHONE NUMBER	JOB COMPLETED

NB. If this is not filled, your document will not be evaluated.
SIGNATURE OF TENDERER:
DATE: