Q

SharePoint

Mngomezulu Nomathandazo Sjabulile - ?



KZN Health Intranet

Search this site	

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES HEALTH FACILITY

KZN Health > Components > Supply Chain Management

AdvertQuote

HEALTH REPUBLIC OF SOUTH AFRICA	Quotation Advert	
Opening Date:	2022-07-13	
Closing Date:	2022-07-20	
Closing Time:	11:00	
INSTITUTION DETAILS		
Institution Name:	Ngwelezane hospital	F
Province:	KwaZulu-Natal	L
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	NGWELEZANE HOSPITAL	
Date Submitted	2022-07-13	1
TEM CATEGORY AND DETAILS		ŧ
Quotation Number:	ZNQ: NGW596/22-23	
tem Category:	Goods	F
tem Description:	RENOVATION TO ADULT BURNS UNIT (DOORS, CEILLING, PAINTININS)	√G & BA
Quantity (if supplies)	01 UNIT	
COMPULSORY BRIEFING SESSION /	SITE VISIT	
elect Type:	Compulsory Site Visit	
ate :	2022-07-15	
ime:	11:00	
enue;	NGWELEZANA HOSPITAL SCM COUNTER	
UOTES CAN BE COLLECTED FROM:	WEBSITE	
UOTES SHOULD BE DELIVERED TO:	NGWELEZANA HOSPITAL TENDER BOX NEXT TO OPD/ EMAIL	
NQUIRIES REGARDING THE ADVER	T MAY BE DIDECTED TO:	
ame:		
nail:	N.S MNGOMEZULU/ M NTSHANGASE	
ontact Number:	nomathandazo.mngomezulu@kznhealth.gov.za 035 901 7228/7180	
nance Manager Name:		
	MI T.V NXUMALO	



DIRECTORATE:

Thanduyise road. Ngwelezana Township, eMpangeni 3880
Tel: 035 901 7228 Fax 035 794 1905 Email: Nomathandazo.mngomezulu@kznhealth.gov.za www.kznhealth.gov.za

NGWELEZANA HOSPITAL SUPPLY CHAIN MANAGEMENT

TO ALL SERVICE PROVIDERS

YOU ARE KINDLY REQUESTED TO DOWNLOAD AND BRING YOUR OWN DOCUMENT TO THE SITE MEETING DUE TO THE SHORTAGE OF PAPERS. NO DOCUMENTS WILL BE DISTRIBUTED ON THE SITE MEETING. ONLY SUPPLIERS WHO ATTENDEND AND SIGNED THE ATTENDANCE REGISTER WILL BE CONSIDERED.

THANK YOU SCM NGWELEZANA HOSPITAL



health

Department: Health PROVINCE OF KWAZULU-NATAL

NGWELEZANA HOSPITAL

ZNQ - NGW596/22-23A

ITEM: RENOVATION TO ADULT BURNS UNIT (DOORS, CEILLING, PAINTING & BASINS)

Closing Date & Time : 20 JULY 2022 @ 11 A.M

Contract Period : ONCE OFF Validity Period : 60 DAYS

Contact Person : R.T. GUMEDE/ N.S MNGOMEZULU

Telephone no. : 035 901 7228/7180

DOCUMENTS MUST BE DEPOSITED IN THE QUOTATION BOX SITUATED IN:

EMPANGENI,3880	FOLLOWING DAYS AND TIMES: MONDAYS T FRIDAYS 07:30 - 16:00
BEE CERITICATE IS A COMPULSORY DOCUMENT TO WILL BE ALLOCATED WHERE AN ORIGINAL OR CER	
CERTIFIED COPY OF A VALID B-BBEE CERTIFICATE	
NB: CERTIFIED/ ORIGINAL B-BBEE CERTIFICATE MUS	ST BE ATTACHED TO EACH DOCUMENT.
NAME OF TENDERER:	
CENTRAL SUPPLIERS DATABASE REGISTRATION (C	(SD)

THANDUYISE ROAD, NGWELEZANA TOWN SHIP THE QUOTATION BOX IS AVAILABLE ON THE

STANDARD QUOTE DOCUMENTATION OVER R30 000.00

YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: NGWELEZANA HOSPITAL							
DATE ADVERTISED: 13/07/2022 CLOSING DATE: 20/07/2022 CLOSING TIME: 11:00							
FACSIMILE NUMBER: 035 794 1015/1905 E-MAIL ADDRESS: nomathandazo.mngomezulu@kznhealth.gov.za							
PHYSICAL ADDRESS:THANDUYISE ROAD, NGWELEZANA TOWNSHIP, EMPANGENI 3880							
QUOTE NUMBER: ZNQ / NGW / 596 / 22 - 23							
DESCRIPTION: RENOVATION TO ADULT BURNS UNIT (DOORS, CEILLING, PAINTING & BASINS)							
CONTRACT PERIOD VALIDITY PERIOD 60 Days SARS PIN							
(if applicable)							
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.							
UNIQUE REGISTRATION REFERENCE							
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS)							
THANDUYISE ROAD, NGWELEZANA TOWNSHIP, EMPANGENI 3880							
(NEXT TO PATIENT ADMITTING PASSAGE)							
Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for							
consideration.							
The quote box is open from 08:00 to 15:30.							
QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS – (NOT TO BE RETYPED)							
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL							
PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.							
THE FOLLOWING PARTICULARS MUST BE FURNISHED							
(FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED)							
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER CODENUMBER FACSIMILE NUMBER CODENUMBER							
CELLPHONE NUMBER							
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER (If VAT vendor)							
HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1)							
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSES) MUST BE SUBMITTED TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]							

QUOTE NUMBER: ZNQ/NGW	1 596	1 22	_ 23
QUUIL NUMBER, ZING	,	,	

OFFICIAL.	PRICE PAGE FOR	CHOTATIONS	OVED D20 000
OFFICIAL	PRICE PAGE FOR	COHOLATIONS	OVER R30 000

DESCRIPTION: RENOVATION TO ADULT BURNS UNIT (DOORS, CEILLING, PAINTIN	IG & BASINS)
SIGNATURE OF BIDDER	DATE
CAPACITY UNDER WHICH THIS QUOTE IS SIGNED	

Item No	No Quantity Description	Description	Brand &	Country of	Price		
			model	manufacture	R	С	
	01 UNIT	RENOVATION TO ADULT BURNS UNIT (DOORS,					
		CEILLING, PAINTING & BASINS)					
-							
		SPECIFICATION ATTACHED					
		N.B: REGISTRATION WITH CIDB GRADING 2GB			_	_	
		AND ABOVE IS THE REQUIREMENT.				_	
		FAILURE TO ATTACH PROOF MAY RESULT TO				_	
		QUOTE BEING DISAPPROVED				+	
						1	
						+	
						+	
						\perp	
		N.B: QUOTATIION WITH A DELIVERY PERIOD OF				+	
		MORE THAN 3 WEEKS (15 WORKING DAYS) WILL					
		NOT BE CONSIDERED					
		15% (Only if VAT Vendor) RICE (VALIDITY PERIOD 60 Days)					

	Does	The	Article	Conform	To	The	S.A.N.S.	1	S.A.B.S.	
Does This Offer Comply With The Specification?		Spec	ification?	•						
ls The Price Firm?	State [Deliver	y Period	e.g., 1day,	1we	ek				

Enquiries regarding the <u>quote</u> may be directed to:	Enquiries regarding technical information may be directed to:
Contact Person: N.S MNGOMEZULU Tel: 035 901 7228/7180 E-Mail Address: tholakele.mkhumbuzi@kznhealth.gov.za	Contact Person:Tel:

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required because

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. BIDDER'S DECLARATION

- 2.1. Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State Institution

- 2.2. Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution?
- 2.2.1. If so, furnish particulars:
- 2.3. Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO
- 2.3.1. If so, furnish particulars:

3. DECLARATION

I, the undersigned,(name)...... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1. I have read and I understand the contents of this disclosure;
- 3.2. I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Name of Bidder	Signature	Position	Date

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

GENERAL CONDITIONS OF CONTRACT

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3. ALL DECÍSIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
 - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria.

 All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

7.1.

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.

6.2. Samples must be made available when requested in writing or if stipulated on the document.

Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

(i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

(i) The institution has determined that a compulsory site meeting (ii) Date 15 /07 /2022 Time 11 : 00 Place NGWELE	YES take place EZANA HOSPITAL STORES
Institution Stamp:	Institution Site Inspection / briefing session Official
	Full Name:

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

Signature:

Date:

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

12. PATENT RIGHTS

The supplier shall indemnify the **KZN Department of Health** (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

15. THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) **"B-BBEE status level of contributor"** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - B-BBEE Status level certificate issued by an authorized body or person;
 - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P\min}{P\min} \right)$$
 Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration
Pmin = price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

BID DECLARATION	

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: =(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7.	SUB-CONTRACTING applicable box)	(Tick
	••	

7.1 Will any portion of the contract be sub-contracted?

7.1.1 II yes. mulcau	7.1.1	If ves.	indicate
----------------------	-------	---------	----------

- i) What percentage of the contract will be subcontracted......%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor......

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

iv) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR	v	
Any EME		
Any QSE		

NO

9.	DECLARATION WITH REGARD TO COMPANY/FIRM	1					
9.1	Name of company/firm:						
9.2	VAT registration number:						
9.3	Company registration number:						
9.4	TYPE OF COMPANY/ FIRM [TICK APPLICABLE BO	pxj					
	 □ Partnership/Joint Venture / Consortium □ One person business/sole propriety □ Close corporation □ Company □ (Pty) Limited 						
9.5	DESCRIBE PRINCIPAL BUSINESS ACTIVITIES						
0.6	COMPANY OF A SCIENCATION ITTICK APPLICABLE	POVI					
9.6	COMPANY CLASSIFICATION [TICK APPLICABLE ☐ Manufacturer ☐ Supplier ☐ Professional service provider ☐ Other service providers, e.g. transporter, etc.	БОХ					
9.7	Total number of years the company/firm has been in	business:					
9.8		o do so on behalf of the company/firm, certify that the points claimed, based on ragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for t:					
	i) The information furnished is true and correct;						
	ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this fo						
		esult of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may satisfaction of the purchaser that the claims are correct;					
		been claimed or obtained on a fraudulent basis or any of the conditions of nay, in addition to any other remedy it may have –					
	(a) disqualify the person from the bidding proce	ess;					
	(b) recover costs, losses or damages it has inc	urred or suffered as a result of that person's conduct;					
	 (c) cancel the contract and claim any damages arrangements due to such cancellation; 	s which it has suffered as a result of having to make less favourable					
	who acted on a fraudulent basis, be restrict	s shareholders and directors, or only the shareholders and directors ted by the National Treasury from obtaining business from any organis, after the audi alteram partem (hear the other side) rule has been					
	(e) forward the matter for criminal prosecution.						
	WITNESSES	SIGNATURE(S) OF BIDDERS(S)					
	1	DATE:					
	2	ADDRESS					



DIRECTORATE: NGWELEZANA HOSPITAL

Private Bag X20021 EMPANGENI, 3880 Thanduyise road, Ngwelezana hospital, Empangeni, 3880 Tel: 035 901 7125 Email: thembinkopsi.ngubeni@kznhealth.gov.za Maintenance services

DEPARTMENT OF HEALTH

PROVINCE OF KWAZULU-NATAL

PROJECT DISCRIPTION:

Renovations to Adult Burns Unit

(FLOOR, CEILING, PAINTING, WINDOW FRAMES & CUPBOARDS)

QUOTATION NUMBER:

REQUIRED CIDB GRADING: 2GB AND Above

QUOTATION DOCUMENT

DEPARTMENT OF HEALTH

NGWELEZANE HOSPITAL

Project Leader: T.G NGUBENI

Telephone No: 035 901 7125/ 083 2450 491

Email: thembinkosi.ngubeni@kznhealth.gov.za

On behalf of Ngwelezana Tertiary Hospital, we hereby invite you to quote for the below services as per specification.

REPAIRS AND RENOVATIONS TO DEMOSTRATION ROOM

(TECHNICAL SPECIFICATION

1.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not. **Note to Contractors:**

- 1. Works to be completed within 21 working days from receiving an official order.
- 2. This office to be notified in advance to arrange for an onsite inspection after completion of the installation so as to finalize the payment.
- 3. The scope of work/ specifications is specific to Ngwelezana Hospital and all bidders are required to attend the compulsory site briefing.
- 4. No work can commence without prior authorisation by the *chief artisan / Artisan foreman of* the Facility.
- 5. A kick off meeting is compulsory and the bidder who will be awarded the job must notify the Facility and the <u>chief artisan</u> in charge of the start date so that a kick-off meeting can be scheduled and conducted three days before the work start date.
- 6. The following items to be quoted on:
- Removal and disposal of the existing door, frames, ceiling etc. (where necessary)
- Preparing of painting of walls, window frames, doors and chipping of floors.
- Supplying and installation of the new items that need replacements.

2. NOTES TO BIDDERS

- All work is to be carried out to the approval of the department by skilled and qualified workmen and in accordance with the methods prescribed in SABS code of practice.
- 2. Contractors are urged to ensure that safety measures as per the Occupational Health and Safety (OHS) Act are in place before any work is undertaken.
- 3. All dimensions and sizes shall be checked and confirmed before any work is undertaken or materials ordered. Any discrepancies shall be brought to the attention of the project leader immediately.
- 4. All work is to be carried out as per the Bill of Quantities (BOQ) and technical specifications as issued with this document-no alterations will be allowed unless the project leader grants prior authority.
- 5. The Department of Health reserves the right to negotiate prices in the Bill of Quantities.
- 6. All materials used in this contract shall be that which is specified or other approved.
- 7. Contractors are advised to visit site to acquaint themselves with the site and the layout of the institution as no claims on the grounds of ignorance of the locality/siting or access to the institution will be entertained later.
- Contractors are informed that living on the institutions premises during the contract is not allowed and arrangements for accommodation will have to be made.

- 9. All rates for items contained in this Schedule of Prices must be computed excluding the applicable VAT.
- 10. All rates quoted shall be inclusive of transport, labour and profit but exclude VAT.
- 11. All work is to be executed in accordance with the instructions issued by the manufacturer of the material/equipment being used.
- 12. The institution is fully functional and occupied. Care must be exercised that daily functioning of the institution and safety of staff and visitors is not compromised in any way.
- 13. The whole installation shall be in accordance with the Occupational Health and Safety Act 85/1993 as amended and all regulations framed therein shall be carried out to the satisfaction of the Department of Health.
- 14. Competent workmen skilled in their trade shall carry out all work. Quality shall be of the best standard practice and all workman-ship will be subject to the approval of the Department of Health.
- 15. The work shall at all times, for the duration of the contract, be carried out under supervision of a skilled and competent representative of the Service Provider, who will be able and authorized to receive and carry out instructions on behalf of the of the Service Provider. A sufficient number of workmen shall be employed at all times to ensure satisfactory progress of the work.
- 16. All apparatus, component parts, fittings and materials employed in the execution of the Contract shall be new and unused and shall be the latest type or pattern of the particular manufacture employed and SABS approved. S.A.B.S. mark bearing items shall be used wherever possible.
- 17. The complete installation shall be maintained as specified in this particular specification after acceptance in writing by the Department of Health.
- 18. The complete installation must be guaranteed against defective parts and workmanship for the period specified after the date of issue of the Completion Certificate. This period shall run concurrently with the maintenance period.
- 19. Tenderers are advised to visit the site and acquaint themselves fully with the site conditions and nature and full extent of work involved prior to submitting their bid. Claims on the grounds of insufficient information in such respects or otherwise will not be entertained by the Administration.
- 20. The Department of Health reserves the right to make emergency repairs to keep the equipment in operation without voiding the Contractor's Guarantee, nor relieving the Contractor of his/her responsibility during the guarantee period when, after proper notice, the Contractor fails to attend to such emergency repairs. All costs incurred by the administration under these circumstances will be for the account of the Contractor.
- 21. The bidder will not be adjudicated on the Price only. The bidders will be adjudicated based on the cheapest COMPETENT, RE-SOURCED and COMPLIANT bidder
- 22. With effect from the date of the First Delivery Certificate the Contractor shall at his own expense undertake the regular servicing of the installation during the maintenance period and shall make all adjustments necessary for the correct operation thereof. If during the said period the installations is not in working order for any reason for which the Contractor is responsible, or if the installations develops defects, he shall immediately upon being notified thereof take steps to remedy the defects and make any necessary adjustments. Should such stoppages however be so frequent as to become troublesome, or should the installations otherwise prove unsatisfactory during the said period the Contractor shall, if called upon by the Department, at his own expense replace the whole of the installations or such parts thereof as the Department may deem necessary with apparatus specified by the Department.

3. SCHEDULE OF RATES

3.1 ITEMS AND PRICING

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document and relevant standards taken into consideration. Thus the supplier shall not have claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before quoting as to the correctness and sufficiency of his quote for the contract and of the rates and prices stated in the Schedule of Rates.

3.2 TAX AND DUTIES

Prices, quoted and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, **including Value Added Tax (applicable to the current rate).**

3.3 RATES

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all <u>labour, transport, overhead charges and profit, etc.</u> as well as the <u>general liabilities, obligations and risks arising out of the Conditions of Contract</u>, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

4. STANDARDS

The supply and installation of the all items in the document and its associated equipment specified, must comply with the latest requirements of:

- i) The Occupational Health and Safety Act (Act 85, 1993) as amended.
- ii) IUSS Health Facilities Guide
- iii) Kwazulu-Natal Department Of Health Policy Document For The Design Of Structural Installations

5. PROGRAMMING OF WORKS

- The contractor shall notify the institution (5) days prior to carrying out any site work.
- Contractor shall finish this work within (21) days counting from the date of site handover, unless other strong and valid reason is stated.

6. TESTING AND COMMISSIONING

The areas shall be inspected before handing over to Department of Health: <u>chief artisan</u>. There shall be an inspection program submitted to the DoH Engineer by the service provider prior to the testing and commissioning and the tests and commissioning shall be witnessed by the Department of Health: Provincial <u>Infrastructure Engineer</u> or his/her representatives.

7. THE SITE

The site is at Ngwelezana Tertiary Hospital Adult burns unit.

8. SCOPE OF WORK AND BOQ

Please see Annexure for detailed specifications of items / material. The scope of work includes the following;

 Removal and disposal of the old celling and vinyl/wooden floor tiles and window frames steel poles in all areas specified in the BOQ.

Item	DESCRIPTION	UNIT	QTY	RAT UNI		ТОТА	ıL
				R	С	R	С
	INSTITUTION: NGWELEZANA TERTIARY HOSPITAL SITE: ADULT BURNS UNIT						
	All equipment and material used in this contract is to be that which is specified or other approved.						
	Quantities are provisional and shall be Re-measured after completion.						
	NB. Tenderer to take note that no staff are allowed to reside on site. Only a security guard is allowed in the contractor's site establishment after hours.						
	Site preparations						
	Preparing of painting of walls, window frames & doors.						
	Tenderer is advised to ENSURE that each completion of the above should be						
1.	approved by the Chief Artisan / artisan foreman of the facility.	Unit	Item				
2.	Outside Area						
2.1	Remove asbestos gutter and down pipe	unit	item				
	Supply and install (150x150mm) Long Span aluminium gutters coated in white by the Manufacture, Heavy duty industrial 0.58mm thick with complete Bends, Shoes and stop ends.	М	40				
	Tenderer is advised to ensure that no joints to be made on gutters.						
2.2	Gutter must cover all areas that will be identified on site briefing Tenderer is allowed to take his own measurement						
2.3	Supply and install gutter aluminium gutter bracket complete with mounting screws	unit	item				
2.4	Supply and install fibre cement fascia board painted with primer (10mm thick x 300 mm wide x 3600mm long) complete with steel Fascia straight joiner (12mmx225 mm)	NO	7				
	Supply and install (76x50x0.58mm) Aluminium down pipe including all shoes end caps and bends to cover 3500mm height	NO	6				
2.5	Allow mounting of down pipe to up right pole, flow must be directed to storm water drain.						
2.6	Supply and install 114mm high x 38mm thick x 2M long mm rafters and hangers. Treated timber SABS Approved	NO	4				

	Supply and install purlins 50mm thick x 75mm high x 4M long. Treated tim-	NO	3		
2.7	ber SABS Approved				
	Supply and install 0.58mm thick Kliplock 700 Heavy Industrial galvanized Z 200 shelter roofs sheeting with a global tech 500 finishes on one side fixed to lip channels. The roof sheeting is to be secret fixed with appropriate brackets.	M²	4.5	11	
	The Kliplock 700 Heavy duty Industrial Z 200 galvanized roof sheeting shall be Grass Green in colour on top and underneath the roof sheeting shall be. The thick Kliplock 700 Heavy duty Industrial galvanized Z 275 roof sheeting and rib caps must be supplied and coated Grass Green with special coating by the Manufactures. Manufactures are Robinson's, Brown bull etc. or other approved by the Department of Facilities Management.				
2.8	Roof sheeting length: 2 meters each				
	Supply and construct extension wall 600mm high x 3M long x 200mm thick. Using face brick of same make and type of the existing wall.	unit	item		
	Brick force must be used every second course. Finishing course shall be roller course.				
	Mortar: 15mm each course. Allow to roll the brick at the end of each height.				
	Mixture 3:1 using black cement 42.5N mix, The mixing of the materials is to be done on a hard surface.				
	Tenderer is advised to ensure that building Sand is free from all impurities and is of good quality for building.				
	<u>Cement:</u> unless otherwise specified is to be 42.5N cement of normal setting quality, is to comply with SANS Specification 471, and must be used fresh.				
	Cement containing more Than 15% blast furnace slag will not be permitted to be used.				
	<u>Water:</u> is to be clean, fresh and free from injurious amounts of acids, alkalis and other				
2.9	Properly wash and clean of bricks after two course. Bricks must be 100% clean after two course			- 6	
3	Main Entrance				
3.1	Allow to remove double door steel frame on the right hand, plaster and install corner edging protector as listed in number 19 bellow.	NO	4		
	supply and install stainless wall mounting rails , floor /wall mount 50.8 corner	М	4		
	NB: 4 meters is the full length to be covered by rails, some areas take 1.5 meters other areas 700mm				
	Mounting of rails include raw bolts for each length				
	Tenderer is allowed to take his own measurement				
3.2					

supply replace double door with solid core door opening (1500 x 2020 mm)	NO	1				
		-				
300 x 300mm safety glazing viewing panel glass thickness 6mm						
cladding grade 304 stainless steel kick and push plate 860 mm high x715 mm wide x 2m thick						
stainless steel door corner / edging protector 860 mm high x715 mm wide x 2m thick						
Paint the door with wooden primer and two coat of similar paint before						
Edging protector and kick plate.						
Door must come complete with aluminium push/pull door handles 150 x 150mm with cylinder key set and two keys						
OM office						
Supply and replace skylight allow to seal after replacement for stopping of leaks	N0	2				
Supply and paint wall (2.6 wide x 3.6 long x 2.6M high)	M²	32.24				
supply and paint wall bath room (1.4 high x 2.6 wide x 1.6 long M)	M²	15.6				
supply and paint soffit/ decking (3.6 long x 2.6 wide)	M²	9.36				
allow painting of doors and frames with same colour two Coats 12 year guarantee paint	NO	3 each				
Tenderer is advised to ensure that application of paint must be seen and approved by Chief Artisan or Artisan Foreman in charge						
Allow to use 4mm black skirting 100mm above the floor	unit	item				
Supply and install 12000 BTU/hr inverter midwall split unit air conditioner cooling and heating.	NO	1				
Silver trim and hidden LED temperature display. Maximum energy efficiency with inverter technology. Timer auto restart function. Sleep mode. High density quality dual filter. Guarantee and maintenance service see last pages of the document for details.						
Supply and install air conditioner connex	unit	Item				
Single pole isolator 20 amps, 230 -250 IP66V complete box, surfix 2 core wire with earth cable –white 4mm.						
20 amps 5KA short circuit fault CBI circuit breaker. Trip indication with mid –Trip handle.						
Mini rail type SABS approved, solid white trunking 75 x 50mm , adopters, end caps, trunking angles and cable tie, copper tube piping and water proofing tube insulation black in colour						
Sponge rubber pipe water proofing pipeline holder thermal insulation tubular protective sleeve air conditioner fitting thickness 9mm. wall mounting						
units and hail guard for outdoor unit						
	mm wide x 2m thick stainless steel door corner / edging protector 860 mm high x715 mm wide x 2m thick Paint the door with wooden primer and two coat of similar paint before Edging protector and kick plate. Door must come complete with aluminium push/pull door handles 150 x 150mm with cylinder key set and two keys OM office Supply and replace skylight allow to seal after replacement for stopping of leaks Supply and paint wall (2.6 wide x 3.6 long x 2.6M high) supply and paint wall bath room (1.4 high x 2.6 wide x 1.6 long M) supply and paint soffit/ decking (3.6 long x 2.6 wide) allow painting of doors and frames with same colour two Coats 12 year guarantee paint Tenderer is advised to ensure that application of paint must be seen and approved by Chief Artisan or Artisan Foreman in charge Allow to use 4mm black skirting 100mm above the floor Supply and install 12000 BTU/hr inverter midwall split unit air conditioner cooling and heating. Silver trim and hidden LED temperature display. Maximum energy efficiency with inverter technology. Timer auto restart function. Sleep mode. High density quality dual filter. Guarantee and maintenance service see last pages of the document for details. Supply and install air conditioner connex Single pole isolator 20 amps, 230 -250 IP66V complete box, surfix 2 core wire with earth cable —white 4mm. 20 amps 5KA short circuit fault CBI circuit breaker. Trip indication with mid —Trip handle. Mini rall type SABS approved, solid white trunking 75 x 50mm, adopters, end caps, trunking angles and cable tie, copper tube piping and water proofing tube insulation black in colour Sponge rubber pipe water proofing pipeline holder thermal insulation tubular protective sleeve air conditioner fitting thickness 9mm. wall mounting plates & brackets, rubber cushion and for installing both indoor and outdoor	300 x 300mm safety glazing viewing panel glass thickness 6mm cladding grade 304 stainless steel kick and push plate 860 mm high x715 mm wide x 2m thick stainless steel door corner / edging protector 860 mm high x715 mm wide x 2m thick Paint the door with wooden primer and two coat of similar paint before Edging protector and kick plate. Door must come complete with aluminium push/pull door handles 150 x 150mm with cylinder key set and two keys OM office Supply and replace skylight allow to seal after replacement for stopping of leaks Supply and paint wall (2.6 wide x 3.6 long x 2.6 M high) supply and paint wall bath room (1.4 high x 2.6 wide x 1.6 long M) supply and paint soffit/ decking (3.6 long x 2.6 wide) allow painting of doors and frames with same colour two Coats 12 year guarantee paint Tenderer is advised to ensure that application of paint must be seen and approved by Chief Artisan or Artisan Foreman in charge Allow to use 4mm black skirting 100mm above the floor Supply and install 12000 BTU/hr inverter midwall split unit air conditioner cooling and heating. Silver trim and hidden LED temperature display. Maximum energy efficiency with inverter technology. Timer auto restart function. Sleep mode. High density quality dual filter. Guarantee and maintenance service see last pages of the document for details. Supply and install air conditioner connex Single pole isolator 20 amps, 230 -250 IP66V complete box, surfix 2 core wire with earth cable —white 4mm. 20 amps 5KA short circuit fault CBI circuit breaker. Trip indication with mid—Trip handle. Mini rail type SABS approved, solid white trunking 75 x 50mm, adopters, end caps, trunking angles and cable tie, copper tube piping and water proofing tube insulation black in colour Sponge rubber pipe water proofing pipeline holder thermal insulation tubu- lar protective sleeve air conditioner fitting thickness 9mm. wall mounting plates & brackets, rubber cushion and for installing both indoor and outdoor	300 x 300mm safety glazing viewing panel glass thickness 6mm cladding grade 304 stainless steel kick and push plate 860 mm high x715 mm wide x 2m thick stainless steel door corner / edging protector 860 mm high x715 mm wide x 2m thick Paint the door with wooden primer and two coat of similar paint before Edging protector and kick plate. Door must come complete with aluminium push/pull door handles 150 x 150mm with cylinder key set and two keys OM office Supply and replace skylight allow to seal after replacement for stopping of leaks Supply and paint wall (2.6 wide x 3.6 long x 2.6M high) M² 32.24 supply and paint wall bath room (1.4 high x 2.6 wide x 1.6 long M) M² 15.6 supply and paint soffit/ decking (3.6 long x 2.6 wide) Allow painting of doors and frames with same colour two Coats 12 year gwarantee paint Tenderer is advised to ensure that application of paint must be seen and approved by Chief Artisan or Artisan Foreman in charge Allow to use 4mm black skirting 100mm above the floor Supply and install 12000 BTU/hr inverter midwall split unit air conditioner cooling and heating. Silver trim and hidden LED temperature display. Maximum energy efficiency with inverter technology. Timer auto restart function. Sleep mode. High density quality dual filter. Guarantee and maintenance service see last pages of the document for details. Supply and install air conditioner connex Single pole isolator 20 amps, 230 -250 IP66V complete box, surfix 2 core wire with earth cable—white 4mm. 20 amps 5KA short circuit fault CBI circuit breaker. Trip indication with mid —Trip handle. Mini rail type SABS approved, solid white trunking 75 x 50mm, adopters, end caps, trunking angles and cable tie, copper tube piping and water proofing tube insulation black in colour Sponge rubber pipe water proofing pipeline holder thermal insulation tubu- lar protective sleeve air conditioner fitting thickness 9mm. wall mounting plates & brackets, rubber cushion and for installing both indoor and outdoor	300 x 300mm safety glazing viewing panel glass thickness 6mm cladding grade 304 stainless steel kick and push plate 860 mm high x715 mm wide x 2m thick stainless steel door corner / edging protector 860 mm high x715 mm wide x 2m thick Paint the door with wooden primer and two coat of similar paint before Edging protector and kick plate. Door must come complete with aluminium push/pull door handles 150 x 150mm with cylinder key set and two keys DM office Supply and replace skylight allow to seal after replacement for stopping of leaks Supply and paint wall (2.6 wide x 3.6 long x 2.6 M high) M² 32.24 supply and paint wall bath room (1.4 high x 2.6 wide x 1.6 long M) M³ 15.6 supply and paint soffit/ decking (3.6 long x 2.6 wide) Allow painting of doors and frames with same colour two Coats 12 year guarantee paint Tenderer is advised to ensure that application of paint must be seen and approved by Chief Artisan or Artisan Foreman in charge Allow to use 4mm black skirting 100mm above the floor Supply and install 12000 BTU/hr inverter midwall split unit air conditioner cooling and heating. Silver trim and hidden LED temperature display. Maximum energy efficiency with inverter technology. Timer auto restart function. Sleep mode. High density quality dual filter. Guarantee and maintenance service see last pages of the document for details. Supply and install air conditioner connex Single pole isolator 20 amps, 230 -250 IP66V complete box, surfix 2 core wire with earth cable—white 4mm. 20 amps 5KA short circuit fault CBI circuit breaker. Trip indication with mid—Trip handle. Mini rail type SABS approved, solid white trunking 75 x 50mm, adopters, end caps, trunking angles and cable tie, copper tube piping and water proofing tube insulation black in colour Sponge rubber pipe water proofing pipeline holder thermal insulation tubular protective sleeve air conditioner fitting thickness 9mm. wall mounting plates & brackets, rubber cushion and for installing both indoor and outdoor	300 x 300mm safety glazing viewing panel glass thickness 6mm cladding grade 304 stainless steel kick and push plate 860 mm high x715 mm wide x 2m thick stainless steel door corner / edging protector 860 mm high x715 mm wide x 2m thick Paint the door with wooden primer and two coat of similar paint before Edging protector and kick plate. Door must come complete with aluminium push/pull door handles 150 x 150mm with cylinder key set and two keys OM office Supply and replace skylight allow to seal after replacement for stopping of leaks Supply and paint wall (2.6 wide x 3.6 long x 2.6 M high) M2 32.24 supply and paint wall bath room (1.4 high x 2.6 widex 1.6 long M) M3 15.6 supply and paint soffit/ decking (3.6 long x 2.6 wide) Allow painting of doors and frames with same colour two Coats 12 year guarantee paint Tenderer is advised to ensure that application of paint must be seen and approved by Chief Artisan or Artisan Foreman in charge Allow to use 4mm black skirting 100mm above the floor Supply and install 12000 BTU/hr inverter midwall split unit air conditioner cooling and heating. Silver trim and hidden LED temperature display. Maximum energy efficiency with inverter technology. Timer auto restart function. Sleep mode. High density quality dual filter. Guarantee and maintenance service see last pages of the document for details. Supply and install air conditioner connex Single pole isolator 20 amps, 230 -250 IP66V complete box, surfix 2 core wire with earth cable —white 4mm. 20 amps SKA short circuit fault CBI circuit breaker. Trip indication with mid—Trip handle. Mini rall type SABS approved, solld white trunking 75 x 50mm, adopters, end caps, trunking angles and cable tie, copper tube piping and water proofing tube insulation tubular protective sleeve air conditioner fitting thickness 9mm. wall mounting plates & brackets, rubber cushion and for installing both indoor and outdoor	300 x 300mm safety glazing viewing panel glass thickness 6mm cladding grade 304 stainless steel kick and push plate 860 mm high x715 mm wide x 2m thick stainless steel door corner / edging protector 860 mm high x715 mm wide x 2m thick Paint the door with wooden primer and two coat of similar paint before Edging protector and kick plate. Door must come complete with aluminium push/puil door handles 150 x 150mm with cylinder key set and two keys OM office Supply and replace skylight allow to seal after replacement for stopping of leaks Supply and paint wall (2.6 wide x 3.6 long x 2.6 M high) M² 32.24 supply and paint wall bath room (1.4 high x 2.6 wide x 1.6 long M) M² 15.6 supply and paint soffit/ decking (3.6 long x 2.6 wide) Allow painting of doors and frames with same colour two Coats 12 year guarantee paint Tenderer is advised to ensure that application of paint must be seen and approved by Chief Artisan or Artisan Foreman in charge Allow to use 4mm black skirling 100mm above the floor Josephy and install 12000 BTU/hr inverter midwall split unit air conditioner cooling and heating. Silver trim and hidden LED temperature display. Maximum energy efficiency with inverter technology. Timer autor restart function. Sleep mode. High density qualify dual filter. Guarantee and maintenance service see last pages of the document for details. Supply and install air conditioner connex Single pole isolator 20 amps, 230 -250 IP66V complete box, surfix 2 core wire with earth cable —white 4mm. 20 amps SKA short circuit fault CBI circuit breaker. Trip indication with mid —Trip handle. Mini rall type SABS approved, solid white trunking 75 x 50mm, adopters, end caps, trunking angles and cable tie, copper tube piping and water proofing tube insulation black in colour Sponge rubber pipe water proofing pipeline holder thermal insulation tubu- lar protective sieeve air conditioner fitting thickness 9mm. wall mounting pages and cable tie, copper tube piping and water proofing tube insulation black in colour

	Allow re-gassing of air conditioners refrigerant OME manual					
	All electrical cables must be laid inside the trunking as well as copper piping for refrigerant					
	Allow to seal up all holes in the wall using expanding polyurethane foam.					
	Allow to use 20mm PVC pipe for discharge wall mounted by hospital saddles.					
	Certificate of compliance for both electrical and refrigeration after completion (no final payment will be proceed without above mentioned certificates)					
	Air conditioners must be installed by accredited Technician (licence required before installation)					
5	Patients Kitchen/ Dishing room					
	Supply and install sola medical hand was basin 510mm code: 702800 complete with elbow taps cold & hot.(no hole basin)	NO	1			
	Supply all necessary connex for installation of basin: flexi pipes, class 2 copper pipes 15mm, 50mm discharge, 90 & 40 degrees 50mm IE PVC elbows, chromed bottle trap, 15, 22mm elbow DR etc. All the above SABS approved.					
	splash back wall tilling 600mm x 900mm described in number 5.4					
	Allow to seal with clear silicone.					
5.1	NB: only class 2 coper pipe is allowed.					
	Supply and install 700 mm long x 900mmhigh x 500mm wide cupboard made of supawood spray painted by the manufacture with cream white paint for hand wash basin.	NO	1			
	Having 2 x 348mm doors and stainless steel T –bar pull handles and knobs diameter 12mm , length 150mm . Door hinges with cabinet kitchen free samples slow close hydraulic stain-less steel.					
	Top to be Granite Black 30mm, base shall be made of 22 mm thick shutter ply 50 mm from the ground. Allow to seal with clear silicone					
5.2	See attached drawing not drawn to scale.					
	Supply and install floor Tiles 300 x 300 x 8.6mm thick first grade "Johnson Kerastar Themis" or other approved by the Department of Health Facilities Management.					
	Area to be covered: (1.8 x 3M)					
	Floor tiles must be laid with a maximum of 2.5mm wide joints continuous in all directions including a maximum of 5mm thick spacers must be used					
	Tile skirting shall be 100mm high of the same tiles. Super fine antibacterial epoxy grout must be used.					
1	I and the second	I			1	1

	Supply and install 200x200 MWB Matt White First Grade Johnson wall tiles.			ľ	T	Т
	Wall tiles must be laid with a maximum of 2.00mm wide joints continuous in all directions including a maximum of 5mm thick spacers must be used.					
5.4	Walls must be chipped and prepared up to satisfactory of the Department prior to installation of tiles.	M ²	2.4			
5.6	Supply paint celling board (1.8 x 3M)	unit	item			
	Supply and install 1800 mm long x 900mmhigh x 500mm wide cupboard made of supawood 16mm spray painted by the manufacture with cream white paint	Unit	Item			
	Having (420 wide x 840mm high doors x 3) (200 wide x 500mmhigh x3 drawers') stainless steel handles T- bar pull handles and knobs diameter 12mm, length 150mm.					
	Door hinges with cabinet kitchen free samples slow close hydraulic stainless steel.					
5.7	Top to be Granite Black 30mm, base shall be made of 22 mm thick shutter ply 50 mm from the ground. Allow to seal with clear silicone					
	See attached drawing not drawn to scale.					
6.	Isolation room					
6.1	Allow to stop leak in the roof by using roof paint with membrane	Unit	Item			
6.2	supply and paint wall (6.6M wide x 7.5M long X 2.9M high)	M ²	81.7			
	Supply and paint walls with two (2) coats Double Velvet: colour: NON-DRIP water based satin sheen, washable, cream white Rice Paper VEL 45 15 year guarantee.					
6.3	Tenderer is advised to ensure that second coats shall be applied after <u>24</u> hours and approved by Chief Artisan or Artisan Foreman in charge	M²	item			
	Supply and install Rhino ceiling board approved by department of Facilities Management at Head Office (3M long x 1200mm wide x 6.4mm thick)					
	Supply and install Cornice cove 75mm x3M siniat L approved by department of Facilities Management at Head Office (3M long x 12)					
6.4	Manufactured according to ISO 9001 & ISO 14001 quality & environmental respectively to comply with SANS266		49.5			
	Tenderer is advised to ensure that steel branding sections must be fixed at 90 degrees to the roof trusses.					
	Ceiling to be hung with dry Wall screws angles must be properly Fixed on wall using concrete nail.					
6.5	Gap between board should not exceed 2mm.	Unit	item			
	Supply and install Light fittings open channel , telescopic, complete with 2 LED tubes on each , Size must be 1500mm length & 100mm width, post power painted white, 230v 50HZ, versatile end plate double as coupler for					
6.6	end to end continuous row mounting, surface stem Approved by the Department of Health Facilities Management.	NO	06			

7	PASSAGE				
7.1	supply and paint wall (2M wide x 10.5M long X 2.9M high)	M ²	72.05		
7.2	supply and paint door & frame same colour two coats	NO	02		
	supply replace double with solid core door opening (1500 x 2020 mm)	NO	1		
	300 x 300mm safety glazing viewing panel glass thickness 6mm				
	cladding grade 304 stainless steel kick and push plate 860 mm high x715 mm wide x 2m thick				
	stainless steel door corner / edging protector 860 mm high x715 mm wide x 2m thick				
	Paint the door with wooden primer and two coat of similar paint before				
	Edging protector and kick plate.				
	Door must come complete with aluminium push/pull door handles 150 x 150mm with cylinder key set and two keys				
7.3	Tenderer is advised to check the existing frame and existing hinges				
	Supply and install ceiling (10.5M x 2 M)	M ²	21		
7.4	Check number 6.4 to 6.5 for detailed specification				
	Supply and install LED fluorescent tubes fittings	NO	3		
7.5	Check number 6.6 for detailed specification				
8	Kit Room				
8.1	supply and paint wall (1.7M wide x 1.5M long X 2.9M high)	M ²	18.56		
8.2	supply and paint door & frame same colour two coats	NO	1		
	Supply and install ceiling (1.5M x 1.7 M)	M ²	2.55		
8.3	Check number 6.4 to 6.5 for detailed specification				
	Supply and install LED fluorescent tubes fittings	NO	1		
8.4	Check number 6.6 for detailed specification				
8.5	supply and install 4mm thick vinyl sheeting black in colour	М	30		
9	Stock Room				
9.1	supply and paint wall (1.8M wide x 4.5M long X 2.9M high)	M ²	37.12		
9.2	supply and paint door & frame same colour two coats	NO	1		
	Supply and install ceiling (4.5M x 1.8 M)	M ²	8.1		
9.3	Check number 6.4 to 6.5 for detailed specification				

	Supply and install LED fluorescent tubes fittings	NO	1		
9.4	Check number 6.6 for detailed specification				
10	Dressing Room				
10.1	supply and paint wall (4.3M wide x 4.6M long X 2.9M high)	M ²	51.62		
	Supply and paint door & frame same colour two coats. Allow to repair the door.	NO	1		
10.2	Supply and replace door handle by aluminium door handles 150 x 150mm with cylinder key set.				
10.3	allow painting of celling with white celling paint	M ²	19.78		
10.4	supply and install hand was basin as described in number 4.1	NO	1		
10.5	Replace door handles with stainless steel handles T- bar pull handles and knobs diameter 12mm, length 150mm	NO	10		
10.6	Remove & remove top part of cupboard with Granite Black 30mm, Allow to seal with clear silicone after installation (3.7 M long X 540 M wide)	NO	1		
11	Male ward				
11.1	supply and paint wall (6.7 M wide x 10 M long X 2.9M high)	M ²	96.86		
11.2	supply and paint door & frame same colour two coats	NO	1		
	Supply and install ceiling (10M x 6.7 M)	M ²	67		
11.3	Check number 6.4 to 6.5 for detailed specification				
	Supply and install LED fluorescent tubes fittings	NO	8		
12.4	Check number 6.6 for detailed specification				
11.5	supply and install hand was basin as described in number 4.1	NO	1		
	supply and install (1M x 1M) aluminium window frame with 4mm thick clear glass, 500 x1000mm fixed other half sliding.	NO	2		
11.6	Allow to remove the existing cover				
	Supply and install compartment cupboard type FS6-WH-VA-EU-GI wall mounted execution. Robust construction completely made of stainless steel. Compartment width (300 x400mm) Doors lockable with cylinder lock x 2	NO	6		
11.7	keys,				
12	Female ward				
12.1	supply and paint wall (6.5 M wide x 7.9 M long X 2.9M high)	M ²	83.52		+
	supply replace double with solid core door opening (1500 x 2020 mm)	NO	1	+	+
	Paint the door with wooden primer and two coat of similar paint				
12.2	Door must come complete with aluminium door handles 150 x 150mm with cylinder key set.				

	Supply and install ceiling (6.5M x 7.9 M)	M ²	51.35	Î	Ì	
12.3	Check number 6.4 to 6.5 for detailed specification					
	Supply and install LED fluorescent tubes fittings	NO	6	1		
12.4	Check number 6.6 for detailed specification					
13	Bath rooms					
	Remove and replace bathtub with hospital shower complete with taps	NO	2			
	Supply all necessary connex for installation of shower: flexi pipes, class 2					
13.1	copper pipes 15mm, 50mm discharge, 90 & 40 degrees 50mm IE PVC elbows, chromed bottle trap, 15, 22mm elbow DR SABS approved etc.					
	supply and install hospital shower for patients with disability complete with taps and hand rail & chair	NO	2			
	Supply all necessary connex for installation of shower: flexi pipes, class 2					
13.2	copper pipes 15mm, 50mm discharge, 90 & 40 degrees 50mm IE PVC					
13.2	elbows, chromed bottle trap, 15, 22mm elbow DR SABS approved etc.					
13.3	supply and replace all missing tiles in both bath rooms (male & females)	unit	item			
13.4	supply and install floor tiles as listed in number 4.3	M ²	32			
	Allow to patch all door frames by using wooden filler, ultra-strong,	unit	item			
13.3	interior and exterior use, paint , satin or varnish under 1 hour , deep hole filler					
14	Sluice room					
14.1	supply and paint wall (2M wide x 2.7M long X 2.9M high)	M ²	27.26			
14.2	supply and paint celling (2M x 2.7M)	M ²	5.54			
14.3	supply and install floor tiles as listed in number 4.3	M ²	5.54			
14.4	supply and install floor tiles as listed in number 4.4	M ²	27.26			
14.5	supply and paint door & frame same colour two coats	NO	1			
14.8	supply and install combination bed pen & wash-up sluice sink stainless steel grade 304 complete flush valves, taps and all connex	NO	1			
15	Paeds Room section					
15.1	supply and paint wall (12 M wide x 10.3 M long X 2.9M high)	M ²	132.8			
15.1	supply and paint door & frame same colour two coats	NO	4			
	Supply and install ceiling (10.3M × 2.9 M)	M ²	123.6			
15.2	Check number 6.4 to 6.5 for detailed specification					
	Supply and install LED fluorescent tubes fittings	NO	10			
15.3	check number 6.6 for detailed specification					

15.4	allow to replace basin as described in number 4.1	NO	1		T
15.4	allow to replace pasifi as described in number 4.1	140	_		
16	Paeds Room section kitchen				
16.1	supply and paint wall & celling (3 M wide x 4.5 long X 2.9M high)	M ²	43.5		
16.2	allow to replace wall missing tiles (3M x 3.2M)	M ²	9.6		
16.3	allow to replace wall missing tiles (4.2 M x 3M)	M ²	12.6		
16.4	Repair kitchen cupboards , replace all cupboards handles and install 30mm black granite black (530 x500mm & seal)	unit	item		
	All wall painting should be referred to 6.5	unit	item		
17	Tenderer is advised to show paint container/ tin to maintenance officials before application paint.				
	Supply and install Stainless steel door edge protector 1200mm high x 75mm				
18	wide x 3mm thick L-shape, grading 304. Complete with mounting bolts.	NO	15		
	Remove old material off site. Accumulation of rubble is not allowed All	unit	item		
	rubble must be dumped in a Landfill site.				
19	Disposal certificate is required before final payment is proceeded				
20	<u>Damage to existing buildings</u> - Tenderers to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Tenderer.		Item		
	APPLICATION OF PAINTS	unit	item		
	Painting may be carried out by brush, roller or spray as recommended by the				
	manufacturer and to the approval of the Department. All paints, etc. are to				
	be applied in strict accordance with the manufacturer's instructions.				
	Each coat of paint is to be adequately and permanently keyed onto the pre-				
	vious coat or surface and shall be evenly distributed and continuous and				
	shall dry to a smooth film, free from sags, runs or other imperfections.				
	Each coat of paint is to be of a colour distinctive from previous or succeeding				
	coats. All painting must be done in accordance with a colour scheme which				
	will be provided by the Department, and rates for painting etc. are to include				
	for all cutting in of contrasting colours and masking as required. No distinc-				
	tion has been made where more than one colour of the same material is				
	required on the walls or ceiling of the same room.				
	Samples of colours for the final coats are to be pre-pared in all cases to the				
	approval of the Department and all work must be finished to the approved				
21	colours.				
		ı			

Certificate of Compliance

The contractor shall submit the mandatory Certificate of Compliance for both electrical and refrigerant/gas. First delivery of this contract will not be taken until such time as this certificate is submitted to the Department of Health.

All necessary electrical power wiring and tubing between the distribution board and air-conditioning units shall be the responsibility of the Contractor.

All electrical work carried out will be neat and best class materials must be used. All wiring to conform to the S.A.B.S Code of Practice 10142 and will be subject to prior inspection and approval before acceptance.

TESTING AND COMMISSIONING

All new equipment shall be tested, commissioned, ready for use and be maintained and guaranteed for a period of **twelve (12) months**. Commissioning data is to be supplied before First Delivery of this contract is taken.

All equipment to be supplied with nameplates showing the Technical Information as well as all the information as contemplated by the Occupational Health and Safety Act, 85 of 1993, as amended and its regulations, showing particularly the following information:

- Name of manufacturer
- Year of manufacture
- Manufacturer's name, serial number and model number
- Location number (labelling)

Guarantee period Service Provider shall unconditionally guarantee all new installations (inclusive of all electrical components) for a minimum period of twelve (12) months from the date of the First Delivery Certificate. The guarantee shall cover the performance of the Works and any defects due to inferior materials and workmanship. This guarantee shall include malfunction, gas leaks etc. and adjustments

MAINTENANCE AND SERVICING

The entire installation including all new equipment manufactured or bought is subject to an unrestricted 12-month-free maintenance and guarantee period after the date of issue of the Completion Certificate.

This also includes cover pertaining to all aspects of the equipment and associated wiring, piping, refrigerant controls etc. During the 12-month maintenance and servicing period any defects.

9. Evaluation criteria

No.	DOCUMENT	REQUIRE-	PROVIDED
		MENT	(YES/NO)
1.	Proof of minimum CIDB Grading met 2GB	Mandatory	
2.	Certificates of qualified personnel in steel construction environment trade tested Builder registered NHBRC.	Mandatory	
3.	The contractor to submit 2 projects of similar nature completed over the past four years with traceable references.	Mandatory	
4.	Submission of a Safety Plan and Programme specifying type of work to be carried out.	Mandatory	
5.	Certificates of qualified personnel (refrigerant gas technician – trade tested). Qualified personnel registration by SARACCA	Mandatory	

PROVINCE OF KWAZULU-NATAL - DEPARTMENT OF HEALTH								
ESTIMATE FORM:								
SUBMIT TO:		FOR ATTENTIC	ON:					
INSTITUTION:		REF NO.:						
SCOPE OF WORK:								
I/We hereby quote for the above work in accordance	e with the conditions as spec	cified in Contra	act Document.					
Materials, component/ancillary parts: Firm Price. V vided.	hen applicable a detailed list	t of materials	etc. showing unit	costs shall be pro-				
A. Quoted for Bought Out Items	(Excluding VAT)(Carried for	rward)		R				
Mark Up @ % (Maximum Mar	k Up = 20% for values R0.00	to R299 999.9	9)	R				
Mark Up @ % (Maximum Mar	k Up = 15% for values R300 (000.00 to R500	000.00)	R				
Mark Up @ % (Maximum Mark U	p = 13% for values over R50	0 000.00)						
B. Quoted for Proprietary Items	(Excluding VAT)(Carried for	rward)		R				
C. Quote for Sub-Contract Items	(Excluding VAT)(Carried for	rward)		R				
Mark Up @ %				R				
D. Labour, Travelling, Subsistence and Transp etc. quoted for. (Excluding VAT) (Brough	· · · · · · · · · · · · · · · · · · ·	respect of	materials	R				
E. Less credit for redundant materials, parts a	nd equipment if applicable			R ()				
			SUBTOTAL	R				
			VAT @ %	R				
F. This Price in SA Currency firm for 90 days exceeded. To be measured on completion.	from date of the estimate qu	otation and	shall not be	R				
Time required for completion weeks from	om receipt of official orde	r.	,					
NAME OF SERVICE PROVIDER:								
CIDB REGISTRATION NUMBER								
PROVINCIAL SUPPLIERS DATABASE REGISTRATION NUMBER:								
SERVICE PROVIDER'S AUTHORISED SIGNATURE:QUOTE REF No								
NAME IN BLOCK LETTERS:								
COMPANY STAMP:		DATE:						

10. Your quotation must be submitted to the following address:

POSTED DELIVERED

Department of Health Thanduyise Road

Ngwelezana Tertiary Hospital Ngwelezana Hospital

Private Bag X 20021 Empangeni

Empangeni

3880

11. PERIOD OF CONTRACT

21 days is the Contract Period for the completion of the Work from date of Site handover.

CONTACT PERSON PERTAINING TO SPECIFICATION

Name : Mr. T.G. Ngubeni

Telephone Number : (035) 901 7125

Fax No. : Nil

Execution Period : 21 days

CIDB Rating required (attach proof) : 2GB and Above