


# KZN Health Intranet

Search this site

KZN Health > Components > Supply Chain Management

AdvertQuote



## Quotation Advert

Opening Date: 2022-05-16

Closing Date: 2022-05-25

Closing Time: 11:00

### INSTITUTION DETAILS

Institution Name: Benedictine hospital

Province: KwaZulu-Natal

Department or Entity: Department of Health

Division or section: Central Supply Chain Management

Place where goods / services is required: Maintenance

Date Submitted

### ITEM CATEGORY AND DETAILS

Quotation Number: ZNQ: Ben23/22-23

Item Category: Select...

Item Description: 1. Renovation to Peads ward

Quantity (if supplies) Service

### COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type: Both

Date : 2022-05-20

Time: 11h00

Venue: Sisters Lounge @Benedictine Hospital

QUOTES CAN BE COLLECTED FROM: Download from website

QUOTES SHOULD BE DELIVERED TO: Deposit to tender box near PRO officeat Benedictine Hospital

### ENQUIRIES REGARDING THE ADVERT MAY BE DIRECTED TO:

Name: Mrs J.P Mjaja


Email: mtungwa.philani@kznhealth.gov.za

Contact Number: 0358317062

Finance Manager Name:

Mrs P.N Gumede

Finance Manager Signature:



No late quotes will be considered







## GENERAL CONDITIONS OF CONTRACT

### 1. AMENDMENT OF CONTRACT

- 1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

### 2. CHANGE OF ADDRESS

- 2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (*domicilium citandi et executandi*) details change from the time of bidding to the expiry of the contract.

### 3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices, in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3. **ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.**
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
- (i) *that the price(s), rate(s) quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk*
  - (ii) *it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.*
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

### 4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the price, is incomplete in any respect, the said supplier meets all specification requirements and offers the lowest price, the Department reserves the right to request the bidder to complete/ submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

## 5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

## 6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
  - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
  - (ii) If samples are not collected within two months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. **Samples must be made available when requested in writing or if stipulated on the document.**
  - (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

## 7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

- 7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

- (i) The institution has determined that a compulsory site meeting  will  take place
- (ii) Date 20 / 05 / 2022 Time 11 : 00 Place Sisters Lounge at Benedictine Hospital

Institution Stamp:	Institution Site Inspection / briefing session Official
	Full Name: .....
	Signature: .....
	Date: .....

## 8. STATEMENT OF SUPPLIES AND SERVICES

- 8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

## 9. TAX COMPLIANCE REQUIREMENTS

- 9.1. In the event that the tax compliance status has failed on CSD, **it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.**
- 9.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, **the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.**

## 10. TAX INVOICE

10.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:

- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

## 11. PATENT RIGHTS

The supplier shall indemnify the **KZN Department of Health** (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

## 12. PENALTIES

- 12.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 12.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 12.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 12.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

## 13. TERMINATION FOR DEFAULT

- 13.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
  - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
  - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
  - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 13.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 13.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

## 14. THE DEPARTMENT RESERVES THE RIGHT TO DISQUALIFY ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.



**PROVINCE OF KWAZULU-NATAL  
DEPARTMENT OF HEALTH  
ZULULAND DISTRICT**



**Renovation to Paeds ward.  
(TECHNICAL SPECIFICATIONS)**

**PROJECT SPECIFICATION**

The work to be carried out in terms of this section of the project comprises the supply and installation of *all the materials necessary, as per the Schedule of Rates*

**PART 1**

**1.1. SCOPE OF WORK**

- 1.1.1 Supplying of paint and painting of walls doors.
- 1.1.2 Supplying of doors, mortise locks and replace.
- 1.1.3 Supplying of lights and install.

**PART 2**

**2.1. TECHNICAL SPECIFICATION**

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION and cognisance shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or not.

**4.1. MATERIALS:**

- 4.1.1 Proprietary materials where specified are to be of the brand specified or other approved by the Department.

4.1.2 All primers, emulsion paints, enamels, stains, varnishes, etc. are to comply with the relevant SANS specification. Paints, etc. shall be suitable for application on the surfaces to which they are being applied and those used externally shall be of exterior quality or suitable for exterior use. For any particular work the priming coat and subsequent coats of paint are to be executed with paints from the same manufacturer and in accordance with that manufacturer's instructions.

4.1.3 The materials are to be brought to the site in unopened containers and no adulteration will be permitted, except thinners of a quantity and quality directed by the manufacturer.

4.1.4 The Department shall at all times be permitted to take samples for testing purposes from open containers of any brand of paint being used on the work.

4.1.5 All materials, if and when required by the Department, will be subject to tests by the South African Bureau of Standards, and the cost of such tests, should the material under test not meet the requirements of this specification, shall be borne by the Contractor. Fillers and stoppings are to be suitable for use with the material being filled or stopped and to the approval of the Department.

## 4.2. PREPARATORY WORK:

4.2.1 All new and existing surfaces are to be thoroughly dry and are to be cleaned of all dust, dirt, grease, oil, rust, scale, efflorescence, fungus, loose or flaking material, etc. rubbed down, stopped, filled, knotted and sanded smooth as required in accordance with the paint manufacturer's recommendations and to the approval of the Department prior to the application of paint, etc.

4.2.2 Ceilings are to have nail heads, including those to cornices and cover strips, primed and stopped up as necessary and rubbed down smooth. Asbestos cement shall be primed with an approved alkali resistant primer before the application of subsequent coats which are not, in themselves, alkali resistant.

4.2.3 Iron, steel and other ferrous metals shall be cleaned in accordance with SANS Code of Practice 064 to remove rust, scale, grease, oil, etc. and the surface brought to a bright metallic condition. Galvanized iron and zinc shall be cleaned in accordance with SANS Code of Practice 062 to remove the manufacturer's temporary protective coating, white rust, etc.

4.2.4 Other non-ferrous metals shall be thoroughly cleaned to remove all milling oils, temporary protective coatings, etc. and the surface abraded with fine water-paper and white spirit.

4.2.4 Woodwork to be painted shall have all knots and resinous areas treated with an approved knotting, the surface shall then be primed and all holes, etc. stopped and rubbed down smooth,

4.2.5 Woodwork to be oiled, stained, varnished, etc. shall be free of all stains, pencil marks and other surface discolorations and all holes, etc. stopped with tinted stopping and rubbed down smooth.

4.2.6 In preparing existing glazed sashes and sash doors, all loose putty is to be removed, the rebates primed and glass re-sprigged and re-puttied as necessary before the painting is commenced.

4.2.7 Previously distempered or lime washed surfaces to receive any other type of paint, are to have the existing distemper or lime wash completely removed by scraping or wire brushing and the surfaces treated with an approved bonding liquid.

4.2.8 Where existing paint film are in good condition any flaking or bared patches are to be properly feathered into the surrounding paint and spot primed as necessary.

4.2.9 Where existing paint films are in poor condition and require to be removed completely, they are to be removed by means of wire brushing, paint remover, burning off, or other approved method.

- 4.2.10 Paint removers shall be free of wax and caustic substances and shall preferably be of water rinse able type. When burning off paint from wood, care must be taken to avoid charring the wood.
- 4.2.11 The final state of preparatory work to existing decorated surfaces shall in all cases produce in the finished decorated surfaces a condition similar to new work.
- 4.2.12 The Contractor will be held responsible for the proper and adequate preparation of the surfaces and any work which fails to meet the manufacturer's recommendations must be made good at the Contractor's expense to the satisfaction of the Department.

#### **4.3. APPLICATION OF PAINTS, ETC.**

- 4.3.1 Painting may be carried out by brush, roller or spray as recommended by the manufacturer and to the approval of the Department. All paints, etc. are to be applied in strict accordance with the manufacturer's instructions. Each coat of paint is to be adequately and permanently keyed onto the previous coat or surface and shall be evenly distributed and continuous and shall dry to a smooth film, free from sags, runs or other imperfections. Each coat of paint is to be of a colour distinctive from previous or succeeding coats.
- 4.3.2 All painting must be done in accordance with a colour scheme which will be provided by the Department and rates for painting etc. are to include for all cutting in of contrasting colours and masking as required. No distinction has been made where more than one colour of the same material is required on the walls or ceiling of the same room.
- 4.3.3 Samples of colours for the final coats are to be prepared in all cases to the approval of the Department and all work must be finished to the approved colours.
- 4.3.4 Backs of wood door and similar frames and the surfaces of other new or prefixed joinery in contact with brickwork, etc. and built in as the work proceeds, shall be primed or sealed before building in to prevent moisture seeping into the wood from the mortar bedding.
- 4.3.5 Tongued and grooved and rebated edges of boards in batten doors and other such like inaccessible parts of new joinery shall, before assembly, be primed, or where the joinery is to receive a finish other than paint, be given one coat of such other finishing material.
- 4.3.6 All new external structural timbers shall be primed before the timbers are fixed in position and shall include all surfaces such as backs of fascia's and barge boards.

#### **4.4. PAINTWORK TO PREVIOUSLY PAINTED PREPARATORY WORK EXISTING SURFACES**

- 4.4.1 All previously painted surfaces must be sanded and thoroughly washed down and allowed to dry completely before paints is applied. Blistering or peeling shall be completely removed and cracks shall be opened, filled with suitable filler and finished smooth.
- 4.4.2 Previously painted metal surface shall be thoroughly rubbed and cleaned down. Blistered or peeling shall be completely removed.
- 4.4.3 Previously painted wood surface shall be thoroughly cleaned down, Blistered or peeling paint shall be peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth.

#### **4.5. RATES:**

- 4.5.1 Rates for painting, etc. are to include for all preparatory work, and where spraying is employed, are to include or adequately masking all surrounding areas.
- 4.5.2 Where diameters of pipes are stated these are the nominal internal diameters, and rates for painting pipes are to include for painting the holder bats, hangers, clips, etc. supporting the pipes.
- 4.5.3 Rates are to include for providing all necessary dust sheets, covers, etc. taking all necessary precautions to prevent marking the surfaces of joinery, walls, floors, glass, electrical fittings, etc. All surfaces disfigured or otherwise damaged shall be completely renovated or replaced as necessary to the approval of the Department at the Contractor's own expense.

## **SCHEDULE OF RATES**

### **5. WORK TO BE DONE AND SCHEDULE OF PRICES:**

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	c	R	c
	<p><b><u>NOTE:</u></b>            All rates for items contained in this Schedule of Prices must be filled <b>excluding</b> the applicable Value Added Tax. All prices shall include labour and transport.            The Administration reserves the right to Negotiate prices in the Bill of Quantities</p> <ol style="list-style-type: none"> <li>1. The contractor to provide their own water and electricity.</li> <li>2. The contractor is not allowed to sleep on site.</li> <li>3. The contractor is not allowed to work during the weekends.</li> <li>4. All rubbles must be removed and the contractor to comply with OHS Act.</li> <li>5. <b>Contract period for this work 08 weeks.</b></li> </ol> <p><b><u>RETURNABLE/REQUIREMENTS</u></b></p> <ul style="list-style-type: none"> <li>➤ CIDB Grading 2GB</li> <li>➤ Trade test certificate for Artisan Painter</li> <li>➤ Proof of experience of service with similar nature of project(attach two orders and two completion certificates)</li> <li>➤ Safety plan for specific project to be submitted. (Please note that the building will be operating while renovations are in-progress)</li> </ul> <p>Failure to comply with the above requirements will result in the tender being disqualified.</p>						

	<b>INSTITUTION: BENEDICTINE HOSPITAL</b>						
	<b>PROPRIETARY ARTICLES:</b> All equipment and material used in this contract shall be that which is specified or other approved.						
<b>Outside painting.</b>							
1.	Painting of facial board around the ward.	M <sup>2</sup>	43				
2.	Cleaning of aluminium gutter using ordinary soap(steam washer to be used)	M	120				
3.	Repair/replace of damaged aluminium gutter	M	06				
<b>Carried To Collection Summary PS 1</b>							
<b>Play room</b>							
4.	Inside and outside painting of double door and steel frame using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	5				
<b>Equipment store and toy room</b>							
5.	Inside and outside painting of single door and steel frame using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	4				
<b>Ward store</b>							
6.	Inside and outside painting of single door and steel frame using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	4				
<b>Assisted bathroom</b>							
7.	Supply and replace 150 x 75 aluminium back plate door handle	Unit	01				
8.	Inside and outside painting of double door and steel frame using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	06				
<b>Ward 1</b>							
9.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
10.	Supply and replace one side of the door 550mm x 2m	Unit	01				

	with grove.						
<b>Disabled toilet</b>							
11.	Inside and outside painting of single door and steel frame using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	4				
<b>Surgical corrido</b>							
12.	Supply and replace fire proof double door with 2 door louvers and 2 viewing glass both in a 2m passage. (New frame to be installed) both doors to have push plate matching existing. One side to have 2 lash top and bottom.	Unit	01				
13.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
14.	Inside and outside painting of double door and steel frame using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	08				
<b>Ortho ward</b>							
15.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	250				
16.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	250				
17.	Supply and replace one side of the door 550mm x 2m with grove.	Unit	01				
18.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
19.	Painting of wooden bumper rails using clear varnish paint.	M <sup>2</sup>	04				
20.	Supply and install florescent diffuser light with 4 foot tubes mounted to suspended ceiling matching the existing lights.	Unit	04				
21.	Inside and outside painting of double door and steel frame using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	06				
<b>Patients Ablution 1</b>							
22.	Replace ceramic toilet cistern covers vaal for low level.	Unit	02				
23.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
24.	Supply and replace self-close door arm	Unit	01				

25.	Repair and paint the steel frame	Unit	01				
26.	Inside and outside painting of door and steel frame using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	4				
<b>Passage</b>							
27.	Supply and install 300mm X 50mm Mirant bumper rail also paint using clear varnish paint.(rails to match the existing)	M	06				
<b>Kitchen</b>							
28.	Supply and replace one side of fire proof double door 2m x 500mm with grove.	Unit	01				
29.	Supply and replace 5l hydro boiler	Unit	01				
30.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	57				
31.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	57				
32.	Supply and install florescent diffuser light with 4 foot tubes mounted to suspended ceiling matching the existing lights.	Unit	01				
33.	Repair door and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	04				
<b>Carried To Collection Summary PS 2</b>							
<b>Main entrance.</b>							
34.	Supply and replace industrial electric magnetic door locker(to be controlled from nurses station)	Unit	02				
35.	Supply and install new beta wash hand basin with elbow action mixer (medical tap). To be connected to the nearest existing sewer line(breaking of concrete and replace the concrete 2m <sup>2</sup> )	Unit	01				
36.	Supply and replace 1.9m x 660mm x 4mm thickness aluminium door glass	Unit	01				
<b>Milk kitchen</b>							
37.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	40				
38.	Paint inside walls two coats using Cobbier Beige CAS	M <sup>2</sup>	40				

	11 15 years guarantee.						
39.	Supply and replace fire proof standard door,	Unit	01				
40.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
41.	Re-install door louver	Unit	01				
42.	Supply and install new beta wash hand basin with elbow action mixer (medical tap)). To be connected to the nearest existing sewer line(breaking of concrete and replace the concrete 2m <sup>2</sup> )	Unit	01				
43.	Repair door and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	04				
<b>Reception</b>							
44.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	65				
45.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	65				
<b>Sister office</b>							
46.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	36				
47.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	36				
48.	Repair door frame and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	04				
49.	Replace cylinder union mortise lock	Unit	01				
<b>Carried To Collection Summary PS 3</b>							
<b>Matrons office</b>							
50.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	36				
51.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	36				
52.	Repair door frame and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	04				
<b>High care</b>							



53.	Replace cylinder union mortise lock	Unit	01				
54.	Repair door frame and paint both frame and the door using Enamel doors and trims Mines Grey G15 and install door stopper.	M <sup>2</sup>	04				
55.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	57				
56.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	57				
57.	Supply and install florescent diffuser light with 4 foot tubes mounted to suspended ceiling matching the existing lights.	Unit	03				
58.	Supply and install 300mm X 50mm Mirant bumper rail also paint using clear varnish paint.(rails to match the existing)	M	11				
<b>Linen room</b>							
59.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
60.	Repair door frame and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	04				
<b>Medical passage</b>							
61.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	156				
62.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	156				
63.	Supply and install 300mm X 50mm Mirant bumper rail also paint using clear varnish paint.(rails to match the existing)	M	60				
<b>Treatment room</b>							
64.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
65.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	42				
66.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	42				
67.	Supply and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	04				

<b>Neonatal section (Ward 3)</b>							
68.	Supply and install 300mm X 50mm Mirant bumper rail also paint using clear varnish paint.(rails to match the existing)	M	03				
69.	Supply and install florescent diffuser light with 4 foot tubes mounted to suspended ceiling matching the existing lights.	Unit	04				
70.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	65				
71.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	65				
72.	Supply and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	08				
<b>General ward</b>							
73.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	65				
74.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	65				
75.	Supply and install 300mm X 50mm Mirant bumper rail also paint using clear varnish paint.(rails to match the existing)	M	03				
76.	Supply and install florescent diffuser light with 4 foot tubes mounted to suspended ceiling matching the existing lights.	Unit	02				
	Supply and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	08				
<b>Isolation ward</b>							
77.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	41				
78.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	41				
79.	Supply and replace one side of fire proof double door 2m x 500mm with grove.	Unit	01				
	Supply and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	08				

Patients ablution 2							
80.	Replace ceramic toilet cistern covers vaal for low level.	Unit	02				
81.	Supply and paint both frame and the door using Enamel doors and trims Mines Grey G15 x4	M <sup>2</sup>	20				
82.	Replace cylinder union mortise lock	Unit	01				
83.	Supply and replace self-close door arm	Unit	01				
<b>Gastro ward</b>							
84.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
85.	Supply and install 300mm X 50mm Mirant bumper rail also paint using clear varnish paint.(rails to match the existing)	M	09				
86.	Supply and install florescent diffuser light with 4 foot tubes mounted to suspended ceiling matching the existing lights.	Unit	03				
87.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	65				
88.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	65				
89.	Supply and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	08				
<b>Duty room</b>							
90.	Supply and replace 150 x 75 aluminium back plate door handle.	Unit	01				
91.	Supply and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	08				
<b>Staff Kitchen</b>							
92.	Prepare wall by means of scrapping and filling of cracks also supply and paint sure coat white undercoat SUC1.	M <sup>2</sup>	65				
93.	Paint inside walls two coats using Cobbier Beige CAS 11 15 years guarantee.	M <sup>2</sup>	65				
94.	Supply and paint both frame and the door using Enamel doors and trims Mines Grey G15	M <sup>2</sup>	08				
95.	Supply and replace 5l hydro boiler	Unit	01				
96.	Supply and replace 150 x 75 aluminium back plate	Unit	01				

	door handle and cylinder union mortise lock						
<b>Cleaners toilet</b>							
97.	Supply and replace 150 x 75 aluminium back plate door handle and cylinder union mortise lock	Unit	01				
98.	Supply and replace 5l hydro boiler	Unit	01				
<b>Carried To Collection Summary PS 4</b>							

**COLLECTION SUMMARY**

INSTITUTION: BENEDICTINE HOSPITAL

PROJECT: RENOVATIONS TO PAEDS WARD

**NOTE:**

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE TENDER FORM.

Collection Summary	PS 1	R		
Collection Summary	PS 2	R		
Collection Summary	PS 3	R		
Collection Summary	PS 4	R		
SUB-TOTAL		R		
ADD Provision for Value Added Tax Allow 15% of SUB-TOTAL				
<b><u>TOTAL: CARRIED TO FORM</u></b>		R		