SharePoint

:0



KZN Health Intranet

Search this site

0

CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

HOME

KZN HEALTH

AdvertQuote

KWAZULU-NATAL PROVINCE	
REPUBLIC OF SOUTH AFRICK	Quotation Advert
Opening Date:	2022-05-16
Closing Date:	2022-05-24
Closing Time:	11:00
INSTITUTION DETAILS	
Institution Name:	KwaMagwaza hospital
Province:	1 () () () () () () () () () (
Department or Entity:	Department of Health
Division or section:	Central Supply Chain Management
Place where goods / services is required	KwaMagwaza Hospital
Date Submitted	A company of the comp
ITEM CATEGORY AND DETAILS	
Quotation Number:	ZNQ: KMG 57-22-23
Item Category:	Services
Item Description:	Electrical repairs to wiring intaliation to various buildings Requirements:CIBD Grading EB1
* 144_ 244	
energy (n supplies)	
COMPULSORY BRIEFING SESSION / SITE VISIT	SITE VISIT
Select Type:	Compulsory Briefing Session
Date:	2022-05-19
Time:	11/100
Venue:	KwaMagwaza Hospital Dining hall
QUOTES CAN BE COLLECTED FROM:	SCM Office KwaMagwaza Hospital
QUOTES SHOULD BE DELIVERED TO:	KwaMagwaza Hospital Maingste tender box
ENQUIRIES REGARDING THE ADVERT MAY BE	MAY BE DIRECTED TO:
Name:	Thoba Zulu
Email:	
Contact Number:	035 450 8258

Finance Manager Name:

Finance Manager Signature:

Mr B.S.Mbokazi

No late quotes will be considered



St Mary's KwaMagwaza Hospital , Magwaza Ros Private Bag X 808 Melmoth 3835 Tel.: 035 450 8258 /450 8248, Fax.: 035 450 8253 Email.: andile.shandu@kznhealth.gov.za Email.:thamsanqa.masango@kznhealth.gov.za

St Mary's KwaMagwaza Hospital Supply Chain Management

Enquiries: Thoba Zulu

Date: 17 May 2022 Tel. no.: 035 450 8258

Ref.no: KMG 57-22-23

INVITATION TO QUOTE

ATT: SERVICE PROVIDER FROM: KWAMAGWAZA HOSPITAL RE: ELECTRIC REPAIRS TO WIRING INSTALATION IN VARIOUS BUILDING

You are cordially requested to give all-inclusive quotation for the above mentioned item:

5					
Ņ	TIEM DESCRIPTION	QUANTITY PRICE	PRICE	COMPLIANT TO	NT TO
				SPECIFICATION	ATION
				YES	NO
	Electrical repairs to wiring	9			
	installation in various buildings				
				-	
)					

SCM REQUIRED DOCUMENTS TO BE ATTACHED


DOCUMENTS REQUIRED	YES	NO
Signed SBD4		114
CIBD Grading EB 1		
Trade test certificate for electrician		
Wireman's license		
Proof of experience of service provider with similar	- Access	
nature of project(attach two orders with their		
THE PARTY OF THE P	2000	

TO BE SIGNED BY THE SUPPLIER UPON COMPLETION:

I, the undersigned (initial and surname):

will be used in the evaluation process and that my bid/quote may be rejected or accepted based on the information I furnished. Certify that the information furnished above is correct. I also accept that this information

SUPPLIER COMPANY STAMP:	Signature:
	Position:
	Date:



REPUBLIC OF SOUTH AFRICA

PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

QOUTATION NUMBER:

REQUIRED CIDE GRADING: 1EB

FACILITY NAME: KWA-MAGWAZA HOSPITAL

ではつい西心は INSTALLATION IN VARIOUS BUILDINGS DISCRIPTION: ELECTRICAL REPAIRS TO WIRING

QOUTATION DOCUMENT

	Z
į	
,	Ű,
-	
1	

PROJECT DISCRIPTION: ELECTRICAL REPAIRS TO WIRING INSTALLATION IN VARIOUS
BUILDINGS

COUCEDING. TWA

ZONX

TARTOUR		PART TWO		
ŧ		B	449 E	
	SOHEDULE OF EQUIPMENT NOLLDING	TOTACALORTOR	CONDITION OF CONTRACT	

PROJECT DISCRIPTION: ELECTRICAL REPAIRS TO WIRING INSTALLATION IN VARIOUS BUILDINGS

CONDITION OF CONTRACT

) med TO BIDDERS

- , TRANS. necessary arrangements with the Institutional Management and maintenance staff for any nower outages that are required. institutions will remain open and operational at all times therefore the Contractor shall make the
- io but excluding Value Added Tax. All items to be priced fully inclusive of all charges e.g. labour, transport, scaffolding, materials, profit, ecc.
- __ درا The Administration reserves the right to negotiate prices in the Schedule of Prices
- Ţ., All redundant material and rubble shall to be removed from the institution's property immediately
- ارن submission and closure of the bid. All equipment and materials used in this contract shall be that which is specified or other approved prior to
- .-o. etc., as no claim will be allowed on the grounds of ignorance of the conditions under which the work will be acquaint him/herself with the nature of the work to be done and access to the siting of the existing buildings The Contractor is advised to examine all the drawings (if any) and to visit the site prior to tendering to
- . All items in the Schedule of Prices are PROVISIONAL and subject to re-measure after installation
- ___ 00
- The Schedule of Prices shall be read in conjunction with the Scope of Work.

 Any discrepancies or omissions shall be brought to the attention Leader of the Project immediately
- the more remote areas of the Province. Province of KwaZulu-Natal. This is in an effort to reduce response times to call outs for breakdowns in Preference will be given to Bidders who have registered offices / workshops within the borders of the
- :::0 The contractor must attend a kick off meeting before work commencing

RETURNABLES/REQUIREMENTS

- CIDE Grading EB!
- Trade test certilicate for electrician
- 1. 1. 1. 1.
- completion certificate) experience of service provider with similar nature ್ಲ project. (attach two orders rviim übeir

Failure to comply with the above requirements will result in the tender being disqualified

1.12

SCOPE OF CONTRACT
The Scope of the Contract is contained in Part Three (Particular Specification).

PERIOD OF CONTRACT

Two (2) Months as the completion period for the Contract from the date of site handover.

SITE AND MODE OF PROCEDURE

KwaZulu-Natal. The work contained in this contract will be carried out on the site of Kwa-Magwaza Hospital in the Province of

Tenderers are encouraged to visit the site to ensure successful installation of the work required

Damage to the existing buildings - Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Bidder.

The work undertaken shall be to the satisfaction of the KwaZulu-Natal Department of Health

1.16 SATISFACTORY INSTALLATION

All work shall be carried out according to the Department of Health's Standard Preambles to all Trades, the OHS Act, National Building Code of Practices and Regulations, the KZN DOH Policy Document for the Design of Electrical Installations and the SANS 10142-1 Wiring Code.

PROJECT DISCRIPTION: ELECTRICAL REPAIRS TO WIRING INSTALLATION IN VARIOUS BUILDINGS

PARTIWO

TECHNICAL SPECIFICATION

2.1 GENERAL

THE DISOUALIFICATION OF THE BID. FAILURE TO COMPLETE THE SCHEDULE OF INFORMATION IN ITS ENTIRITY SHALL LEAD TO

1101. shall be taken of the clauses relevant to this particular installation, whether any specific clauses are referred to or This Technical Specification shall be read in conjunction with all other sections of the Specification and cognisance

The whole of the installation shall be carried out in accordance with:

- The Department of Health Policy Document on the Design of Electrical Installations Revision 7 of 2013.
- 439 1 1985. All low voltage switchgear and control gear assemblies are to comply to SABS 1473 Part 1 - 1989 /IEC
- 0 required for all Electrical Works. An Electrical Certificate of Compliance, in accordance with the SANS 10142-1 Wiring Code will be
- G concerned The Municipal By-laws and any special requirements of the Supply Authorities of the area or district
- Local Fire Regulations
- Ç. The Contractor should fully familiarise himself with these documents prior to quoting
- @ The Occupational Health and Safety Act (Act 85, 1993) as amended
- 0 SANS 10400: The application of the National Building Regulations
- 6 All building works shall be in accordance with the Standard Preambles to All Trades
- The Kwa Zulu Natal Department of Health General Electrical Specification

MB: Comprehensive scope of work and installation instructions are on Part 3 - Particular Specification

PROJECT DISCRIPTION: ELECTRICAL REPAIRS TO WIRING INSTALLATION IN VARIOUS BUILDINGS.

PART THREE

PARTICULAR SPECIFICATION

3.1 GENERAL

(Technical Specification) This particular specification must be read ಪ್ರಾಧ shall form part of, 1 2 2 1 2 <u>_</u> this document

Specifications, the contract shall be interpreted in terms of this Part 2 (Particular Specification). In so far as the conditions contained herein are at variance with any obtained in the Technical

3.2 SCORE OF WORK

The specification calls for upgrading of electrical distribution system as per the following:

- Supply, deliver and replace old distribution boards
- Put fallen wires back into the trunkings
- Rewiring the electrical distribution boards neat
- Supply and install of all labelling in accordance with the DoH Electrical Policy Document Rev 7 2013
- Test and commissioning
- Issuing of Certificate of Compliance for installation
- Submission of an approved Safety Plan specifying type of work to be carried out.

circuit breakers must be stripped and sent to Maintenance section (Chief Artisan) Note 1: The contractor is required to dispose all equipment removed and ensure that site is left clean but the

commencement and no work shall commence without the approved safety file by DoH Safety Officer. Note 2: The contractor is required to submit safety file to DoH safety Officer for approval prior to the work

PROJECT DISCRIPTION: ELECTRICAL REPAIRS TO WIRING INSTALLATION IN VARIOUS BUILDINGS.

All installations must comply with the DoH's electrical installation policy, SANS10142-1 and

3.3 INSTALLATION DETAILS

The Kwa Zulu - Natal Department of Health General Electrical Specification

Note: The contractor should fully familiarize himself with these documents prior to quoting

of Health's Policy Document for the Design of Electrical Installations. Supply and install electrical wiring, safety devices, applicable terminations and labelling as per the Department

Certificate of Compliance

not be taken until such time as this certificate is submitted to the Department of Health. The contractor shall submit the mandatory Certificate of Compliance. First delivery of this contract will

the Standard Electrical Specification; in as far as it applies All electrical work carried out will be neat and best class materials must be used. All wiring to conform to the Code of Practice 0142 and will be subject to prior inspection and approval before acceptance. Refer to

3.3.1 TESTING AND COMMISSIONING

for a period of twelve (12) months. All new equipment shall be tested over 24 hours, commissioned, ready for use and be maintained and guaranteed

3.3.2 GUARANTEE AND MAINTENANCE

3.3.2.1 General

and to the satisfaction of the client. accidental damage. or fair wear and tear) shall be made good with all possible speed at the Contractor's expense Clause 21 by the Contractor and any defective material, equipment or workmanship (excepting proven, willful or Completion of the plant. During the maintenance period the Contract Works shall be maintained as specified in The Contractor shall guarantee and maintain the Contract Works for a period of tweive months (12) after Works

3.3.2.2 Making Good

When called upon by the client the Contractor shall make good on site and shall bear all expense incidental thereto including making good of work by others, arising out of removal or reinstallation of equipment. All work arising from the implementation of the guarantee or maintenance of equipment shall be carried out at times which will not result in any undue inconvenience to users of the equipment or occupants of premises.

risk and expense, but without prejudice to any other rights which the client may have against the Contractor. If any defects are not remedied within a reasonable time the client may proceed to do the work at the Contractor's

3.3.2.3. Latent Defects and Failure to Comply with Specification

notwithstanding that such work has been taken over or that the guarantee period has expired. any part of the Contract which is shown to have any latent defects or not to have complied with the Specification. The client reserves the right to demand the replacement or making good by the Contractor at his own expense of

3.3.2.4. Qualification by Tenderer

specified. employed, rated or loaded, the Tenderer shall prior to the submission of his tender advise the consultant accordingly. His failure to do so shall mean that he guarantees the work including all materials or equipment as Should any specified materials or equipment in the Tenderer's opinion be of inferior quality, or be unsuitably

3.3.3 MAINTENANCE

month free maintenance and guarantee period, after the date of issue of the Completion Certificate. This also includes cover pertaining to all aspects of the equipment and associated wiring controls etc. The entire installation including all new equipment manufactured or bought is subject to an unrestricted 12-

During the 12-month maintenance, any defects shall be made good and maintained in perfect operating condition.

PROJECT DISCRIPTION: ELECTRICAL REPAIRS TO WIRING INSTALLATION IN VARIOUS BUILDINGS.

PART FOUR

SCHEDULE OF PRICES

1. PREAMBLE TO SCHEDULE OF PRICES

4. 1 Items and Pricing

claim for further payment in respect of any order which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the contract and of the Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have rates and prices stated in the Schedule of Rates. The Department reserves the right to place an order for any quantities of items included in the Schedules.

4.2 Tax and Duties

Prices, including Value Added Tax (applicable to the current rate). levied by the government or statutory body having jurisdiction on the goods provided under this contract, tendered and paid, must include all customs, excise and import duties, and any other tariffs OF taxes

A.3 Rates

relative items in the Schedule of Rates. overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the prices for the service delivered described under the respective items and shall cover all labour, transport. Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and

CONSUMABLES NOTE: QOUTES TSUM (X) (≖) INCLUSIVE LABOUR, MARK UP/PROFIT GNA

NOTE: This estimate form shall be used for Repair work, when the scope of work is not known and only one quotation is obtained. The work done shall be measured on completion and shall be at proven time, travel and costs in accordance with the Contract

|--|

	NAME IN BLOCK LETTERS: COMPANY STAMP: DATE:	MOON
FI R	CE PROVIDER'S AUTHORISED	SERVIC
	PROVINCIAL SUPPLIERS DATABASE REGISTRATION NUMBER:	PRO
	GORYBER	CATE
	NAME OF SERVICE PROVIDER:	NAM
***************************************	Time required for completion weeks from receipt of official order.	Time
	This Price in SA Currency firm for 90 days from date of the estimate quotation R shall not be exceeded. To be measured on completion.	₩ 71 23 0 4
	VAT @ % R	<u></u>
	SUBTOTAL R	
And the second	Less credit for redundant materials, parts and equipment if applicable	ĮT.
	materials etc. quoted for. (Excluding VAT) (Brought forward)	ı ç
i i i i i i i i i i i i i i i i i i i	Wark Up @ %	j
		Ò
	Quoted for Proprietary Items (Excluding VAT)(Carried forward) R	m
	Mark Up @ % (Maximum Wark Up = 13% for values over R500 000.00)	
1	Mark Up @ % (Maximum Mark Up = 15% for values R300 000.00 to R	الآر وق ف
	Mark Up \otimes % (Maximum Mark Up = 20% for values R0.00 to 999.99)	71 12 13 16 16
	Quoted for Bought Out Items (Excluding VAT)(Carried forward)	j.
. showing uni	Waterials, component/ancillary parts: Firm Price. When applicable a detailed list of materials etc. showing un costs shall be provided.	Mat cost
	I/We hereby quote for the above work in accordance with the conditions as specified in Contract ZNB5730/2014H.	NZ NZ NZ
	SCOPE OF WORK:	
	NSTITUTION:	iz G
	SUBMIT TO: FOR ATTENTION:	SE

SCHEDULE OF PRICES: MATERIALS, COMPONENT/ANCILLARY PARTS AND SUB CONTRACT WORK

The service provider shall add here, completion of the work quoted for. ALL materials, components/ancillary parts which are required for the

In the event that more pages are required, this page may be copied

Tenderers are referred to the specification prepared by the electrical engineer, accompanying these bills of quantities for the electrical work, for the full descriptions of the following items which are to be read and priced in conjunction with the said specification.

Material must be ordered as determined on site and not from the drawings or Bill of Quantities. The Employer will not accept any responsibility for surplus or inadequately ordered material. Payments will only be made for the actual re-measured quantities as installed

N Oi	12	N ω	2.2	2.3	N	i)		
Supply, replace and install new pre- wired Distribution Board and equipped with the breakers, earth leakage and surge arresters as per existing DB sizes. Note: The contractor must ensure that he verifies these breakers sizes on site before purchasing the panel as a confirmation. The panel size must be measured on site. The colour for panel must match existing paint colour and the panel must come with additional breaker spares (Finance outside passage)	Disconnect the existing DB(Finance outside passage)	Supply, install and replace rusted 4x2 and light switch by the entrance door passage (Nursing residence)	Disconnect and remove the existing broken wall mounted light fitting and ensure that the existing new light fitting next to it is working (Mursing residence)	Supply, install and replace broken 4x2 16A socket outlets (Finance office)	Staff house buildings	Submission of an approved Safety Plan specifying type and program plan of work to be carried out.	Safety Program plan	DESCRIPTION
8	ltem	Š	8	N O		€		Name Name Name Name Name Name Name Name
		>		လ်		>		2
								ZI P
								5

1.1	e de la companya de l	ω N	ω : <u>.</u>	ω	N 100		12	S 13 13	2.12	-7 -7)	2.10	2.9	2.8	2.7	2.6
Do fault finding and repair faulty tripping DB board	Senior Systems Office	Supply and install new addition 16A 4x2 surface mounted socket outlets with Pvo box and covers (Public relations office)	Supply and install labelling for the existing DB in the passage.(Entrance passage)	Administration Block	Mount with saddles the falling PVC 20mm conduit pipe falling at the corner of the celling board (HR office)	Put back all fallen covers for trunking, socket outlets and wires into the trunking.(HR office)	Do test, Commissioning and issuing certificate of compliance (MR office)	Provide labelling and legend card for the DB(HR office)	Supply new DB, pre-wired and replace existing DB with the existing same size breakers and earth leakage. (HR Office)	Disconnect the existing DB (HR Office)	Put back fallen covers for trunking, wires and socket outlets into the trunking with 4x2 socket outlets(SCM office)	Supply, install and replace 4x2 socket out with no cover(SCM office)	Do commissioning and provide certificate of compliance for the DB (Finance outside passage)	Put labelling and legends card on the DB (Finance outside passage)	Put back fallen covers for trunking and wires into the trunking
Ten:		₹	Z Ö		ltem	iem	ien T	iem Tem	⊕ ∃	ē	liem	S	item	ā	i de m
		N	>		>	Loca	A.	<u></u>		Luna		dar-			
												:			
										· · · · · · · · · · · · · · · · · · ·		₩ = = ⁰			
			-												

0)		(n	(1)							
.7 O	ග	(C) (C)	0.7	თ	O1	r) 4	ယ	5.2	On :	Cr.
Supply new, install and replace existing ceiling fans. Not fans must be as per existing installed	Paediatric ward	Do test, commissioning and issue certificate of compliance(Outside main Passage of Hast unit)	Supply and install all labelling and legend card in accordance with the DoH Electrical Policy Document Rev 7 2013(Outside main passage of hast unit)	Disconnect and supply new DB pre-wired with the latest technology circuit breakers, surge arrestors and earth leakage and ea. (Outside main passage of hast unit)	Supply and install all labelling and legend card in accordance with the DoH Electrical Policy Document Rev 7 2013(Passage to the toilet)	Do test, commissioning and issue certificate of compliance(Passage to the tollet)	breakers, earth leakage as per existing DB sizes. Note: The contractor must ensure that he verifies these breakers sizes on site before purchasing the panel as a confirmation. The panel size must be measured on site. The colour for panel must match existing paint colour and the panel must come with additional breaker spares(DB behind the door in the passage)	Disconnect the existing DB (Passage to staff toilet) Supply, replace and install new pre-wired	Supply, replace and install new light fitting 16W round bulk head and wiring must be neat (Counsellors office)	Hast Unit
Z		item	item	item	item	E B	ië en	ið n	ber O	
ഗ			. <u></u>	-7	-7	ن ب		_		

					-0.00				1		
	CO	7.7	7.6	.7 .01	7.4	7.3	7.2	7	~	တ ယ	6.2
connection but with the latest technology breakers. Note All breakers must be new and the contractor to take note of all existing breaker sizes in the panel and the new breaker sizes must be same as existing. (Entrance passage)	Male Ward	Do test, commissioning and issue certificate of compliance(Entrance Passage)	Do cable termination and ensure that the geyser is working and is supplied from the DB in the passage. Mote: If minor plumbing needs to be done please do it.	Supply 2.5mm square cable suffix cable to connect the geyser from the laboratory to entrance DB in the passage	Supply and replace broken DB board lock/handle as per existing	Supply and install all labelling and legend card in accordance with the DoH Electrical Policy Document Rev 7 2013(Entrance passage)	Supply and install missing DB cover. Note: the cover must be painted with the existing board colour paint and must be measured on site to fit on the panel. (Entrance passage)	Disconnect and rewire the DB as per existing connection neat. (Entrance passage)	Female ward	Supply and install new cable for relocation of TV	Remove and install existing TV to the other side of the identified.
tem		g 3	हें हें हें	3	8	le m	Te B	<u>e</u>		Ö	le m
				20	٠		۵.			>	Acres

	10 3	10.2	, o	Ö	9,0	7	(O)	တ ယ	8.2
MAIN KITCHEN	Provide a Certificate of Compliance for the whole of the electrical installation to be issued on completion of the project (Outside passage SCM storage room)	Supply and install all labelling and legend card in accordance with the DoH Electrical Policy Document Rev 7 2013 for the DB (Outside passage SCM storage room)	Supply, replace and install new Distribution Board pre-wired and equipped with the following: 1 X 80A TP breaker 1 X 80A TP breaker 1 X 10A SP MCB 1 X 10A SP MCCB 1 X 10A (Main)TP MCCB 1 X 20A TP MCCB Spares (for future purposes) Note: The contractor must ensure that he verifies these breakers sizes on site before purchasing the panel as a confirmation. The panel size must be measured on site. The colour for panel must be orange. (Outside passage SCM storage room)	SCM STORAGE ROOM	Patch the wall with sand, cement and also do paint before installing the trunking. Note: painting must match the existing paint wall.	Supply and install cable trunking to cover all exposed wires at the back of shelves on the wall.	Patient Administration Block	Do test, commissioning and issue certificate of compliance(Entrance Passage)	Supply and install all labelling and legend card in accordance with the DoH Electrical Policy Document Rev 7 2013 (Entrance passage)
	8	ltem	item		liem	75		item	### ##################################
						۵		Love	

Carry o		32 22 22	 N -2	Ď	` ` `
Carry over to Price Page PS 3	Do test, commissioning and issue certificate of compliance(Entrance Passage)	Supply and install all labelling and legend card in accordance with the DoH Electrical Policy Document Rev 7 2013 (Entrance passage)	Disconnect and rewire the DB as existing connection but with the latest technology breakers. Note All breakers must be new and the contractor to take note of all existing breaker sizes in the panel and the new preaker sizes must be same as existing. (Entrance passage)	PAEDS WARD	Completely remove existing DB Supply, replace and install new Distribution Board pre-wired and equipped with the following: o 1 X 5A 3 phase MCCB o 3 X 30 A SP MCB o 12 X 20A MCCB o 12 X 20A MCCB o 3X63 A earth leakage protection units o 12X Spares (for future purposes) Note: The contractor must ensure that he verifies these breakers sizes on site before purchasing the panel as a confirmation. The panel size must be measured on site. The colour for panel must be RED (0,76m X 0,53m)
	3 6 7	iem	Rem		ਜ਼ਿੰਦ ਤ
			>		
(A)					

. . . . SCHEDULE OF PRICES
LABOUR, SUBSISTENCE, TRAVEL AND TRANSPORT REPLACEMENT AND ADDITIONAL EQUIPMENT

,	<u>0</u> ,	a) 0.1.4.2		`	<u>o</u>	,		0 .7.4 4.4				<u>D</u>	٥)	0	<u>(D)</u>	<u>a</u>	D12	٥	0	The table of propagate programs	ra- modestu	h at a sugaran	W AN THE	O	(a)	U 	C** 1.00
	@trips (semi-	From accommodation to site	@km per trip	skilled)	@km per trip	trips (skilled)	premises to site	TRAVEL	NOTE: When applicable you may only claim for Accommodation OR Subsistence		PRODUCTION OF THE PROPERTY OF	HOTEL/ACCOMMODATION	Unskilled	Semi-skiiled	Apprentice	Artisans	SUBSISTENCE	Unskilled	Semi-skilled	Ą th Year	3 rd Year	2 nd Year	1 st Year	Apprentice	Artisans	LABOUR	AUDI LUME ESSENTING
-	en e			en side es us a rman eres as a us		***************************************	and the same of th		may only o								No. of					:		Act Michigan (Mark)	**************************************	70. of	
***********					: :			TOTALKM	Maim for Accomin			No. of Persons					TOTAL		,			•				TOTAL HOURS	
双 30 30 30 30 30 30 30 30 30 30 30 30 30	R7.78 R7.58		R 5.80 R 5.60		及 7 7 20 U 7 7 20 C C C C C C C C C C C C C C C C C C	annicable	Petro	RATE/Km	nodation OR Subsiste			No. of Nights	R 303.00	R 303.00	R 303.00	R 303.00	RATE/24HR DAY	R 75.00	R 142.00	R 265.00	R 180.00		R 118.00		R 300.00	RATE/HR	}
XJ	D			70	<i>x</i>	7			ence NOT both	77	Suppliers Invoice	Cost per Night as per		7.7	70	70	, an f-w	77	20	ZU	(15,		20	a, normalizado estado en el como	70	AMOUNT	

	ਹ	0	0	<u>w</u>	D .1. .57	N. S.
SUBTOTAL	x Additional Apprentice/s trips (semi) @ km per trip + 80km/hr	x Additional Unskilled trips (unskilled) @ km per trip + 80km/hr	x Additional Semi-Skilledtrips (semi) @ km per trip + 80km/hr	x Additional Artisan/s trips (skilled) @ km per trip + 80km/hr	ADDITIONAL LABOUR TRAVELLING WITH DRIVER	@km per trip
CARRIED FORWARD					TOTAL HOURS	
WARD TO PAGE 4	707 :	R 75.00	R 142.00	R 300.00	RATE/HR	
70	70	ZU	70	7.7	AMOUNT	

*	SUBTO	SUBTOTAL BROUGHT FORWARD FROM PAGE 3	RD FROM PAGE 3	ת
D.1.6	TRANSPORT	TOTAL Km	RATE	10000
<u>a</u>)	Haulage to site trips			Appendix desirable and a
	@km per trip	2.5 tone	R 9.33	וגק
	@km per trip	3 tone	R10.80	жо
ne - tradition and a second	@km per trip	on one	R12.50	733
	@km per trip	7 tone	R14.50	70
	@km per trip	10 tone	70.80 70.80	XI
b)	Cranage to and on site @ sub contract rate	70	× ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	بر

TOTAL AMOUNT CARRIED FORWARD TO PAGE 1 ITEM (D)