SharePoint

Miya Fana Collenn ▼ ?



**KZN** Health Intranet KZN HEALTH

Search this s	ite	Q

HOME

CORPORATE INFORMATION

COMPONENTS

DIRECTORY

DISTRICT OFFICES

HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

HEALTH REPUBLIC OF SOUTH AFRICA	Quotation Advert	
Opening Date:	2022-09-02	
Closing Date:	2022-09-08	<u> </u>
Closing Time:	11:00	
INSTITUTION DETAILS		
Institution Name:	Northdale hospital	$\overline{\mathbf{v}}$
Province:	KwaZulu-Natal	
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	Northdale Hospital	
Date Submitted	2022-09-02	
TEM CATEGORY AND DETAILS		
Quotation Number:	ZNQ: Ndh 310 22 23	
tem Category:	Goods	V
tem Description:	Remove and replace damaged ceiling	
Dec. 19		
Quantity (if supplies)		
COMPULSORY BRIEFING SESSION /	SITE VISIT	
Select Type:	Compulsory Site Visit	V
Date:	2022-09-06	<b>200</b>
ime:	9h00	
enue:	Northdale Hospital	
QUOTES CAN BE COLLECTED FROM:		
UOTES SHOULD BE DELIVERED TO:	Northdale Hospital	
NQUIRIES REGARDING THE ADVER	T MAY BE DIRECTED TO:	
ame:	FANA C MIYA	
m <mark>ail</mark> :	fana.miya@kznhealth.gov.za	
ontact Number:	033 387 9051	

Finance Manager Name:

Finance Manager Signature:

No late quotes will be considered

LYNETTE NAIDOO

## STANDARD QUOTE DOCUMENTATION OVER R30 000.00

YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: NORTHDALE HOSPITAL				
DATE ADVERTISED: 02 SEPTEMBER 2022 CLOSING DATE: 08 SEPTEMBER 2022 CLOSING TIME: 11:00				
FACSIMILE NUMBER: 0333879051 E-MAIL ADDRESS: Fana:Miy@kznhealth.gov.za				
PHYSICAL ADDRESS: 1389 CHOTA MOTALA ROAD ,PIETERMRITZBURG 3201				
QUOTE NUMBER: ZNQ / NDH / 310 / 22 - 23				
DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING				
CONTRACT PERIOD				
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.				
UNIQUE REGISTRATION REFERENCE				
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS)				
Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for				
consideration.				
The quote box is open from 08:00 to 15:30.				
QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RETYPED)				
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2011, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.				
THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED)				
NAME OF BIDDER				
POSTAL ADDRESS				
STREET ADDRESS				
TELEPHONE NUMBER CODENUMBER FACSIMILE NUMBER CODENUMBER				
CELLPHONE NUMBER				
E-MAIL ADDRESS				
VAT REGISTRATION NUMBER (If VAT vendor)				
HAS A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE BEEN SUBMITTED? (SBD 6.1)  [A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMES& QSEs) MUST BE SUBMITTED TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE1				

OFFICIAL PRICE PAGE FOR QUOTATIONS OVER R30 000	QUOTE NUMBER: ZNQ/NDH	/ 310	/ 22 _	23
---	-----------------------	-------	--------	----

DESCRIPT	ION: REMO	VE AND REPLACE DAMAGED CEILING				
SIGNATUR	E OF BIDDE	Rnt, I hereby agree to all terms and conditions]		TE		
CAPACITY	UNDER WH	ICH THIS QUOTE IS SIGNED		•••••••••••••••••••••••••••••••••••••••		
Item No	Quantity	Description	Brand & model	Country of manufacture	Price R	С
		REMOVE AND REPLACE DAMAGED O	EILING		1	1
	†	IN SPARE ROOM /REPLACE WOODEN	DOORS		1	
_	<u> </u>	SUPPLY AND INSTALL SECURITY G	ATES/			
		REPAIR BURGLAR GUARD				
	1	(SPECIFICTION ATTACHED)				
	ļ					_
<del></del>					+-	
					-	
					1	
			_			
					<del></del>	
VALUE ADI	DED TAX @	15% (Only if VAT Vendor)			+	
		IICE (VALIDITY PERIOD 60 Days)			1	1
Does This O	offer Comply		he Article Conform T pecification?	o The S.A.N.S. / S.	.A.B.S.	
ls The Price			ivery Period, e.g., 1day, 1	week		
Enquiries re	egarding the	quote may be directed to:	Enquiries regarding <u>te</u>	chnical information may	be directed	
Contact Pers	son:	Tel:				
		I el.	Contact Person:	Tel:		

#### BIDDER'S DISCLOSURE

#### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### 2. BIDDER'S DECLARATION

- 2.1. Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state?

  YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name Identity Number		Name of State Institution

- 2.2. Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution?
- 2.2.1. If so, furnish particulars: .....
- 2.3. Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO
- 2.3.1. If so, furnish particulars:

#### 3. DECLARATION

- 3.1. I have read and I understand the contents of this disclosure;
- 3.2. I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Name of Bidder	Signature	Position	Date

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

#### GENERAL CONDITIONS OF CONTRACT

#### 1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

#### 2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

## 3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3. ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
  - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
  - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria.

  All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

#### 4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

#### 5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

#### 6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

## 7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1.	Bidders who fail to attend the compulsory meeting will be disqua	lified from the evaluation process.
(i) (ii)	The institution has determined that a compulsory site meeting  Date/ Time Place	take place
Instituti	on Stamp:	Institution Site Inspection / briefing session Official
		Full Name:
		Signature:
		Date:

## 8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars,

## 9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

## 10. TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

#### 11. TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued;
- (iv) a description and quantity or volume of the goods or services supplied;
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

#### 12. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

#### 13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

#### 14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 15. THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all quotes invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all quotes:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this quote is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3 Points for this quote shall be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this quote is allocated as follows:

<b>使建筑的模型的发出。</b>	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the quote, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- The purchaser reserves the right to require of a bidder, either before a quote is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

## 2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act:
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
  - 1) B-BBEE Status level certificate issued by an authorized body or person;
  - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

#### 3. POINTS AWARDED FOR PRICE

#### 3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left( 1 - \frac{Pt - P\min}{P\min} \right) \text{ Where}$$

Ps

Points scored for price of bid under consideration

Pt

Price of bid under consideration

Pmin

price of lowest acceptable bid

#### 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

<b>B-BBEE Status Level of Contributor</b>	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5	RID	DECL	ADA	KTIAN

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

#### B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1 6.

6.1 B-BBEE Status Level of Contributor: = ......(maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING applicable box)		(Tick					
7.1	Will any portion of the contract be sub-contracted?		YES	I	NO		
711	If you indicate:						

If yes, indicate:

What percentage of the contract will be subcontracted.....% i) The name of the sub-contractor.....

The B-BBEE status level of the sub-contractor.....

8. Whether the sub-contractor is an EME or QSE

(Tick applicable box)

Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of NO Preferential Procurement Regulations, 2017: Designated Group: An EME or QSE which is at last 51% owned by: EME QSE V Black people Black people who are youth Black people who are women Black people with disabilities Black people living in rural or underdeveloped areas or townships Cooperative owned by black people Black people who are military veterans OR Any EME Any QSE

9.	DECLA	DECLARATION WITH REGARD TO COMPANY/FIRM						
9.1	Name	Name of company/firm:						
9.2	VAT r	VAT registration number:						
9.3	Comp	Company registration number:						
9.4	TYPE OF COMPANY/ FIRM [TICK APPLICABLE BOX]							
		Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited						
9.5	DESC	CRIBE PRINCIPAL BUSINESS ACTIVITIES						
9.6	COMP	PANY CLASSIFICATION [TICK APPLICABLE BOX	1					
		Manufacturer						
		Supplier Professional service provider						
		Other service providers, e.g. transporter, etc.						
9.7	Total r	number of years the company/firm has been in bus	inace					
9.8		• • • •						
9.0	the B-	I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based of the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm the preference(s) shown and I / we acknowledge that:						
	i) The information furnished is true and correct;							
	ii) T	he preference points claimed are in accordance wi	th the General Conditions as indicated in paragraph 1 of this form;					
			of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may sfaction of the purchaser that the claims are correct;					
		iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –						
	(a)	disqualify the person from the bidding process;						
	(b)	recover costs, losses or damages it has incurred	d or suffered as a result of that person's conduct:					
	(c)	-	ich it has suffered as a result of having to make less favourable					
	(d)	who acted on a fraudulent basis, be restricted b	areholders and directors, or only the shareholders and directors y the National Treasury from obtaining business from any organ fter the audi alteram partem (hear the other side) rule has been					
	(e)	forward the matter for criminal prosecution.						
	WITN	IESSES						
	1		SIGNATURE(S) OF BIDDERS(S)					
	1		DATE:					
	2		ADDRESS					

# PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

ZNQ - 22/23

# REMOVE AND REPLACE DAMAGED CEILING IN SPARE ROOM/REPLACE WOODEN DOORS/SUPPLY AND INSTALL SECURITY GATES/REPAIR BURGLAR GUARD IN PARTS OF H-WARD

#### **NORTHDALE HOSPITAL**

## <u>Contractor requirements: CIDB: GB 1</u> <u>SABS Approve material warrantees and workmanship:</u>

## 2.1 PROJECT SPECIFICATIONS

#### 2.2 SCOPE OF CONTRACT

This Contract is for the execution of the project indicated above.

## 1.2 CONTRACT DRAWINGS

N/A

#### 2.3 CONDITIONS OF CONTRACT AND PRELIMINARIES

#### 1.3.1 PERIOD OF CONTRACT

(2) Two weeks as the Contract Period for the completion of the Work from date of Site handover.

## 2.4 CONTRACT GUARANTEE:

N/A

## 2.5 GUARANTEE PERIOD

One year on repairs

### 1.3.3.1 PENALTY FOR NON COMPLETION

Penalties of 0.04% a day shall apply from specified completion date.

#### 1.3.4 SITE AND MODE OF PROCEDURE

Remove and replace damaged ceiling beams and fumigation of F ward

The Bidder is advised that the existing premises will be occupied throughout the period of the contract, and that the minimum amount of disruption to services is of the utmost importance.

Damage to the existing buildings – Bidders to note that any damages done or occurring to any of the buildings will be repaired at the expense of the contractor/ Bidder.

The move and placement must be to the satisfaction of the Kwa Zulu- Natal Department of Health. Bidders are advised to visit the site prior to tendering and to acquaint themselves with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim whatsoever will be allowed on the grounds of ignorance of the conditions under which the work will be executed.

#### 1.3.5 SATISFACTORY MOVE AND PLACEMENT

The whole move, placement and installation shall be carried out in accordance with the South African Bureau of Standards Code of Practice for the application of National Building Regulations, the KZNPA Standard Preambles to all Trades, the KZNPA General Specification,

the South African Bureau of Standards Code of Practice for the Wiring of Premises SABS 0142 and the Occupational Health and Safety Act and Regulations 85/1993 as amended.

Copies of the KZNPA Standard Preambles to all Trades and the KZNPA General Electrical Specification are available at the office of the Secretary for Health – KwaZulu-Natal and can be obtained on request.

## 1.3.6 CERTIFICATE OF COMPLIANCE

SANS 10142-1

#### 1.3.7 GENERAL

The bidder /contractor will be responsible for cleaning the site during and after installation.

## 3. TECHNICAL SPECIFICATION

### GENERAL PROVISION APPLYING TO THE SYSTEM AND STANDARD SPECIFICATION

Although not bound in nor issued with this document, the latest issues of the following standards and specifications shall form part of this contract.

## 1. Occupational Health and Safety Act, 1993

Remove and replace damaged ceiling with suspended ceilings ,wooden doors, security gates and burglar guard in part of H- ward

## 3.1 GENERAL

This TECHNICAL SPECIFICATION shall be read in conjunction with all other sections of the SPECIFICATION.

## 2.1.1 **SCOPE**:

Remove damaged existing ceiling and supply & fit new suspended ceiling in spare room with light, replace double wooden doors with lock sets as specified and replace existing trelligate with security gate as specified (view existing security gates), Supply and fit security gate, Repair burglar guard, and according to the specification and including all material and labour and leaving in service condition to the satisfaction of the Secretary and Artisan Chief for Health Kwa- Zulu – Natal.

#### 2.1.2 WORK TO BE CARRIED OUT

Remove and replace damaged ceilings with suspended ceilings with light in spare room of H ward. Supply and fit security gate at spare room.

Repair one burglar as per existing and paint.

Remove existing trelligate and replace with security gate (view existing gates as per sample ) Supply and fit Double wooden doors as per existing with lock sets

**2.1.3** MATERIAL: 25mm x 25mm x 2mm Square tubing with 3mm Diamond Mesh welded on Frame (Hot Dipped Galvanised)

Good workmanship leaving the service in good condition to the satisfaction of the Secretary for Health Kwa-Zulu –Natal.

ON COMPLETION OF THE PROJECT CONTRACTOR SHOULD SUBMIT ONE YEAR WARRANTEE

# PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH

ZNQ - 22/23

REMOVE AND REPLACE DAMAGED CEILING IN SPARE ROOM/REPLACE DOUBLE WOODEN DOORS/SUPPL AND INSTALL SECURITY GATES/REPAIR BURGLAR GUARD IN PARTS OF H - WARD

#### NORTHDALE HOSPITAL

## 3. SCHEDULE OF RATES

#### PREAMBLE TO SCHEDULE OF RATES

## **Items and Pricing**

The Department reserves the right to place an order for any quantities of items included in the Schedules. The Schedule of Rates must also not be assumed to include and describe every detail of the supply requirement, but must be taken and read in conjunction with the other parts of the document. Thus the supplier shall not have claim for further payment in respect of any order, which may be described or implied in the contract, although apparently no corresponding items are given in the Schedule of Rates. The supplier shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the contract and of the rates and prices stated in the Schedule of Rates.

#### Tax and Duties

Prices, tendered and paid, must include all customs, excise and import duties, and any other tariffs or taxes levied by the government or statutory body having jurisdiction on the goods provided under this contract, including Value Added Tax (applicable to the current rate).

### Rates

Except where provision is made in the Schedule of Rates, the rates and prices inserted shall be the full rates and prices for the service delivered described under the respective items and shall cover all labour, transport, overhead charges and profit, etc. as well as the general liabilities, obligations and risks arising out of the Conditions of Contract, the overhead charges and profit being spread proportionately over the rates of the relative items in the Schedule of Rates.

# WORK TO BE DONE AND SCHEDULE OF RATES:

NOTE:  1) All rates for items contained in this Schedule of Prices must be computed excluding the applicable Sales Tax. 2) All rates quoted shall be inclusive of transport, labour and profit. 3) The contractor must liaise with the local councillor and clinic committee for community to be involved with the installation of the park homes. 4) Site to be left in same condition as found 5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings 5 Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for light fitting to be flushed mounted with suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control room for light fitting No 1 Allow for cabling for 1.5mm x 3core from control room for loom for loo		NOTE			1		1	
Schedule of Prices must be computed excluding the applicable Sales Tax.  2) All rates quoted shall be inclusive of transport, labour and profit.  3) The contractor must liaise with the local councillor and clinic committee for community to be involved with the installation of the park homes.  4) Site to be left in same condition as found.  5) Proper identification and PPE's when working on site/signing visitors book.  INSTITUTION: NORTHDALE HOSPITAL.  DESCRIPTION: REMOVE AND REPLACE DAMAGED CELLING WITH SUSPENDED CELLING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL.  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings  Spare room ltem  Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room No 1  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control  4 room M 30  5 Repair burglar guard and paint No 1  Replace double wooden doors as per existing with locksets No 1  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No 2  Supply and fit heavy duty bullet hinges for doors No 4								
excluding the applicable Sales Tax.  2) All rates quoted shall be inclusive of transport, labour and profit.  3) The contractor must liaise with the local councillor and clinic committee for community to be involved with the installation of the park homes  4) Site to be left in same condition as found  5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings  1 Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for left from the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control Frequency of the suspended ceiling in spare room Frequ								
2) All rates quoted shall be inclusive of transport, labour and profit.  3) The contractor must liaise with the local councillor and clinic committee for community to be involved with the installation of the park homes  4) Site to be left in same condition as found  5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room  Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room  Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and fit heavy duty bullet hinges for doors  No 2  Supply and fit heavy duty bullet hinges for doors  No 4  Supply and fit heavy duty bullet hinges for doors  No 4  Supply and fit heavy duty bullet hinges for doors  No 4  Supply and fit heavy duty bullet hinges for doors  No 6  Supply and fit heavy duty bullet hinges for doors  No 7  Supply and fit heavy duty bullet hinges for doors  No 8  Supply and fit heavy duty bullet hinges for doors  No 9  Supply and fit heavy duty bullet hinges for doors  No 1								
transport, labour and profit.  3) The contractor must liaise with the local councillor and clinic committee for community to be involved with the installation of the park homes  4) Site to be left in same condition as found  5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING,WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room  Allow for cabling for 1.5mm x 3core from control room Fepalace double wooden doors as per existing with locksets  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors								
3) The contractor must liaise with the local councillor and clinic committee for community to be involved with the installation of the park homes 4) Site to be left in same condition as found 5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING,WOODEN DOORS,SECURITY GATES,BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Allow for cabling for 1.5mm x 3core from control room Allow for cabling for 1.5mm x 3core from control room Replace double wooden doors as per existing with locksets Replace double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No Supply and Install Security gates Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty bullet hinges for doors								
local councillor and clinic committee for community to be involved with the installation of the park homes 4) Site to be left in same condition as found 5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING,WOODEN DOORS,SECURITY GATES,BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings 1 Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for 3 LED fitting Allow for cabling for 1.5mm x 3core from control room Repaire double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No Supply and fit heavy duty bullet hinges for doors No 4 Supply and fit heavy duty bullet hinges for doors No 4 Supply and fit heavy duty bullet hinges for doors No 4 Supply and fit heavy duty bullet hinges for doors No Crabtree S/P light sourtey gates No Crabtree S/P light switch from control No Supply and fit heavy duty bullet hinges for doors No 4 Crabtree S/P light switch fearned by the supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors No Crabtree S/P light switch fearned by the supply and fit heavy duty bullet hinges for doors No Crabtree S/P light switch fearned by the supply and fit heavy duty bullet hinges for doors No Crabtree S/P light switch fearned by the supply and fit heavy duty bullet hinges for doors No Crabtree S/P light switch fearned by the supply and fit heavy duty bullet hinges for doors No Crabtree S/P light switch fearned by the supply and fit heavy duty bullet hinges for doors No Crabtree S/P light switch fearned by the supply and fit heavy duty bullet hinges for doors No Crabtree S/P light switch fearned by the supply and fit heavy duty bullet hinges for doors No Cra								
for community to be involved with the installation of the park homes 4) Site to be left in same condition as found 5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING,WOODEN DOORS,SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room  Allow for cabling for 1.5mm x 3core from control room  Replace double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No 1  Supply and fit heavy duty bullet hinges for doors No 4  Cumple and fit heavy duty bullet hinges for doors No 4  Cumple and fit heavy duty bullet hinges for doors No 4  Cumple and fit heavy duty bullet hinges for doors No 4  Cumple and fit heavy duty bullet hinges for doors No 4								
installation of the park homes 4) Site to be left in same condition as found 5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING,WOODEN DOORS,SECURITY GATES,BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings 5 Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room Replace double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors Cumply and fit heavy duty bullet h								
4) Site to be left in same condition as found 5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings 1 Spare room ltem Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room No 1  Crabtree S/P light switch from control room for LED fitting No 1 Allow for cabling for 1.5mm x 3core from control room M 30  Repair burglar guard and paint No 1 Replace double wooden doors as per existing with locksets No 1  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No 2  Supply and Install Security gates No 2  Supply and fit heavy duty bullet hinges for doors No 4								
found 5) Proper identification and PPE's when working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room  Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room for allow for cabling for 1.5mm x 3core from control room  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No 4								
Working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room Repair burglar guard and paint Replace double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh Supply and Install Security gates Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty Bales are described.				1				
Working on site/signing visitors book  INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room Repair burglar guard and paint Replace double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh Supply and Install Security gates Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty Bales are described.		5) Proper identification and PPE's when						
INSTITUTION: NORTHDALE HOSPITAL  DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING,WOODEN DOORS,SECURITY GATES,BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 1 2 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room Allow for cabling for 1.5mm x 3core from control Repair burglar guard and paint Replace double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh Supply and Install Security gates Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty Barral Parts and sevents.								
DESCRIPTION: REMOVE AND REPLACE DAMAGED CEILING WITH SUSPENDED CEILING, WOODEN DOORS, SECURITY GATES, BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room Repair burglar guard and paint Replace double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh Supply and fit heavy duty bullet hinges for doors No Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty Balts on doors								
DAMAGED CEILING WITH SUSPENDED CEILING,WOODEN DOORS,SECURITY GATES,BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room  Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room Foom  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  Supply and fit heavy duty. Parrel Palse on doors								
DAMAGED CEILING WITH SUSPENDED CEILING,WOODEN DOORS,SECURITY GATES,BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room  Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room Foom  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  Supply and fit heavy duty. Parrel Palse on doors		DESCRIPTION: REMOVE AND REPLACE						
CEILING,WOODEN DOORS,SECURITY GATES,BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room No 1  Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room Foom Allow for cabling for 1.5mm x 3core from control room Foom Allow for cabling for 1.5mm x 3core from control room Foom Foom Food Food Food Food Food F								
GATES,BURGLAR GUARD IN PARTS OF H WARD NORTHDALE HOSPITAL  Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room Allow for cabling for 1.5mm x 3core from control room Repair burglar guard and paint No Replace double wooden doors as per existing with locksets Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh Supply and Install Security gates Supply and fit heavy duty bullet hinges for doors Supply and fit heavy duty Barea Release and deave.								
Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings Spare room  Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh Supply and fit heavy duty bullet hinges for doors  Supply and fit heavy duty Parryl Palm on doors  Remove Trelligate and felace on doors Supply and fit heavy duty Parryl Palm on doors  Supply and fit heavy duty Parryl Palm on doors								
Remove all CEILING in a 12 m² area as stipulated and replace with suspended ceilings  Spare room  Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty Barrel Balta or dears  Remove Tombourd of the way duty Barrel Balta or dears  Supply and fit heavy duty Barrel Balta or dears		PARTS OF H WARD						
and replace with suspended ceilings Spare room  Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No  Supply and fit heavy duty Reveal Balte as y decree		NORTHDALE HOSPITAL				İ		
Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty Barrel Palse on decays  Supply and fit heavy duty Barrel Palse on decays		Remove all CEILING in a 12 m <sup>2</sup> area as stipulated				Ì		
Allow for 600mm x1200mm LED light fitting to be flushed mounted with suspended ceiling in spare  2 room  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No  Supply and fit heavy duty Barral Palse on deeps		and replace with suspended ceilings						
flushed mounted with suspended ceiling in spare room  Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No  No  Supply and fit heavy duty Parrel Polts on doors.	1		Item					
2 room No 1 Crabtree S/P light switch from control room for LED fitting No 1 Allow for cabling for 1.5mm x 3core from control room M 30  5 Repair burglar guard and paint No 1 Replace double wooden doors as per existing with locksets No 1 Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No 1  8 Supply and Install Security gates No 2 9 Supply and fit heavy duty bullet hinges for doors No 4								
Crabtree S/P light switch from control room for LED fitting  Allow for cabling for 1.5mm x 3core from control room  Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No  Supply and fit heavy duty Barrel Balta on decays		flushed mounted with suspended ceiling in spare					•	
Allow for cabling for 1.5mm x 3core from control Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No  Supply and fit heavy duty Barrel Balts are doors	2		No	1				
Allow for cabling for 1.5mm x 3core from control room  Repair burglar guard and paint  Replace double wooden doors as per existing with locksets  No 1  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No 4  Supply and fit heavy duty Remail Balto and degree							1111	
4 room M 30  5 Repair burglar guard and paint No 1  Replace double wooden doors as per existing with locksets No 1  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh No 1  8 Supply and Install Security gates No 2  9 Supply and fit heavy duty bullet hinges for doors No 4	3		No	1		ļ		
Replace double wooden doors as per existing with locksets  No 1  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No 4  Supply and fit heavy duty Regard Relte as degree				0.0				
Replace double wooden doors as per existing with locksets  No 1  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No 4  Supply and fit heavy duty Remai Relta and degree	4		М	30				
Replace double wooden doors as per existing with locksets  No 1  Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No 4  Supply and fit heavy duty Regard Relta as decree	5	Repair burglar guard and paint	No	1				
Remove Trelligate and replace with security gate as per existing solid gate with diamond mesh  Supply and Install Security gates  Supply and fit heavy duty bullet hinges for doors  No 4  Supply and fit heavy duty Regard Relta on doors		Replace double wooden doors as per existing with		-				
7 as per existing solid gate with diamond mesh No 1 8 Supply and Install Security gates No 2 9 Supply and fit heavy duty bullet hinges for doors No 4	6	locksets	No	1				
8 Supply and Install Security gates No 2 9 Supply and fit heavy duty bullet hinges for doors No 4						T		
9 Supply and fit heavy duty bullet hinges for doors No 4	7	as per existing solid gate with diamond mesh	No	1				
9 Supply and fit heavy duty bullet hinges for doors No 4	8	Supply and Install Security gates	No	2				
Cumply and fit heavy duty Powel Polto and down		Supply and fit heavy duty bullet hinges for deeper				-	_	
10 Supply and fit heavy duty Barrel Bolts on doors No 4	9	supply and itt neavy duty bullet liniges for doors	No	4				
	10	Supply and fit heavy duty Barrel Bolts on doors	No	4				

					ZNQ 1 F	ORM
11	Supply and fit Nutec Euro Profile Cylinder Lockset. Stainless Steel Backplate with Galvanised Lock and 2x28NP Cylinder. Handle set with M4 screws thro doors	No	1			
12	Awarded contractor to submit a safety file	No	1			
					-	
					-	
	Site is occupied and health and safety procedure's needs to apply				000	00
Carried '	To Collection Summary PS 1			 R		

## **COLLECTION SUMMARY**

ZNQ - 22/23

REMOVE AND REPLACE DAMAGED CEILING IN SPARE ROOM/REPLACE DOUBLE WOODEN DOORS/SUPPLY AND INSTALL SECURITY GATES/REPAIR BURGLAR GUARD IN PARTS OF H - WARD NORTHDALE HOSPITAL

NOTE:

THIS COLLECTION SUMMARY MUST BE COMPLETED IN FULL BY THE CONTRACTOR AND RETURNED TOGETHER WITH THE TENDER FORM.

Collection Summary PS 1	R	_
SUB-TOTAL "A"	R	
ADD Provision for Value Added Tax Allow 15% of SUB-TOTAL "A"	R	
TOTAL: CARRIED TO TENDER FORM	R	

## **IMPORTANT**

 $THIS\ FORM\ IS\ ONLY\ TO\ BE\ INCLUDED\ AND\ COMPLETED\ WHEN\ APPLICABLE\ TO\ THE\ QUOTATION.$ 

## OFFICIAL BRIEFING SESSION / SITE INSPECTION CERTIFICATE

Site/building/institution involved:								
Quotation No.:								
Service:	ZNQ	22/23						
	ROOM/REPLACE DOI INSTALL SECURITY (		RS/SUPPLY AND					
	NOR	RTHDALE HOSPITAL						
*****	*********	*********	*					
THIS IS TO CERTIFY THAT		OF (STATE NAM	IE OF TENDERER)					
	VISITED AND IN	SPECTED THE SITE O	N(DATE)					
AND IS THEREFORE FAMILIAR WITH RENDERED.	THE CIRCUMSTANCES	AND THE SCOPE OF T	HE SERVICE TO BE					
NEW BRED.								
SIGNATURE OF TENDERER OR AUTH	HORISED REPRESENTA	ATIVE						
DATE :								
SIGNATURE OF DEPARTMENTAL REPRESENTATIVE								
DEPARTMENTAL STAMP:								
DATE:								