

Quotation Advert

Opening Date:

02/11/2023

Closing Date:

08/11/2023

Closing Time:

11:00

INSTITUTION DETAILS

Institution Name:

Dr Pixley Ka Isaka Seme Memorial Hospital

Province:

KwaZulu-Natal

Department of entity:

Department of Health

Division or section:

Supply Chain Management

Place where goods/

Dr Pixley Ka Isaka Seme Memorial Hospital

service is required:

Date Submitted:

31/10/2023

ITEM CATEGORY AND DETAILS

Quotation number:

DPM94/23-24

Item Category:

Goods

Item Description:

PHETHYMOGRAPHIC VARIABILITY INDEX MONITORS

QUANTITY

3 UNITS

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type:

Not applicable Date: N/A

Time:

N/A

Venue:

QUOTES CAN BE COLLECTED FROM: KZN HEALTH WEBSITE

QUOTES SHOULD BE DELIVERED TO:310 BHEJANE STREET, GATE 3, KWAMASHU 4360, DR PIXLEY KA ISAKA SEME MEMORIAL HOSPITAL

ENQUIRIES REGARDING ADVERT MAY BE DIRECTED TO:

Name:

ZAMA DLADLA

Email:

pixley.quotations@kznhealth.gov.za

Contact number: 031 530 1457

Finance Manager Name:

MR N MAPHUMULO

Finance Manage signature:



| PARTICULARS OF QUOTATION |
|---|
| YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: DR PIXLEY KA ISAKA SEME MEMORIAL HOSPITAL |
| FACSIMILE NUMBER: N/A E-MAIL ADDRESS: pixley.quotations@kznhealth.gov.za |
| PHYSICAL ADDRESS: 310 BHEJANE STREET, KWAMASHU 4360, GATE 3 DR PIXLEY KA ISAKA SEME MEMORIAL HOSPI |
| QUOTE NUMBER: ZNQ / DPM 794 / 23 - 24 VALIDITY PERIOD: 60 DAYS |
| DATE ADVERTISED: 02/11/2023 CLOSING DATE: 08/11/2023 CLOSING TIME: 11:00 |
| DESCRIPTION: PHETHYMOGRAPHIC VARIABILITY INDEX MONITORS |
| CONTRACT PERIOD (IF APPLICABLE): |
| DEPOSITED IN THE QUOTE BOX SITUATED AT <i>(STREET ADDRESS):</i> 310 BHEJANE STREET , KWAMASHU 4360, GATE 3 , DR PIXLEY KA ISAKA SEME MEMORIAL HOSPITAL |
| |
| ENQUIRIES REGARDING THE QUOTE MAY BE DIRECTED TO: CONTACT PERSON: SMANGELE MBA TELEPHONE NUMBER: |
| E-MAIL ADDRESS: pixley.quotations@kznhealth.gov.za |
| ENQUIRIES REGARDING TECHNICAL INFORMATION MAY BE DIRECTED TO: CONTACT PERSON: TELEPHONE NUMBER: |
| |
| E-MAIL ADDRESS: Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration. |
| The quote box is open from 08:00 to 15:30. |
| QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS ~ (NOT TO BE RETYPED) |
| THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. |
| THE FOLLOWING PARTICULARS OF BIDDER MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED) |
| NAME OF BIDDER: |
| E-MAIL ADDRESS: |
| POSTAL ADDRESS: |
| STREET ADDRESS: |
| TELEPHONE NUMBER: FACSIMILE NUMBER: |
| CELLPHONE NUMBER: SARS PIN: |
| VAT REGISTRATION NUMBER (If VAT vendor): |
| CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO. |
| UNIQUE REGISTRATION REFERENCE: |
| |



| PREFERENCE POINTS WILL BE ALLOCATED ACCORDING TO THE IMPLEMENTATION OF SPECIFIC GOALS IN TERMS Promotion of South African owned enterprises ICN NUMBER QUANTITY UNIT OF MEASURE SUPPLY AND DELIVER 1 3 UNITS PHETHYMOGRAPHIC VARIABILITY INDEX MONITOR (MASSIMO) NB: SPECIFIATION ATTACHED NB: SPECIFIATION ATTACHED VALUE ADDED TAX @ 16% (Only If VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 50 Days) DOES THIS OFFER COMPLY WITH THE SPECIFICATION? | | | |
|---|------------------------|-----------------|--------------------|
| Promotion of South African owned enterprises ICN NUMBER QUANTITY UNIT OF MEASURE SUPPLY AND DELIVER 1 3 UNITS PHETHYMOGRAPHIC VARIABILITY INDEX MONITOR (MASSIMO) | | | |
| Promotion of South African owned enterprises ICN NUMBER QUANTITY UNIT OF MEASURE SUPPLY AND DELIVER 1 3 UNITS PHETHYMOGRAPHIC VARIABILITY INDEX MONITOR (MASSIMO) | OF PPR 2022: | POINTS AL | LLOCATED |
| ICN NUMBER QUANTITY MEASURE DESCRIPTION MODEL SUPPLY AND DELIVER 1 3 UNITS PHETHYMOGRAPHIC VARIABILITY INDEX MONITOR (MASSIMO) NB: SPECIFIATION ATTACHED NB: SPECIFIATION ATTACHED VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | 2 | 20 |
| ICN NUMBER QUANTITY MEASURE DESCRIPTION MODEL SUPPLY AND DELIVER 1 3 UNITS PHETHYMOGRAPHIC VARIABILITY INDEX MONITOR (MASSIMO) NB: SPECIFIATION ATTACHED NB: SPECIFIATION ATTACHED VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | _ COUNTRY OF | PR | ICE |
| 1 3 UNITS PHETHYMOGRAPHIC VARIABILITY INDEX MONITOR (MASSIMO) (MASSIMO) NB: SPECIFIATION ATTACHED NB: SPECIFIATION ATTACHED VALUE ADDED TAX @ 16% (Only IF VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | MANUFACTUR | | С |
| VARIABILITY INDEX MONITOR (MASSIMO) NB: SPECIFIATION ATTACHED NB: SPECIFIATION ATTACHED VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| (MASSIMO) (MASSIMO) (MASSIMO) (MASSIMO) (MASSIMO) | | | |
| NB: SPECIFIATION ATTACHED NB: SPECIFIATION ATTACHED VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| NB: SPECIFIATION ATTACHED NB: SPECIFIATION ATTACHED VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| NB: SPECIFIATION ATTACHED NB: SPECIFIATION ATTACHED VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 16% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| VALUE ADDED TAX @ 15% (Only if VAT Vendor) TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | _ | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days) | | | |
| | | | |
| DOES THIS OFFER COMPLY WITH THE SPECIFICATION? | | | |
| IS THE PRICE FIRM? DOES THE ARTICLE CONFORM TO THE S.A.N.S. / S.A.B.S. SPECIFICATION? | | | YES / N YES / N |
| STATE DELIVERY PERIOD (E.G. 3 DAYS, 1 WEEK) | | BA110.0 | |
| NAME OF BIDDER: SIGNATURE OF BIDDER: [By signing this document, I he | reby agree to all terr | ms and conditio | ons) |



BIDDER'S DISCLOSURE

SBD 4

| 4 | PURPOSE | OF THE | FFORM |
|---|---------|--------|---------|
| 1 | PURPUSE | OF IT | E LOKIM |

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, Impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified

| | from the bid process. | | |
|--------|--|---|---|
| 2 | BIDDER'S DECLARATION | | 4 |
| 2.1. | Is the bidder, or any of its directors / trustees / sharef enterprise, employed by the state? | | |
| 2.1.1. | If so, furnish particulars of the names, individual iden | tity numbers, and, if applicable, state employee | umbers of sole proprietor/ directors / trustees / |
| | shareholders / members/ partners or any person hav | ing a controlling interest in the enterprise, in table IDENTITY NUMBER | NAME OF STATE INSTITUTION |
| | FULL NAME | IDENTITY NONBER | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 2,2. | Do you, or any person connected with the bidder, ha | ave a relationship with any person who is employe | ed by the procuring institution? YES / NO |
| 2.2.1. | If so, furnish particulars: | | |
| 2.3. | Does the bidder or any of its directors / trustees / she enterprise have any interest in any other related enter | areholders / members / partners or any person ha erprise whether or not they are bidding for this co | aving a controlling interest in the YES / NO ntract? |
| 2,3.1. | If so, furnish particulars: | | |
| 3 | DECLARATION | | |
| | I, the undersigned,(name) | | n submitting the accompanying bid, do hereby make |
| | I, the undersigned,(name) the following statements that I certify to be true and | complete in every respect: | |
| 3.1. | I have read and I understand the contents of this dis | sclosure; | |
| 3.2. | | ualified if this disclosure is found not to be true at | d complete in every respect; |
| 3.3. | TI I bidden the ambient of the accompanying hid indi | lenendently from and without consultation, comit | linication, agreement of arrangement with any |
| | competitor. However, communication between partr | ners in a joint venture or consortium* will not be o | onstreed as collusive bloding. |
| 3.4. | In addition, there have been no consultations, come specifications, prices, including methods, factors or submit the bid, bidding with the intention not to win relates. | formulas used to calculate prices, market allocat the bid and conditions or delivery particulars of the | e products or services to which this bid invitation |
| 3.5. | The terms of the accompanying bid have not been, | the contract. | |
| 3.6. | There have been no consultations, communications relation to this procurement process prior to and du | s, agreements or arrangements made by the bidd uring the bidding process except to provide clarific rating of the specifications or terms of reference | for this bid |
| 3.7. | I am aware that, in addition and without prejudice to are suspicious will be reported to the Competition C | o any other remedy provided to combat any restri Commission for investigation and possible imposi te reported to the National Prosecuting Authority (sector for a period not exceeding ten (10) years i | ctive practices related to bids and contracts, bids that tion of administrative penalties in terms of section 59 |

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

| NAME OF BIDDER | SIGNATURE | POSITION | DATE |
|----------------|-----------|----------|------|
| | | | |

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



GENERAL CONDITIONS OF CONTRACT

GCC

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid/quotation documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

1 Definitions

The following terms shall be interpreted as indicated:

- 1.1. "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2. "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3. "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4. "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5. "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6. "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7. "Day" means calendar day.
- 1.8. "Delivery" means delivery in compilance of the conditions of the contract or order.
- 1.9. "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10. "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11. "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA
- 1.12. "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14. "GCC" means the General Conditions of Contract.
- 1.15. "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16. "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17. "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18. "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding
- 1.19. "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20. "Project site," where applicable, means the place indicated in bidding documents.
- 1.21. "Purchaser" means the organization purchasing the goods.
- 1.22. "Republic" means the Republic of South Africa.
- 1.23. "SCC" means the Special Conditions of Contract.
- 1.24. "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25. "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2 Application

- 2.1. These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2. Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3. Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3 General

- 3.1. Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2. With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za



Standards

The goods supplied shall conform to the standards mentioned in the bidding documents and specifications. 4.1.

Use of contract documents and information; inspection. 5

- The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, 5.1. pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for 5.2. purposes of performing the contract.
- Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to 5.3. the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

Patent rights 6

The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

- Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete 7.2. his obligations under the contract.
- The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall 7.3. be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion 7.4. of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

Inspections, tests and analyses

- All pre-bidding testing will be for the account of the bidder. 8.1.
- If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be 8.2. subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is 8.3. decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of 8.4. the inspections, tests and analyses shall be defrayed by the purchaser.
- Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or 8.5. services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier,
- Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected. 8.6.
- Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the 8.7. contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, 8.8. or to act in terms of Clause 23 of GCC.

- The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as 9.1. indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly 9.2. provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10 Delivery and documents

- Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other 10.1. documents to be furnished by the supplier are specified in SCC.
- Documents to be submitted by the supplier are specified in SCC. 10.2.

Insurance 11

The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or 11.1. acquisition, transportation, storage and delivery in the manner specified in the SCC.



Transportation

Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC. 12.1.

Incidental services 13

- The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC: 13.1.
 - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the
- Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties 13.2. and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14

As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts 14.1. manufactured or distributed by the supplier:

- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15

- The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all 15.1. recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted 15.2. at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or 15.4. parts thereof, without costs to the purchaser.
- If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial 15.5. action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16

- The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC. 16.1.
- The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in 16.2.
- Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier. 16.3.
- Payment will be made in Rand unless otherwise stipulated in SCC. 16.4.

17

Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his 17.1. bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18 Contract amendments

No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned. 18.1.

19 Assignment

The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent. 19.1.

20

The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in 20.1. the original bid or later, shall not relieve the supplier from any liability or obligation under the contract,

Delays in the supplier's performance 21

- Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the 21.1. contract.
- If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods 21.2. and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local 21.3. authority.
- The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the 21.4. supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.





- 21.5. Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6. Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22 Penalties

22.1. Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23 Termination for default

- 23.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4. If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- 23.5. Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6. If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
 - (i) the name and address of the supplier and / or person restricted by the purchaser;
 - (ii) the date of commencement of the restriction
 - (iii) the period of restriction; and
 - (iv) the reasons for the restriction.
- These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

 23.7. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24 Anti-dumping and countervalling duties and rights

24.1. When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other amount whichmay be due to him.

25 Force Majeure

- 25.1. Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force maleure.
- 25.2. If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26 Termination for insolvency

26.1. The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27 Settlement of Disputes

27.1. If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.



- If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law. 27.3.
- Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC. 27,4.
- Notwithstanding any reference to mediation and/or court proceedings herein, 27,5.
 - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

- Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
 - (a) the supplier shall not be fiable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29

The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30 Applicable law

The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC. 30.1.

31

- Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by 31.1. ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of 31.2. posting of such notice.

Taxes and duties 32

- A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country. 32.1.
- A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser. 32.2.
- No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a 32.3. tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

National Industrial Participation (NIP) Programme 33

The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation. 33.1.

Prohibition of Restrictive practices

- In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision 34.1. by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- If a bidder(s) or contractor(s), has I have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser 34.3. may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and or claim damages from the bidder(s) or contractor(s) concerned.

SPECIAL CONDITIONS OF CONTRACT

SCC

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3 ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk;
 - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4 SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is dentified that information in a bidder's response; which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/ submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfit their obligation.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being
- 5.3. All quotations received in seated envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.



- Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.
- 6.
- In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to 6.1. the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained
 - If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- Samples must be made available when requested in writing or if stipulated on the document. 6.2.
 - If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All
 - (i) testing will be for the account of the bidder.

COMPULSORY SITE INSPECTION / BRIEFING SESSION 7.

Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process. 7.1.

| (1) | The insti | tution has determin | ned that a com | pulsory site meeting | viii nottake plac | e. | |
|----------------|-----------|---------------------|----------------|----------------------|-------------------|--|--|
| (ii) | Date: | ı | 1 | Time: | : | Place: | |
| Institution St | amp: | | | | Institution Site | e Inspection / briefing session Official: | |
| | | | • | | Full Name: | - Control of the Cont | |
| | | | | | | | |
| | | | | | Signature: | | |
| | | | | | | | |
| | | | | | Date: | | |

to at the c

STATEMENT OF SUPPLIES AND SERVICES

The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department 8.1. may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

SUBMISSION AND COMPLETION OF SBD 6.1 9.

Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information 9.1. required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

TAX COMPLIANCE REQUIREMENTS 10

- In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate 10.1. the tax compliance status of the supplier.
- In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be 10.2. considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11

- A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars: 11.1.
 - (i) the name, address and registration number of the supplier;
 - (ii) the name and address of the recipient;
 - (Ili) an individual serialized number and the date upon which the tax invoice
 - (iv) a description and quantity or volume of the goods or services supplied.
 - (v) the official department order number issued to the supplier;
 - (vi) the value of the supply, the amount of tax charged;
 - (vii) the words tax invoice in a prominent place.

PATENT RIGHTS 12

The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, 12,1. trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13.

- If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in 13.1. writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and 13.2. quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event 13.3. that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the
- If the supplier falls to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without 13.4. prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.



TERMINATION FOR DEFAULT 14.

- The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract 14.1. in whole or in part:
 (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,

 - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
 - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems 14.2. appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting 14.3. such supplier from doing business with the public sector for a period not exceeding 10 years.
- THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE. 15.



SBD 6.1.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1. The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- The applicable preference point system for this tender is the 80/20 preference point system.
- 1.3. Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4. The maximum points for this tender are allocated as follows:

| | POINTS |
|---|--------|
| PRICE | 80 |
| SPECIFIC GOALS | 20 |
| Total points for Price and Specific Goals | 100 |

- Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6. The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

4. DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1. THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

 $\frac{80/20}{\text{Ps} = 80 \left(1 - \frac{\text{Pt-Pmin}}{\text{Pmin}}\right)} \qquad \qquad \text{OR} \qquad \qquad \text{Ps} = 90 \left(1 - \frac{\text{Pt-Pmin}}{\text{Pmin}}\right)$

Where

Ps = Points scored for price of tender under consideration


Pt = Price of lender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:



Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmax = Price of highest acceptable tender



4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The <u>tenderer</u> must indicate <u>how</u> they claim points for each preference point system.

| | Number of points points The specific goal/s allocated points in terms of this tender The specific goal/s allocated points in terms of this tender allocated (80/20 (80/20 system) system) |
|--------------------|--|
| Promot | ion of South African owned enterprises |
| | DECLARATION WITH REGARD TO COMPANY/FIRM |
| 4.3. | Name of company/firm: |
| 4.4. | Company registration number: |
| 4.5. | TYPE OF COMPANY/ FIRM [tick applicable box] Partnership/Joint Venture / Consortium One-person business/sole propriety Close corporation Public Company Personal Liability Company (Pty) Limited Non-Profit Company State Owned Company |
| 4.6. | I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that: i) The information furnished is true and correct; ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct; iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have — |
| na paara need need | state may, in addition to any other remedy it may have — (a) disquality the person from the tendering process; (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct; (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation; (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and (e) forward the matter for criminal prosecution, if deemed necessary. |
| | SIGNATURE(S) OF TENDERER(S) SURNAME AND NAME: DATE: ADDRESS: |

Revised: 07/08/2020

PROVINCE OF KWAZULU-NATAL

DEPARTMENT OF HEALTH

HEALTH TECHNOLOGY SERVICES (H.T.S)

SPECIFICATION FOR:

PLETHYMOGRAPHIC VARIABILITY INDEX MONITORS

SPECIFICATION: H.T.S. NO. DPKISMH

Intended Areas of Use: DR PIXLEY KA ISAKA SEME MEMORIAL HOSPITAL-CRITICAL CARE DEPARTMENT (ADULT ICU & HIGH CARE) **Expert Advisory Group:**

Dr T Kisten Head of Clinical Unit-Critical Care Department NB: GENERAL CLAUSES THAT DO NOT APPLY TO THE EQUIPMENT OFFERED MUST BE ANSWERED "COMPLIES", "DOES NOT COMPLY" OR ANSWER THE QUESTION UNDER BIDDERS COMMENTS.

| NO | SPECIFICATION | BIDDERS COMMENTS: STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE |
|-------------|---|--|
| Clause G1.1 | The space provided under "Bidder's Comments" for each clause must be used for this purpose. Bidders who neglect to provide answers to every Clause in this Bid Specification will be disqualified. Bidders must note that abbreviated answers e.g. N/A etc. will not be accepted. Bidders must also note that no part of any clause/s in this Bid Specification may be altered. Where there are traces of alterations found to any clauses in this Bid Specification during Adjudication, the Adjudication Committee will reserve the right to disqualify the bidder. The Bidder must clearly indicate if their offered product complies with the stated requirements, by indicating, "Complies" or "Does not comply" or answer the question next to the corresponding clause. | QUESTION. |
| Clause G2 | All responses must be clear and legible. | The state of the s |
| Clause G3.1 | a. GUARANTEE: All Equipment, Materials and Workmanship provided under this Contract must be Guaranteed for a minimum period of twenty four (24) Months. The successful bidder must arrange with the respective Hospital / Institution and the Health Technology Services before Commissioning the Equipment at the respective Hospital / Institution. The bidder to note that the Guarantee period must only take effect upon successful Commissioning at the respective Hospital / Institution and b. successful test and acceptance by the Health Technology Services. | |
| Clause G3.2 | c. State percentage guaranteed up time of machine (Should be at least | |
| Clause G3.3 | The recommended number of services, per annum, by the manufacturer, must be included during and up until the end of the guarantee period and all costs related to the provision of such service/s will be for the bidders | |
| Clause G3.4 | The bidder must state the number of services that will be provided during and up to the end of the guarantee period. | |
| Clause G3.5 | Any breakdown during the guarantee period must include all cost (spares, labour, travelling and sundries) for any prescribed maintenance services (major and minor) as well as any QA testing that is required by Department Health's Radiation Control Board during the guarantee period. | |
| Clause G3.6 | Travelling and Travelling Time costs must be included during the Guarantee | |
| Clause G3.7 | Spares that may be required during the Guarantee Period will be supplied a the expense of the bidder. | |
| Clause G3.8 | Downtime during the Guarantee Period must extend the Guarantee time on a Day-to-Day basis. | and the second s |
| Clause G3.9 | Any repetition (twice or more) of the same type of fault that first occurred | |

Bidder to Sign and Date every Page

SPECIFICATION: H.T.S. AC10893 B REVISED: 07/08/2020 Page 2 of 16

| 1 | | BIDDERS COMMENTS: |
|--------------|---|--|
| NO | SPECIFICATION | STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION. |
| | during the guarantee period must be considered as a repair under guarantee if it occurs within the first year after the expiry of the guarantee period. | |
| | The same guarantee conditions must apply to replacement units. | |
| Clause G3.10 | | |
| Clause G4 | The successful bidder must Supply, Deliver, Commission and install the Equipment and will be required to demonstrate the product to the applicable Staff at the Institution and costs for the abovementioned must be included in the final bid price. | |
| Clause G5 | Bidders must offer the Health Technology Service's in House | |
| | demonstration of the product, which will enable the Health Technology Service's In House Technicians to become acquainted with the equipment | |
| Clause G6 | Preference may be given to a make and model that has been technically and clinically evaluated by a Government Institution within the R.S.A. (Attach | |
| | proof of evaluation where applicable). The successful bidder must provide the Health Technology Service's in | |
| Clause G7 | The successful bidder must provide the frication received. house Technicians, full training in the calibration, maintenance, service and repair of the product down to PCB Level. N.B. The quality and level of the training must be equivalent to the manufacturer's original factory | |
| | training and any costs incurred to provide this training will be for the bidders | |
| | Certificate of Competency must be issued on completion of the trailing. | |
| | Training must be provided by the successful bidder to the Health Technology Services within three months from date of initial supply and delivery of the | |
| 1 | equipment to the end user. | |
| Clause G8 | SERVICIAC: | |
| Clause G8.1 | The bidder must have a well established service and repair facility in KwaZulu-Natal, to service,repair and calibrate the equipment offered. (The Health Technology Services reserves the right to inspect the premises). | |
| Clause G8.2 | If the service is subcontracted to a local service agent, a signed copy of the letter of appointment by the bidder and acceptance by the subcontractor must be submitted with this bid / quotation. (The Health Technology | |
| Clause G8.3 | Services reserves the right to inspect the premisesy: State Number of other medical equipment "Repair & Service" Agencies (excluding your Agency) represented by the subcontractor. | |

| | | * |
|-------------|--|--|
| , , | | BIDDERS COMMENTS: |
| NO | SPECIFICATION | STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION. |
| Clause G8.4 | Supply the Name, Address and Telephone Number/s of the Local Service Department within KwaZulu-Natal. | Edition (Control of the Control of t |
| | Please supply details as follows: | |
| | Company name | |
| | Physical Address : | |
| | Telephone Number/s : Fax number : | |
| | (The Health Technology Services reserves the right to inspect the premises). | |
| | | |
| Clause G8.5 | State if the Technician(s) are in the direct employ of the bidder or a subcontractor. | |
| Clause G8.6 | The bidder must supply information on the number of Technicians permanently working in KwaZulu-Natal and their names and contact Telephone Number/s must be listed (Directly employed or subcontracted) in an annexure to the bid document. | |
| Clause G8.7 | The Technician(s) must be original equipment manufacturer trained to deal with the service, repair and calibration of the equipment quoted on. N.B. Proof of original equipment manufacturer training must be submitted with this bid / quotation offer. | |
| Clause G8.8 | The Institution's requirement is that a technician is available within a reasonable time (24 hours) to attend to malfunctioning equipment. The Bidder to state the technician per install base e.g. equipment ratio to technician ratio, e.g. 1 technician per 10 pieces of equipment. | |
| Clause G9 | The bidder must Guarantee that no additional equipment will be required for the successful operation of the equipment bided for on delivery and commissioning at the customers site. A starter pack of all essential accessories and disposables must be supplied so that the unit can be put into immediate operation. The cost of the starter pack must be included in | |
| Clause G10 | the final bid price. Optional accessories must be offered for separately on the Schedule of optional accessories found at the end of this Technical specification, indicating catalogue numbers, correct descriptions and Prices inclusive | |

| Ю | SPECIFICATION | BIDDERS COMMENTS: STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION. |
|--------------|--|--|
| | V.A.T. | |
| Clause G11 | Bidder must state the period of time for delivery of Spare parts following the receipt of an official order as follows: 0 to 10 days; 0 to 20 days; 0 to 30 | |
| | days; 0 to 60 days; 0 to 90 days; more than 90 days. The Bidder must supply with this offer a list together with the quantities of | Transcorda Accessor Continues |
| Clause G11.1 | spares held locally in stock in the KwaZulu-Natai Province on the oriental product. The Health Technology Services reserves the right to inspect the | |
| Clause G12 | The bidder must include a firm commitment in whiling, which must be attached with this bid that they would supply spares, components, upgrades, attached with this bid that they would supply spares, components, upgrades, | 10 10 10 10 10 10 10 10 10 10 10 10 10 1 |
| | training support for technical staff of the Health Technology oct vices and the end users Department of Health, KwaZulu-Natal throughout the life cycle of the equipment offered. | |
| Clause G13 | Spares must be available for 10 (Ten) years from the original equipment manufacturer for the product offered. | |
| Clause G14 | The successful bidder must include in their offer at no extra cost to the final bid price: | |
| Clause G14.1 | Complete user Operation / Maintenance Manual x 2 (two) Book / File; CD; DVD copies in English Language. | Property of the Control of the Contr |
| Clause G14.2 | DVD copies in English Language. Complete ORIGINAL Service / Repair Manual x 2 (two) Book / File; CD; DVD copies in English Language which MUST include the following information: Fault Finding Guide, Circuit Diagrams / Schematics, Circuit Descriptions, and PCB Layouts, Calibration Guide, Part Numbers and exploded diagram of Mechanical Parts / Panels. | |
| Clause G14.3 | All the above Manuals must be properly bound in either a Book, File or CD form. | |
| Clause G14.4 | passwords) to allow for trouble shooting (rautificing), maintenance, | |
| Clause G15 | Does your Company have an after noul service back up racing. | le . |
| Clause G16 | If the equipment is taken away for repairs, a loan set must be made available on request to the end user by the Institution until the Institution's unit is returned. All costs incurred for providing the loan unit must be for the bidders account. | |
| Clause G17 | Bidder must bid on the latest model and Technology that fully complies with this Technical Specification. | |
| Clause G17.1 | The Bidder must state how long this technology has been commercially | |
| Clause G17.2 | The bidder must state if there are any near future updates expected. | |

| SPECIFICATION SPECIFICATION "DOES NOT COMPLY" OR ANSWER THE QUESTION. Clause G18 The successful bidder must maintain a system for notifying and providing users with Updates, Modifications, new Software Releases and Recalls. | | | DIDDEDO COMMENTE. |
|--|--------------|---|---|
| Clause G19 The successful bidders must arrange for an acceptance test of the equipment with the Manager of the Health Technology Services and the Hospital Manager. A topy of the original answered Specification, copy of the Invoice order and relevant paperwork (PH form) from the receiving Hospital must be submitted with the equipment when the ACCEPTANCE TEST is to be underfaked. Clause G20 Where equipment bided for, operates off 220 Volt, 50Hz a.c. supply, bidder must ensure that the product being quoted for is fitted with a 15 Amp approved mains plug top, which is held together by two screws. The unit must comply with an acceptable International Electrical Safety Standard such as IEC 60601-1 and 60601-1.2 for Medical Equipment where the quoted equipment operates off an electrical supply. Clause G22 All equipment, the installation and any alteration / additions must comply with: Clause G22.1 The wiring code S.A.N.S. 0142. Clause G22.2 The wiring code S.A.N.S. 0142. Clause G23 Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate. Clause G24 The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. Clause G25 Clause G26 Clause G27 Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services to procure if required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services to procure if required to maintain and calibrate the equipment. The chonology of the Department of Health, a license in terms of the Act on Hazardous Substances (Ac | NO. | | STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE |
| equipment with the Manager. Ac copy of the original answered Specification, copy of the invoice order and relevant paperwork (PH form) from the receiving Hospital must be submitted with the equipment when the ACCEPTANCE TEST is to be undertaken. Clause G20 Where equipment bided for, operates off 220 Volt, 50Hz a.c. supply, bidder must ensure that the product being quoted for is fitted with a 15 Amp approved mains plug top, which is held together by two screws. Clause G21 The unit must comply with an acceptable International Electrical Safety Standard such as EC 60601-1 and 60601-1-2 for Medical Equipment where the quoted equipment operates off an electrical supply. Clause G22 All equipment, the installation and any alteration / additions must comply with: Clause G22. The wiring code S.A.N.S. 0142. Clause G22. The wiring code S.A.N.S. 0142. Clause G23 Units being quoted for must be CE Certified. (Altach a copy of certification). The make and the model offered must be reflected on the certificate. Clause G24 The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. Clause G25 The equipment must be quoted for must be S.A.N.S. colour coded. Clause G26 The equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted. Clause G26 All the necessary calibration and maintenance of the equipment price in requested to maintain and calibrate the equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: Clause G29. If this type of equipment / apparatus appears on the schedule of Hazardous Substances is a substitute of the bidders had the holder where the license is not in the name of the bidders that neglect to submit a license will not be considered. | Clause G18 | users with Undates Modifications, new Software Releases and Recalls. | |
| bidder must ensure that the product being quoted for is fitted with a 15 Amp approved mains plug top, which is held together by two screws. Clause G22 The unit must comply with an acceptable International Electrical Safety Standard such as IEC 60601-1 and 60601-1-2 for Medical Equipment where the quoted equipment operates off an electrical supply. Clause G22. All equipment, the installation and any atteration / additions must comply with: The Occupational Health and Safety Act (1993); Clause G22. The wiring code S.A.N.S. 0142. Clause G23 Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate. Clause G24 The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. Clause G25 The equipment being quoted for must be protected against Electro magnetic Interference. Clause G26 Clause G27 Clause G27 Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/19/3) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. | Clause G19 | equipment with the Manager of the Health Technology Services and the Hospital Manager. A copy of the original answered Specification, copy of the invoice order and relevant paperwork (PH form) from the receiving Hospital must be submitted with the equipment when the ACCEPTANCE TEST is to be undertaken. | |
| Standard such as IEC 60601-1 and 60601-1-2 or Medical Equipment where the quoted equipment operates off an electrical supply. Clause G22 All equipment, the installation and any alteration / additions must compty with: Clause G22.1 The Occupational Health and Safety Act (1993); Clause G22.2 The wiring code S.A.N.S. 0142. Clause G23 Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate. Clause G24 The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. Clause G25 The equipment being quoted for must be protected against Electro magnetic interference. Clause G26 Only new equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted. Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act 15/1973) must be submitted with this bid document. The license must be submitted by the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | | Where equipment bided for, operates off 220 Volt, 50Hz a.c. supply, bidder must ensure that the product being quoted for is fitted with a 15 Amp approved mains plug top, which is held together by two screws. | |
| Clause G22.1 The wiring code S.A.N.S. 0142. Clause G23 Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate. Clause G24 The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. Clause G25 The equipment being quoted for must be protected against Electro magnetic interference. Clause G26 Only new equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted. Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: Clause G29.1 If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | | Standard such as IEC 60601-1 and 60601-1-2 for Medical Equipment where the guided equipment operates off an electrical supply. | Secret Section 1 |
| Clause G22. The wiring code S.A.N.S. 0142. Clause G23 Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate. Clause G24 The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. Clause G25 The equipment being quoted for must be protected against Electro magnetic Interference. Clause G26 Only new equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted. Clause G27 Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G22 | comply with: | |
| Clause G23 Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate. Clause G24 The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. Clause G25 The equipment being quoted for must be protected against Electro magnetic interference. Clause G26 Only new equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted. Clause G27 Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G22.1 | The Occupational Health and Safety Act (1993); | |
| Clause G24 The Mains Cable of the unit being quoted for must be the Hospital Grade Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. Clause G25 The equipment being quoted for must be protected against Electro magnetic Interference. Clause G26 Clause G27 Clause G27 Clause G27 Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 Clause G29. NB. HAZARDOUS SUBSTANCE ACT: If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G22.2 | ļ - | |
| Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour coded. The equipment being quoted for must be protected against Electro magnetic Interference. Only new equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted. Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G23 | The make and the model offered must be reflected on the certificate. | |
| Clause G25 The equipment being quoted for must be protected against Electro magnetic interference. Clause G26 Only new equipment must be quoted for. Refurbished and reconditioned equipment being quoted on will not be accepted. Clause G27 Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G24 | Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour | |
| Clause G27 Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: Clause G29.1 If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G25 | The equipment being quoted for must be protected against Electro magnetic | |
| Clause G27 Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if requested. Clause G28 All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G26 | equipment being guoted on will not be accepted. | |
| required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. Clause G29 NB. HAZARDOUS SUBSTANCE ACT: If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G27 | Bidders must note that dedicated test equipment, spare parts and any special tooling required for the upkeep and maintenance of the equipment quoted on must be available to the Health Technology Services to procure if | |
| Clause G29.1 If this type of equipment / apparatus appears on the schedule of Hazardous Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | Clause G28 | required to maintain and calibrate the equipment, must be supplied with the equipment to the Health Technology Services at no extra cost to the final bid price. | |
| Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | | NB. HAZARDOUS SUBSTANCE ACT: | |
| Clause G29.2 Bidder must state the Radiation Control licence number of the make and License No: | Clause G29.1 | Substances issued by the Directorate: Health Technology of the Department of Health, a license in terms of the Act on Hazardous Substances (Act. 15/1973) must be submitted with this bid document. The license must be registered under the bidders name or a letter of joint venture must be submitted by the license holder where the license is not in the name of the bidder. Bidders that neglect to submit a license will not be considered. | |
| | Clause G29.2 | Bidder must state the Radiation Control licence number of the make and | License No: |

| | | BIDDERS COMMENTS: |
|--------------|--|--|
| NO | SPECIFICATION | STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION. |
| | model of equipment offered. | |
| Clause G29.3 | Where it has been established by the bidder that the equipment offered does not require Radiation Control licence, proof from the Radiation Control authority must be submitted with this bid document. | de passer y and de la company |
| Clause G30 | The system offered must comply fully with or exceed all of the minimum | |
| Clause G31 | The offer submitted must be supported by descriptive literature, colour pamphlets, colour brochures and technical data sheets applicable to the offer (i.e. supporting information for all components of the system) must accompany the bid, failing which the bid will not be considered. | |
| Clause G32 | The equipment and any accessories ordered from the successful bidder will be delivered, installed, tested, calibrated, demonstrated (including specified | |
| | training) and commissioned in the specific Hospital at the expense of the | The state of the s |
| Clause G33 | All prices are to include V.A.T. and must be quoted in the South African currency. The price must be valid for a period of 180 days from closing date of bid. | |
| Clause G34 | If the product offered is unknown to the Department, the Department reserves the right to have the unit evaluated by a team of Technical and Clinical experts with regards to its functionality, performance and quality. The decision of this committee will be used as a motivation for the evaluation and recommendation of the bid. For this reason a demonstration unit must be readily available, or the bidder must take arrange for demonstration with representatives of the Department for the equipment offered at a site within South Africa where a same make and model of unit is installed and is in full clinical operation. The cost of this site visit is for the account of the bidder and it must therefore not place any obligation on the Department to procure from the bidder. | |
| Clause G35 | The Institution requesting the unit reserves the right to clinically trial and evaluate the unit in order to ensure that the unit meets the clinical requirements of the Department before adjudication of the bid. | 100 TO 10 |
| Clause G36 | TUDODADEADILITY WHERE APPLICABLE: | |
| Clause G36.1 | Bidders are to state the policy with regard to future software updates and the costs that will be involved. | |
| Clause G36.2 | The Bidder to state what hardware and software will be available, with costs and projected dates. | |
| Clause G37 | LIDODADE BOLICY: | |
| Clause G37.1 | All future upgrades (hardware and software) involving patient safety must be offered at no additional cost. | |
| Clause G37.2 | All future upgrades removing software viruses from existing software must be supplied at no cost. | |
| Clause G37.3 | Any upgrade before or after installation of the equipment involving additional cost must be brought to the attention of the Manager, Health Technology | |
| Clause G38 | The Bidder must indicate the expected life of their offered unit and software in years. | |

TECHNICAL SPECIFICATION.

Bidder to Sign and Date every Page

| Clause T1 This bid calls for the supply, commissioning and training of a PLETHYMOGRAPHIC VARIABILITY INDEX MONITORS used specifically in a hospital environment, which must comprise of the latest technology and design. |
|--|
| BIDDER'S COMMENTS: |
| Oliver TO |
| Clause T2 The unit being quoted for must be a device that functions independently to measures the following using a sensor attached to a finger too or our |
| a finger,toe or ear: 1.Oxygen saturation |
| 2.Pulse rate 3.Perfusion index |
| Pleth variability index Total haemoglobin |
| 6.Carboxyhemoglobin |
| 7. Methemoglobin 8.Oxygen content |
| 9.Acoustic respiration rate |
| BIDDER'S COMMENTS: |
| BIDDER'S COMMICKI'S. |
| Clause T3 The unit being quoted for must incorporate patient safety features and the bidder must specify all the patient safety features built into the unit being quoted for. BIDDER'S COMMENTS: |
| |
| |
| Clause T4 The unit being quoted for must be of a sturdy / robust construction without any sharp corners or sides that may cause injury |
| The unit being quoted for must be of a stury / robust construction without any entary construction at the patients and staff. |
| to patients and staff. The design must be flat with a rubber footing to provide stability from any disturbances or movementson a flat surface. |
| BIDDER'S COMMENTS: |
| |
| |
| Clause T5 The unit being quoted for must be portable and must have the option to be able to be fitted with on a trolley/ with castors in order to enable easy mobility of the unit from one area to another. The castors / wheels must be equipped with brakes. |
| BIDDER'S COMMENTS: |
| |

SPECIFICATION: H.T.S. AC10893 B REVISED: 07/08/2020 Page 8 of 16

| Clause T5 The unit being quoted for must be suitable for adult, paediatric and neonatal use BIDDER'S COMMENTS: |
|---|
| Clause T6 The device must contionusly measure and display oxygen saturation (SpO2 %) (range of measurement: 0-100%) with an accuracy of 2,5%(70%-100%) and 5% (50%-70%) BIDDER'S COMMENTS: |
| Clause T7 The device must be able to measure pulse rate (beats/min) (range of measurement:0-300bpm) with an accuracy better that +/- 2% BIDDER'S COMMENTS: |
| Clause T8 An audible beep should sound for each heart beat, the pitch must be able to vary with the oxygen saturation BIDDER'S COMMENTS: |
| Clause T9 The device must have a self test procedure on switch on BIDDER'S COMMENTS: |
| Clause T10 The device must have a graphical display menu to allow for easy device setup and use. BIDDER'S COMMENTS: |

Clause T11

The following must be displayed on the device:

Bidder to Sign and Date every Page

SPECIFICATION: H.T.S. AC10893 B REVISED: 07/08/2020 Page 9 of 16

| Oxygen saturation (SpO2 %) | · 1 |
|---|--|
| Pulse rate (beats/min) | |
| Alarm limits | |
| Pulse waveform | |
| Trend information | |
| Battery status | |
| - Indication of mains or hattery operation | |
| The unit must indicate whether the signal to the oximeter sensor is adequ | ate for reliable measurements. If the signal |
| strength or quality is inadequate, this must be clearly displayed. | |
| Sucrigar of quality to management, size where | |
| BIDDER'S COMMENTS: | |
| | |
| | |
| Clause T12 | |
| The device must offer clear viewing under all lighting conditions | |
| The device must offer clear viewing under an agricus | |
| BIDDER'S COMMENTS: | |
| | |
| | |
| | |
| Clause T13 | |
| SENSOR: | not heat the point of application to the |
| The device must be supplied with a dual LED, Infra-red/visible red, which does | not heat the point of application to the |
| patient. The sensor lead must be approximately 3 metres long | |
| | |
| BIDDER'S COMMENTS: | |
| BIDDLIC 3 COMMICTOR | |
| | |
| | |
| Clause T14 | |
| BATTERY: | |
| The device must indicate if the mains or battery is in operation | |
| The unit must operate from 220 V, 50 Hz mains supply | |
| Mains cable at least three metres long with SABS approved 15A three p | ong plug. |
| The unit must include an internal rechargeable battery | |
| Battery charger to be incorporated in the unit | t the same and the same |
| The unit must be able to function from the mains supply regardless of the | e battery condition. |
| by which have the connective for the unit to operate fully for at least five | e nours |

- Battery must have the capacity for the unit to operate fully for at least five to
- The battery must be charged while the unit is operating from the mains supply.
- The battery must automatically take over in the event of a mains power failure.
- Automatic switch-off after a period of non-use
- The case of the unit must be robust and impact resistant.
- The design must be such that spilled liquids do not gain access to the internal working of the unit.
- The unit must be handed over in full operating order
- A mains cable must be supplied with the unit.

| BIDDER'S COMMENTS: | |
|--------------------|--|
| | |

Bidder to Sign and Date every Page

SPECIFICATION: H.T.S. AC10893 B REVISED: 07/08/2020 Page 10 of 16

Clause T15

ALARMS:

The device must come with the following alarm function:

- All alarms must have default settings
- The alarm parameters must be user-adjustable:
- SpO2 LOW: 50 % 99 %
- Pulse rate LOW: 40 150 b.p.m.
- Pulse rate HIGH: 70 250 b.p.m.
- Probe not attached to patient or the pulse oximeter
- Violation of these limits must result in both audible and visual alarms and indication of the parameters affected.
- Adjustable audio alarm volume
- Audio alarm mute: 1 minute. The unit must resume normal alarm functions after the minute has expired.
- Low battery: Alarm at least 10 minutes before battery power is exhausted

| D | ın | n | F | P | 2 | C | ^ | ΝÆ | M | F | N' | TS: | • |
|---|----|----|---|----|---|---|----------|-----|------|---|-----|-----|---|
| ы | ш | IJ | | Г. | 3 | | u | IVI | I Vi | 드 | IN. | 10. | |

Clause T16

The device must be supplied with the a standard set of accessories and consumables

- Finger sensor for paeds
- Finger sensor for adults
- Finger wrap-around probe for neonates
- Spo2 interface cable
- Battery

| RIDDER'S | COMMENTS: |
|----------|-----------|
|----------|-----------|

Clause T17

The bidder must detail all other accessories required to put the unit into immediate use. The price of these accessories must be clearly stated and reflected in the final bid price.

BIDDER'S COMMENTS:

| Device physical characteristics: The devise being quoted on must be light weight and compact And weigh not more than 1kg as a stand alone device and not more that 2kg including a docking station |
|---|
| BIDDER'S COMMENTS: |
| |
| Clause T19 The device being quoted upon must have trending of vital signs for up to 72 hour. |
| BIDDER'S COMMENTS: |
| Clause T20 GUARANTEE / WARRANTY The bidder must provide a minimum of 24-month warranty / guarantee period for the unit offered. |
| BIDDER'S COMMENTS: |
| Clause T21 MAINTENANCE AND SERVICE AGREEMENT Upon termination of the guarantee / warranty period the bidder must provide a fully - costed FULLY COMPREHENSIVE MAINTENANCE AND SERVICE AGREEMENT for a period of 5 years to commence upon termination of the guarantee / warranty period with an option to enter into a renewable agreement. |
| BIDDER'S COMMENTS: |
| Clause T22 |
| RADIATION CONTROL LICENCE |
| Bidders must state the Radiation Control Licence number of the make and model of the equipment offered. If this type of equipment/apparatus appears on the schedule of Hazardous Substances, issued by the Directorate: Radiation Control of the Department of Health, a licence in terms of the Act on Hazardous Substances (Act 15/1973) must be submitted with the bid document. The licence must be registered under the bidders name or the letter of Joint Venture must be submitted by the |

BIDDER'S COMMENTS:

Licence holder where the licence is not in the name of the bidder.

BIDDERS THAT NEGLECT TO SUBMIT A LICENCE WILL BE DISQUALIFIED

Clause T18

SPECIFICATION: H.T.S. AC10893 B REVISED: 07/08/2020 Page 12 of 16 Clause T23 Conformity Compliance (Please attach certificate)

The device being quoted on must:

- The unit must comply with an acceptable international electrical safety standard such as IEC 601-1 for medical equipment, attached certification
- OEM must comply and certified on ISO 9001 quality standards, attach proof of compliance

Please provide unique ref number of the ISO 9001 ceriticate:

OEM must comply and certified on ISO 13485 quality standards, attach proof of compliance

Please provide unique ref number of the ISO 13485 ceriticate:

Model quoted for must be EC certified. Attach a copy of certification

Please provide unique ref number of the EC ceriticate:

| BIDDER'S COMMENTS: | |
|--------------------|--|
| | |

SCHEDULE OF ACCESSORIES

Bidders must quote the price of the accessories listed as well as any other accessories that may be useful to the end users. The receiving Institutions may purchase individual accessories necessary for their particular Institution.

| Item | Price including VAT |
|------|---------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| • | | |
|------|--------------------------|----------|
| t (B | | , . |
| | | |
| F. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| • | | |
| | | |
| | | |
| | SCHEDULE OF OPTIONAL ACC | ESSORIES |

Bidders must quote the price of the optional accessories listed as well as any other accessories that may be useful to the end users. The receiving Institutions may purchase individual accessories necessary for their particular Institution.

| Cat No | ltem | Price including VAT |
|--------|------|---------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | • | |

Bidder to Sign and Date every Page

SPECIFICATION: H.T.S. AC10893 B REVISED: 07/08/2020 Page 14 of 16

| • | | |
|---|--------|-------------|
| | | |
| | | |
| | | |
| | | |
| 1 | | |
| | | |
| | | |
| ì | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | 1 1 | |
| | | |
| 1 | | |

DETAILED TECHNICAL SPECIFICATION

GENERAL INFORMATION REQUIRED

FAILURE TO COMPLETE THIS PART WILL DISQUALIFY THE BIDDER

| Make: | |
|---|------|
| Model Number / Part Number for: | |
| Country of Origin | |
| Delivery Period | |
| R S A Import Permit Holder (License No) | |
| Bidder | |
| Signature | Date |

| Addréss ' | | |
|------------------------------|--------|--|
| * | | |
| | | |
| Telephone No | Fax No | |
| | | |
| Contact Person(Please Print) | | |

SPECIFICATION: H.T.S. AC10893 B REVISED: 07/08/2020 Page 16 of 16

health partment: realth recyllinge of KWAZULU-NATAL

END-USER SPECIFICATION FORM

| Quote | Quote Number: | | |
|-------------|--|--|--|
| ltem [| Description: Plethymographic variability index monitor (Massimo) | | |
| Depai | rtment/Section: Critical care Department Purpose of Item: used to measure oxygen saturation and hemoglobin | | |
| Pre-q | ualification criteria if any: | | |
| 1 i 1 | .1. Is the item required to have a regulatory body certification (e.g. SABS, SANS, SANAS, ISO, CIDB, etc.)? Yes / No: Regulatory Body / certification required if Yes: .2. Is a compulsory site inspection / briefing session required? Yes / No if Yes, specify: Date/ Time Place 1.3. Is local production and content part of the quote? Yes / No if Yes, specify: | | |
| if 1 | i.4. Provisions of section 4(1)(a) of the PPPFA Regulations,2017 if applicable? Yes No f Yes, specify: Liability Cover insurance? Yes / No f Yes, specify: | | |
| | | | |

2. What is the specification of the required item?

| Lis | st specifications to be advertised | Comment |
|-----|---|---------|
| 1. | Re-usable item | |
| ., | | Comment |
| | An audible bleep should sound for each heartbeat, the pitch of which should vary with the oxygen saturation. Automatic rejection of motion artefacts The unit must have trending for at least 72 hours Self test procedure at switch-on The display must offer clear viewing under all lighting conditions. The following must be displayed: Oxygen saturation (SpO2 %) Pulse rate (beats/min) Alarm limits Pulse waveform Trend information Battery status Indication of mains or battery operation The unit must indicate whether the signal to the oximeter sensor is adequate for reliable measurements. If the signal strength or quality is inadequate, this must be clearly displayed. SENSOR: | |

| | | | <i>a</i> |
|-------------------------------|------------------------------|-----------------------------|-------------------|
| Name of End-user (in full) | Dr T Kisten | Name of SCM Rep (in full) | SIYABONGA /1/2010 |
| Designation / Rank (in full) | HCU-Critical Care Department | Designation/ Rank (in full) | SOMP |
| Signature | | Signature | COOK |
| Date | 25/04/2023 | Date | 16/05/2023 |
| N. J. J. Carl Hard Caroliford | lon Form | | Page 1 of |

Standard End-User Specification Form

Page 1 of 3



| 4. | | • | Sensor: Dual LED, Infra-red/visible red, which does not heat the point of application to the patient. | , |
|--|----|----|---|--|
| All alarms must have default settings The alarm parameters must be user-adjustable: \$p02 LOW: 50 % - 99 % Pulse rate LOW: 40,—150 b.p.m. Probe not attached to patient or the pulse oximeter Violation of these limits must result in both audible and visual alarms and indication of the parameters affected. Adjustable, audio alarm volume Audio alarm mute: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must have the capacity for the unit to operate fully for at least five hours The battery must have the capacity for the unit is operating from the mains supply. The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for adults Finge | | | • | , |
| The alarm parameters must be user-adjustable: SpO2 LOW: 50 % - 99 % Pulse rate LOW: 40 – 150 b.p.m. Pulse rate HIGH: 70 – 250 b.p.m. Probe not attached to patient or the pulse oximeter Violation of these limits must result in both audible and visual alarms and indication of the parameters affected. Adjustable, audio alarm volume Audio alarm must: minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for adults | | • | | |
| SpO2 LOW: 50 % - 99 % Pulse rate LOW: 40 – 150 b.p.m. Pulse rate HIGH: 70 – 250 b.p.m. Probe not attached to patient or the pulse oximeter Violation of these limits must result in both audible and visual alarms and indication of the parameters affected. Adjustable suido alarm volume Audio alarm withe: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults | | | | |
| Pulse rate LOW: 40, – 150 b.p.m. Pulse rate HIGH: 70 – 250 b.p.m. Probe not attached to patient or the pulse oximeter Violation of these limits must result in both audible and visual alarms and indication of the parameters affected. Adjustable audio alarm volume Audio alarm mult: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | | |
| Pulse rate HIGH: 70 – 250 b.p.m. Probe not attached to patient or the pulse oximeter Violation of these limits must result in both audible and visual alarms and indication of the parameters affected. Adjustable audio alarm volume Audio alarm mute: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must bave the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for adults Finger sensor for abust enter the received must be submitted? Yes / No(select option 3.1 or 3.2) | | | · | |
| Probe not attached to patient or the pulse oximeter Violation of these limits must result in both audible and visual alarms and indication of the parameters affected. Adjustable, audio alarm volume Audio alarm mute: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds | | | | |
| Violation of these limits must result in both audible and visual alarms and indication of the parameters affected. Adjustable, audio alarm volume Audio alarm mute: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Slandard Accessories and Consumables Finger sensor for paeds | | | · | |
| and indication of the parameters affected. Adjustable audio alarm volume Audio alarm mute: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | · · · · · · · · · · · · · · · · · · · | |
| Adjustable audio alarm volume Audio alarm mute: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for adults Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | | |
| Audio alarm mute: 1 minute. The unit must resume normal alarm functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for adults Signal and Consumables Spo2 interface cable Battery Boes a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | • | |
| functions after the minute has expired. Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger sensor for adults Finger sensor for adults Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | • | |
| Low battery: Alarm at least 10 minutes before battery power is exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | · · | |
| exhausted General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | | |
| General The unit must operate from 220 V, 50 Hz mains supply Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | • | |
| Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | | |
| Mains cable at least three metres long with SABS approved 15A three prong plug. The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | The unit must operate from 220 V, 50 Hz mains supply | |
| The unit must include an internal rechargeable battery Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wap-around probe for neonates Spo2 interface cable Battery 3. Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | | a vin Allenan ia e e nii Allanan |
| Battery charger to be incorporated in the unit The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | prong plug. | |
| The unit must be able to function from the mains supply regardless of the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for padults Finger wrap-around probe for neonates Spo2 interface cable Battery Boes a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | The unit must include an internal rechargeable battery | |
| the battery condition. Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | Battery charger to be incorporated in the unit | |
| Battery must have the capacity for the unit to operate fully for at least five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | The unit must be able to function from the mains supply regardless of | |
| five hours The battery must be charged while the unit is operating from the mains supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Boes a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | | the battery condition. | |
| supply. The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | | |
| The battery must automatically take over in the event of a mains power failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery 3. Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | | |
| failure. Automatic switch-off after a period of non-use The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | `. | | |
| The case of the unit must be robust and impact resistant. The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery 3. 4. 5. Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | failure. | |
| The design must be such that spilled liquids do not gain access to the internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | | |
| internal working of the unit. The unit must be handed over in full operating order A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | • | |
| A starter-pack of consumables must be supplied with the unit. Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery 3. 4. 5. Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | | |
| Standard Accessories and Consumables Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | The unit must be handed over in full operating order | |
| Finger sensor for paeds Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | | |
| Finger sensor for adults Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | : | • | Standard Accessories and Consumables | |
| Finger wrap-around probe for neonates Spo2 interface cable Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | | |
| Spo2 interface cable Battery 3. 4. 5. Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | • | |
| Battery Battery Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | | |
| 3. 4. 5. Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | Spo2 interface cable | |
| 4. 5. Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | | • | Battery | |
| Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | 3. | | | |
| Does a sample need to be submitted? Yes / No(select option 3.1 or 3.2) | 4. | | | |
| | 5. | | | |
| | • | | | Ce Salara Sa |

| 3.1. | Deadline for submission if Yes: Date | e <u>J J</u> Ime Place |
|------|--------------------------------------|------------------------|
| | Carathat canalas months and | as Na |

3.2. Specify that samples must be made available when requested in writing. Yes

Penalties to be noted by the suppliers:

or

4.1. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a



END-USER SPECIFICATION FORM

penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

5. What is the evaluation criteria / special terms and conditions to be advertised?

| List | List evaluation criteria / special terms and conditions to be advertised (if applicable) | | |
|--|--|--|--|
| 1. Pre-qualification criteria Does the offer | | Does the offer meet the pre-qualification criteria? | |
| 2. | Administrative | Does the offer comply to stipulated administrative requirements? | |
| 3. | Conformance: | Was the product made or service performed to specifications? | |
| 4. | Performance: | Will/does the product/service fulfil its performance obligation, in a manner that releases the supplier from all liabilities under the contract? | |
| 5. | Features: | What characteristics does the product or service have? | |
| 6. | Reliability: | How long can a product go between failures and the need for maintenance? (guarantee) | |
| 7. | Durability: | What is the useful life for the product? How will the product hold up under extended use? | |
| 8. | Serviceability: | How easy is it to repair, maintain or support the product or service? (customer support) | |
| 9. | Ability & Capacity | The ability and capacity of the vendor to execute the contract | |
| 10. | Preference points | Preferential Procurement System (80/20) if applicable | |