Revised: 06/10/2016

PROVINCE OF KWAZULU-NATAL

DEPARTMENT OF HEALTH

HEALTH TECHNOLOGY SERVICES (H.T.S)

SPECIFICATION FOR:

UMDNS: 11179

DERMATOME – ELECTRIC (Complete with Motor)

SPECIFICATION: H.T.S. NO. S6A (SURGICAL)

Page 1 SPECIFICATION: H.T.S. – S6 A (SURGICAL) REVISED: 06/10/2016 Page 1 of 13

SECTION :: GENERAL CLAUSES THAT DO NOT APPLY TO THE EQUIPMENT OFFERED MUST BE ISWERED "COMPLIES", "DOES NOT COMPLY" OR ANSWER THE QUESTION UNDER DDERS COMMENTS.

		BIDDERS COMMENTS:
)	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
ause G1	The space provided under "Bidder's Comments" for each clause must be used for this purpose. Bidders who neglect to provide answers to every Clause in this Bid Specification will be disqualified. Bidders must note that abbreviated answers e.g. N/A etc. will not be accepted. Bidders must also note that no part of any clause/s in this Bid Specification may be altered. Where there are traces of alterations found to any clauses in this Bid Specification during Adjudication, the Adjudication Committee will reserve the right to disqualify the bidder. The Bidder must clearly indicate if their offered product complies with the stated requirements, by indicating, "Complies" or "Does not comply" or answer the question next to the corresponding clause.	
ause G2	All responses must be clear and legible.	
ause G3	GUARANTEE:	
ause G3.1	All Equipment, Materials and Workmanship provided under this Contract must be Guaranteed for a minimum period of twenty four (24) Months. The successful bidder must arrange with the respective Hospital / Institution and the Health Technology Services before Commissioning the Equipment at the respective Hospital / Institution. The bidder to note that the Guarantee period must only take effect upon successful Commissioning at the respective Hospital / Institution and successful test and acceptance by the Health Technology Services.	
lause G3.2	State percentage guaranteed up time of machine (Should be at least 99%). The recommended number of services, per annum, by the manufacturer,	
lause G3.3	must be included during and up until the end of the guarantee period and all costs related to the provision of such service/s will be for the bidders	
lause G3.4	The bidder must state the number of services that will be provided during and up to the end of the guarantee period.	
Hause G3.5	Any breakdown during the guarantee period must include all cost (spares, labour, travelling and sundries) for any prescribed maintenance services (major and minor) as well as any QA testing that is required by Department Hooth's Radiation Control Board during the guarantee period.	
Clause G3.6	Travelling and Travelling Time costs must be included during the Guarantee Period?	
Clause G3.7	Spares that may be required during the Guarantee Period will be supplied at	
Clause G3.8	Downtime during the Guarantee Period must extend the Guarantee time on a Day-to-Day basis.	
Clause G3.9	Any repetition (twice or more) of the same type of fault that first occurred during the guarantee period must be considered as a repair under guarantee if it occurs within the first year after the expiry of the guarantee period.	Э

		BIDDERS COMMENTS:
NO Clause G3.10	SPECIFICATION The correction of the correction o	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
	The same guarantee conditions must apply to replacement units.	
Clause G4	The successful bidder must Supply, Deliver, Commission and install the Equipment and will be required to demonstrate the product to the applicable Staff at the Institution and costs for the abovementioned must be included in the final bid price.	
Clause G5	Bidders must offer the Health Technology Service's In House Technicians a demonstration of the product, which will enable the Health Technology Service's In House Technicians to become acquainted with the equipment during the Test and Acceptance phase.	
Clause G6	Preference may be given to a make and model that has been technically and clinically evaluated by a Government Institution within the R.S.A. (Attach proof of evaluation where applicable).	
Clause G7	The successful bidder must provide the Health Technology Service's in house Technicians, full training in the calibration, maintenance, service and repair of the product down to PCB Level. N.B. The quality and level of the training must be equivalent to the manufacturer's original factory training and any costs incurred to provide this training will be for the bidders account. A Certificate of Competency must be issued on completion of the training. The Training must be provided by the successful bidder to the Health Technology Services within three months from date of initial supply and delivery of the equipment to the end user.	
Clause G8	SERVICING:	
Clause G8.1	The bidder must have a well established service and repair facility in KwaZulu-Natal, to service,repair and calibrate the equipment offered. (The Health Technology Services reserves the right to inspect the premises).	
Clause G8.2	If the service is subcontracted to a local service agent, a signed copy of the letter of appointment by the bidder and acceptance by the subcontractor must be submitted with this bid / quotation. (The Health Technology Services reserves the right to inspect the premises).	
Clause G8.3	State Number of other medical equipment "Repair & Service" Agencies (excluding your Agency) represented by the subcontractor.	
Clause G8.4	Supply the Name, Address and Telephone Number/s of the Local Service Department within KwaZulu-Natal.	
	Please supply details as follows:	
	Company name :	
	Physical Address :	
	Telephone Number/s : Fax number :	
,	(The Health Technology Services reserves the right to inspect the	

Page 3 SPECIFICATION: H.T.S. – S6 A (SURGICAL) REVISED: 06/10/2016 Page 3 of 13

	SPECIFICATION	BIDDERS COMMENTS: STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
	premises).	
ause G8.5	State if the Technician(s) are in the direct employ of the bidder or a subcontractor.	
ause G8.6	The bidder must supply information on the number of Technicians permanently working in KwaZulu-Natal and their names and contact Telephone Number/s must be listed (Directly employed or subcontracted) in an annexure to the bid document.	a
ause G8.7	The Technician(s) must be original equipment manufacturer trained to deal with the service, repair and calibration of the equipment quoted on. N.B. Proof of original equipment manufacturer training must be submitted with this bid / quotation offer.	
ause G8.8	The Institution's requirement is that a technician is available within a reasonable time (24 hours) to attend to malfunctioning equipment. The Bidder to state the technician per install base e.g. equipment ratio to technician ratio and a 1 technician per 10 pieces of equipment.	
lause G9	The bidder must Guarantee that no additional equipment will be required for the successful operation of the equipment bided for on delivery and commissioning at the customers site. A starter pack of all essential accessories and disposables must be supplied so that the unit can be put into immediate operation. The cost of the starter pack must be included in the final bid price.	
lause G10	Optional accessories must be offered for separately on the Schedule of optional accessories found at the end of this Technical specification, indicating catalogue numbers, correct descriptions and Prices inclusive of	
lause G11	Bidder must state the period of time for delivery of Spare parts following the receipt of an official order as follows: 0 to 10 days; 0 to 20 days; 0 to 30 days: 0 to 90 days; more than 90 days.	
Dause G11.1	The Bidder must supply with this offer a list together with the quantities of spares held locally in stock in the KwaZulu-Natal Province on the offered product. The Health Technology Services reserves the right to inspect the premises to verify the spares stock held.	
Clause G12	The bidder must include a firm commitment in writing, which must be attached with this bid that they would supply spares, components, upgrades complete original service / repair manual, technical support and ongoing training support for technical staff of the Health Technology Services and the end users Department of Health, KwaZulu-Natal throughout the life cycle of the equipment offered.	e
Clause G13	Spares must be available for 10 (Ten) years from the original equipment manufacturer for the product offered. The successful bidder must include in their offer at no extra cost to the	e
Clause G14	final bid price:	

	BIDDERS COMMENTS:
SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
DVD copies in English Language.	
IND copies in English Language which MUST include the following information: Fault Finding Guide, Circuit Diagrams / Schematics, Circuit Descriptions, and PCB Layouts, Calibration Guide, Part Numbers and exploded diagram of Mechanical Parts / Panels.	
All the above Manuals must be properly bound in either a Book, File or CD form.	
passwords) to allow for trouble shooting (faultfinding), maintenance, calibrations, repairs and services at no additional cost.	
Does your Company have an after hour service back up facility.	
If the equipment is taken away for repairs, a loan set must be made available on request to the end user by the Institution until the Institution's unit is returned. All costs incurred for providing the loan unit must be for the bidders account.	
Bidder must bid on the latest model and Technology that fully complies with this Technical Specification.	
The Bidder must state how long this technology has been commercially	
The bidder must state if there are any near future updates expected.	
The successful bidder must maintain a system for notifying and providing users with Updates, Modifications, new Software Releases and Recalls	
The successful bidders must arrange for an acceptance test of the equipment with the Manager of the Health Technology Services and the Hospital Manager. A copy of the original answered Specification, copy of the invoice order and relevant paperwork (PH form) from the receiving Hospital must be submitted with the equipment when the ACCEPTANCE TEST is to be undertaken.	
Where equipment bided for, operates off 220 Volt, 50Hz a.c. supply, bidder must ensure that the product being quoted for is fitted with a 15	
The unit must comply with an acceptable International Electrical Safety Standard such as IEC 60601-1 and 60601-1-2 for Medical Equipment where	
All equipment, the installation and any alteration / additions must comply with:	
The Occupational Health and Safety Act (1993);	
The wiring code S.A.N.S. 0142.	14 105 0 2 10 10 10
Units being quoted for must be CE Certified. (Attach a copy of certification). The make and the model offered must be reflected on the certificate.	
	Complete user Operation / Maintenance Manual x 2 (two) Book / File; CD; DVD copies in English Language. Complete ORIGINAL Service / Repair Manual x 2 (two) Book / File; CD; DVD copies in English Language which MUST include the following information: Fault Finding Guide, Circuit Diagrams / Schematics, Circuit Descriptions, and PCB Layouts, Calibration Guide, Part Numbers and exploded diagram of Mechanical Parts / Panels. All the above Manuals must be properly bound in either a Book, File or CD form. The Bidder must supply all software (including software-keys and / or passwords) to allow for trouble shooting (faultfinding), maintenance, calibrations, repairs and services at no additional cost. Does your Company have an after hour service back up facility. If the equipment is taken away for repairs, a loan set must be made available on request to the end user by the Institution until the Institution's unit is returned. All costs incurred for providing the loan unit must be for the bidders account. Bidder must bid on the latest model and Technology that fully complies with this Technical Specification. The Bidder must state how long this technology has been commercially available (state when the model offered was launched). The bidder must state if there are any near future updates expected. The successful bidder must maintain a system for notifying and providing users with Updates, Modifications, new Software Releases and Recalls. The successful bidders must arrange for an acceptance test of the equipment with the Manager of the Health Technology Services and the Hospital Manager. A copy of the original answered Specification, copy of the invoice order and relevant paperwork (PH form) from the receiving Hospital must be submitted with the equipment when the ACCEPTANCE TEST is to be undertaken. Where equipment bided for, operates off 220 Volt, 50Hz a.c. supply, bidder must ensure that the product being quoted for is fitted with a 15 Amp approved mains plug top, which is held together by two screws. Th

		DIDDEDO OCHARNITO.
		BIDDERS COMMENTS:
	· ·	STATE "COMPLIES" OR "DOES NOT COMPLY"
	ODECIFICATION	OR ANSWER THE
)	SPECIFICATION	QUESTION.
	and the fit with sing gueted for must be the Hospital Grade	
iuse G24	The Mains Cable of the unit being quoted for must be the Hospital Grade	
	Type and it must be a minimum length of (3) three metres. N.B. The mains cable of the unit being quoted for must be S.A.N.S. colour	
	a a do d	
WAS COE	coded. The equipment being quoted for must be protected against Electro magnetic	
ause G25		
ause G26	Only new equipment must be quoted for. Refurbished and reconditioned	
guse G20	aguisment being guoted on will not be accepted.	
ause G27	Later and party that dodicated test equipment, spare parts and any	
	I will a the street for the unkeen and maintenance of the equipment	
	quoted on must be available to the Health Technology Services to procure in	
	1 - 1	
ause G28	All the necessary calibration and maintenance software, where applicable, required to maintain and calibrate the equipment, must be supplied with the	
	required to maintain and calibrate the equipment, must be capping and equipment to the Health Technology Services at no extra cost to the final bid	
	equipment to the realth reciliology convices and extra extra	
lause G29	price. NB. HAZARDOUS SUBSTANCE ACT:	
lause G29.1	Transfer with month apparatus appears on the schedule of Hazardous	
lause G29.1	O I -t-rees issued by the Hirectorale redill recillioned of the Bornan	
	the alicence in forme of the ACT ON HAZAROUS Substances (100)	
	4.5/4.070) must be submitted with this bid document. The license mass so	
	The state of the bidders name of a letter of following the finds of	
	registered under the bluders half of a lotter of the submitted by the license holder where the license is not in the name of the submitted by the license holder where the license will not be considered.	
	bidder. Bidders that neglect to submit a license will not be considered. Bidder must state the Radiation Control licence number of the make and	License No:
lause G29.2	model of equipment offered.	
lause G29.3	Where it has been established by the bidder that the equipment offered does	
7,0000 0.2010	not require Radiation Control licence, proof from the Hadiation Control	
	the with a mount has authorithed with this DIO OOCUITETIL	
Clause G30	The system offered must comply fully with or exceed all of the minimum	VALUE OF BEET AND
	specification requirements per the Technical Clauses. The offer submitted must be supported by descriptive literature, colour	
Clause G31	Lists aclour brochurge and technical (IAIA SHEELS applicable to the	
	effer (i.e. supporting information for all components of the system) must	
	I which the hid failing which the hid will held be considered.	
Clause G32	TI WILLIAM STATE OF A CONTROL OF THE OFFICE OF THE STATE	
Clause GS2	he delivered installed tested calibrated, delitolistrated (including speciment	
	training) and commissioned in the specific Hospital at the expense of the	
	avecageful Biddor, prior to full navment being made.	
Clause G33	The state of the s	9
	currency. The price must be valid for a period of 180 days from slooning days	
	of bid.	
Clause G34	If the product offered is unknown to the Department, the Department reserves the right to have the unit evaluated by a team of Technical and quality	
	or the same with regarde to its timetionally, believing the and quarty.	
		on Service Ser
	the state of the hid for this reason a deliberation distribution	
	be readily available, or the bidder must take arrange for demonstration with	
	De readily available, of the blader mast that	

Page 6
SPECIFICATION: H.T.S. – S6 A (SURGICAL)
REVISED: 06/10/2016
Page 6 of 13

		BIDDERS COMMENTS:
NO	SPECIFICATION	STATE "COMPLIES" OR "DOES NOT COMPLY" OR ANSWER THE QUESTION.
	representatives of the Department for the equipment offered at a site within South Africa where a same make and model of unit is installed and is in full	
	clinical operation. The cost of this site visit is for the account of the bidder	
	and it must therefore not place any obligation on the Department to procure from the bidder.	
Clause G35	The Institution requesting the unit reserves the right to clinically trial and	
	evaluate the unit in order to ensure that the unit meets the clinical	
Clause G36	requirements of the Department before adjudication of the bid.	
	UPGRADEABILITY WHERE APPLICABLE:	
Clause G36.1	Bidders are to state the policy with regard to future software updates and the costs that will be involved.	
Clause G36.2	The Bidder to state what hardware and software will be available, with costs	
	and projected dates.	
Clause G37	UPGRADE POLICY:	
Clause G37.1	All future upgrades (hardware and software) involving patient safety must be	
	offered at no additional cost.	
Clause G37.2	All future upgrades removing software viruses from existing software must be supplied at no cost.	
Clause G37.3	Any upgrade before or after installation of the equipment involving additional cost must be brought to the attention of the Manager, Health Technology Services.	
Clause G38	The Bidder must indicate the expected life of their offered unit and software in years.	

ECHNICAL SPECIFICATION.

				-	-
2	11	10	0	-	1

is specification establishes the requirements, supply, delivery, end user training, demonstration, commission and tallation of dermatome driven by motors that is robust and durable construction, easy to handle and adaptable to all isting motors that are in use at the Institution where it is required. A foot actuated speed control and motor is not required, existing motor in the theatre will be used to power the instrument. The instrument offered must directly couple with the isting motor without requiring any additional modification.

DDER'S COMMENTS:
ause T2
ne system must be lightweight and easy to operate and offer smooth adjustments for settings of various cutting thickness.
IDDER'S COMMENTS:
lause T3
hysical Specifications of Instrument:
3.1 Width of cut – 73mm.
SIDDER'S COMMENTS:
'3.2 Cutting Thickness Seven Settings:
T3.2.1 - 08mm
T3.2.2 - 13mm
T3.2.3 - 18mm
T3.2.4 - 23mm
T3.2.5 - 28mm
T3.2.6 - 33mm
T3.2.733mm
BIDDER'S COMMENTS:

T3.3 Compact and Light weight.
Wide range of cutting depths.
Selection of cutting widths.
Ease of adjustment.
Robust proven design.
Very accurate and consistent cutting performance.

Page 8
SPECIFICATION: H.T.S. – S6 A (SURGICAL)
REVISED: 06/10/2016
Page 8 of 13

Easy maintenance and servicing. Hand piece weight ± 320Grams Approximate. Overall length 15cm approximate. Overall width ± 130mm approximate.
BIDDER'S COMMENTS:
Clause T4
Bidder must specify if reduction plates are supplied as standard included in the final bid price. The bidder must include 1 reduction plate width to be 48 cm.
BIDDER'S COMMENTS:
Clause T5
The flexible drive shaft must enable the transmission of the full torque to the hand piece at various speeds required. The flexible drive shaft must run unsupported between the motor and the hand piece and must be removable from the outer casing for maintenance and sterilization.
BIDDER'S COMMENTS:
Clause T6
The system must be suitable for the following types of sterilization methods:
Ethylene Oxide 100% exposure 4 hours temperature 37°C. Ethylene Oxide 100% exposure 2 hours temperature 55°C. Steam (Vacuum Displacement) exposure 10 minutes Temperature 130°C.
BIDDER'S COMMENTS:
Clause T7
Blades to be manufactured from Stainless Steel and a starter pack of 10×73 mm and 10×48 mm sterile blades to be supplied in the final bid price.

Dermatone heads and handles must be fully sterilizable.

BIDDER'S COMMENTS:

Page 9 SPECIFICATION: H.T.S. – S6 A (SURGICAL) REVISED: 06/10/2016 Page 9 of 13

Tause 18
he motor must be foot operated, power rating 230 Volts, 50/60HZ.
IDDER'S COMMENTS:
lause T9
he motor operating speed must between 2 000 to 15 000 RPM
IDDER'S COMMENTS:
lause T10
Optional accessories to be listed on the schedule of optional accessories
SIDDER'S COMMENTS:
Jause T11
3UARANTEE / WARRANTY
The bidder must provide a minimum of 24-month warranty / guarantee period for the unit offered.
3IDDER'S COMMENTS:
Clause T12
WAINTENANCE AND SERVICE AGREEMENT
Jpon termination of the guarantee / warranty period the bidder must provide a fully - costed FULLY COMPREHENSIVE WAINTENANCE AND SERVICE AGREEMENT for a period of 3 years to commence upon termination of the guarantee / warranty period with an option to enter into a renewable agreement.
BIDDER'S COMMENTS:

Page 10 SPECIFICATION: H.T.S. – S6 A (SURGICAL) REVISED: 06/10/2016 Page 10 of 13

SCHEDULE OF OPTIONAL ACCESSORIES

Bidders must quote the price of the optional accessories listed as well as any other accessories that may be useful to the end users.

at No	Item	Price inc	Price including VAT				
		Year 1	Year 2	Year 3	Total		

Page 11 SPECIFICATION: H.T.S. – S6 A (SURGICAL) REVISED: 06/10/2016 Page 11 of 13

SCHEDULE OF ACCESSORIES

Bidders must quote for accessories that are used with the system offered. Bidders must also indicate if these accessories need to be compatible with the system offered or whether generic accessories can be utilized with the system offered.

Cat No	Item	Price inc	Price including VAT			
		Year 1	Year 2	Year 3	Total	
· .						
-						
			-			
			-			

Page 12 SPECIFICATION: H.T.S. – S6 A (SURGICAL) REVISED: 06/10/2016 Page 12 of 13

DETAILED TECHNICAL SPECIFICATION

GENERAL INFORMATION REQUIRED

FAILURE TO COMPLETE THIS PART WILL DISQUALIFY THE BIDDER

Make:	
Model Number / Part Number for:	
Country of Origin	
Delivery Period	
R S A Import Permit Holder (License No)	
Bidder	
	Date
Address	
	Fax No
Contact Person(Please Print)	

SPECIFICATION: H.T.S. S6 A (SURGICAL) REVISED: 06/10/2016 Page 13 of 13