

Quotation Advert

Opening Date:

25/06/2024

Closing Date:

03/07/2024

Closing Time:

11:00 AM

INSTITUTION DETAILS

Institution Name:

Christ the King Hospital

Province:

KwaZulu-Natal

Department of entity:

Department of Health

Division or section:

Supply Chain Management

Place where goods/ service is required:

Christ the King Hospital

Date Submitted:

25/06/2024

ITEM CATEGORY AND DETAILS

Quotation number:

ZNQ: CTK 50-2024-25

Item Category:

Services

Item Description:

Service of electrical donkey boiler

Quantity (if supplies):

as per quotation

COMPULSORY BRIEFING SESSION / SITE VISIT

Select type:

Compulsory site meeting

Time:

10h30

Date:

27 June 2024

Venue:

CTK ASSEMBLY POINT

QUOTES MUST BE COLLECTED FROM: CTK.SCMQuotations@kznhealth.gov.za

QUOTATION MUST BE DEPOSITED ON THE TENDER BOX SITUATED NEXT TO MAIN GATE AT CHRIST THE KING HOSPITAL, BEFORE THE CLOSSING DATE AND TIME OF TENDER

ENQUIRIES REGARDING ADVERT MAY BE DIRECTED TO:

Name:

Mr S DLAMINI

Email:

scm.ctk@kznhealth.gov.za

Contact number: 039 834 7519

Finance Manager Name:

MR B.E.NZIMANDE

Finance Manage signature:



PARTICULARS	OF QUOTATION
YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: CHRIS	
FACSIMILE NUMBER: 039 834 2131 E-MAIL ADD	RESS: CTK.SCMQuotations@kznhealth.gov.za
PHYSICAL ADDRESS: CHRIST THE KING HOSPITAL 1 PETER	HAUFF DRIVE IXOPO
QUOTE NUMBER: ZNQ / CTK / 50 / 24	VALIDITY PERIOD: 90 DAYS
DATE ADVERTISED: 25 JUNE 2024 CLOSING DA	ATE: 03 JULY 2024 CLOSING TIME: 11:00
DESCRIPTION: SEVICE OF ELECTRICAL DONKEY BOILER	RS :
CONTRACT PERIOD (IF APPLICABLE): ONCE OFF	
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS): CHRIST THE KING HOSPITAL 1 PETER HAUFF DRIVE IXOF	PO 3276
ė.	
ENOUGHE DECARDING THE CHART HAVE THE	
CONTACT PERSON: MR S DLAMINI	TELEPHONE NUMBER: 039 834 7519
E-MAIL ADDRESS: CTK.SCMQuotations@kznhealth.gov.za	
ENQUIRIES REGARDING TECHNICAL INFORMATION MAY BE DIRECTED TO):
CONTACT PERSON: S.E DLAMINI	TELEPHONE NUMBER: 039 834 7567
E-MAIL ADDRESS: siyabonga.dlamini@kznhealth.gov.za	
Bidders should ensure that quotes are delivered timeously to the correct add	dress. If the quote is late, it will not be accepted for consideration.
The quote box is open from 08:00 to 15:30.	en e
QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO B	BE RETYPED)
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY	
REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AN	D, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
THE FOLLOWING PARTICULARS O (FAILURE TO DO SO MAY RESULT IN	OF BIDDER MUST BE FURNISHED
NAME OF BIDDER:	TARACTA SUBSTITUTE OF THE SUBS
E-MAIL ADDRESS:	
POSȚAL ADDRESS:	
STREET ADDRESS:	
TELEPHONE NUMBER:	FACSIMILE NUMBER:
CELLPHONE NUMBER:	SARS PIN:
VAT REGISTRATION NUMBER (If VAT vendor):	
CENTRAL SURRIGED DATABASE DECISES TO CORRESPONDE	
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.	MAAA
JNIQUE REGISTRATION REFERENCE:	
<u></u>	



STATE DELIVERY PERIOD (E.G. 3 DAYS, 1 WEEK):

CAPACITY UNDER WHICH THIS QUOTE IS SIGNED:

NAME OF BIDDER:

QUOTE NUMBE		CTK	,50 ,2	siorauovanonsiovari 4 <u>25</u>				
DESCRIPTION:	SEVIC	CE OF ELE	CTRICAL DONKEY B	OILERS				
THE BELOW PI	REFERENCE	POINTS WILL	BE ALLOCATED IN COMP	PLIANCE WITH THE DEPART	MENTAL PR	EFERENCE	POINTS	ALLOCATED
	•		in a specific district for work to be done	or services to be rendered in that District		. ! 	1	20
1								
ICN NUMBER	QUANTITY	UNIT OF MEASURE	DESCRIPTION		BRAND & MODEL	COUNTRY OF MANUFACTUR		RICE
01	03	ITEMS	SERVICING OF ELE	CTRICAL DONKEY		1	R	C
			BOILERS / CALORIF	IER AND THEIR HOT				
			WATER STORAGE \	ESSELS INCLUDING	7			
1			PRESSURE TESTIN	G				
V.								
			COMPULSORY SITE	BRIEFING				
			Date: 27 JULY 2024					
			Venue: CTK ASSEM	BLY POINT		*		
			Time:10H30					
		NB	SPECIFICATION AN	DEVALUATION				. •
			CRITERIA IS ATTAC	HED				
1			Failure to comply wit t	he above will be				
			disqualified					
								٠.
į.								
*								

ALUE ADDED 1	AX @ 15% (C	nly if VAT Ve	endor)					
OTAL QUOTAT	ON PRICE (V.	ALIDITY PER	IOD 90 Davs)		"1		·	

SIGNATURE OF BIDDER:
[By signing this document, I hereby agree to all terms and conditions]

DATE:



BIDDER'S DISCLOSURE

PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified

2	BIDDER'S DECLARATION
2.1.	Is the hidder or any of ite dir

Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise, employed by the state? 2.1.1. If on furnish naticulars of the names individual identity numbers and if annicable state

YES / NO

shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.						
FULL NAME	IDENTITY NUMBER	NAME OF STATE INSTITUTION				

	· ·	
Do you, or any person connected with the bidder, have	e a relationship with any person who is employed by the procuring institution ² ?	YES / No
If so, furnish particulars:		.77 .
Does the bidder or any of its directors / trustees / shar enterprise have any interest in any other related enterprise	eholders / members / partners or any person having a controlling interest in the prise whether or not they are bidding for this contract?	YES / NO
If so, furnish particulars:		
DECLARATION		:
the undersigned (name)	in numerical and the annumerous in a later	d- l l

3

22 . 2.2.1. 2.3

2.3.1,

in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1. I have read and I understand the contents of this disclosure;
- I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect; 3.2.
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium3 will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. , There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

NAME OF BIDDER	SIGNATURE	POSITION	DATE

¹ The power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and

^{2 &}quot;Procuring Institution" refers to all institutions under the Accounting Officer of the Department of Health,

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, cap 1, efforts, skill and knowledge in an activity for the execution of a contract.

GENERAL CONDITIONS OF CONTRACT

GCC

NOTES

The purpose of this document is to:

- Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid/quotation documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract, Whenever there is a conflict, the provisions in the SCC shall prevail.

1 Definitions

The following terms shall be interpreted as indicated:

- 1.1. "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2. "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3. "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4. "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5. "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6. "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7. "Day" means calendar day.
- 1.8. "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9. "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10. "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11. "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA
- 1.12. "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14. "GCC" means the General Conditions of Contract.
- 1.15. "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16. "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17. "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18. "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19. "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20. "Project site," where applicable, means the place indicated in bidding documents.
- 1.21. "Purchaser" means the organization purchasing the goods.
 1.22. "Republic" means the Republic of South Africa
- 1.22. "Republic" means the Republic of South Africa.1.23. "SCC" means the Special Conditions of Contract.
- 1.24. "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25. "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2 Application

- 2.1. These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2. Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3. Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3 General

- 3.1. Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2. With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretona 0001, or accessed electronically from www.treasury.gov.za



4 Standards

- 4.1. The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.
- 5 Use of contract documents and information; inspection.
- 5.1. The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2. The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3. Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4. The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6 Patent rights

6.1. The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7 Performance security

- 7.1. Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2. The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3. The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4. The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8 Inspections, tests and analyses

- 8.1. All pre-bidding testing will be for the account of the bidder.
- 8.2. If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3. If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4. If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5. Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6. Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7. Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8. The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9 Packing

- 9.1. The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10 Delivery and documents

- 10.1. Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2. Documents to be submitted by the supplier are specified in SCC.

11 Insurance

11.1. The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.



12 Transportation

12.1. Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13 Incidental services

- 13.1. The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
 - (a) performance or supervision of on-site assembly and/or commissioning of the supp "ad goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the
 13.2. Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14 Spare parts

- As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
 - (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
 - (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15 Warranty

- 15.1. The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2. This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3. The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4. Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5. If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16 Payment

- 16.1. The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2. The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3. Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4. Payment will be made in Rand unless otherwise stipulated in SCC,

17 Prices

17.1. Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18 Contract amendments

18.1. No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

19 Assignment

19.1. The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20 Subcontracts

20.1. The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21 Delays in the supplier's performance

- 21.1. Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2. If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension sl.: Il be ratified by the parties by amendment of contract.
- 21.3. No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4. The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

231.3



- 21.5. Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6. Upon any defay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22 Penalties

Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23 Termination for default

- 23.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
 23.3. Where the purchaser terminates the purchaser terminates the purchaser terminates.
- 23.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4. If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the slipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- 23.5. Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
 23.6. If a restriction is imposed the authorized the authoriz
- 23.6. If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
 - (i) the name and address of the supplier and / or person restricted by the purchaser;
 - (ii) the date of commencement of the restriction
 - (iii) the period of restriction; and
 - (iv) the reasons for the restriction.
- These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24 Anti-dumping and countervailing duties and rights

24.1. When, after the date of bid, provisional payments are required, or antidumping or coun. rvailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such antidumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other amount whichmay be due to him.

25 Force Maleure

- 25.1. Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
 25.2. If a force majeure situation price the supplier shall not be liable for forfeiture of its performance security, damages, or event of force majeure.
- 25.2. If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26 Termination for insolvency

26.1. The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27 Settlement of Disputes

27.1. If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.



- 27.2. If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
 27.3. Should it not be possible to earlie a dispute by mospe of particities.
- 27.3. Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4. Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5. Notwithstanding any reference to mediation and/or court proceedings herein,
 - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28 Limitation of liability

- 28.1. Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6,
 - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29 Governing language

29.1. The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30 Applicable law

30.1. The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31 Notices

- 31.1. Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2. The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32 Taxes and duties

- 32.1. A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.

 32.2. A local supplier shall be entirely responsible for all taxes, duties license fees, and other such levies imposed outside the purchaser's country.
- 32.2. A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3. No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

33 National Industrial Participation (NIP) Programme

33.1. The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

34 Prohibition of Restrictive practices

- In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2. If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3. If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and

SPECIAL CONDITIONS OF CONTRACT

AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3 ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk;
 - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
 3.8. This greatering will be explicated because the contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.

 3.20. In such instances, the Department recovers the right to impediate the right to
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4 SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/ submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
 Each quotation shall be addressed in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the dosing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

SCC

Page 9 of 13



5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
 - If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All

COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

(i)	(i) The institution has determined that a compulsory site meeting Will not take place.							
(ii)	Date:			ı	Time:	:	Place:	
Institution Sta	ımp;					Institution Site	Inspection / briefing sessio	n Official:
						Full Name:		:
						S:	1, 141	N .
						Signature: _		
						Date: _		
		·						

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10 TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11 TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
 - (i) the name, address and registration number of the supplier;
 - (ii) the name and address of the recipient;
 - (iii) an individual senalized number and the date upon which the tax invoice
 - (iv) a description and quantity or volume of the goods or services supplied;
 - (v) the official department order number issued to the supplier;
 - (vi) the value of the supply, the amount of tax charged;
 - (vii) the words tax invoice in a prominent place,

12 PATENT RIGHTS

12.1. The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- service provider's expense.

 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.



14. **TERMINATION FOR DEFAULT**

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

 - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
 (ii) if the supplier fails to perform any other obligation(s) under the contract; or
 (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 15. THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.

SBD 6.1.



PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- The following preference point systems are applicable to invitations to tender: 1.1.
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2. The applicable preference point system for this tender is the 80/20 preference point system.
- Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for: 1.3.
 - (a) Price: and
 - (b) Specific Goals.
- The maximum points for this tender are allocated as follows: 1.4.

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and Specific Goals	100

- Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim, points for specific goals with the tender, will be 1.5 interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determin. I by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions, and

OR

(e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

$$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

$$Ps = 90 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

90/10

Where

Pς = Points scored for price of tender under consideration

Ρŧ = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

POINTS AWARDED FOR PRICE 3.2.1.

A maximum of 80 or 90 points is allocated for price on the following basis:

OR

Where

■ Points scored for price of tender under consideration

= Price of tender under consideration

Pmax = Price of highest acceptable tender



4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2): 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point.

	The specific goal/s allocated points in terms of this tender	Number of points allocated (80/20 system)	Number of points <u>claimed</u> (80/20 system)
RDP	Goal: Full points allocated to promote enterprises located in a specific district for work to be done or services to be rendered in that District.	t 20	
	DECLARATION WITH REGARD TO COMPANY/FIRM		
4.3.	Name of company/firm:		
4.4.	Company registration number:		
4.5.	TYPE OF COMPANY/ FIRM (tick applicable box) Partnership/Joint Venture / Consortium		
	 One-person business/sole propriety Close corporation Public Company 		ži.
	☐ Personal Liability Company (Pty) Limited		
	Non-Profit Company State Owned Company		
4.6.	 i, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the spring the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that: i) The information furnished is true and correct; ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; iii) In the present of the preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; 		\$
	in the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may documentary proof to the satisfaction of the organ of state that the claims are correct:		
•	if the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fu state may, in addition to any other remedy it may have — (a) disqualify the person from the tendering process:	Ifilled, the orç	gan of
	 (b) recover costs, tosses or damages it has incurred or suffered as a result of that person's conduct; (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangement cancellation; 		
	cancellation; (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who act basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alt other side) rule has been applied; and (e) forward the matter for criminal prosecution, if deemed necessary.		
	SIGNATURE(S) OF TENDERER(S)		
	SURNAME AND NAME: DATE:		
•	ADDRESS:		
			2



EVALUATION CRITERIA

EVALUATION CRITERIA: Servicing of electrical donkey boilers

The Department will evaluate quotation received before the closing date and time using three (3) stages,

Stage 1: Administrative and Mandatory Compliance Requirements

Stage 2: Technical evaluation

Stage 3: Price and Preference Points System

Stage 1: Administrative and Mandatory Compliance Requirements

Note: This relates to compulsory and mandatory returnable documents which must be fully completed, signed initialed and submitted as directed. The non-compliant returnable documents will be treated as no-responsive; the tender will be disqualified, and will not proceed to the next stage of evaluation.

NO.	REQUIREMENTS	RETURNABLE DOCUMENT	FOR OFFICIAL USE ONLY	
	NEGONE MENTO	STAGE 1	YES	NO
1.1	Particulars Of Bidder Must Be dully completed	Yes		
1.2	Value added Tax and Total Bid Price to be completed correctly and in compliance with SARS requirements	Yes		
1.3	Bidders Disclosure SBD 4 Form must be completed in full and disclosed as stipulated.	Yes		
1.4	General Conditions of Contract: The supplier to initial each page from page 4 to 11 failure will be disqualified	Yes		
1.5	Full Completion Of Standard Quotation Document For Quotations Above R2 000.01	Yes		
1.6	Full Completion Of Preference Points Claim Form In Terms Of The Preferential Procurement Regulations 2022, SBD 6.1. page 13 table 1	Yes		
1.7	To disregard bids or quotation for suppliers or contractors who failed to perform on any previous contract for the same item advertised	No : institution to verify		

Stage 2: Technical Evaluation

The service provider must be on ZNB 5730/2019-H item 1.11 Contract. (THE MAINTENANCE AND REPAIR OF FIXED MECHANICAL PLANT, EQUIPMENT AND INSTALLATIONS INSTALLED IN KWAZULU-NATAL PROVINCIAL HOSPITALS, CLINICS AND BUILDINGS CONTRACT)

NB: FAILURE TO COMPLY WILL BE DISQUALIFIED

Stage 3: Price and Preference Points

The value of this quotation is estimated not to exceed R 50 000 000 (inclusive of all applicable taxes), therefore the 80/20 preference point system shall be applicable. Points for this bid will be awarded for:

Price; and Specific Goals

CATEGORY	POINTS	
PRICE	80	
SPECIFIC GOALS	20	
Total points for Price and must not exceed	100	

The Department has identified the following specific goal:

> 20 points allocated for Promotion of South African owned Enterprises

Returnable Documents:


1) CSD

Note:

Failure on the part of a bidder/tenderer to submit CSD, will not be disqualified, however the bidder will not score points for specific goals.

Name of End-user	ESG Zikalala	Name of SCM representative	ISH MULONSO
Designation/ Rank (in full)	Chief Artisan	Designation/ Rank (in full)	SEMO
Signature		Signature	8A20
Date	04/08/2024	Date	13/06/24

COMPANY STAMP



SPECIFICATION FOR SERVICING OF ELECTRICAL HEATED HOT WATER STORAGE VESSELS AND DONKEY BOILERS PLANTS

GENERAL NOTES


- quotation & work is done. All scope needed to be checked on site prior to submission of a quote and to any works being undertaken, discrepancies to be reported to Chief Artisan before
- Preparation work is critical important to all works, where an unusual situation is discovered, report to Chief Artisan prior to proceeding
- Ensure that documents are correctly filled and specification documents are returned signed at the bottom each and every page. Make sure that certified copies of relevant required registrations are attached.

NB: Only the following Service Providers are invited to quote for this service:

- category EB / ME grading. The Service provider shall also provide quotation template which shall be fully detailed as follows: Service providers that specialize on maintenance and repairs of HOT WATER CYLINDER AND HOT WATER CALORIFIERS (electrical) and must have CIDB
- Itemized list of Materials/Spare Parts/Equipment, showing unit costs, contractors mark-up and subtotal
- Labour hours, Unit Rate and Sub-Total
- 3. Kilometers, Unit Rate and Sub-Total (Specify number of trips)
- .4. Subsistence: Number of Nights Out, Unit Rate and Sub-Total.
- VAT and Grand Total

2. Servicing

- The service must be done according to The National Regulator for Compulsory Specifications Act (Act 5 of 2008)
- b. Service according to the attached document
- Running repairs must be done on site and signed by qualified serviceman/ qualified tradesman and other repairs required must also be filled on site
- Service provider must submit a detailed quotation of other repairs required using a quotation template as stated in item number one.
- A detailed report upon completion of a maintenance visit must be provided, which will include each fire alarm system efficiency evaluation report.
- The attached check list must be filled accurately and returned. Payments will not be done if the check lists are not fully completed for each equipment.
- g. Return all the pages and sign each and every page
- h. Restore the system to normal condition:
- Re-enable any disable devices, re-connect any disconnected devices, re-connect all external systems that were disconnected for the testing, and ensure that the system is left in 100% working.
- Report to the chief artisan so that he can advise all staff that testing is complete, and that any alarm received now must be treated as real



Issue the service certificate. "SANS 1475 registered companies can only legally issue a certificate of compliance concerning service of equipment in terms of 1475 Parts 1 & 2."

- Equipment to be serviced
- 5 x hot water vessels
- 4 x hot water clarifies (electrical)
- 5 x booster pumps

also to take measurements. The service provider will have to determine the size on site as there are no name plates Note: the service provider must ensure that he visits the site before submitting the quotation to establish the extent of service work he /she has to do and

4. REGULATIONS 13 - REPAIRS AND MODIFICATIONS

- Regulations under section 44 of the Act -(1) Subject to the requirement of the relevant health and safety standard incorporated into these
- any person who intends to modify or repair any pressure equipment shall cause such
- specified by the relevant hazard category as determined by SANS 347; modification or repair to be carried out in accordance with the relevant health and safety standard, and in accordance with the assessment procedure, as
- (b) any modifier or repairer carrying out any modification or repair, referred to in paragraph
- accordance with the original health and safety standard where reasonably practicable; where applicable, as evidence that the design of such modification has been verified and that it has been modified or repaired and tested under its supervision in standard incorporated into these Regulations under section 44 of the Act: Provided that such certificate shall be countersigned by the approved inspection authority (a), shall issue a certificate in which the extent of the modification or repair is described and certify that such work is in accordance with the relevant health and safet
- authority, as applicable; and (c) any user requiring re-certification of any pressure equipment shall ensure that the recertification is performed under the supervision of an approved inspection
- certificate, together with a copy of the approved inspection authority's design verification report, shall be forwarded to the provincial director for updating of the stean generator registration. rated, the amended data plate added and the pressure equipment operated within the re-rated criteria: Provided that, in the case of a steam generator, the registration have the necessary repairs effected immediately, the user shall, subject to approval by an approved inspection authority, ensure that the pressure equipment is re (d) whenever it appears from any inspection or test that pressure equipment cannot be used safely in accordance with its design criteria and the user chooses not to
- (a) Any person who intends to modify or repair any pressure equipment must comply with the relevant hazard category as determined by SANS 347. (See PER 3 Note (a)) (b) For repairs on pressure vessels and steam generators the applied hydrostatic test pressure after the repair shall be a minimum of 1.25 the design pressure at

一次是一个是一个

Ö

an alternative to the requirement of the H&SS. The user may opt for a higher test pressure when deemed necessary. See regulation 11(2) for pneumatic pressure

category II and higher equipment. requirements. (c) Where exemption of pressure testing is required after repairs in accordance with inservice H&SS, approval must be obtained from the AIA fo


(d) AIA to supervise, if applicable any pressure equipment requiring re- certification. See

construction details, may be modified after calculations and necessary verifications and tests have been performed in accordance with an appropriate health and safety PER 9 for re-certification criteria. (e) Pressure Equipment previously excluded under the VUP Regulations is excluded fromthese requirements. See PER 2 Note (g) fo further clarification. Pressure equipment compliant to the standards enforced at the time of manufacture, i.e data plate stamped by AIA but without documentation of the clarification. standard.

28 This gazette is also available free online at www.gpwonline.co.za

30 No. 38505 GOVERNMENT GAZETTE, 27 FEBRUARY 2015

details, may be repaired after necessary verifications and tests have been performed in accordance with an appropriate health and safety standard. (g) Pressure equipment compliant to the standards enforced at the time of manufacture, i.e data plate stamped by AIA but without documentation of construction



5. Check list: no payment will be made if the attached check lists are not filled accordingly

TYPE (SERV	P.M.	E		2.	ω,	4.	Ċι	ņ	7.	.8	9.
INSTALLATION NAME :	SERVICE PROVIDER :	P.M. SERVICE	INSTRUCTION: CHECK, ADJUST, CLEAN AS REQUIRED	Check cylinder lagging	Check for water leaks	Check for external corrosion, descale and repaint as required	Check temperature gauge and note temperature range. Redline at normal temperature	Check all air vents on cylinder (where applicable)	Check safety valves and test valve release pressure	Check and note all valve conditions	Check all flanges and fittings for leaks (repair where required)	Remove inspection cover - check for scale and corrosion - descale as required (ANNIIALLY)
HOT W			IN ORDER		-							
HOT WATER SYSTEMS		RUNNING REPAIRS (Apply for V.O. as Applicable)	OTHER NON-SPECIFIED RUNNING REPAIRS DONE									
		plicable	TIME									
)	DESCRIPTION OF SPARES USED								The state of the s	
			QTY. EX SITE STOCK									
		OTHE	QTY. EX FIRMS STOCK									
REF	ORDER No.:	OTHER REPAIRS REQUIRED SUBMIT QUOTATION	DESCRIPTION OF OTHER REPAIRS REQUIRED									
**		JIRED	EST. TIME REQ.									
			DESCRIPTION OF SPARES REQUIRED									
			QTY REQ.									

NOTE THE FOLLOWING:

And the second s

AT BY COMMAND AND AND SOME

SIGNATURE:	KM: TOTAL	KM: To:	To:	FROM:	귀
	DATE:	TIME ON SITE:	TIME OUT:	TIME IN:	⊒
NAME OF RESPONSIBLE OFFICIAL ON SITE			COMPANY NAME (BLOCK LETTERS):	MPANY NAME (I	<u> </u> දු
			NAME/S OF ASSISTANT/S: UNSKILLED:	ME/S OF ASSIST	ξ
	-);	NAME/S OF ASSISTANT/S: SEMI SKILLED:	ME/S OF ASSIST	Z
	SIGNATURE:	(S) :	NAME OF SERVICEMAN (BLOCK LETTERS):	ME OF SERVICE	Z
OFFICIAL STAMP:		E WAS CARRIED OUT	I CERTIFY THAT THE SPECIFIED SERVICE WAS CARRIED OUT	ERTIFY THAT TH	_
			er pressure	Circulating water pressure	3
			Temperature of cylinder water in/out	Temperature of	\mathcal{U}
			er	Model of cylinder	೨
				Make of cylinder	۳
	TREST TOTAL STATE				

Service Bally of the

SCH	SCHEDULE FOR :	M TOH	HOT WATER CALORIFIERS (ELECTRICAL)	ELECTI	RICAL)						
INS	INSTALLATION NAME :		The season of th					REF	••	***************************************	
SEF	SERVICE PROVIDER :							ORDER No.			
P. P	P.M. SERVICE		RUNNING REPAIRS (Apply for V.O. as Applicable)	plicable			OTHER	OTHER REPAIRS REQUIRED SUBMIT QUOTATION	IRED		
ITEM	INSTRUCTION: CHECK, ADJUST, CLEAN AS REQUIRED	IN ORDER	OTHER NON-SPECIFIED RUNNING REPAIRS DONE	TIME TAKEN	DESCRIPTION OF SPARES USED	QTY. EX SITE STOCK	QTY. EX FIRMS STOCK	DESCRIPTION OF OTHER REPAIRS REQUIRED	EST. TIME REQ.	DESCRIPTION OF SPARES REQUIRED	QTY REQ.
-	Check cylinder lagging										
'n	Check for water leaks										
ω	Check for external corrosion							9944			
4	Check temperature gauge and note temperature range. Redline at normal temperature										
,5r	Check all air vents on cylinder (where applicable)										
6.	Check safety valves and test valve release pressure									7	
7.	Check and note all valve conditions										
, w	Check all flanges and fittings for leaks (repair where required)										
φ	Remove inspection cover - check for scale and corrosion - descale as required (ANNUALLY)										
10.	Check control panel is secure and check condition										
<u> </u>	Check all controls (where applicable)		:								



KEPUBLIC OF SOUTH AFRICA	CWAZULU-NATAL PROVINCE	
REPUBLIC OF SOUTH AFRICA	EALTH	
	REPUBLIC OF SOUTH AFRICA	

10 m

24.	23.	22.	21	20.	19.	1 8	17.	16.	15.	14.	13.	12.	ITEM
Check all door locks	Clean paint and plantroom	Check all cables and glands	Check temperature and record NB For domestic use 55°C to 60°C for laundry machine supply only 80°C	Check thermostat note and cut out setting	Check and note amps on elements. State if in order	Megger all the elements	Check 220 volt socket outlet	Check all plant room lights	Check that all panel lamps illuminate	Tighten all electrical terminals	Check for loose or damaged conductors	Check all safety interlocks (where applicable)	INSTRUCTION: CHECK, ADJUST, CLEAN AS REQUIRED
								:					R R
													OTHER NON-SPECIFIED RUNNING REPAIRS DONE
													TIME TAKE N
													DESCRIPTION OF SPARES USED
													QTY. EX SITE STOC
													QTY. EX FIRMS STOC K
													DESCRIPTION OF OTHER REPAIRS REQUIRED
													TIM E REQ
							NATURE OF THE PROPERTY OF THE						DESCRIPTION OF SPARES REQUIRED
													QTY REQ.



NAME OF DESCONSIDIE OFFICIAL ON SITE:	<u></u>	こうます ショフラッフランこう								
						*****	and the second s	***************************************	COMPANY NAME (BLOCK LETTERS):	COM
							ob-management programmy	Ö	NAME/S OF ASSISTANT/S: UNSKILLED:	NAME
							Onconcess and onconcess	ED:	NAME/S OF ASSISTANT/S: SEMI SKILLED:	NAME
					SIGNATURE:			ERS):	NAME OF SERVICEMAN (BLOCK LETTERS):	NAME
		OFFICIAL STAMP:					CARRIED OUT	/ICE WAS	CERTIFY THAT THE SPECIFIED SERVICE WAS CARRIED OUT	- CER
									Are all safety signs fitted?	26.
									Check all door hinges	25.
<u> </u>	REQ.	OTHER REPAIRS REQUIRED	EX FIRMS STOCK	EX SITE STOCK	SPARES USED	TAKEN	RUNNING REPAIRS DONE	ORDER	CLEAN AS REQUIRED	
DESCRIPTION OF	EST.	DESCRIPTION OF	QTY.	QTY.	DESCRIPTION OF	TIME	OTHER NON-SPECIFIED	Z	INSTRUCTION: CHECK, ADJUST,	TEM

SERVICING OF ELECTRICAL HEATED HOT WATER STORAGE VESSELS AND DONKEY BOILERS PLANTS 8 of 13

The second secon

Signature of the bidder:_



SCHEDULE OF RATES

WORK TO BE DONE AND SCHEDULE OF RATES:

Item	DESCRIPTION	UNIT	QTY	RATE	RATE/ UNIT	Total Prize
				R	ი	
eria cuestima executado en esta esta esta esta esta esta esta esta	NOTE: 1). All rates for items contained in this Schedule of Rates include labour & material and must be computed excluding the applicable Value Added Tax. 2). The Department of Health reserves the right to Negotiate rates in the Bill of Quantities. 3). All rubble and waste shall be removed from site and suitably disposed of.					
	INSTITUTION: RIETVLEI HOSPITAL					
	All rates quoted shall be inclusive of transport, labour and profit. All relevant mark-ups for specialist shall be included. The Bidder is advised that the institution is fully functional and Occupied and					
	disruptions to services are to be kept to the bare minimum.					
1	Male ward hot water plant :					
:	Service hot water vessel as be attached check list	item	_			
1.2	Descale and dislodge the interior of the vessel	item				
1.3	Service calorifier as be attached check list	item	_			
1.4.1	Replace 40mm gate valve	Item	->	1.000		
1.4.2	Replace 32mm gate valve	item	-3			
1,5	Replace safety valve 32mm	item	1			
1.6	Replace circulation pump	Item	->			
1.7	Third party pressure test certificate accordance with the requirements item of SANS 347		2			
1.8	Issue certificate of compliance. Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;		N			

(1) (1) (2) (3) (4) (4) (7)

Chi caleation in cubic metres: (ii) capacity in cubic mark of an approxed inspection authority as applicable; and of the inexation disapport in conditions with the requirements of SANS (IV) date for next pressure testing (IV) date for next pressure testing report (IV) date and edition of the health and safety (IV) date for next pressure testing report (IV) date and edition of the health and safety (IV) date for next pressure testing report (IV) date and edition of the health and safety (IV) date for next pressure testing report (IV) date and edition of the health and safety (IV) date for next pressure testing report (I		(g) design temperature for both minimum and maximum in degrees	-			\$
(V) unique mark of or approved inspection authority as applicable; and (V) the mark of or approved inspection authority as applicable; and (V) date for next pressure testing DESCRIPTION UNIT QTY R Submit a detailed service report and pressure testing report Item first page) Submit a detailed service report and pressure testing report Item first page) Female ward hot water plant Female ward hot water plant Female ward hot water plant Female and disodge the interior of the vessel Service calorifier as be attached check list Replace 50mm ball valve Circulation pump Service 40mm ball valve Replace 20mm ball valve Replace 20mm ball valve Circulation pump Third party pressure test certificate accordance with the requirements item 1 Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item 1 Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item 1 Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item 1 Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item 1 Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item 1 () design pressure test certificate and edition of the heath and safety Standard; () design pressure in units of Pascal; () design pressure in units of Pascal; () design pressure in units of Pascal;		(h) canacity in cubic matres:				
(X) date for next pressure testing (X) date for next pressure testing (X) date for next pressure testing DESCRIPTION DESCRIPTION Submit a detailed service report and pressure testing report Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Submit a detail quotation for repairs that are needed (as specified in item 1 1 Item 1 1 Item 2 1 Item 2 2 Item 3 2 Item 3 3 Item 4 3 Item 5 3		(i) capacity in cubic metres, (i) unique mark of an approved inspection authority as applicable; and 0) the hazard category in accordance with the requirements of SANS				
DESCRIPTION DESCRIPTION UNIT QTY RATE UNIT Replace 20mm ball valve Replace 40mm ball valve Replace		347 (K) date for next pressure testing				
Submit a detailed service report and pressure testing report Submit a detail quotation for repairs that are needed (as specified in item 1 tem 1 first page). Female ward hot water plant Female ward hot water plant Female ward hot water plant Service hot water vessel as be attached check list item 2 tem 2 tem 2 tem 3 tem 4 tem 4 tem 5 tem 6 tem 7 tem 6 tem 7 tem 6 tem 7 t	item	DESCRIPTION	UNIT	QTY	RATE/ UNIT	Total Prize
Submit a detailed service report and pressure testing report Submit a detail quotation for repairs that are needed (as specified in item item1 first page) Female ward hot water plant Service hot water vessel as be attached check list Service calorifier as be attached check list Replace 50mm ball valve Replace 22mm ball valve Replace 22mm ball valve Replace 22mm ball valve Replace 28mm ball valve Circulation pump Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item Issue certificate of compilance . Also provide a data plate to be pressure vessel with the following minimum particulars: (a) Name of manufacture; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number, (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (f) design pressure in units of Pascal;		**************************************				
Submit a detail quotation for repairs that are needed (as specified in item item1 first page) Female ward hot water plant Service hot water vessel as be attached check list Descale and dislodge the interior of the vessel Service calorifier as be attached check list Replace 50mm ball valve Replace 22mm ball valve Replace 22mm ball valve Replace 22mm ball valve Circulation pump Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements litem Issue certificate of compliance . Also provide a data plate to be item permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacture; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number, (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (f) design pressure in units of Pascal;	1.9.1		item	2		The state of the s
Female ward hot water plant Service hot water vessel as be attached check list Descale and dislodge the interior of the vessel Service calorifier as be attached check list Replace 50mm ball valve Replace 22mm ball valve Replace 22mm ball valve Replace 28mm ball valve Item Item Supply and install safety valves 32mm Circulation pump Supply and install safety valves 32mm Item Supply and install safety valves 32mm Circulation pump Supply and install safety valves 32mm Item Supply and install safety valves 32mm Item Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements Item of SANIS 347 Issue certificate of compliance . Also provide a data plate to be Item permanently fixed in a conspicuous place to permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number, (e) manufacturer's serial number, (f) design pressure in units of Pascal; (f) design pressure in units of Pascal;	1.9.2	quotation for repairs that are needed (as specified in	item	-		
Female ward hot water plant Service hot water vessel as be attached check list Descale and dislodge the interior of the vessel Service calorifler as be attached check list Replace 50mm ball valve Replace 22mm ball valve Replace 22mm ball valve Replace 28mm ball valve Circulation pump Circulation pump Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item Item Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements of SANS 347. Issue certificate of compliance . Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; attemption of the health and safety standard; (f) design pressure in units of Pascal; (f) design pressure in units of Pascal;						
Service hot water vessel as be attached check list Descale and dislodge the interior of the vessel Service calorifler as be attached check list Replace 50mm ball valve Replace 22mm ball valve Replace 22mm ball valve Replace 22mm ball valve Circulation pump Circulation pump Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements litem Issue certificate of compliance. Also provide a data plate to be persesure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (f) design pressure in units of Pascal;	?	Female ward hot water plant				
Descale and dislodge the interior of the vessel Service calorifler as be attached check list Replace 50mm ball valve Replace 22mm ball valve Replace 22mm ball valve Replace 28mm ball valve Circulation pump Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item of SANS 347. Issue certificate of compliance . Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (f) design pressure in units of Pascal;	2.1	Service hot water vessel as be attached check list	item		- Tommings and all Yes (All Control of the Control	
Service calorifier as be attached check list Replace 50mm ball valve Replace 40mm ball valve Replace 22mm ball valve Replace 22mm ball valve Replace 28mm ball valve Circulation pump Circulation pump Circulation pump Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements litem of SANS 347. Issue certificate of compliance . Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer's serial number; (d) manufacturer's serial number; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.2	Descale and dislodge the interior of the vessel	item			
Replace 40mm ball valve item Replace 22mm ball valve item Replace 28mm ball valve item Replace 28mm ball valve item Circulation pump item Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item of SANS 347. Issue certificate of compliance . Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.3	Service calorifler as be attached check list	item	>		TOTAL
Replace 22mm ball valve Replace 22mm ball valve Replace 28mm ball valve Circulation pump Circulation pump Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance . Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.4.1	Replace 50mm ball valve	item	N		
Replace 22mm ball valve Replace 28mm ball valve Circulation pump Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item of SANS 347. Issue certificate of compliance . Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.4.2	Replace 40mm ball valve	item	O1	THE THE PARTY AND ADDRESS OF THE PARTY AND ADD	
Circulation pump item Circulation pump item Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item of SANS 347. Issue certificate of compliance . Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.4.3	Replace 22mm ball valve	item	7	An investment of the control of the	п при учени при при при при при при при при при пр
Circulation pump Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance. Also provide a data plate to be item permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.4.4	Replace 28mm ball valve	Item	6		-c-th-Assached
Supply and install safety valves 32mm Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance. Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.5	Circulation pump	item	3		
Third party pressure test certificate accordance with the requirements item of SANS 347. Issue certificate of compliance. Also provide a data plate to be item permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.6	Supply and install safety valves 32mm	item	2		A Marie Control of the Control of th
Issue certificate of compliance. Also provide a data plate to be item permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal;	2.7.1	essure test certificate accordance with the requirements	item			
acturer's serial number; ence number, date and pressure in units of Pasc	2.7.2	ovide a data plate to be particulars:	item	<u> </u>		
		ence number, date and pressure in units of Pasc				

1000

母 こ は勝様な

with the requirements ltem 1 RATEJUNIT Total Prize ltem 2 COUNT COLL Prize CO				(h) capacity in cubic meters; (l) unique mark of an approved inspection authority as applicable; and	
report Item 1 RR C C C C C As specified in Item 1 Item 2 Item 3 Item 4 Item 2 Item 2 Item 4 Item 2 Item 4 Item 2 Item 4 Item 2 Item 4 Item 6 Item 6 Item 6 Item 6 Item 6 Item 6 Item 7 I				standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees	
report Item 1 RATE UNIT C (as specified in item 1 Item 2 Item 2 Item 2 Item 1 Item 2 Item 3 Item 4 Item 2 Item 4 I			-7	y or origin; f manufacture; acturer's serial number; ance number, date and edition of the health and	
VAIT QTY RATE/UNIT C C C C C C C C C				us place to y minimum particulars:	<u>.</u>
UNIT QTY RATE/UNIT			em	locus certificate of compliance. Also provide a data plate to be little	Ţ -
report item 1 1 c c item 1 1 item 1 1 item 1 item 2 item 3 item 1 item 3 item 1 1 item 1 item 1 1 item 1 ite				3.7 Third party pressure test certificate accordance with the requirements ltd of SANS 347.	3.7
report item 1 CC Item 1 CC Item 1 Item 3 Item 1 Ite					သ
report item 1 RATE/UNIT I (as specified in item 1	1111 21			3.5 Replace circulation pump ite	3.5
report item 1 C C C C C C C C C C C C C C C C C C				3.4.2 Replace 50mm gate valve	3.4
report item 1 RATE/UNIT C report item 1 item	41 41 41 41 41 41 41 41 41 41 41 41 41 4			3.4.1 Replace 40mm ball valve	3.4
report item 1 RATE/UNIT (as specified in item 1 I				3.3 Service calorifier as be attached check list ite	ယ
report item 1 RATE/UNIT c (as specified in item 1 item 1 item 1				Descale and dislodge the interior of the vessel	3.2
report item 1 RATE/UNIT C (as specified in item 1				Service hot water vessel as be attached check list	3.1
I (as specified in item 1 RATE/UNIT c	10 10 10 10 10 10 10 10 10 10 10 10 10 1			3. Laundry department hot water plant	ω
I (as specified in item 1	igi ayan ayan ayan ayan ayan ayan ayan aya				
UNIT QTY RATE/UNIT C C Feport item 1				28.2 Submit a detail quotation for repairs that are needed (as specified in item	2.8
QTY RATE/UNIT		100			2.8
QTY RATE/ UNIT		C		DESCRIPTION	item
	Total Prize	RATE/ UNIT		ate for next pressure testing	
rety as applicable; and requirements of SANS				(h) capacity in cubic meters;(l) unique mark of an approved inspection authority as applicable; and(l) the hazard category in accordance with the requirements of SANS	
maximum in degrees				 (g) design temperature for both minimum and maximum in degrees Celsius; 	



tiben DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION R R C R R C C		the hazard category in accordance with the requirements of SANS 347 (K) date for next pressure testing					
Submit a detailed service report and pressure testing report Item 1 Submit a detail quotation for repairs that are needed (as specified in Item 1 Item 1 first page) Food Service Department hot water plant Service hot water vessel as be attached check list Descale and dislodge the interior of the vessel Service calorifier as be attached check list Descale and dislodge the interior of the vessel Replace 40mm ball valve Replace 40mm gate valve Replace 28mm ball valve Replace 37mm Replace 58mm ball valve Replace 58mm ball valve Replace 60mm gate valve Replace 50mm ball valve Replace 60mm gate valve Replace 70mm ball valve Replace 60mm gate valve Replace 70mm ball valve Replace 60mm gate valve Replace 70mm ball valve Replace 70mm ball valve Replace 60mm gate valve Replace 70mm ball valve Replace 70mm ball valve Replace 80mm ball valve Replace 10mm gate valve Replace 70mm ball valve Replace 80mm ball valve Replace 80mm ball valve Replace 10mm gate valve 1 tem 1 2 tem 1 2 tem 2 2 temporation of 60mm gate valve Replace 60mm gate valve Replace 60mm gate valve Replace 60mm gate valve Replace 80mm ball valve Replace 10mm gate valve 1 tem 1 1 tem 2 2 temporate valve 1 1 tem 1 2 temporate valve 1 1 tem 1 2 temporate valve 1 1 tem 1 1 tem 1 2 temporate valve 1 1 tem 1 1 tem 1 2 temporate valve 1 1 tem 1 1 tem 1 2 temporate valve 1 1 tem 1 1 tem 1 2 temporate valve 2 1 temporate valve 2 1 temporate valve 2 1 temporate valve 2 1 temporate valve 3 1 temporate valve 4 1 temporate valve 4 2 temporate valve 4 2 temporate valve 4 2 temporate valve 4 2 temporate valve	em		UNIT	QTY	R _A	TE/ UNIT	Total Prize
Submit a detailed service report and pressure testing report Submit a detail quotation for repairs that are needed (as specified in item item1 first page) Food Service Department hot water plant Service calorifier as be attached check list Descale and dislodge the interior of the vessel Service calorifier as be attached check list Replace 40mm ball valve Replace 28mm ball valve Replace 40mm gate valve Replace safety valve 32mm Replace safety valve 22mm Replace circulation pump Third party pressure test certificate accordance with the requirements item of SANS 347 Item Third party pressure test certificate accordance with the requirements item of SANS 347 Item Item Replace of manufacturer; (b) country of origin; (c) year of manufacturer; serial number; (e) reference number, date and edition of the health and safety standard; (f) design temperature for both minimum and maximum in degrees Celsius; (g) design temperature for both minimum and maximum in degrees (in capacity in cubic meters; (i) capacity in cubic meters; (ii) capacity in cubic meters; (iii) capacity in cubic meters; (iiii) capacity in cubic meters; (iiiii) capacity in cubic meters; (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii					Z)	C	
Submit a detail quotation for repairs that are needed (as specified in item item1 first page) Food Service Department hot water plant Service hot water vessel as be attached check list Service calorifier as be attached check list Tem Replace 40mm ball valve Replace 40mm ball valve Replace 40mm ball valve Replace 50mm ball valve Replace 50mm gate valve Replace 50mm gate valve 22mm Replace 50mm gate valve 32mm Replace 50mm gate valve 32mm Replace 50mm gate valve 32mm Replace 60mm gate valve 32mm Replace 70mm gate valve 32mm Replace 60mm gate valve 32mm Replace 60mm gate valve 32mm Replace 70mm gate valve 32mm Replace 70mm gate valve 32mm Replace 60mm gate valve 32mm Replace 70mm gate valve 32mm Replace 70mm gate valve 32mm Replace 60mm gate valve 32mm Replace 60mm gate valve 32mm Replace 60mm gate valve 60mm gate 60m	8.1		item				
Food Service Department hot water plant Service hot water vessel as be attached check list Descale and dislodge the interior of the vessel Item Service calorifier as be attached check list Item Replace 40mm ball valve Replace 28mm ball valve Replace safety valve 32mm Replace safety valve 32mm Replace safety valve 22mm Replace sertificate of compliance. Also provide a data plate to be fremanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (c) manufacturers serial number, date and edition of the health and safety standard; (b) design remperature for both minimum and maximum in degrees Celsius; (b) capacity in cubic meters; (c) unique mark of an approved inspection authonty as applicable; and	.8.2	Submit a detail quotation for repairs that are needed (as specified in item1 first page)	item	-		T LANGE TRANSPORTER	
Service hot water vessel as be attached check list Descale and dislodge the interior of the vessel Service calonifier as be attached check list Service calonifier as be attached check list Replace 40mm ball valve Replace 28mm ball valve Replace 28mm ball valve Replace safety valve 32mm Replace safety valve 22mm Replace safety valve 22mm Replace safety valve 22mm Replace safety valve 52mm Replace or compliance. Also provide a data plate to be pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (l) unique mark of an approved inspection authority as applicable; and		The control of the co					
Descale and dislodge the interior of the vessel Service calorifier as be attached check list Service calorifier as be attached check list Replace 40mm ball valve Replace 28mm ball valve Replace 40mm gate valve Replace safety valve 32mm Third party pressure test certificate accordance with the requirements of SANS 347 Issue certificate of compliance. Also provide a data plate to be pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (l) unique mark of an approved inspection authority as applicable; and		Food Service Department hot water plant					
Descale and dislodge the interior of the vessel Service calorifier as be attached check list item Replace 40mm ball valve item Replace 28mm ball valve item Replace safety valve 32mm Replace safety valve 22mm Replace circulation pump Third party pressure test certificate accordance with the requirements item of SANS 347 Item Resource vessel with the following minimum particulars: (a) Name of manufacture; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (l) unique mark of an approved inspection authority as applicable; and	-		item				
Service calorifier as be attached check list Replace 40mm ball valve Replace 28mm ball valve Replace 28mm ball valve Replace safety valve 32mm Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance. Also provide a data plate to be pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number, date and edition of the health and safety standard; (e) reference number, date and edition of the health and safety standard; (f) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (l) unique mark of an approved inspection authority as applicable; and	73		item		***************************************		the till constitution of the constitution of t
Replace 40mm ball valve Replace 28mm ball valve Replace 32mm gate valve Replace safety valve 32mm Replace circulation pump Third party pressure test certificate accordance with the requirements of SANS 347 Issue certificate of compliance. Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (n) unique mark of an approved inspection authority as applicable; and	ω		item	-			THE CONTRACTOR OF THE CONTRACT
Replace 28mm ball valve Replace 40mm gate valve Replace safety valve 32mm Replace circulation pump Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance. Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacture; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (h) capacity in cubic meters; (f) unique mark of an approved inspection authority as applicable; and			ltem	2			THE PARTY OF THE P
Replace safety valve 32mm Replace safety valve 22mm Replace circulation pump Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance. Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (h) capacity in cubic meters; (n) unique mark of an approved inspection authority as applicable; and		TO STATE OF THE ST	Item		100000		A COCH PROPERTY III
Replace safety valve 32mm Replace circulation pump Third party pressure test certificate accordance with the requirements of SANS 347 Item Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance. Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (g) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (l) unique mark of an approved inspection authority as applicable; and	.4 3	- TANALANA HILOT	item	->	- Janon		
Replace circulation pump Replace circulation pump Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance. Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacturer; (d) manufacturer serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (h) unique mark of an approved inspection authority as applicable; and	5.1	AAATOOM/AAATO	Item			A CONTRACT	
Replace circulation pump Third party pressure test certificate accordance with the requirements item of SANS 347 Issue certificate of compliance. Also provide a data plate to be permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturers serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (h) unique mark of an approved inspection authority as applicable; and	5.2	The state of the s	tem				
Third party pressure test certificate accordance with the requirements of SANS 347 Issue certificate of compliance. Also provide a data plate to be learn anently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (i) unique mark of an approved inspection authority as applicable; and	Ġ	in the second se	Item		LOAME T		
Issue certificate of compliance. Also provide a data plate to be tem permanently fixed in a conspicuous place to pressure vessel with the following minimum particulars: (a) Name of manufacturer; (b) country of origin; (c) year of manufacture; (d) manufacturer's serial number; (e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (h) capacity in cubic meters; (n) unique mark of an approved inspection authority as applicable; and	7.1	Third party pressure test certificate accordance with the requirements of SANS 347	item		Adoles Print		- COMPANIENT AND
ence number, date and edition of the health and safety pressure in units of Pascal; n temperature for both minimum and maximum in degrees ity in cubic meters; mark of an approved inspection authority as applicable; and	.7.2	vide a data plate to be particulars:	ítem				
יין אין אין אין אין אין אין אין אין אין		(e) reference number, date and edition of the health and safety standard; (f) design pressure in units of Pascal; (g) design temperature for both minimum and maximum in degrees Celsius; (h) capacity in cubic meters; (h) capacity in cubic meters;		N			



	4.8.2	4.8.1		ltem		
TOTAL	4.8.2 Submit a detail quotation for repairs that are needed (as specified in item	4.8.1 Submit a detailed service report and pressure testing report		DESCRIPTION	347. (K) date for next pressure testing	
	item	item		UNIT		
				QTY		
			R	RAI		
			C	RAIE UNII		
		100	1000		Total Prize	

A Section of