

# **Quotation Advert**

Opening Date:

06/11/2024

**Closing Date:** 

12/11/2024

Closing Time:

11:00

INSTITUTION DETAILS

Institution Name:

Nseleni CHC

Province:

KwaZulu-Natal

Department of entity:

Department of Health

Division or section:

Central Supply Chain Management

Place where goods/

Nseleni CHC

**Date Submitted:** 

06/11/2024

ITEM CATEGORY AND DETAILS

Quotation number:

NSE 424/2024-2025

Item Category:

Services

Item Description:

Cleaning and maintenance of Gardens and Grounds

Quantity (if supplies):

04 personnel

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type:

Compulsory Site Meeting

Date:

08 / 11 / 2024

Time:

10h00

Venue:

Nseleni CHC

QUOTES CAN BE COLLECTED FROM: KZNhealth Website

QUOTES SHOULD BE DELIVERED TO: 645 uBhejane street Nseleni township Tender box (We encourage service providers to use the tender box instead of EMAILS)

**ENQUIRIES REGARDING ADVERT MAY BE DIRECTED TO:** 

Name:

Mrs B. D. Zulu

Email:

buyiswa.khuzwayo@kznhealth.gov.za

Contact number: 035 795 1124

Finance Manager: Mr. S. Cele

Finance Manager Signature



PARTICULARS OF QUOTATION
YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: NSELENI COMMUNITY HEALTH CENTRE
FACSIMILE NUMBER: E-MAIL ADDRESS: Nseleni.Quotations2@kznhealth.gov.za
PHYSICAL ADDRESS: 645 UBHEJANE ROAD, NSELENI TOWNSHIP, 3882
QUOTE NUMBER: ZNQ /NSE / 1424 /24 .25 VALIDITY PERIOD: 90 DAYS
DATE ADVERTISED: 06 NOVEMBER 2024 CLOSING DATE: 12 NOVEMBER 2024 CLOSING TIME: 11:00
DESCRIPTION: CLEANING AND MAINTENANCE OF GARDENS GROUNDS AT NSELENI CHC AND OLD CLINIC X 5
CONTRACT PERIOD (IF APPLICABLE): 04 MONTHS
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS): 645 UBHEJANE ROAD, NSELENI TOWNSHIP, NEXT TO THE TENDER NOTICE BOARD
ENQUIRIES REGARDING THE QUOTE MAY BE DIRECTED TO:  CONTACT PERSON: MRS B. D. ZULU  E-MAIL ADDRESS: buyiswa.khuzwayo@kznhealth.gov.za  TELEPHONE NUMBER: 035 795 1124
ENQUIRIES REGARDING TECHNICAL INFORMATION MAY BE DIRECTED TO:
CONTACT PERSON: TC MANQELE TELEPHONE NUMBER: 035 795 1124  E-MAIL ADDRESS: Thamsanqa.Manwele@kznhealth.gov.za
Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration.
The quote box is open from 08:00 to 15:30.
QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RETYPED)
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
THE FOLLOWING PARTICULARS OF BIDDER MUST BE FURNISHED  (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED)
NAME OF BIDDER:
E-MAIL ADDRESS:
POSTAL ADDRESS:
STREET ADDRESS:
TELEPHONE NUMBER: FACSIMILE NUMBER:
CELLPHONE NUMBER: SARS PIN:
VAT REGISTRATION NUMBER (If VAT vendor):
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.
UNIQUE REGISTRATION REFERENCE:



	and the same		OFFICIAL PRICE			IONS UP TO I	R1 000 000	ALVERTAL STATES			- 79
QUOTE NUMBE	R: ZNQ	NSE	▼ , 424	,24							
DESCRIPTION:	CLEA	NING AND	MAINTENANCE	OF GAF	RDENS C	ROUNDS	AT NSELE	NI CHC AND	OLD CLINIC	X 5	i
THE BELOW PR			BE ALLOCATED IN (	COMPLIAN	ICE WITH	THE DEPART	MENTAL PR	EFERENCE	POINTS ALL	OCA.	TED
			n a specific district for work to b	oe done <b>or</b> servi	ices to be rende	red in that District			20		
	1					-	T	COUNTRY OF	PRICE		
ICN NUMBER	QUANTITY	UNIT OF MEASURE	DESCRIPTION				BRAND & MODEL	MANUFACTUR	R		
01	05	Personn-	SERVICE REQU	JIRED FO	OR CLE	ANING				Ť	
		el	AND MAINTENA	NCE OF	GARDE	N AND				$\top$	
			GROUNDS AT N	NSELEN	I CHC A	ND OLD				7	
			CLINIC							工	
										$\bot$	
			<del></del>			·				<u> </u>	
							ļ			$\bot$	
							ļ			$\bot$	
										4	
										4	
										4	
										4	
	ļ	ļ <u></u>		~~~~						$\perp$	
										丄	
										$\perp$	
										$\perp$	
	<u> </u>		IMPORTANT NO	DTES		,			<u> </u>	$oldsymbol{\perp}$	
			1. Please see att	tached s	pecificati	on and					
			evaluation criteri	a which i	must be	filled and					
			returned.								
			Please ensure ye	ou comp	lete the	document					
			in full and as dire	ected, sh	ould you	fail to do				Т	
			so, your docume	ent will be	e disqual	ifued.					
VALUE ADDED	TAX @ 15%	Only If VAT	/endor)							$\bot$	
TOTAL QUOTA	TION PRICE (	VALIDITY PE	RIOD 90 Days)							$\perp$	
IS THE PRICE F	IRM?		PECIFICATION?							ES /	
			S.A.N.S. / S.A.B.S. SPI	ECIFICATION	ON?				YI	ES /	NO
NAME OF BIDDE		E.G. J DATS,	· WEER)		SIGNA	TURE OF BID	DER.				
CAPACITY UND		HIS OUOTE !	S SIGNED:					agree to all terms	and conditions]		



### STANDARD QUOTATION DOCUMENT FOR QUOTATIONS UP TO R1 000 000

# **CLARITY ON DECLARATION OF INTEREST SBD 4 (a)**

BIDDER NAME
LEGISLATION ON DISCLOSURE OF INTEREST
The Public Service Act 103 of 1994 indicates in section 30(1) that "No employee shall perform or engage himself of herself to perform remunerative work outside his or her employment in the relevant department, except with the written permission of the executive authority of the department."
Furthermore, in terms of the Public Service Regulations paragraph 13(c), "An employee shall not conduct business with any organ of state or be a director of a public or private company conducting business with an organ of state unless such employee is in an official capacity a director of a company listed in schedule 2 and 3 of the Public Finance Management Act"
Treasury Regulations 16A8.4 further indicates that "If a supply chain management official or other role player, or any close family member, partner or associate of such official or other role player, has any private or business interes in any contract to be awarded, that official or other role player must-(a) disclose that interest; and (b) withdraw from participating in any manner whatsoever in the process relating to that contract."
CLARITY ON HOW TO DISCLOSE
Clause 2.2 of the Bidders Disclosure (SBD4), require the bidder to disclose a relationship with any person employed by the entire KZN Department of Health, even if that person is not employed by the procuring institution. The Department may use other Computer Assisted Techniques to verify possible interest, should you be found to have failed to disclose correctly, your bid/quotation will be treated as a false declaration, treated as non-responsive and disqualified.
For example, if the tender is advertised or invited by Addington Hospital, yet the person with interest is employed by Manguzi Hospital, as long as that official is employed by the Department of Health, the bidder is required to disclose interest. Therefore the question is, do you, or any person connected with the bidder, have a relationship with any person who is employed by the KZN Department of Health? If so, please furnish particulars on Bidders Disclosure (SBD4) section 2.2.1, as attached below,
I read the above clarity on disclosure of interest and I commit to disclose as directed, should I fail to disclose
correctly, I am aware of the consequences, which may include disqualification of my offer.
BIDDER SURNAME AND INITIALS SIGNATURE DATE

NAME OF STATE INSTITUTION



#### **BIDDER'S DISCLOSURE**

#### PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### **BIDDER'S DECLARATION**

**FULL NAME** 

2.1. Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest 1 in the YES / NO enterprise, employed by the state?

If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

IDENTITY NUMBER

2.2. 2.2.1.	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution <sup>2</sup> ?  If so, furnish particulars:	YES / NO
2.3.	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?	YES / NO
2.3.1.	If so, furnish particulars:	
3	DECLARATION	
	I, the undersigned,(name) in submitting the accompanying bid, the following statements that I certify to be true and complete in every respect:	do hereby make

- 3.1 I have read and I understand the contents of this disclosure;
- I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect; 3.2.
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium3 will not be construed as collusive bidding.
- In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

NAME OF BIDDER	SIGNATURE	POSITION	DATE
----------------	-----------	----------	------

<sup>1</sup> The power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise,

<sup>2 &</sup>quot;Procuring Institution" refers to all institutions under the Accounting Officer of the Department of Health.

<sup>3</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



#### GENERAL CONDITIONS OF CONTRACT

GCC

#### NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid/quotation documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

#### 1. Definitions

The following terms shall be interpreted as indicated:

- "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2. "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3. "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4. "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5. "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6. "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7. "Day" means calendar day.
- 1.8. "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9. "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11. "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA
- 1.12. "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
  1.13. "Explaint practice" means a mineral explaint of the behavior of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions
- 1.13. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14. "GCC" means the General Conditions of Contract.
- 1.15. "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16. "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17. "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18. "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19. "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20. "Project site," where applicable, means the place indicated in bidding documents.
- 1.21. "Purchaser" means the organization purchasing the goods.
- 1.22. "Republic" means the Republic of South Africa.
- 1.23. "SCC" means the Special Conditions of Contract.
- 1.24. "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25. "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

#### 2. Application

- 2.1. These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2. Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3. Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

#### 3. General

- 3.1. Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2. With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za



#### 4. Standards

4.1. The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

#### Use of contract documents and information; inspection.

- 5.1. The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2. The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3. Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4. The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

#### Patent rights

6.1. The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

# 7.1. Performance security

- 7.1. Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2. The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3. The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
  - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - (b) a cashier's or certified cheque
- 7.4. The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

#### 8. Inspections, tests and analyses

- 8.1. All pre-bidding testing will be for the account of the bidder.
- 8.2. If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3. If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4. If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5. Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6. Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7. Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Falling such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8. The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

#### 9. Packing

- 9.1. The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

#### 10. Delivery and documents

- 10.1. Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2. Documents to be submitted by the supplier are specified in SCC.

#### 11. Insurance

11.1. The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.



#### 12. Transportation

12.1. Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

#### 13. Incidental services

- 13.1. The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
  - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
  - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
  - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
  - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
  - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the
- 13.2. Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

#### 14. Spare parts

As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts 14.1. manufactured or distributed by the supplier:

- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
  - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
  - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

#### 15. Warranty

- 15.1. The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2. This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3. The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4. Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5. If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

### 16. Payment

- 16.1. The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2. The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3. Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4. Payment will be made in Rand unless otherwise stipulated in SCC.

### 17. Prices

17.1. Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

#### 18. Contract amendments

18.1. No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

#### 19. Assignment

19.1. The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

#### 20. Subcontracts

20.1. The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

### 21. Delays in the supplier's performance

- 21.1. Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2. If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3. No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4. The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.





- 21.5. Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6. Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

#### 22. Penalties

22.1. Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

#### 23. Termination for default

- 23.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
  - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
  - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
  - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4. If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- 23.5. Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6. If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
  - (i) the name and address of the supplier and / or person restricted by the purchaser;
  - (ii) the date of commencement of the restriction
  - (iii) the period of restriction; and
  - (iv) the reasons for the restriction.
- These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

  23.7. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

#### 24. Anti-dumping and countervalling duties and rights

24.1. When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such antidumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other amount whichmay be due to him.

#### 25. Force Majeure

- 25.1. Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2. If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

### 26. Termination for insolvency

26.1. The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent, in this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

### 27. Settlement of Disputes

27.1. If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

# ENVARIABLE PROVINCE

#### STANDARD QUOTATION DOCUMENT FOR QUOTATIONS UP TO R1 000 000

- 27.2. If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3. Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4. Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5. Notwithstanding any reference to mediation and/or court proceedings herein,
  - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
  - (b) the purchaser shall pay the supplier any monies due the supplier.

#### 28. Limitation of liability

- 28.1. Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
  - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser, and
  - (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

#### 29. Governing language

29.1. The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

#### 30. Applicable law

30.1. The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

#### 31. Notices

- 31.1. Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2. The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

#### 32. Taxes and duties

- 32.1. A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2. A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3. No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

### 33. National Industrial Participation (NIP) Programme

33.1. The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

### 34. Prohibition of Restrictive practices

- 34.1. In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2. If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3. If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.



#### SPECIAL CONDITIONS OF CONTRACT

SCC

#### 1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties,

#### 2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

#### 3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3. ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
  - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk;
  - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the preferential procurement points system, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.
- 3.21. Should there be a variation in price and such variation is above the order amount, the Department will reserve the right to place a new order.

#### 4. NEGOTIATIONS

4.1. The Department reserves the right to negotiate with the shortlisted bidder/s prior or post award. The terms and conditions for negotiations will be communicated to the shortlisted bidder/s prior to invitation to negotiations. This will be done to ensure value for money and where the bidder/s price is deemed to be exorbitant, uneconomical or not market related.

#### SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 5.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 5.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 5.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 5.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/ submit such information.
- 5.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 5.6. Use of correcting fluid is prohibited and may render the response invalid.
- 5.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 5.8. Where practical, prices are made public at the time of opening quotations.
- 5.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 5.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

#### SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

6.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.



- Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope, if this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 6.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 6.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 6.5. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

#### SAMPLES

- In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to 7.1. the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
  - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
  - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion,
- 7.2. Samples must be made available when requested in writing or if stipulated on the document.
  - If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All (i) testing will be for the account of the bidder.

#### COMPULSORY SITE INSPECTION / BRIEFING SESSION

8.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

(1)	Th	e inst	itution ha	is determine	ed that a compulsor	y site meeting	g Will	take plac	<b>:0</b> .	
(ii	) Da	te:	80	/ 11	/ 2024	Time:	10	: 00	Place:	NSELENI CHC AND OLD CLINIC
Institution	Stamp	<b>)</b> :		-				Institution Site	e Inspection	/ briefing session Official:
								Full Name:		
								Signature:		
										· · · · · · · · · · · · · · · · · · ·
								Date:		

#### 9. STATEMENT OF SUPPLIES AND SERVICES

9.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

#### 10. SUBMISSION AND COMPLETION OF SBD 6,1

10.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

#### TAX COMPLIANCE REQUIREMENTS 11.

- 11.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 11.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

#### 12.

- A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
  - (i) the name, address and registration number of the supplier;
  - (ii) the name and address of the recipient:
  - (iii) an individual serialized number and the date upon which the tax invoice
  - (iv) a description and quantity or volume of the goods or services supplied;
  - (v) the official department order number issued to the supplier;
  - (vi) the value of the supply, the amount of tax charged;
  - (vii) the words tax invoice in a prominent place.

#### 13.

13.1 The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser,

If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.





- 14.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- service provider's expense.

  14.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 14.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

#### 15. TERMINATION FOR DEFAULT

- 15.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part
  - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
  - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
  - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 15.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 15.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 16. THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.

SBD 6.1.



# PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

#### 1. GENERAL CONDITIONS

- 1.1. The following preference point systems are applicable to invitations to tender:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2. The applicable preference point system for this tender is the 80/20 preference point system.
- 1.3. Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
  - (a) Price; and
  - (b) Specific Goals.
- 1.4. The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and Specific Goals	100

- 1.5. Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6. The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

# 2. DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

# 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

### 3.1. POINTS AWARDED FOR PRICE

# 3.1.1. THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

 $Ps = 80 \left( 1 - \frac{Pt - Pmin}{Pmin} \right)$ 

OR

$$Ps = 90 \left( 1 - \frac{Pt - Pmin}{Pmin} \right)$$

90/10

#### Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

### 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

 $Ps = 80 \left( 1 + \frac{Pt - Pmax}{Pmax} \right)$ 

OR

$$Ps = 90 \left(1 + \frac{Pt - Pmax}{1 + Pt}\right)$$

90/10

#### Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

# STANDARD QUOTATION DOCUMENT FOR QUOTATIONS UP TO R1 000 000



#### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The <u>tenderer</u> must indicate <u>how</u> they claim points for each preference point system.

SURNAME AND NAME:

DATE: ADDRESS:

The specific goal/s allocated points in terms of this tender	Number of points allocated (80/20 system)	Number of points <u>claimed</u> (80/20 system)
RDP Goal: Full points allocated to promote enterprises located in a specific district for work to be done or services to be rendered in that District.	ict <b>20</b>	

	DECLARATION WITH REGARD TO COMPANY/FIRM
4.3,	Name of company/firm:
4.4.	Company registration number:
4.5.	TYPE OF COMPANY/ FIRM (tick applicable box)  Partnership/Joint Venture / Consortium  One-person business/sole propriety  Close corporation  Public Company  Personal Liability Company  (Pty) Limited  Non-Profit Company  State Owned Company  I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:  The information furnished is true and correct;  The information furnished is true and correct;  The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;  In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;  If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have —  (a) disqualify the person from the tendering process;  (b) recover costs, losses or damages it has incurred or suffered as a result of having to make less favourable arrangements due to such cancellation;  (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partern (hear the other side) rule has been applied; and  (e) forward the matter for criminal prosecution, if deemed necessary.
	SIGNATURE(S) OF TENDERERS



# ANNEXURE A: SPECIFICATION FORM

NAME OF PROCE	URUNG FACILITY	NSELENI COMMUNITY HEALTH CENTRE	
ITEM DESCRIPTI	ON	Cleaning and Maintenance of Gardens and G	irounds
ITEM PURPOSE		To keep the Institution Clean	
ITEM DETAILED	SPECIFICATION (INCI	LUDE SIZE, COLOUR, MATERIAL ETC)	COMPLIES (YES/NO)
1. Specifica	ation attached		(1.15/1.15/
<b>QUALITY STAND</b>	ARD		
	RE OR PACKAGING ROLL/PACK/BAIL	Each	
SAMPLE REQUIR		No	
SPECIFICATION A (YES OR NO)	ATTACHED		

	_	
NI	~÷~:	
ıv	DLE.	

- 1.
- 2.
- 3.

# **SPECIFICATION APPROVED BY**

Name of End-user (in full)	FCHANGELE	Name of SCM Rep (in full)	Buyisug Zely
Designation / Rank (in full)	SSMP	Designation / Rank (In full)	Supply Chain Clerk
Signature		Signature	Dorms
Date	06/11/2024	Date	06/11/2004

	Bidder Initial here:	
GROWING KWAZULU -NATAL TOGETHER		



645 UBhejane Road, Nseleni Township Private Bag X1031 Richards Bay 3900 Tel: 035 795 1124 Fax: 035 795 1129 Email: Thamsanqa.Manqele@kznhealth.gov.za www.kznhealth.gov.za DIRECTORATE: MANAGEMENT

NSELENI COMMUNITY HEALTH CENTRE SYSTEMS

### SPECIAL CONDITIONS OF CONTRACT

- 1. 70% of the work force must be recruited from the local communities
- 2. The contractor shall provide refuse bags for litter, leaves and gardens waste
- 3. Contractor to remove all (old and new) debris from site for proper disposal
- 4. Performance Management of this bid will be monitored by the institution
- 5. Hospital Management reserves the right to cancel the bid immediately should there be a breach in terms and conditions of the contractor
- 6. The service provider must produce a binding contract between himself/herself with his/her workers
- 7. The service provider has an obligation to produce pay-role that reflects bank accounts of all workers of this contract
- 8. The contractor shall ascertain that staff wears the following personal protective clothing while on site.
  - Hard hats and caps
  - > Ear muffs and ear plugs
  - > Goggles
  - Overalls
  - > Safety Shoes with steel toe
  - Mask/face shield
  - > Identification name tags
  - Brush cutter leg protection

#### 9. DRAWING UP OF THE DUTY ROASTER

- Daily, weekly or monthly duty of all staff to perform duty, as purported in the contract, must be drawn up by the Contractor and supported by the Assistant Director: Fatalities Management
- > Bidders must comply with safety regulations at all times
- > It is the duty and responsibility of the contractor to ensure that his/her staff at all times presents detailed approach to their duties.

### 10.PENALTIES

- Shortage of staff will constitute penalty of R500 per worker per day.
- > Unsatisfactory cutting of grass will constitute a penalty of 25% of the total invoice per month

# 11.PERIOD OF CONTRACT

The contract will run for a period of 04 months

#### 12.SUB-CONTRACTING

Sub-contracting is not allowed

### 13.TRADING

No staff of the contractor may carry on any trading at the institution

	Cleaning and maintenance of Gardens and grounds At Nseleni CHC and Old Clinic
ZNQ:	

ITEM DESCRIPTION	Cleaning and maintenance of gardens and grounds at Nseleni CHC and Old Clinic
CONTRACT DURATION	04 months
HOURS OF ATTENDENCE MUST BE	Monday to Friday( Day shift) : 07H00 to 16H00( Subject to be reviewed with management of the CHC)
NUMBER OF CLEANERS REQUIRED	Five(05)

**NB:** It is the duty of the service Provider to ensure that the number of workers as stipulated on the specification or terms of reference is always present at all times, where staff is not on duty, the Service Provider must make provision for relievers.

Lunch/meals/tea breaks will be negotiated with the institutional Management. Hours of attendance stipulated above may change as a result thereof.

### 1. SCOPE OF WORK

BIDDER:

Areas of responsibility are as follows:

	o or respondently are as remetted
1.1	Garden maintenance of all garden areas within defined property area
1.2	Mowing of all grassed areas including nature strips at the property
1.3	Rubbish and debris to be removed from all areas within property
1.4	Sweeping/blowing of all pathways, ground gutters and driveways of all refuse following completion of cutting areas within property
1.5	Trimming and pruning of trees including trees/shrubs within the branch and those overhanging any pedestrian path or walkway according to Council regulations
1.6	Removal and replacement of fallen/dead trees/shrubs within property(as requested and quoted)

### **Weed Definition**

Any plant that is unwanted, non- native, or classed as a noxious weed is to be removed and disposed of.

### 2. SPECIFICATIONS

	Grassed area maintenance
2.1	Prior to mowing all grassed area are to be cleared of paper, rubbish, large stones, tree branches and other obstacles.
2.2	All grassed areas including nature strip adjoining the property are to receive the attention required on each schedule visit.
2.3	Grass & weed are to cut to height considered normal for grassed areas or as directed (approx. 50- 70mm). Height of grass and weed are not to exceed 150mm.
2.4	Lawn edges to buildings, paths, fences or other structure and garden beds are to be trimmed and to the level with the adjacent mowed area.
2.5	Edges shall be trimmed to reveal the edge of the path, kerb and fence lines.
2.6	Grass around trees and shrubs in lawn area to be trimmed to the butt of the tree or shrub.
2.7	At these location (with approval) spraying of herbicides may be used to control the grass, particular care to be taken not to ring bank and tree or bush
2.8	Pathways, ground gutter and gutters are to be swept / blow clean after the completion of mowing

Analysis where Any recommendations for improvement to property lawn/ grassed areas are to be discussed with relevant site manager.  2.11 Garden beds are to bed kept in well presented, neat fashion.  Weeds and suckers are to be removed from all garden beds, ground gutters, car parks and other areas within property area.  2.13 All shrubs // Subses/ plant are to be pruned where required with relevant job safety analysis.  2.14 All rubbish within garden beds is to be removed and taken off site , and be disposed as prescribed by municipal bylaws or waste management protocols.  Tree Work ( Other than in the regular garden maintenance)  Tree work ( Other than in the regular garden maintenance)  Tree work ( Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres ( unless otherwise specified for special requirements)  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  2.16 Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  2.19 All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safe		
are to be discussed with relevant site manager.  2.11 Garden beds are to bed kept in well presented, neat fashion.  Weeds and suckers are to be removed from all garden beds, ground guters, car parks and other areas within property area.  All shrubs /bushes/ plant are to be pruned where required with relevant job safety analysis.  2.14 All rubbish within garden beds is to be removed and taken off site, and be disposed as prescribed by municipal bylaws or waste management protocols.  Tree Work (Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres (unless otherwise specified for special requirements).  2.16 Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  2.17 Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  2.18 Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution.  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  All rubbish is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  1 VY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are	2.9	All grassed areas to be mowed in according with relevant job Safety Analysis where
2.11 Garden beds are to bed kept in well presented, neat fashion.  Weeds and suckers are to be removed from all garden beds, ground gutters, car parks and other areas within property area.  All shrubs / bushes/ plant are to be pruned where required with relevant job safety analysis.  2.14 All rubbish within garden beds is to be removed and taken off site, and be disposed as prescribed by municipal bylaws or waste management protocols.  Tree Work (Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres (unless otherwise specified for special requirements).  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entryl exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Pallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (a sper your JSAs regarding safe use of chainsaw, chippers, etc.} and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (see pre the job safety analysis).  Weed control is problem areas (fences etc.) is to be dealt with accordingly.  All contractor is domained and included areas within the property, using general bush mulch.  Monthly inspection of drains/ griss gutters/ etc. are to be formed with each main	2.10	Any recommendations for improvement to property lawn/ grassed areas
2.13 Weeds and suckers are to be removed from all garden beds, ground gutters, car parks and other areas within property area.  2.14 All shrubs /bushes/ plant are to be pruned where required with relevant job safety analysis.  2.14 All rubbish within garden beds is to be removed and taken off site, and be disposed as prescribed by municipal bylaws or waste management protocols.  7. Tree Work (Other than in the regular garden maintenance)  7. Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres (unless otherwise specified for special requirements)  7. Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  7. Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians, vehicle traffic.  7. Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  8. Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  9. All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  7. Trained personal to carry out advanced tree works the request of institution  8. Car park / pathway Maintenance  9. All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  9. Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  9. Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  9. Poison application will adhere to all departments of primary industry standard.  1. Weed control in problem areas (fences etc.) is to be dealt with accordingly.  1. At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, gras	2.11	Garden beds are to bed kept in well presented, neat fashion
gutters, car parks and other areas within property area.  All shrubs brushes/ plant are to be pruned where required with relevant job safety analysis.  All rubbish within garden beds is to be removed and taken off site, and be disposed as prescribed by municipal bylaws or waste management protocols.  Tree Work ( Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres ( unless otherwise specified for special requirements).  2.16  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  2.17  Corridor clearance at entryl exist to site / property to be maintained for the safety of pedestrians/vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  John removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.), and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Ved control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each ma	2.12	Weeds and suckers are to be removed from all garden beds, ground
All shrubs flushes/ plant are to be pruned where required with relevant job safety analysis.  All rubbish within garden beds is to be removed and taken off site , and be disposed as prescribed by municipal bylaws or waste management protocols.  Tree Work ( Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres ( unless otherwise specified for special requirements)  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entryl wist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution. Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Veed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  When necessary, areas are to be serviced and cleaned as agreed upon by		gutters, car parks and other areas within property area
2.14 All rubbish within garden beds is to be removed and taken off site , and be disposed as prescribed by municipal bylaws or waste management protocols.  Tree Work (Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres (unless otherwise specified for special requirements)  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (a sper your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned a	2.13	All shrubs /bushes/ plant are to be pruned where required with relevant
be disposed as prescribed by municipal bylaws or waste management protocols.  Tree Work (Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres (unless otherwise specified for special requirements)  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  1VY control in problem areas (fences etc.) is to be dealtd with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulch ing The contractor is to maintain		job safety analysis.
be disposed as prescribed by municipal bylaws or waste management protocols.  Tree Work ( Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres (unless otherwise specified for special requirements)  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  1VY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution  Mulch is to be kept to a level of 50-75mm — wit	2.14	All rubbish within garden beds is to be removed and taken off site, and
Tree Work (Other than in the regular garden maintenance)  Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres (unless otherwise specified for special requirements)  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch top- ups to be appl		be disposed as prescribed by municipal bylaws or waste management
Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres ( unless otherwise specified for special requirements)  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch top- ups to be applied every 6 months to establish appropriate level  Site		protocols.
Tree branches are to be trimmed to provide a vertical clearance from the drive way and car parking surface of 4 metres ( unless otherwise specified for special requirements)  Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch top- ups to be applied every 6 months to establish appropriate level  Site		Tree Work (Other than in the regular garden maintenance)
2.16 Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  2.17 Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  2.18 Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  2.19 All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  2.20 Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  2.22 Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23 Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  2.24 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visif and reported on when work is required , as excess build –up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the	2.15	Tree branches are to be trimmed to provide a vertical clearance from
Trees and shrubs are to be pruned to a height of 4 metres to avoid interference to pedestrians, cars, cyclist and vehicles  Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  1VY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required , as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly		the drive way and car parking surface of 4 metres ( unless otherwise
2.17 Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  2.18 Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  2.19 All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  2.20 Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  2.22 Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23 Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required , as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible	0.40	specified for special requirements}
2.18 Corridor clearance at entry/ exist to site / property to be maintained for the safety of pedestrians/ vehicle traffic.  2.18 Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  2.19 All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  2.20 Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  2.22 Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23 Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  2.24 Poison application will adhere to all departments of primary industry standard.  2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completi	2.16	Trees and shrubs are to be pruned to a height of 4 metres to avoid
the safety of pedestrians/ vehicle traffic.  Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis (as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Veed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor.	0.47	interference to pedestrians, cars, cyclist and vehicles
Fallen trees, shrubs and dead foliage are to be cut out and removed as requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  2.19 All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.} and environmental standard  2.20 Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  2.22 Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23 Weed control is to be established through the use of herbicides in car park / pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  1.VY control in problem areas (fences etc.) is to be dealt with accordingly.  2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required , as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contra	2.17	Corridor clearance at entry/ exist to site / property to be maintained for
requested by the institution.  Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  2.22 Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23 Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  2.24 Poison application will adhere to all departments of primary industry standard.  2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  2.29 The contractor is to maintain all mulched areas within the property, using general bush mulch.  3.30 Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated ( every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor will be recalled to carry out a clean –up at the works by the contractor will be recalled to carry out a clean –up at the	2 10	the safety of pedestrians/ vehicle traffic.
Upon removal of shrubs, replacement works to be put in place with the agreement of institution.  2.19 All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  7. Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23 Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  2.24 Poison application will adhere to all departments of primary industry standard.  2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  7. The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor will be recalled to carry out a clean -up at the	2.10	requested by the institution
2.19 All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23 Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  1VY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm — with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor will be recalled to carry out a clean –up at the		
All mature & juvenile trees are to be pruned in accordance with relevant job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  2.20 Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  2.22 Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  2.23 Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  2.24 Poison application will adhere to all departments of primary industry standard.  2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pisk/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch itop- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor will be recalled to carry out a clean -up at the		agreement of institution
job safety analysis ( as per your JSAs regarding safe use of chainsaw, chippers, etc.) and environmental standard  Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm — with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor will be recalled to carry out a clean –up at the	2.19	All mature & juvenile trees are to be pruped in accordance with relevant
chippers, etc.) and environmental standard Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build—up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm — with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor.  The contractor will be recalled to carry out a clean —up at the		iob safety analysis ( as per your JSAs regarding safe use of chainsaw
Trained personal to carry out advanced tree works the request of institution  Car park / pathway Maintenance  All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the		chippers, etc.) and environmental standard
2.21 Car park / pathway Maintenance 2.21 All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol. 2.22 Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed. 2.23 Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis). 2.24 Poison application will adhere to all departments of primary industry standard. 2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly. 2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc. 2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow. 2.28 When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching 2.29 The contractor is to maintain all mulched areas within the property, using general bush mulch. 2.30 Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit) 2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up 2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean -up at the	2.20	Trained personal to carry out advanced tree works the request of
All rubbish is to be removed and taken off site and be disposed as prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor		institution
prescribe by municipal by laws or waste management protocol.  Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm — with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor will be recalled to carry out a clean —up at the		Car park / pathway Maintenance
Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor will be recalled to carry out a clean -up at the	2.21	All rubbish is to be removed and taken off site and be disposed as
pathways, and drains shall be picked up and removed.  Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build-up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm — with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean —up at the		prescribe by municipal by laws or waste management protocol.
Weed control is to be established through the use of herbicides in car park/ pathway areas (as per the job safety analysis).  Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor will be recalled to carry out a clean -up at the	2.22	Leave and rubbish that have accumulated against building, walls, pathways, and drains shall be picked up and removed
2.24 Poison application will adhere to all departments of primary industry standard.  2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required , as excess build -up of leaves and twigs can impede water flow.  2.28 When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  2.29 The contractor is to maintain all mulched areas within the property, using general bush mulch.  2.30 Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated ( every 2nd visit)  2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the	2.23	Weed control is to be established through the use of herbicides in car
Poison application will adhere to all departments of primary industry standard.  IVY control in problem areas (fences etc.) is to be dealt with accordingly.  At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the		park/ pathway areas (as per the job safety analysis).
2.25 IVY control in problem areas (fences etc.) is to be dealt with accordingly.  2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  2.28 When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  2.29 The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the	2.24	Poison application will adhere to all departments of primary industry
2.26 At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  2.28 When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  2.29 The contractor is to maintain all mulched areas within the property, using general bush mulch.  2.30 Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the		standard.
At completion of works, all areas are to be cleaned of garden refuse to ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  2.28 When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  2.29 The contractor is to maintain all mulched areas within the property, using general bush mulch.  2.30 Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean -up at the	2.25	IVY control in problem areas (fences etc.) is to be dealt with
ensure areas are free of leaf litter, grass, dirt, etc.  2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  2.28 When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  2.29 The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean -up at the		
2.27 Monthly inspection of drains/ pits/ gutters/ etc. are to be formed with each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  2.28 When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  2.29 The contractor is to maintain all mulched areas within the property, using general bush mulch.  2.30 Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  2.33 The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the	2.26	At completion of works, all areas are to be cleaned of garden refuse to
each maintenance visit and reported on when work is required, as excess build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean -up at the	2 27	ensure areas are tree of leaf litter, grass, dirt, etc.
build -up of leaves and twigs can impede water flow.  When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the	2.21	each maintenance visit and reported an what we have a series of the seri
When necessary, areas are to be serviced and cleaned as agreed upon by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the		build -up of leaves and twice can impode water flow
by institution.  Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the	2.28	When necessary areas are to be serviced and cleaned as agreed upon
2.29 Mulching  The contractor is to maintain all mulched areas within the property, using general bush mulch.  2.30 Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  2.33 The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  2.34 The contractor will be recalled to carry out a clean –up at the		by institution.
The contractor is to maintain all mulched areas within the property, using general bush mulch.  Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the		
2.30	2.29	
2.30 Mulch is to be kept to a level of 50-75mm – with regular turning to keep mulch aerated (every 2nd visit)  2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  2.34 The contractor will be recalled to carry out a clean –up at the		using general bush mulch.
2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean -up at the	2.30	Mulch is to be kept to a level of 50-75mm – with regular turning to keep
2.31 Mulch top- ups to be applied every 6 months to establish appropriate level  Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  2.34 The contractor will be recalled to carry out a clean -up at the		mulch aerated ( every 2nd visit)
2.32 Site clean -up  2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  2.33 The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  2.34 The contractor will be recalled to carry out a clean -up at the	2.31	Mulch top- ups to be applied every 6 months to establish appropriate
2.32 During the course of the works the contractor shall keep the site in a clean and safe condition.  2.33 The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  2.34 The contractor will be recalled to carry out a clean –up at the		level
clean and safe condition.  2.33 The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  2.34 The contractor will be recalled to carry out a clean –up at the		Site clean -up
2.33 Clean and safe condition.  The contractor is directly responsible to ensure the work site/ area is kept neat at all time and must be totally cleaned up on completion of the works by the contractor  The contractor will be recalled to carry out a clean –up at the	2.32	During the course of the works the contractor shall keep the site in a
kept neat at all time and must be totally cleaned up on completion of the works by the contractor  2.34 The contractor will be recalled to carry out a clean –up at the	2.22	clean and safe condition.
2.34 Works by the contractor  The contractor will be recalled to carry out a clean –up at the	2.33	Ine contractor is directly responsible to ensure the work site/ area is
2.34 The contractor will be recalled to carry out a clean –up at the		works by the contracter
contractor's cost and time if found otherwise	2 34	The contractor will be recalled to come and a slave was at the
	∪¬	contractor's cost and time if found otherwise

	Perimeter fence
2.35	The interior area around perimeter must be cleared of alien vegetation; weed and vines growing on mesh fencing must be poisoned and removed.
2.36	1.5 metre inside and outside area around perimeter fence must be kept clear as stipulated by the institution.
	Safety (OH&S Requirements)
2.37	Personnel to wear approite personal protective equipment(PPE) as each job requires- e.g. gloves, safety boots, earmuffs, safety clothing
2.38	All safety procedure as outlined in JSA are to be adhered to for protection of not only the worker, but for any relevant personnel and public also.
2.39	All staff to undergo medical surveillance twice per annum
2.40	Letters of good standing with department of labour in terms of Occupational Health and safety must be submit
2.41	The Contractor will provide from time to time recommendations on improving the site's garden beds, lawn/grass areas and what else will improve the property appearance.

# 2.42 ESSENTIAL TOOLS AND EQUIPMENT

NO	ESSENTIAL TOOLS AND EQUIPMENT	QUANTITY REQUIRED
1.	Brush Cutter( Not electrical Brush cutter) x1	1
2.	Weed Control 20lt( Until the end of the contract	unit
3.	Gardening Spade x 1	1
4.	Gardening Fork x 1	1
5.	Leave Blower x 1	1
6.	Hard Broom x2	2
7.	Step Ladder x1	1
8.	Grass Slasher x1	1
9.	Rake Steel x 1	1
10	Rake Plastic x 1	1
11.	Gardening Horse Pipe with adjustable Nozzle(+30M) x1	1
12.	Refuse Clear Plastic Bags( until the end of the contract)	Unit
13.	Petrol and 2 Stroke(Until the end of the contract)	Unit
14.	Lawn Mower Rid( Not electrical Lawnmower x 1	1
15.	Other	

### Notes:

 The gardening and grounds services are not regulated in terms of National Contract Cleaners Association (NCCA); but the tenderer must ensure salaries are calculated based on National Contract Cleaners Association.



DIRECTORATE: NSELENI COMMUNITY HEALTH CENTRE

Physical Address: 645 UBHEJANE ROAD, NSELENI TOWNSHIP, 3882 Postal Address: Private Bag X 1031, RICHARDS BAY, 3900 Tel: 035 795 1124 Email: Nseleni Quotations2@kznhealth.gov.za www.kznhealth.gov.za

SCM

QUOTATION NO.	ZNQ/NSE/ 424 / 2024-2025
QUOTATION DESCRIPTION	Cleaning and maintenance of Gardens and Grounds

#### **EVALUATION CRITERIA:**

This institution intends to evaluate valid quotations using five (4) evaluation stages. These are peremptory requirements, should the bidder/tenderer fail to comply with any of the stages as stated below, the quotation will be regarded as non-responsive, and will not progress to the final stage of evaluation.

Stage 1: Administrative, Compliance, Compulsory and Mandatory Requirements

Stage 2: Capacity to deliver

Stage 3: Compliance with specifications

Stage 4: Price and Preference Points System (Specific goals

STAGE 1: ADMINISTRATIVE, COMPULSORY COMPLIANCE AND MANDATORY REQUIREMENTS

NO.	REQUIREMENTS	INCLUDED IN THE PUBLISHED DOCUMENT?	TO BE RETURNED BY BIDDER/ TENDERER?
	Administrative Compliance		
1.	PARTICULARS OF QUOTATION	YES	YES
2,	OFFICIAL PRICE PAGE FOR QUOTATIONS OVER R2 000.01	YES	YES
3.	BIDDER'S DISCLOSURE (SBD4)	YES	YES
4.	BIDDER'S CLARITY ON DECLARATION (SBD 4a)	YES	YES
5.	GENERAL CONDITIONS OF CONTRACT (GCC)	YES	YES
6.	SPECIAL CONDITIONS OF CONTRACT (SCC)	YES	YES
7.	PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022 (SBD 6.1)	YES	YES
	Compulsory Compliance		
8.	SUPPLIER UPDATED CIPC REGISTRATION DOCUMENTS	NO	YES
9.	A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (For EMEs& QSEs)	NO	NO
10.	LETTER OF GOOD STANDING	NO	YES
	Mandatory Requirements		, , , ,
11.	THE BIDDER MUST PROVIDE PROOF THAT THE ITEMS TO BE SUPPLIED ARE SABS OR SANS APPROVED	NO	YES
N. 4		<del>  </del>	

Note: This relates to administrative, compulsory and mandatory returnable documents which must be fully completed, and submitted, should you fail to submit any of the above returnable documents, your offer will be treated as non-responsive and will not proceed to the next stage of evaluation. The department reserve a right to verify validity of the documents submitted, should it be discovered that the information submitted is misrepresented the quotation will be disqualified or contract may be terminated.

# STAGE 2: CAPACITY TO DELIVER

1.	As part of risk management, if there is valid proof that the bidder was previously issued with an order and thereafter failed to deliver without acceptable reasons, the bidder will be treated
2.	as a defaulter and will not progress to the next stage of evaluation.  Valid proof of 3 orders and completion certificates which will serve as proof that you have delivered either in private or public health facility.
	Note: Should you fail to submit ant of the returnable documents, your offer will be treated as non-responsive and will not proceed to the next stage of evaluation

# STAGE 3: COMPLIANCE WITH SPECIFICATION

Requirement	Complies With Specification Yes /No
The bidder / Tenderer to confirm that the item to be supplied comply with attached specification document, should you fail to indicate compliance your quotation will not progress to the next stage of evaluation.	

# **STAGE 4: PRICE AND PREFERENCE POINTS**

The value of this quotation is estimated not to exceed R 50 000 000 (inclusive of all applicable taxes), therefore the 80/20 preference point system shall be applicable. Points for this quotation will be awarded for:

CATEGORY	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and must not exceed	100

# The Department has identified the following specific goal:

Specific Goal	Number of Points allocated	Proof To Claim Specific Goal (Returnable Documents)
Full points allocated to promote enterprises located in a specific district for work to be done or services to be rendered in that District. The District is King Cetshwayo District.	20	The department will make use of CSD to verify this information     Utility bill or letter from the Ward Councilor (In the company's name) confirming the area in which the business operates
NOTE: Should a responsive bidder fail to subm disqualification, however the bidder will	it proof to clai	m points, as stated above this will not result in