

NZN 5888/1/2014-H- SUPPLY AND DELIVERY OF WHEELCHAIRS AND BUGGIES**1.1.1a: Basic Folding Frame, Standard Back Height**

Item Size	Company Name
51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
38cm (14") wide	CE Mobility Wheelchairs Pty Ltd
51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 30cm seat frame length	CE Mobility Wheelchairs Pty Ltd
26cm (10") wide	CE Mobility Wheelchairs Pty Ltd

1.1.2a Basic folding frame, tall back height

51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
38cm (14") wide	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 30cm seat frame length	CE Mobility Wheelchairs Pty Ltd
26cm (10") wide	CE Mobility Wheelchairs Pty Ltd

1.1.3a Basic folding frame, short back height

51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
26cm (10") wide	CE Mobility Wheelchairs Pty Ltd

1.1.4a Basic folding frame, standard back height, low slung seat

51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
26cm (10") wide	CE Mobility Wheelchairs Pty Ltd

1.1.5a Basic folding frame, semi recliner

51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd

1.1.6a Basic folding frame, fully recliner

51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd

1.1.1 b) Rugged terrain folding frame, standard back height

51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 30cm seat frame length	CE Mobility Wheelchairs Pty Ltd
26cm (10") wide	CE Mobility Wheelchairs Pty Ltd

1.1.2 b) Rugged terrain folding frame, tall back height

51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 30cm seat frame length	CE Mobility Wheelchairs Pty Ltd
26cm (10") wide	CE Mobility Wheelchairs Pty Ltd

1.1.3 b) Rugged terrain folding frame, short back height

51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd

36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
26cm (10") wide	CE Mobility Wheelchairs Pty Ltd
1.1.4 b) Rugged terrain folding frame, standard back height, low slung seat	
51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
26cm (10") wide	CE Mobility Wheelchairs Pty Ltd
1.1.5 b) Rugged terrain folding frame, semi recliner	
51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
1.1.6 b) Rugged terrain folding frame, fully recliner	
51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
1.1.C) customizing options for indoor/low active basic folding frame chairs	
one arm drive unit	CE Mobility Wheelchairs Pty Ltd
anti-tip levers	Thokomala Mobility Services Pty Ltd
amputation extensions	Cancel and re-invite
45cm seat extension	Cancel and re-invite
47.5 seat extension	Cancel and re-invite
height adjustable desk arms	CE Mobility Wheelchairs Pty Ltd
height adjustable full arms	CE Mobility Wheelchairs Pty Ltd
nylon skirt guard	CE Mobility Wheelchairs Pty Ltd
bolt on foot rest	Cancel and re-invite
elevating footrest hanger	CE Mobility Wheelchairs Pty Ltd
REAR WHEELS	
24 x 13/8 spoke wheel	CE Mobility Wheelchairs Pty Ltd
24 x 13/8 mag wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/4 spoke wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/4 mag wheel	CE Mobility Wheelchairs Pty Ltd
22 x 1 3/8 spoke wheel	CE Mobility Wheelchairs Pty Ltd
22 x 1 3/8 mag wheel	CE Mobility Wheelchairs Pty Ltd
20 x 5cm (8x2") castor with plastic hub	CE Mobility Wheelchairs Pty Ltd
20 x 2.5 cm (8x1") castor with plastic hub	CE Mobility Wheelchairs Pty Ltd
Quick release axle for rear wheel	CE Mobility Wheelchairs Pty Ltd
Capstan hand rim	CE Mobility Wheelchairs Pty Ltd
1.2 Bariatric folding chairs	
56 cm (22") wide	CE Mobility Wheelchairs Pty Ltd
61 cm (22") wide	CE Mobility Wheelchairs Pty Ltd
1.2.1.C) Customizing options for bariatric chairs	
Anti-tip levers	CE Mobility Wheelchairs Pty Ltd
47.5 seat extension	CE Mobility Wheelchairs Pty Ltd
height adjustable desk arms	CE Mobility Wheelchairs Pty Ltd
height adjustable full arms	CE Mobility Wheelchairs Pty Ltd
elevating footrest hanger	CE Mobility Wheelchairs Pty Ltd
Rear Wheels	
24 x 1 3/8" spoke wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/8" mag wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/4" spoke wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/4" mag wheel	CE Mobility Wheelchairs Pty Ltd
Front Castors	
20 x 5 cm (8x2") castor with aluminum hub	CE Mobility Wheelchairs Pty Ltd
20 x 2.5 cm (8x1") castor with aluminum hub	CE Mobility Wheelchairs Pty Ltd
1.3.1 Adjustable fording frame urban active chair	
51cm (20") wide with 43 + 1cm seat frame length	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide with 43 + 1cm seat frame length	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide with 43 + 1cm seat frame length	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide with 43 + 1cm seat frame length	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide with 43 + 1cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 43 + 1cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 43 + 1cm seat frame length	CE Mobility Wheelchairs Pty Ltd
25cm (10") wide with 43 + 1cm seat frame length	CE Mobility Wheelchairs Pty Ltd
1.3.1.C) Customizing options for adjustable fording frame urban active chairs	
one arm drive unit	CE Mobility Wheelchairs Pty Ltd
anti-tip levers	CE Mobility Wheelchairs Pty Ltd
43cm seat extended seat upholstery	CE Mobility Wheelchairs Pty Ltd
45cm seat extension	CE Mobility Wheelchairs Pty Ltd

47.5cm seat extension	CE Mobility Wheelchairs Pty Ltd
height adjustable desk arms	CE Mobility Wheelchairs Pty Ltd
height adjustable full arms	CE Mobility Wheelchairs Pty Ltd
Nylon skirt guard	CE Mobility Wheelchairs Pty Ltd
Bolt on foot rest	CE Mobility Wheelchairs Pty Ltd
Elevating footrest hanger	CE Mobility Wheelchairs Pty Ltd
Rear Wheels	
24 x 1 3/8" spoke wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/8" mag wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/4" spoke wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/4" mag wheel	CE Mobility Wheelchairs Pty Ltd
Front Castors	
20 x 5cm (8x2") castor with aluminum hub	CE Mobility Wheelchairs Pty Ltd
20 x 2.5cm (8x1") castor with aluminum hub	CE Mobility Wheelchairs Pty Ltd
Capstan hand rim	CE Mobility Wheelchairs Pty Ltd
1.3.1.C) Customizing options for adjustable fording frame urban active chairs	
one arm drive unit	CE Mobility Wheelchairs Pty Ltd
anti-tip levers	CE Mobility Wheelchairs Pty Ltd
43cm seat extended seat upholstery	CE Mobility Wheelchairs Pty Ltd
45cm seat extension	CE Mobility Wheelchairs Pty Ltd
47.5cm seat extension	CE Mobility Wheelchairs Pty Ltd
height adjustable desk arms	CE Mobility Wheelchairs Pty Ltd
height adjustable full arms	CE Mobility Wheelchairs Pty Ltd
Nylon skirt guard	CE Mobility Wheelchairs Pty Ltd
Bolt on foot rest	CE Mobility Wheelchairs Pty Ltd
Elevating footrest hanger	CE Mobility Wheelchairs Pty Ltd
Rear Wheels	
24 x 1 3/8" spoke wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/8" mag wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/4" spoke wheel	CE Mobility Wheelchairs Pty Ltd
24 x 1 3/4" mag wheel	CE Mobility Wheelchairs Pty Ltd
Front Castors	
20 x 5cm (8x2") castor with aluminum hub	CE Mobility Wheelchairs Pty Ltd
20 x 2.5cm (8x1") castor with aluminum hub	CE Mobility Wheelchairs Pty Ltd
Capstan hand rim	CE Mobility Wheelchairs Pty Ltd
1.3.2.1 Adjustable rigid frame, standard frame length	
45cm (17.7") wide	CE Mobility Wheelchairs Pty Ltd
42.5cm (16.7") wide	CE Mobility Wheelchairs Pty Ltd
40cm (15.7") wide	CE Mobility Wheelchairs Pty Ltd
37.5cm (14.7") wide	CE Mobility Wheelchairs Pty Ltd
35cm (15.8") wide	CE Mobility Wheelchairs Pty Ltd
30 cm (11.8") wide with 40 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30 cm ((11.8") wide with 30 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
25 cm (10") wide with 30 cm seat frame length but 25 cm seat	CE Mobility Wheelchairs Pty Ltd
1.3.2.1 Adjustable rigid frame, standard frame length	
45cm (17.7") wide	CE Mobility Wheelchairs Pty Ltd
42.5cm (16.7") wide	CE Mobility Wheelchairs Pty Ltd
40cm (15.7") wide	CE Mobility Wheelchairs Pty Ltd
37.5cm (14.7") wide	CE Mobility Wheelchairs Pty Ltd
35cm (15.8") wide	CE Mobility Wheelchairs Pty Ltd
30 cm (11.8") wide with 40 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30 cm ((11.8") wide with 30 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
25 cm (10") wide with 30 cm seat frame length but 25 cm seat	CE Mobility Wheelchairs Pty Ltd
1.3.2.2 Adjustable rigid frame, long frame length	
45cm (17.7") wide	CE Mobility Wheelchairs Pty Ltd
42.5cm (16.7") wide	CE Mobility Wheelchairs Pty Ltd
40cm (15.7") wide	CE Mobility Wheelchairs Pty Ltd
37.5cm (14.7") wide	CE Mobility Wheelchairs Pty Ltd
35cm (15.8") wide	CE Mobility Wheelchairs Pty Ltd
30 cm (11.8") wide with 40 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
1.3.2.C Customizing option for adjustable rigid frame urban active chairs	
43cm extended seat length	CE Mobility Wheelchairs Pty Ltd
45cm extended seat length	CE Mobility Wheelchairs Pty Ltd
short footplate hanger inserts	CE Mobility Wheelchairs Pty Ltd
extended push handles	CE Mobility Wheelchairs Pty Ltd
capstan hand rim	CE Mobility Wheelchairs Pty Ltd
1.4.1) Adjustable, 3-wheeler hybrid	
45cm (17.7") wide	CE Mobility Wheelchairs Pty Ltd
42.5cm (16.5") wide	CE Mobility Wheelchairs Pty Ltd
40cm (15.7") wide	CE Mobility Wheelchairs Pty Ltd
38cm (14.9") wide	CE Mobility Wheelchairs Pty Ltd

36.5cm (14.2") wide	CE Mobility Wheelchairs Pty Ltd
34cm (13.4") wide	CE Mobility Wheelchairs Pty Ltd
30cm (11.8") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (11.8") wide with 30cm seat frame length	CE Mobility Wheelchairs Pty Ltd
25cm (10") wide with 25cm seat frame length	CE Mobility Wheelchairs Pty Ltd
1.4.1.C) Customizing option for Adjustable, 3-wheeler hybrid active chairs	
43cm extended seat length	CE Mobility Wheelchairs Pty Ltd
45cm extended seat length	CE Mobility Wheelchairs Pty Ltd
extended push handles	CE Mobility Wheelchairs Pty Ltd
capstan hand rim	CE Mobility Wheelchairs Pty Ltd
1.4.2) Adjustable folding frame, hybrid with long wheel base	
51cm (20")	CE Mobility Wheelchairs Pty Ltd
46cm (18")	CE Mobility Wheelchairs Pty Ltd
41cm (16")	CE Mobility Wheelchairs Pty Ltd
36cm (14")	CE Mobility Wheelchairs Pty Ltd
1.4.2.C) Customizing options for Adjustable folding frame, hybrid with long wheel base	
43cm extended seat length	CE Mobility Wheelchairs Pty Ltd
45cm extended seat length	CE Mobility Wheelchairs Pty Ltd
1.5.1) Adjustable folding frame, hybrid with long wheel base	
48cm (18.9")	Shonaquip Pty Ltd
44cm (17.3")	Shonaquip Pty Ltd
41cm (15.7")	Shonaquip Pty Ltd
36cm (14.2")	Shonaquip Pty Ltd
1.6.1.1 Adjustable posture support chairs, self-propelling, with tension adjustable back with right, height adjustable full length lateral	
8" seat 200mm wide x 175-250mm adjustable depth	Cancel and re-invite
10" seat 250mm wide x 250-300mm adjustable depth	Cancel and re-invite
12" short seat 300mm wide x 250-320mm adjustable depth	Shonaquip Pty Ltd
12" standard seat 300mm wide x 300-400 mm adjustable depth	Shonaquip Pty Ltd
14" short seat 350mm wide x 250-350mm adjustable depth	Shonaquip Pty Ltd
14" standard seat 350mm wide x 350-450mm adjustable depth	Shonaquip Pty Ltd
16" standard seat 400mm wide x 350-450mm adjustable depth	Shonaquip Pty Ltd
18" standard seat 450mm wide x 350-450mm adjustable depth	Shonaquip Pty Ltd
1.6.1.2 Adjustable posture support chairs, self-propelling, with rigid adjustable back	
8" seat 200mm wide x 175-250mm adjustable depth	Shonaquip Pty Ltd
10" seat 250mm wide x 250-300mm adjustable depth	Shonaquip Pty Ltd
12" short seat 300mm wide x 250-320mm adjustable depth	Shonaquip Pty Ltd
12" standard seat 300mm wide x 300-400 mm adjustable depth	Shonaquip Pty Ltd
14" short seat 350mm wide x 250-350mm adjustable depth	Shonaquip Pty Ltd
14" standard seat 350mm wide x 350-450mm adjustable depth	Shonaquip Pty Ltd
16" standard seat 400mm wide x 350-450mm adjustable depth	Shonaquip Pty Ltd
18" standard seat 450mm wide x 350-450mm adjustable depth	Shonaquip Pty Ltd
1.6.1.C) Customizing option for all categories of posture chair, self-propelling	
one arm drive unit	Shonaquip Pty Ltd
tray table	Shonaquip Pty Ltd
try table padded	Shonaquip Pty Ltd
head support, basic adjustable	Shonaquip Pty Ltd
head support, complex adjustable	Shonaquip Pty Ltd
back system only, with tension adjustable back with rigid, height adjustable full length laterals	Shonaquip Pty Ltd
back system only, rigid adjustable back with lateral	Shonaquip Pty Ltd
back system only, adjustable modular back height	Shonaquip Pty Ltd
mobile (wheeled) compact ward base for seating system from range	Shonaquip Pty Ltd
Motorised base frame, with electronic hand control system only, for use with removable posture support seat system. Front wheel or rear wheel drive system for use with removeable posture support system range: Size 1: to fit size 8-12"	Shonaquip Pty Ltd
Motorised base frame, with electronic hand control system only, for use with removable posture support seat system. Front wheel or rear wheel drive system for use	Shonaquip Pty Ltd

with removeable posture support system range: Size 1: to fit size 12-18"	
1.6.2 Adjustable posture chair, self-propelling, with modular detachable seating system (buggy type)	
seat width 170-230mm, depth 180-280mm, height 280-390mm	Shonaquip Pty Ltd
seat width 170-270mm, depth 230-340, height 350-450mm	Shonaquip Pty Ltd
seat width 220-280mm, depth 290-380mm, height 360-460mm	Shonaquip Pty Ltd
seat width 240-340mm, depth 340-440mm, height 400-500mm	Cancel and re-invite
1.6.2 Adjustable posture chair, self-propelling, with modular detachable seating system (buggy type)	
tray table basic	Shonaquip Pty Ltd
tray table padded	Cancel and re-invite
head support, basic adjustable	Shonaquip Pty Ltd
head support basic kidney shaped adjustable	Shonaquip Pty Ltd
chest strap	Shonaquip Pty Ltd
Mobile (wheeled) compact base for seating system from range 1.6.1	Shonaquip Pty Ltd
Motorised base frame only- front wheel or rear wheel drive with electronic hand control system for use with removable posture support system from range 1.6.2: Size: 1: to fit size 8-12"	Shonaquip Pty Ltd
Motorised base frame only- front wheel or rear wheel drive with electronic hand control system for use with removable posture support system from range 1.6.2: Size: 1: to fit size 12-18"	Shonaquip Pty Ltd
1.6.3.1 Adjustable posture support chairs, non-self-propelling with tension adjustable with rigid, height adjustable full length laterals	
30cm (12") short, seat 300mm wide x 250-350mm deep	Cancel and re-invite
30cm (12") standard, seat 300mm wide x 300-400mm deep	Shonaquip Pty Ltd
36cm (14") short, seat 360mm wide x 300-400mm deep	Shonaquip Pty Ltd
36cm (14") standard, seat 360mm wide x 400-500mm deep	Shonaquip Pty Ltd
41cm (16") standard, seat 400mm wide x 400-500mm deep	Shonaquip Pty Ltd
46cm (18") standard, seat 460mm wide x 400-500mm deep	Shonaquip Pty Ltd
51cm (20") standard, seat 510mm wide x 400-500mm deep	Shonaquip Pty Ltd
1.6.3.2 Adjustable posture support chairs, non-self-propelling with rigid adjustable back	
Size: 30cm (12") short, seat 300mm wide x 250-350mm deep	Cancel and re-invite
30cm (12") standard, seat 300mm wide x 300-400mm deep	Shonaquip Pty Ltd
36cm (14") short, seat 360mm wide x 300-400mm deep	Shonaquip Pty Ltd
36cm (14") standard, seat 360mm wide x 400-500mm deep	Shonaquip Pty Ltd
41cm (16") standard, seat 400mm wide x 400-500mm deep	Shonaquip Pty Ltd
46cm (18") standard, seat 460mm wide x 400-500mm deep	Shonaquip Pty Ltd
51cm (20") standard, seat 510mm wide x 400-500mm deep	Shonaquip Pty Ltd
1.6.3.3 Adjustable posture support chairs, non-self-propelling with adjustable modular back	
30cm (12") short, seat 300mm wide x 250-350mm deep	Cancel and re-invite
30cm (12") standard, seat 300mm wide x 300-400mm deep	Cancel and re-invite
36cm (14") short, seat 360mm wide x 300-400mm deep	Shonaquip Pty Ltd
36cm (14") standard, seat 360mm wide x 400-500mm deep	Shonaquip Pty Ltd
41cm (16") standard, seat 400mm wide x 400-500mm deep	Shonaquip Pty Ltd
46cm (18") standard, seat 460mm wide x 400-500mm deep	Shonaquip Pty Ltd
51cm (20") standard, seat 510mm wide x 400-500mm deep	Shonaquip Pty Ltd
1.6.3.C) Customizing Option	
tray table basic	Shonaquip Pty Ltd
tray table padded	Shonaquip Pty Ltd
tray table lexan	Shonaquip Pty Ltd
head support basic kidney shaped adjustable	Shonaquip Pty Ltd
head support, complex adjustable (hand shaped)	Shonaquip Pty Ltd
chest strap padded	Shonaquip Pty Ltd
thigh strap padded	Shonaquip Pty Ltd

back system only, tension adjustable back with rigid, height adjustable full length laterals	Shonaquip Pty Ltd
back system only, rigid adjustable back with laterals	Shonaquip Pty Ltd
back system only, adjustable modular back height	Shonaquip Pty Ltd
manual frame only	Shonaquip Pty Ltd
Motorized base frame only - front wheel drive with electronic hand. Control system for use with removable posture support seat system	Shonaquip Pty Ltd
motorized base frame only - front wheel drive with electronic chin control system, for use with removable posture support seat system	Shonaquip Pty Ltd
1.7.1 Motorized chairs, folding frame, standard back height	
51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
34cm (13") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
34cm (13") wide with 30cm seat frame length	CE Mobility Wheelchairs Pty Ltd
1.7.2 Motorized chairs, folding frame, tall back height	
51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide	CE Mobility Wheelchairs Pty Ltd
34cm (13") wide with 40cm seat frame length	CE Mobility Wheelchairs Pty Ltd
34cm (13") wide with 30cm seat frame length	CE Mobility Wheelchairs Pty Ltd
1.7.3 Motorized chairs, adjustable folding frame with adjustable tilt in space and adjustable backrest height	
51cm (20") wide with 43 + 1 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
46cm (18") wide with 43 + 1 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
41cm (16") wide with 43 + 1 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
38cm (15") wide with 43 + 1 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
36cm (14") wide with 43 + 1 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 43 + 1 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
30cm (12") wide with 33 + 1 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
25cm (10") wide with 33 + 1 cm seat frame length	CE Mobility Wheelchairs Pty Ltd
1.7.4 Motorized chairs, heavy duty rigid frame	
51cm (20") standard, seat 510mm wide x 400-550mm deep	CE Mobility Wheelchairs Pty Ltd
46cm (18") standard, seat 460mm wide x 400-550mm deep	CE Mobility Wheelchairs Pty Ltd
41cm (16") standard, seat 410mm wide x 400-550mm deep	CE Mobility Wheelchairs Pty Ltd
36cm (14") standard, seat 360mm wide x 400-550mm deep	CE Mobility Wheelchairs Pty Ltd
1.7.C) Customizing option for all motorized chairs	
hand control unit (end user to specify left or right if not interchangeable) (must fit to item 1.7.1-1.7.3)	CE Mobility Wheelchairs Pty Ltd
chin control unit (must fit to item 1.7.1-1.7.3)	CE Mobility Wheelchairs Pty Ltd
45cm seat extension	CE Mobility Wheelchairs Pty Ltd
47.5 cm seat extension	CE Mobility Wheelchairs Pty Ltd
bolt on footrest	CE Mobility Wheelchairs Pty Ltd
elevating footrest hanger	CE Mobility Wheelchairs Pty Ltd
head rest, basic adjustable, removal (must fit to item 1.7.4)	CE Mobility Wheelchairs Pty Ltd
electrical tilt with range from 0-30 degrees (must fit to item 1.7.4)	CE Mobility Wheelchairs Pty Ltd
1.8.1 Transporter	
30cm (12") small	CE Mobility Wheelchairs Pty Ltd
35cm (14") medium	CE Mobility Wheelchairs Pty Ltd
38cm (15")	CE Mobility Wheelchairs Pty Ltd
1.8.2.1 Modular, rigid buck, foam adjustable posture support buggy with rigid frame	
seat width 27cm, depth 24cm, height 40cm	Shonaquip Pty Ltd
seat width 29cm, depth 30cm, height 40cm	Shonaquip Pty Ltd
seat width 32cm, depth 36cm, height 49cm	Shonaquip Pty Ltd
seat width 32cm, depth 45cm, height 54cm	Shonaquip Pty Ltd
seat width 39cm, depth 49cm, height 55cm	Shonaquip Pty Ltd
1.8.2.1.C) Customizing Option	
tray table basic	Cancel and re-invite
tray table padded	Cancel and re-invite
head support, basic buggy type, fixed	Shonaquip Pty Ltd
head support basic buggy type, adjustable	Shonaquip Pty Ltd
head support, basic kidney shaped adjustable	Shonaquip Pty Ltd
head support, complex adjustable	Shonaquip Pty Ltd

chest strap	Shonaquip Pty Ltd
Thigh strap	Shonaquip Pty Ltd
lap belts adjustable	Shonaquip Pty Ltd
foot box raisers	Shonaquip Pty Ltd
Indoor/school base unit only for removable seat	Shonaquip Pty Ltd
1.8.2.2 Modular, rigid buck, foam adjustable posture support buggy with rigid frame	
seat width 170-230mm, depth 180-280mm, height 280-390mm	Shonaquip Pty Ltd
seat width 170-270mm, depth 230-330mm, height 350-450mm	Shonaquip Pty Ltd
seat width 220-280mm, depth 290-380mm, height 360-460mm	Shonaquip Pty Ltd
seat width 240-340mm, depth 340-440mm, height 400-500mm	Shonaquip Pty Ltd
1.8.2.2.C) customizing Option	
tray table basic	Shonaquip Pty Ltd
tray table padded	Shonaquip Pty Ltd
head support, basic adjustable	Shonaquip Pty Ltd
head support basic kidney shaped adjustable	Shonaquip Pty Ltd
chest strap	Shonaquip Pty Ltd
indoor/school base unit only, for removable seat system	Shonaquip Pty Ltd
motorized base frame, front wheel drive with electronic hand control: size: 1-accommodated support seating system from size 8" to 12"	Shonaquip Pty Ltd
motorized base frame, front wheel drive with electronic hand control: size: 1-accommodated support seating system from size 12" to 18"	Shonaquip Pty Ltd
Porter chairs	
51cm (20") wide	CE Mobility Wheelchairs Pty Ltd
ZNB 5888/2/2014-H- Supply And Delivery Of Wheelchair Base Seating Systems	
2.3.5 Fluid Filled Cushion With Contoured Base And Rear Fluid Pad	
Size: 51cm (20") wide, 49cm long, no thicker than 8cm	Shonaquip Pty Ltd
Size: 46cm (18") wide, 43cm long, no thicker than 8cm	Shonaquip Pty Ltd
Size: 46cm (18") wide, 49cm long, no thicker than 8cm	Shonaquip Pty Ltd
Size: 41cm (16") wide, 43cm long, no thicker than 8cm	Shonaquip Pty Ltd
Size: 41cm (16") wide, 49cm long, no thicker than 8cm	Shonaquip Pty Ltd
Size: 36cm (14") wide, 43cm long, no thicker than 8cm	Shonaquip Pty Ltd
Size: 36cm (14") wide, 49cm long, no thicker than 8cm	Shonaquip Pty Ltd
Size: 30cm (12") wide, 43cm long, no thicker than 8cm	Shonaquip Pty Ltd
Size: 16" standard: 40cm wide x 50cm deep x 12cm high	CE Mobility Wheelchairs Pty Ltd
Size: 18" standard: 45 cm wide x 50 cm deep x 12cm high	CE Mobility Wheelchairs Pty Ltd
2.3.6 Air Filled Seat Cushions With Flexible Base	
Size: 51cm (20") wide, 46cm long, no higher than 10cm	CE Mobility Wheelchairs Pty Ltd
Size: 51cm (20") wide, 41cm long, no higher than 10cm	CE Mobility Wheelchairs Pty Ltd
Size: 51cm (18") wide, 46cm long, no higher than 10cm	CE Mobility Wheelchairs Pty Ltd
Size: 51cm (18") wide, 41cm long, no higher than 10cm	CE Mobility Wheelchairs Pty Ltd
Size: 51cm (16") wide, 46cm long, no higher than 10cm	CE Mobility Wheelchairs Pty Ltd
Size: 51cm (16") wide, 41cm long, no higher than 10cm	CE Mobility Wheelchairs Pty Ltd
Size: 51cm (15") wide, 46cm long, no higher than 10cm	CE Mobility Wheelchairs Pty Ltd
Size: 51cm (14") wide, 41cm long, no higher than 10cm	CE Mobility Wheelchairs Pty Ltd
<input type="checkbox"/> 2.1 Lap belts for all wheelchairs (excluding posture chairs and buggies) – All Sizes <input type="checkbox"/> 2.2.1.1.1 Thick pressure care foam cushion with contoured base – All Sizes <input type="checkbox"/> 2.2.1.1.2 Wedged based, thick pressure care foam cushion with contoured base – All Sizes <input type="checkbox"/> 2.2.1.1.3 Thin foam, basic positioner foam cushion with contoured base – All Sizes	Cancelled

<ul style="list-style-type: none"> <input type="checkbox"/> 2.2.1.1.3 Wedged based, Thin foam, positioner foam cushion with contoured base – All Sizes <input type="checkbox"/> 2.3.1.1.1 Thick pressure care foam cushion with contoured base, extended – All Sizes <input type="checkbox"/> 2.3.1.1.2 Wedged based, thick pressure care foam cushion with contoured base, extended – All Sizes <input type="checkbox"/> 2.3.1.1.3 Thin foam, basic positioner foam cushion with contoured base, extended – All Sizes <input type="checkbox"/> 2.3.1.1.4 Wedged based, thin foam, positioner foam cushion with contoured base, extended – All Sizes <input type="checkbox"/> 2.3.1.2.1 Straight base (non-contoured), thick pressure care, no abduction block – All sizes <input type="checkbox"/> 2.3.1.2.2 Straight base (non-contoured), basic foam, abduction block – All Sizes <input type="checkbox"/> 2.3.1.3 Compressed foam wedge – All Sizes <input type="checkbox"/> 2.3.1.4 Compressed foam sheet – All Sizes <input type="checkbox"/> 2.3.1.5 High Density Foam Sheet – All Sizes <input type="checkbox"/> 2.3.1.2.2 Straight base (non-contoured), basic foam, abduction block – All Sizes <input type="checkbox"/> 2.3.3.1.1 Cushion Cover, Basic Stretchable to fit standard wheelchair cushion –All Sizes <input type="checkbox"/> 2.3.3.1.2 Cushion Cover, Basic Stretchable to Fit Straight Base (Non-Contoured), Thick Pressure Care No Abduction Block For Chairs With Rigid Seats And Posture Support Chairs – All Sizes <input type="checkbox"/> 2.3.3.1.3 Cushion Cover, Basic Stretchable to Fit Straight Base (Non-Contoured), Thick Pressure Care No Abduction Block For Chairs With Rigid Seats And Posture Support Chairs – All Sizes <input type="checkbox"/> 2.3.3.2.1 Cushion Cover, Waterproof, Stretchable – All Sizes <input type="checkbox"/> 2.3.3.2.2 Cushion Cover, Waterproof Stretchable to Fit Straight Base (Non-Contoured), Thick Pressure Care No Abduction Block For Chairs With Rigid Seats And Posture Support Chairs – All Sizes <input type="checkbox"/> 2.3.3.2.3 Cushion Cover, Waterproof Stretchable to Fit Straight Base (Non-Contoured), Thick Pressure Care With Abduction Block For Chairs With Rigid Seats And Posture Support Chairs – All Sizes <input type="checkbox"/> 2.3.1.2.2 Straight base (non-contoured), basic foam, abduction block – All Sizes <input type="checkbox"/> 2.3.1.2.2 Straight base (non-contoured), basic foam, abduction block – All Sizes <input type="checkbox"/> 2.4.1.1 Tension Adjustable Back, Standard – All Sizes <input type="checkbox"/> 2.4.1.2 Tension Adjustable Back, short – All Sizes <input type="checkbox"/> 2.4.1.3 Tension Adjustable Back, tall – All Sizes <input type="checkbox"/> 2.4.2.1 Tension Adjustable Back With Rigid, Height Adjustable Full Length Laterals, Short – 	
ZNB 5888/3/2014-H- Supply And Delivery Of Wheelchair Positioners	
3.1 Sidelyers	
Extra small 100cm long x 60cm wide, back height 35 cm (back height measured from top of lying support)	Shonaquip Pty Ltd
Small 120 cm long x 60 cm wide, back height 35 cm (back height measured from top of lying support)	Shonaquip Pty Ltd
Medium 150 cm long x 60 cm wide, back height 45 cm (back height measured from top of lying support)	Shonaquip Pty Ltd
Large 180 cm long x 70 cm wide, Back height to 50 cm (back height measured from top of lying support)	Shonaquip Pty Ltd
3.2 Prone Wedges	
Extra small: length 50 cm x width 60 cm x 10 cm front height x 4 cm back height	Cancel and re-invite
Small: length 70 cm x width 60 cm x 15 cm front height x 6 cm back height	Cancel and re-invite
Medium: length 90 cm x width 60 cm x 20 cm front height x 8 cm back height	Cancel and re-invite
Large: length 110 cm x width 70 cm x 25 cm front height x 10 cm back height	Cancel and re-invite
3.3 Standing frames	

Extra small: 75-110 cm heel to head, hip max 22 cm (wide option 27 cm)	Shonaquip Pty Ltd
Small: 95-135 cm heel to head, hip max 23 cm (wide option 28 cm)	Shonaquip Pty Ltd
Medium: 110-165 cm heel to head, hip max 28 cm (wide option 33cm)	Shonaquip Pty Ltd
Large: 140-175 cm heel to head, hip max 33 cm (wide option 40 cm)	Shonaquip Pty Ltd
ZNB 5888/4/2014-H SUPPLY AND DELIVERY OF WHEELCHAIR COMMODES AND OTHER SEAT SYSTEMS	
4.1 Commode	
4.1.1. Self-Propelling Shower Commode	CE Mobility Wheelchairs Pty Ltd
4.1.2 Self-Propelling Shower Commode (Folding)	Cancelled
4.1.3 Attendant Shower Commode	CE Mobility Wheelchairs Pty Ltd
4.1.4 Attendant Shower Commode (Folding)	Cancelled
4.2.1 Posture Support Seat System for Use In Transporting Child In Vehicle	
Size: Seat width 30cm, depth 31cm, height 50cm	Shonaquip Pty Ltd
Size: Seat width 35cm, depth 31cm, height 60cm	Shonaquip Pty Ltd
Size: Seat width 40cm, depth 36cm, height 70cm	Shonaquip Pty Ltd
Size: Seat width 40cm, depth 41cm, height 80cm	Shonaquip Pty Ltd
ZNB 5888/5/2014-H Supply And Delivery Of Wheelchair Accessories	
5.1 Tray Tables - Basic	
To fit wheelchair 51cm (20") wide (Total dimensions = 60+3cm x 60+3cm)	CE Mobility Wheelchairs Pty Ltd
Size: To fit wheelchair 46cm (18") wide (Total dimensions = 55+3cm x 55+3cm)	CE Mobility Wheelchairs Pty Ltd
Size: To fit wheelchair 41cm (16") wide (Total dimensions = 50+3cm x 50+3cm)	CE Mobility Wheelchairs Pty Ltd
Size: To fit wheelchair 36cm (14") wide (Total dimensions = 47+3cm x 47+3cm)	CE Mobility Wheelchairs Pty Ltd
Size: To fit wheelchair 30cm (12") wide with 40cm seat frame length (Total dimensions = 30+3cm x 47+3cm)	CE Mobility Wheelchairs Pty Ltd
Size: To fit wheelchair 30cm (12") wide with 30cm seat frame length (Total dimensions = 39+3cm x 39+3cm)	CE Mobility Wheelchairs Pty Ltd
Size: To fit wheelchair 25cm (10") wide with 30cm seat frame length (Total dimensions = 31+3cm x 39+3cm)	CE Mobility Wheelchairs Pty Ltd
5.2 Wheelchair Transfer Board With Hand Holes	
Wheelchair transfer board with hand holes, Length 760mm x width 210mm. Weight 1.4kg	CE Mobility Wheelchairs Pty Ltd
5.3 Wheelchair Gloves	
Size: Small: 76mm (3") hand width	CE Mobility Wheelchairs Pty Ltd
Size: Medium: 83mm (3 1/4") hand width	CE Mobility Wheelchairs Pty Ltd
Size: Large: 89mm (3 1/2") hand width	CE Mobility Wheelchairs Pty Ltd
Size: Extra Large: 95mm (3 3/4") hand width	CE Mobility Wheelchairs Pty Ltd
5.4 Wheelchair Helmets	
Small: Head Circumference: 52cm	Cancelled
Medium: Head Circumference: 56cm	Cancelled
Large: Head Circumference: 58cm	Cancelled
Extra Large: Head Circumference: 60cm	Cancelled
ZNB 5888/6/2015-H Supply And Delivery Of Wheelchair Spare Parts	
6.1 Spare Parts For Manual Wheelchairs	
Item: Armrest & arm pad full length left/right	CE Mobility Wheelchairs Pty Ltd
Item: Armrest & arm pad sports left/right	CE Mobility Wheelchairs Pty Ltd
Item: Armrest & arm pad desk length left/right	CE Mobility Wheelchairs Pty Ltd
Item: Armrest skirt guard full	CE Mobility Wheelchairs Pty Ltd
Item: Armrest skirt guard desk	CE Mobility Wheelchairs Pty Ltd
Item: Armrest skirt guard sport	CE Mobility Wheelchairs Pty Ltd
Item: Arm pad full	CE Mobility Wheelchairs Pty Ltd
Item: Arm pad desk	CE Mobility Wheelchairs Pty Ltd
Item: Arm pad sports	CE Mobility Wheelchairs Pty Ltd
Item: Arm pad screws	CE Mobility Wheelchairs Pty Ltd
Backrest upholstery —10"/12" kiddies/12" adult/14716718720"/22724"	CE Mobility Wheelchairs Pty Ltd
"Item: Backrest upholstery — hinge back/tall back -	CE Mobility Wheelchairs Pty Ltd

12"/14"/16"/18"/20"/22"/24"	
Item: Backrest upholstery — recline 16"/18"/20"	CE Mobility Wheelchairs Pty Ltd
Item: Backrest TAB — 10"/12"kiddies/12"adult/14"/16"/18720722"/24"	CE Mobility Wheelchairs Pty Ltd
Item: Backrest metal strips — 10712"kiddies/12"adult/14716718720722724"	CE Mobility Wheelchairs Pty Ltd
Item: Brake assay left/right	CE Mobility Wheelchairs Pty Ltd
Item: Brake clamp bolt and nut	
	CE Mobility Wheelchairs Pty Ltd
Item: Brake handle rubber	CE Mobility Wheelchairs Pty Ltd
Item: Capstan push rim	
	CE Mobility Wheelchairs Pty Ltd
Item: Castor axle nut	
	CE Mobility Wheelchairs Pty Ltd
Item: Castor stem axle and nut assay complete	CE Mobility Wheelchairs Pty Ltd
Item: Castor wheel axle and nut	
	CE Mobility Wheelchairs Pty Ltd
Item: Castor fork assay 200 x 50mm	CE Mobility Wheelchairs Pty Ltd
Item: Castor stem bearing	CE Mobility Wheelchairs Pty Ltd
Item: Castor stem dust cap	CE Mobility Wheelchairs Pty Ltd
Item: Castor wheel bearing	CE Mobility Wheelchairs Pty Ltd
Item: Castor wheel complete - 200 x 31mm	CE Mobility Wheelchairs Pty Ltd
Item: Castor wheel complete - 200 x 50mm	CE Mobility Wheelchairs Pty Ltd
Item: Castor wheel complete — 6" x 1" semi-solid	
	CE Mobility Wheelchairs Pty Ltd
Item: Footplate — 45cm/50cm left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footplate —14"/16" left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footplate — 12"adult left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footplate — KIDDIES 90 degrees left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footplate — kiddies bolt-on left/right	CE Mobility Wheelchairs Pty Ltd
"Item: Footrest (kiddies bolt-on) extension (pipe connecting footrest to side frame)"	
	CE Mobility Wheelchairs Pty Ltd
Item: Footrest kiddies bolt-on bolt and nut	CE Mobility Wheelchairs Pty Ltd
Item: Footplate height adjustable bolt and nut	CE Mobility Wheelchairs Pty Ltd
Item: Footplate - footrest extension connecting bolt and nut	
	CE Mobility Wheelchairs Pty Ltd
Item: Footrest Extension — 40cm left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footrest Extension — 45cm left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footrest Hanger —ADULT long left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footrest Hanger — adult medium left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footrest Hanger — adult short left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footrest Hanger — KIDDIES left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footrest release lever left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footrest hanger stud (nipple) and nut	CE Mobility Wheelchairs Pty Ltd
Item: Footrest release lever left/right	CE Mobility Wheelchairs Pty Ltd
Item: Footrest release spring	CE Mobility Wheelchairs Pty Ltd
Item: Heel straps	CE Mobility Wheelchairs Pty Ltd
Item: Headrest (Extension to semi recliner)	CE Mobility Wheelchairs Pty Ltd
Item: Height adjustable armrest left/right	CE Mobility Wheelchairs Pty Ltd
Item: Mag wheel 24 x 1 3/8 tire — krypton solid	CE Mobility Wheelchairs Pty Ltd
Item: Mag wheel 24 x 1.75 tyre — krypton solid	CE Mobility Wheelchairs Pty Ltd
Item: Mag wheel 22 x 1 3/8 tyre — krypton solid	CE Mobility Wheelchairs Pty Ltd
Item: Hex bolt — M5 x30	CE Mobility Wheelchairs Pty Ltd
Item: Flat washer — M5	CE Mobility Wheelchairs Pty Ltd
Item: Nut M5/M6/M8	CE Mobility Wheelchairs Pty Ltd
Item: Push Handle (for semi recliner)	CE Mobility Wheelchairs Pty Ltd
Item: Push handle rubber	CE Mobility Wheelchairs Pty Ltd
Item: Push rim MAG/SPOKE	CE Mobility Wheelchairs Pty Ltd
Item: Push rim bolt	CE Mobility Wheelchairs Pty Ltd
Item: Push rim spacer	
	CE Mobility Wheelchairs Pty Ltd
Item: Quick release rear wheel axle 24 mag wheel	CE Mobility Wheelchairs Pty Ltd
Item: Quick release rear wheel axle 22 mag wheel	CE Mobility Wheelchairs Pty Ltd
Item: Seat guide	CE Mobility Wheelchairs Pty Ltd
Item: Spoke wheel 24 x 1 3/8 tire — krypton solid	CE Mobility Wheelchairs Pty Ltd
Item: Spoke wheel 24 x 1.75 tyre — krypton solid	CE Mobility Wheelchairs Pty Ltd
Item: Rear wheel axle and nut	CE Mobility Wheelchairs Pty Ltd
Item: Rear wheel bearing MAG/SPOKE	CE Mobility Wheelchairs Pty Ltd
Item: Rear wheel Hub cap	
"Item: Seat upholstery —nylon /vinyl - standard length and extended	
	CE Mobility Wheelchairs Pty Ltd

10712"kiddies/12"adult/14716718720722724" extended"	
Item: Seat extension set 2.5cm/5cm	CE Mobility Wheelchairs Pty Ltd
Item: Telescopic front post slide	
	CE Mobility Wheelchairs Pty Ltd
Item: Inner seat rail	CE Mobility Wheelchairs Pty Ltd
Item: Hinge inner rail	CE Mobility Wheelchairs Pty Ltd
Item: Tipping lever rubber	CE Mobility Wheelchairs Pty Ltd
Item: Upholstery screw and washer	CE Mobility Wheelchairs Pty Ltd
Item: X bar left 10"/12"kiddies/12"adult/14"/16718720722724"	CE Mobility Wheelchairs Pty Ltd
Item: X bar right 10712"kiddies/12"adult/14716718720722724"	CE Mobility Wheelchairs Pty Ltd
Item: X bar bolt	CE Mobility Wheelchairs Pty Ltd
Item: X bar nut	CE Mobility Wheelchairs Pty Ltd
Item: X bar spring	CE Mobility Wheelchairs Pty Ltd
6.2 Spare Parts For Motorized Wheelchairs	
Item: Batteries	CE Mobility Wheelchairs Pty Ltd
Item: Charger	CE Mobility Wheelchairs Pty Ltd
Item: 12 1/2 x 2 1/4 rear tyre - pneumatic	CE Mobility Wheelchairs Pty Ltd
Item: 12 1/2 x 2 1/4 rear wheel & tire - complete	CE Mobility Wheelchairs Pty Ltd
Item: Controller	CE Mobility Wheelchairs Pty Ltd
Item: Controller Box	CE Mobility Wheelchairs Pty Ltd
6.3 Spare Parts For Buggies	
Item: Castors	Shonaquip Pty Ltd
Item: Cushions	Shonaquip Pty Ltd
Item: Head rest - recliner	Shonaquip Pty Ltd
Item: Head rest - standard	Shonaquip Pty Ltd
Item: Seat upholstery	Shonaquip Pty Ltd
Item: Back upholstery	Shonaquip Pty Ltd
Item: Neck support	Shonaquip Pty Ltd
Item: Brake Cables	Shonaquip Pty Ltd
Item: Foot plate	Shonaquip Pty Ltd
Item: Strapping	Shonaquip Pty Ltd