



BID DOCUMENT NUMBER: ZNB6685/4/2023-H

DESCRIPTION: SUPPLY AND DELIVERY OF RESPIRATORY AIDS ANAESTHETIC WORKSTATION AND VENTILATOR ACCESSORIES HME FILTERS SUCTION TUBING AND DEVICES NASOGASTRIC TUBES FOR VARIOUS INSTITUTIONS: PERIOD OF 3 YEARS

Name of Bidder.....

Central Supplier's Database Registration Number.....

Income Tax Reference Number.....

BIDDER TO NOTE THE FOLLOWING

CLOSING DATE AND TIME:

DATE: 28 SEPTEMBER 2023

TIME: 11: 00AM

BID RESPONSE DOCUMENTS MUST BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)

**Central Supply Chain Management Directorate
Old Boys School, 310 Jabu Ndlovu Street
Pietermaritzburg
3201**

TABLE OF CONTENTS

SECTION A: INVITATION TO BID (SBD1)	3
SECTION B: SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF BIDDING FORMS	5
SECTION C: AUTHORITY TO SIGN A BID	6
SECTION D: BIDDER'S DISCLOSURE (SBD 4)	10
SECTION E: THE NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME (SBD 5)	12
SECTION F: DECLARATION THAT INFORMATION ON CENTRAL SUPPLIER DATABASE IS CORRECT AND UP TO DATE (TO BE COMPLETED BY BIDDER)	14
SECTION G: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022: SBD 6.1	15
SECTION H: RECORD OF AMENDMENTS TO BID DOCUMENTS	19
SECTION I: GENERAL CONDITIONS OF CONTRACT	20
SECTION J: SPECIAL CONDITIONS OF CONTRACT (SCC)	34
SECTION K: SPECIFICATION	51
SECTION L: EVALUATION CRITERIA	74
SECTION M: PRICING SCHEDULE	77

SECTION A: INVITATION TO BID (SBD1)

PART A

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE KWAZULU-NATAL DEPARTMENT OF HEALTH					
BID NUMBER:	ZNB 6685/4/2023-H:	CLOSING DATE:	28 SEPTEMBER 2023	CLOSING TIME:	11: H 00 AM
DESCRIPTION	SUPPLY AND DELIVERY OF RESPIRATORY AIDS ANAESTHETIC WORKSTATION AND VENTILATOR ACCESSORIES HME FILTERS SUCTION TUBING AND DEVICES NASOGASTRIC TUBES FOR VARIOUS INSTITUTIONS: PERIOD OF 3 YEARS				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).					
BID RESPONSE DOCUMENTS MUST BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)					
CENTRAL SUPPLY CHAIN MANAGEMENT DIRECTORATE					
OLD BOYS SCHOOL, 310 JABU NDLOVU STREET					
PIETERMARITZBURG					
3201					
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VATREGISTRATION NUMBER					
		TCS PIN:		OR	CSD No:
STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes			STATUS LEVEL SWORN AFFIDAVIT	<input type="checkbox"/> Yes
	<input type="checkbox"/> No				<input type="checkbox"/> No
IF YES, WHO WAS THE CERTIFICATE ISSUED BY?					
AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA) AND NAME THE APPLICABLE IN THE TICK BOX	<input type="checkbox"/>	AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA)			
	<input type="checkbox"/>	A VERIFICATION AGENCY ACCREDITED BY THE SOUTH AFRICAN ACCREDITATION SYSTEM (SANAS)			
	<input type="checkbox"/>	A REGISTERED AUDITOR			
		NAME:			
[A STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMEs& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR]					
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS / SERVICES / WORKS OFFERED?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
	[IF YES ENCLOSE PROOF]			[IF YES ANSWER PART B:3 BELOW]	
SIGNATURE OF BIDDER	DATE			
CAPACITY UNDER WHICH THIS BID IS SIGNED (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)					
TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE (ALL INCLUSIVE)			
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:			TECHNICAL INFORMATION MAY BE DIRECTED TO:		
DEPARTMENT	KZN Department of Health		DEPARTMENT	KZN Department of Health	
CONTACT PERSON	Demand Management		CONTACT PERSON	Dr R Groenewald	
TELEPHONE NUMBER	033 815 8361/8386		TELEPHONE NUMBER	033 395 4200	
E-MAIL ADDRESS	SCM.DemandManagement@kznhealth.gov.za		E-MAIL ADDRESS	edendale.anaesthetics@kznhealth.gov.za	

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED – (NOT TO BE RE-TYPED) OR ONLINE
- 1.3. BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). CERTIFICATE OR SWORN AFFIDAVIT FOR MUST BE SUBMITTED TO BIDDING INSTITUTION.
- 1.4. WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION. CERTIFICATE OR SWORN AFFIDAVIT FOR MUST BE SUBMITTED TO BIDDING INSTITUTION.
- 1.5. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT AND ANY AMENDMENTS THERETO.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE DEPARTMENT TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA/ JOINT VENTURES/ SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1. IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO
 - 3.2. DOES THE BIDDER HAVE A BRANCH IN THE RSA? YES NO
 - 3.3. DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO
 - 3.4. DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO
- IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS/ TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTERED AS PER 2.3 ABOVE.**

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SECTION B: SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF BIDDING FORMS

PLEASE NOTE THAT THIS BID IS SUBJECT TO TREASURY REGULATIONS 16A ISSUED IN TERMS OF THE PUBLIC FINANCE MANAGEMENT ACT, 1999, THE KWAZULU-NATAL SUPPLY CHAIN MANAGEMENT POLICY FRAMEWORK AND THE GENERAL CONDITIONS OF CONTRACT. REFER TO THE GENERAL CONDITIONS OF CONTRACT AT THE FOLLOWING WEB ADDRESS:
<http://www.treasury.gov.za/divisions/ocpo/ostb/contracts/default.aspx>

1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and visa versa and with words importing the masculine gender shall include the feminine and the neuter.
2. Under no circumstances whatsoever may the bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
4. Bids submitted must be complete in all respects.
5. Bids shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the bid documents.
6. Each bid shall be addressed in accordance with the directives in the bid documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the bid number and closing date indicated on the envelope. The envelope shall not contain documents relating to any bid other than that shown on the envelope. If this provision is not complied with, such bids may be rejected as being invalid.
7. All bids received in sealed envelopes with the relevant bid numbers on the envelopes are kept unopened in safe custody until the closing time of the bids. Where, however, a bid is received open, it shall be sealed. If it is received without a bid number on the envelope, it shall be opened, the bid number ascertained, the envelope sealed, and the bid number written on the envelope.
8. A specific box is provided for the receipt of bids, and no bid found in any other box or elsewhere subsequent to the closing date and time of bid will be considered.
9. No bid sent through the post will be considered if it is received after the closing date and time stipulated in the bid documentation, and proof of posting will not be accepted as proof of delivery.
10. No bid submitted by telefax, telegraphic or other electronic means will be considered.
11. Bidding documents must not be included in packages containing samples. Such bids may be rejected as being invalid.
12. Any alteration made by the bidder must be initialled.
13. Use of correcting fluid is prohibited.
14. Bids will be opened in public as soon as practicable after the closing time of bid.
15. Where practical, prices are made public at the time of opening bids.
16. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
17. The bidder must initial each and every page of the bid document.

SECTION C: AUTHORITY TO SIGN A BID

A. COMPANIES

If a Bidder is a company, a certified copy of the resolution by the Board of Directors, personally signed by the Chairperson of the Board, authorising the person who signs this bid to do so, as well as to sign any contract resulting from this bid and any other documents and correspondence in connection with this bid and/or contract on behalf of the company must be submitted with this bid, that is before the closing time and date of the bid

AUTHORITY BY BOARD OF DIRECTORS

By resolution passed by the Board of Directors on.....20....., (Full name) (whose signature appears below) has been duly authorised to sign all documents in connection with this bid on behalf of(Name of Company).

IN HIS/ HER CAPACITY AS:

SIGNED ON BEHALF OF COMPANY: (PRINT NAME)

SIGNATURE OF SIGNATORY: **DATE:**

WITNESSES: 1 **DATE:**

2 **DATE:**

B. SOLE PROPRIETOR (ONE - PERSON BUSINESS)

I, the undersigned..... (Full name) hereby confirm that I am the sole owner of the business trading as:(Name of Business)

SIGNATURE..... **DATE**.....

C. PARTNERSHIP

The following particulars in respect of every partner must be furnished and signed by every partner:

FULL NAME OF PARTNER	RESIDENTIAL ADDRESS	SIGNATURE

We, the undersigned Partners in the business trading as

.....(name of partnership)

hereby authorise (full name) to sign this bid as well as any contract resulting from the bid and any other documents and correspondence in connection with this bid and/ or contract on behalf of

.....
SIGNATURE

.....
SIGNATURE

.....
SIGNATURE

.....
DATE

.....
DATE

.....
DATE

D. CLOSE CORPORATION

In the case of a Close Corporation submitting a bid, a certified copy of the Founding/ Amended Founding Statement of such corporation shall be included with the bid, together with the resolution by its members authorising a member or other official of the corporation to sign the documents on their behalf.

By resolution of members at a meeting on 20.....

....., (Full name)

whose signature appears below, has been authorised to sign all documents in connection with this bid on behalf of

.....(Name of Close Corporation)

Trading as(Trading name).

IN HIS/ HER CAPACITY AS:

SIGNED ON BEHALF OF THE CLOSE CORPORATION: (PRINT NAME)

SIGNATURE OF SIGNATORY: **DATE:**

WITNESSES: 1 **DATE:**

2 **DATE:**

E. CO-OPERATIVE

A certified copy of the Constitution of the co-operative must be included with the bid, together with the resolution by its members authoring a member or other official of the co-operative to sign the bid documents on their behalf.

By resolution of members at a meeting on 20.....

..... (full name) whose signature

appears below, has been authorised to sign all documents in connection with this bid on behalf of

.....(Name of cooperative)

SIGNATURE OF AUTHORISED REPRESENTATIVE/SIGNATORY:

.....

IN HIS/ HER CAPACITY AS:

DATE:

SIGNED ON BEHALF OF CO-OPERATIVE:

FULL NAME IN BLOCK LETTERS:

WITNESSES: 1

DATE:

2

DATE:

F. JOINT VENTURE

If a bidder is a Joint Venture, a certified copy of the resolution/ agreement passed/ reached, signed by the duly authorised representatives of the entities, authorising the representatives who sign this bid to do so, as well as to sign any contract resulting from this bid and any other documents and correspondence in connection with this bid and /or contract on behalf of the Joint Venture must be submitted with this bid, before the closing time and date of the bid.

AUTHORITY TO SIGN ON BEHALF OF THE JOINT VENTURE

By resolution/agreement passed/reached by the Joint Venture partners on.....20.....

..... (Full name)

..... (Full name)

..... (Full name)

..... (Full name)

whose signatures appear below have been duly authorised to sign all documents in connection with this bid on behalf of:

..... (Name of Joint Venture)

IN HIS/ HER CAPACITY AS:

SIGNED ON BEHALF OF (ENTITY NAME):

SIGNATURE: **DATE:**

IN HIS/ HER CAPACITY AS:

SIGNED ON BEHALF OF (ENTITY NAME):

SIGNATURE: **DATE:**

IN HIS/ HER CAPACITY AS:

SIGNED ON BEHALF OF (ENTITY NAME):

SIGNATURE: **DATE:**

IN HIS/ HER CAPACITY AS:

SIGNED ON BEHALF OF (ENTITY NAME):

SIGNATURE: **DATE:**

IN HIS/ HER CAPACITY AS:

G. CONSORTIUM

If a bidder is a Consortium, a certified copy of the resolution/ agreement passed/ reached, signed by the duly authorised representatives of concerned entities, authorising the representatives who sign this bid to do so, as well as to sign any contract resulting from this bid and any other documents and correspondence in connection with this bid and/ or contract on behalf of the Consortium must be submitted with this bid, before the closing time and date of the bid.

AUTHORITY TO SIGN ON BEHALF OF THE CONSORTIUM

By resolution/agreement passed/reached by the Consortium on.....20.....
..... (full name)

whose signature appears below have been duly authorised to sign all documents in connection with this bid on behalf of:

..... (Name of Consortium)

IN HIS/ HER CAPACITY AS:

SIGNATURE: **DATE:**

SECTION D: BIDDER'S DISCLOSURE (SBD 4)

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

FULL NAME	IDENTITY NUMBER	NAME OF STATE INSTITUTION

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO

2.2.1 If so, furnish particulars:
.....
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?
YES/NO

2.3.1 If so, furnish particulars:
.....
.....

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 AND 3 ABOVE IS CORRECT.
I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

..... Signature Date
..... Position Name of bidder

SECTION E: THE NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME (SBD 5)

INTRODUCTION

The National Industrial Participation (NIP) Programme, which is applicable to all government procurement contracts that have an imported content, became effective on the 1 September 1996. The NIP policy and guidelines were fully endorsed by Cabinet on 30 April 1997. In terms of the Cabinet decision, all state and parastatal purchases / lease contracts (for goods, works and services) entered into after this date, are subject to the NIP requirements. NIP is obligatory and therefore must be complied with. The Industrial Participation Secretariat (IPS) of the Department of Trade and Industry (DTI) is charged with the responsibility of administering the programme.

1 PILLARS OF THE PROGRAMME

- 1.1 The NIP obligation is benchmarked on the imported content of the contract. Any contract having an imported content equal to or exceeding US\$ 10 million or other currency equivalent to US\$ 10 million will have a NIP obligation. This threshold of US\$ 10 million can be reached as follows:
- (a) Any single contract with imported content exceeding US\$10 million.
or
 - (b) Multiple contracts for the same goods, works or services each with imported content exceeding US\$3 million awarded to one seller over a 2 year period which in total exceeds US\$10 million.
or
 - (c) A contract with a renewable option clause, where should the option be exercised the total value of the imported content will exceed US\$10 million.
or
 - (d) Multiple suppliers of the same goods, works or services under the same contract, where the value of the imported content of each allocation is equal to or exceeds US\$ 3 million worth of goods, works or services to the same government institution, which in total over a two (2) year period exceeds US\$10 million.
- 1.2 The NIP obligation applicable to suppliers in respect of sub-paragraphs 1.1 (a) to 1.1 (c) above will amount to 30 % of the imported content whilst suppliers in respect of paragraph 1.1 (d) shall incur 30% of the total NIP obligation on a pro-rata basis.
- 1.3 A period of seven years has been identified as the time frame within which to discharge the obligation.

2 REQUIREMENTS OF THE DEPARTMENT OF TRADE AND INDUSTRY

- 2.1 In order to ensure effective implementation of the programme, successful tenderers (contractors) are required to, immediately after the award of a contract that is in excess of R10 million (ten million Rands), submit details of such a contract to the DTI for reporting purposes.
- 2.2 The purpose for reporting details of contracts in excess of the amount of R10 million (ten million Rands) is to cater for multiple contracts for the same goods, works or services; renewable contracts and multiple suppliers for the same goods, works or services under the same contract as provided for in paragraphs 1.1.(b) to 1.1. (d) above.

3 TENDER SUBMISSION AND CONTRACT REPORTING REQUIREMENTS OF TENDERERS AND SUCCESSFUL TENDERERS (CONTRACTORS)

Tenderers are required to sign and submit this Standard Tendering Document (SBD 5) together with the Tender on the closing date and time.

3.2 In order to accommodate multiple contracts for the same goods, works or services; renewable contracts and multiple suppliers for the same goods, works or services under the same contract as indicated in sub- paragraphs 1.1 (b) to 1.1 (d) above and to enable the DTI in determining the NIP obligation, successful Tenderers (contractors) are required, immediately after being officially notified about any successful Tender with a value in excess of R10 million (ten million Rands), to contact and furnish the DTI with the following information:

- Tender / contract number.
- Description of the goods, works or services.
- Date on which the contract was accepted.
- Name, address and contact details of the government institution.
- Value of the contract.
- Imported content of the contract, if possible.

3.3 The information required in paragraph 3.2 above must be sent to the Department of Trade and Industry, Private Bag X 84, Pretoria, 0001 for the attention of Mr. Elias Malapane within five (5) working days after award of the contract. Mr. Malapane may be contacted on telephone (012) 394 1401, facsimile (012) 394 2401 or e-mail at Elias@thedti.gov.za for further details about the programme.

4 PROCESS TO SATISFY THE NIP OBLIGATION

4.1 Once the successful Tenderer (contractor) has made contact with and furnished the DTI with the information required, the following steps will be followed:

- a. the contractor and the DTI will determine the NIP obligation;
- b. the contractor and the DTI will sign the NIP obligation agreement;
- c. the contractor will submit a performance guarantee to the DTI;
- d. the contractor will submit a business concept for consideration and approval by the DTI;
- e. upon approval of the business concept by the DTI, the contractor will submit detailed business plans outlining the business concepts;
- f. the contractor will implement the business plans; and
- g. the contractor will submit bi-annual progress reports on approved plans to the DTI.

4.2 The NIP obligation agreement is between the DTI and the successful Tenderer (contractor) and, therefore, does not involve the purchasing institution.

Tender number:	ZNB6685/4/2023-H
Name of tenderer:	_____ Closing date: 28 SEPTEMBER 2023
Postal address:	_____ _____
Signature:	_____ Name (in print): _____
Date:	_____

SECTION F: DECLARATION THAT INFORMATION ON CENTRAL SUPPLIER DATABASE IS CORRECT AND UP TO DATE (To be completed by bidder)

This is to certify that I

.....
(name of bidder/authorized representative)

who represents

.....
(state name of bidder)

am aware of the contents of the Central Supplier Database with respect to the bidder's details and registration information, and that the said information is correct and up to date as on the date of submitting this bid, and I am aware that incorrect or outdated information may be a cause for disqualification of this bid from the bidding process, and/ or possible cancellation of the contract that may be awarded on the basis of this bid.

.....
SIGNATURE OF BIDDER OR AUTHORISED REPRESENTATIVE

DATE:

SECTION G: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022: SBD 6.1

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

- a. The applicable preference point system for this tender is the 80/20 preference point system.
- b. The applicable preference point system for this tender is the 90/10 preference point system.
- c. E Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.3 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS	POINTS
PRICE	80	90
SPECIFIC GOALS	20	10
Total points for Price and SPECIFIC GOALS	100	100

1.4 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.5 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) “**tender**” means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) “**price**” means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) “**rand value**” means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) “**tender for income-generating contracts**” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “**the Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \\ \\ \mathbf{Ps = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)} & \mathbf{or} & \mathbf{Ps = 90 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)} \end{array}$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \\ \\ \mathbf{Ps = 80 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)} & \mathbf{or} & \mathbf{Ps = 90 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)} \end{array}$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system, then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
In terms of Departmental Preferential Procurement Regulation Policy 2023, section 8.1.2.1. for Historically Disadvantaged Individuals. The Department allocate full 20 or 10 points to companies who are at least 51% Owned by Black People Note: CSD will be used to verify ownership	10 Points	20 Points		

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

.....	
SIGNATURE(S) OF TENDERER(S)	
SURNAME AND NAME:
DATE:
ADDRESS:

SECTION I: GENERAL CONDITIONS OF CONTRACT

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1. Definitions
2. Application
3. General
4. Standards
5. Use of contract documents and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental services
14. Spare parts
15. Warranty
16. Payment
17. Prices
18. Contract amendments
19. Assignment
20. Subcontracts
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Dumping and countervailing duties
25. Force Majeure
26. Termination for insolvency
27. Settlement of disputes
28. Limitation of liability
29. Governing language
30. Applicable law
31. Notices
32. Taxes and duties
33. National Industrial Participation Programme (NIPP)
34. Prohibition of restrictive practices

General Conditions of Contract

1. Definitions

1. The following terms shall be interpreted as indicated:
 - 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
 - 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
 - 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
 - 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
 - 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
 - 1.7 "Day" means calendar day.
 - 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
 - 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
 - 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
 - 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the

RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other material that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such

obligations of the supplier covered under the contract.

1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2. Application

2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.

2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.

2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.

3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za

4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information; inspection.

5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.

5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.

5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.

5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or

analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.

8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.

9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.

10.2 Documents to be submitted by the supplier are specified in SCC.

11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13. Incidental services

13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.

13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.

15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.

15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.

15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take

such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

17. Prices

- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18. Contract amendments

- 18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned

19. Assignment

- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the

supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.

21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
- (b) if the Supplier fails to perform any other obligation(s) under the contract; or
- (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

23.4 If a purchaser intends imposing a restriction on a supplier or any

person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.

23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- (i) the name and address of the supplier and / or person restricted by the purchaser;
- (ii) the date of commencement of the restriction
- (iii) the period of restriction; and
- (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which

may be due to him

25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

- 26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
- (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28. Limitation of liability

- 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
- (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and

- (b) aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.
- 29. Governing language** 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.
- 30. Applicable law** 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
- 31. Notices** 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- 32. Taxes and duties** 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.
- 33. National Industrial Participation (NIP) Programme** 33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.
- 34 Prohibition of Restrictive practices** 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.

34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

❖ I have read, understand and accept the above stated General Conditions of the Contract which are binding upon me.

.....
Signature

.....
Date

.....
Name of Bidder

SECTION J: SPECIAL CONDITIONS OF CONTRACT (SCC)

Note: The special conditions of contract referred as (SCC) are supplementary to that of the General Conditions of Contract (GCC). Where, however, the special conditions of contract are in conflict with the General Conditions of Contract, the special conditions of contract (SCC) shall prevail.

1. ADDITIONAL DEFINITIONS

In addition to the definitions contained in paragraph 1 of the GCC, the following terms shall be interpreted as indicated:

“Accounting Officer”: means a person described in Section 36 of the Public Finance Management Act, Act No. 1 of 1999 (As amended by Act 29 of 1999).

“Contract Duration”: means the period between the commencement and termination of the contract.

“Confidential Information”: means but is not limited to contents of the contract, or any provision thereof, or any specification, plan, know-how, drawing, pattern, sample, or information furnished by or on behalf of the Department in connection therewith, to any person other than a person employed by contractor or service provider in the performance of the contract.

“Department”: means the KwaZulu-Natal Department of Health.

“Head of Department”: means the Head of Department for KwaZulu-Natal Department of Health as defined in Schedule 2 Column 1 and 2 of the Public Service Act 1994 (Proclamation 103 of 3 June 1994, as amended).

“Health Facilities”: means Head Office, District Offices, Hospitals, Community Health Centres, Specialized centres and Clinics under the auspices of the Department of Health in the Province.

“ISO Standards”: means standards recognized by International Standard Organisation

“Parties”: means the KwaZulu-Natal Department of Health and Contractor or Service provider

“Province”: means the Province of KwaZulu-Natal.

“ROE”: means the Rate of Exchange.

“SABS”: means the South African Bureau of Standards.

“SANS”: means the South African National Standards.

“Vendor”: means **Contracted Supplier or Service Provider**

2. INTERPRETATIONS

In amplification of the provisions of paragraph 2 of the GCC, unless inconsistent with the context, an expression which denotes:

- 2.1 Any gender includes the other genders.
- 2.2 A natural person includes a juristic person and vice versa.
- 2.3 The singular includes the plural and vice versa.
- 2.4 When any number of days is prescribed in this Contract, the same shall be reckoned exclusively of the first and inclusively of the last day unless the last day falls on a Saturday, Sunday or proclaimed public holiday in the Republic of South Africa, in which event the last day shall be the next succeeding day which is not a Saturday, Sunday or public holiday.
- 2.5 Figures are referred to in numerals and in words, if there is any conflict between the two, the words shall prevail.
- 2.6 Any reference in this contract to "goods" includes works and/or services.
- 2.7 The written and signed contract represents the final agreement between the parties and it super cedes any prior oral agreements or discussions of the Contract.
- 2.8 All annexures and appendices shall form part of the contract.
- 2.9 The headings used throughout the Contract do not have any special significance save to ensure the easy reading of the contract.
- 2.10 Words and phrases defined in this Contract shall bear the meaning assigned to them throughout this Contract.
- 2.11 Words and phrases used in this Contract which are defined or used in any statute or regulation which applies to the subject matter, professional person.
- 2.12 The bid is issued in accordance with Section 217 of the Constitution, The Public Finance Management Act, Treasury Regulations 16A and National Treasury regulations and guidelines.

3. ACCEPTANCE OF A BID

- 3.1 The Department of Health Bid Adjudication Committee is under no obligation to accept any bid.
- 3.2 The financial standing of a bidder and its ability to supply goods or render services may be examined before the bid is considered for acceptance.

4. CERTIFICATE OF COMPLIANCE

- 4.1 If the bidder submits offers for items that make reference to South African National Standards (SANS) or South African Bureau of Standards (SABS) or International Organisation for Standardisation (ISO) specifications, a Certificate of Compliance must be submitted with the bid document at the time of closing of the bid. SABS/SANS can be contacted for testing and conformity services at Tel: 031 203 2900/ Fax: 031 203 2907. SANS, SABS AND CKS specifications will be for the account of the prospective bidder. Failure to submit the certificate, where applicable, will result in the bid being disqualified. The Department reserves its rights to contact SABS/SANS/CKS for testing and conformity services.
- 4.2 The South African National Accreditation System (SANAS) is recognized by the South African Government as the single National Accreditation Body that gives formal recognition that Laboratory, Certification Bodies, Inspection Bodies, Proficiency Testing Scheme Providers and Good Laboratory Practice (GLP) test facilities are competent to carry out specific tasks. This organization can be contacted as follows: Tel: 012 3943760: Fax: 012 3940526.
- 4.3 Prior to an award of the bid being made and/or during the evaluation process, the Department of Health reserves the right to conduct inspections of the premises of the most acceptable bidder. Therefore, premises of the bidder shall be open, at reasonable hours, for inspection by a representative of the Department or organization acting on its behalf. Any specification/s and conformity testing will be for the account of the prospective bidder.
- 4.4 Must comply with **ISO 60601; ISO 5367; ISO 8185; ISO 80601-2-74:2017; ISO 9360; ISO 5362:2006** or equivalent standard.

5. COMPLIANCE WITH SPECIFICATION

- 5.1 Offers must comply strictly with the specification. Offers exceeding specification requirements will be deemed to comply with the specification.
- 5.2 The quality of services/ supply must not be less than what is specified.

6. PERFORMANCE STANDARDS

- 6.1 In amplification of paragraph 4 of the GCC, the preferred bidder shall supply the goods in accordance with performance standards set by the Department below:
 - 6.1.2 The items to be supplied must meet all the general clauses and technical clauses as per specification issued for the tender. Failure to comply will lead to the award being cancelled.
 - 6.1.3 Items to come with an expiry date.
 - 6.1.4 Failure to comply with minimum specification or incorrect response will mean the contract be cancelled with no risk of financial loss to the department.

7 QUALITY CONTROL /TESTING OF PRODUCTS AND GUARANTEE

- 7.1 The Department and/or Institution reserves the right to have any product tested with an accredited agent in the Republic of South Africa. The quality control testing administrative procedures will be undertaken by the Department's Supply Chain Management Contract Management section.
- 7.2 If it is discovered that the product supplied is not in accordance with the specification the following will occur:
- Testing charges will be for the account of Contractor.;
- Possible cancellation of the contract with Contractor.;
- Reporting such negligence to the Provincial and National Treasury for listing on the Restricted Suppliers Database.
- 7.3 All goods supplied shall be equal in all respects to samples, patterns or specifications where such are provided. Any changes to quality or brands will have to be approved by the Department, as this is a change to the conditions of the contract.
- 7.4 Should the Department, after the award of the Contract and/or during the manufacture of the goods specified, decide on a variation or alteration to the specification, either at the suggestion of Contractor or otherwise, which will be to the Department's advantage, such variation or alteration shall be performed to the Department's satisfaction. Any variation in the Contract Price arising there from shall be subject to agreement between the Department and Contractor. The variation shall comply with thresholds as prescribed by National Treasury regulations.
- 7.5 Contractor shall not be relieved of its obligations with respect to the sufficiency of the materials and workmanship and the quality of the goods supplied by the reason of no objection having been taken thereto by the Department's Representative at the time the goods were delivered.
- 7.6 Contractor warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. Contractor, further warrants that all goods supplied under this contract shall have no defect, arising from design, materials or workmanship (except when the design and/or material is required by the Department's specifications) or from any act or omission of Contractor., that may develop under normal use of the supplied goods in the conditions prevailing in the country of the final destination.
- 7.7 This warranty shall remain valid for (24) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract.
- 7.8 The Department shall promptly notify Contractor in writing of any claims arising under this warranty. Contractor shall immediately remedy the said defect free of cost to the Department. Should Contractor delay remedial work in excess of time stipulated by the Department's representative, the Department may have such remedial work executed at Contractor expense. Should the Department decide that the defect is such that it cannot be remedied, the goods may be rejected, such rejected goods shall be held at the risk and expense of Contractor and shall, on request of the Department, be removed by Contractor immediately on receipt of notification of rejection. Contractor shall be responsible for any loss the Department may sustain by reason of such action as the Department may take, in terms of this clause.

- 7.9 The risk in respect of the goods purchased by the Department under the contract shall remain with Contractor, until such goods have been delivered to the Department.
- 7.10 The principle feature of the goods is described in the Specification, but the Specification does not purport to indicate every detail of supply, of Goods necessary to meet the requirements. Omission from the Specification of reference to any part or parts shall not relieve Contractor of their responsibility for carrying out the supply of goods as required under the Contract.
- 7.11 If any dispute arises between the Department and Contractor, in connection with the quality and guarantee of the goods, either party may give the other notice in writing of the existence of such dispute, and the same shall thereupon be referred to arbitration in South Africa by a person mutually agreed upon by both parties. The submission shall be deemed to be a submission to arbitration within the meaning of the terms of the arbitration laws in force in the Republic of South Africa.

8. EQUAL BIDS

- 8.1 During the submission of price quotations, the equal bids and criteria for breaking deadlock in scoring will be as follows:
- 8.1.1 If two or more tenderers score an equal total number of points, the contract must be awarded to the tenderer that scored the highest points for specific goals.
- 8.1.2 If two or more tenderers score equal total points in all respects, the award must be decided by the drawing of lots.

9. LATE BIDS

- 9.1 Bids are permissible to be submitted prior to closing date and time this is to avoid unfortunate or unplanned circumstances that could prevent the bidder from arriving on time during the closing date. If the bidder fail to arrive on time the department will not be held liable.
- 9.2 Bids are late if they are received at the address indicated in the bid documents after the closing date and time.

10. MORE THAN ONE OFFER/ COUNTER OFFERS

- 10.1 Should the bidder make more than one offer, where applicable, against any individual item, such offer/s must be detailed in the Schedule of Additional Offer/s. The Department reserves its rights in and to the consideration of any additional offer/s subject to compliance with specification and the bidding conditions.
- 10.2 Bidders' attention is drawn to the fact that counter offers with regard to any of the abovementioned Special Terms and Conditions will invalidate such bids.
- 10.3 Bidders are at liberty to bid for one, a number of items, or bid for all items. If a bidder is not bidding for all the items, the appropriate price page must reflect: 'nil quote'.

11. ONLY ONE OFFER RECEIVED

- 11.1 Where only 1 offer is received, the Department of Health will determine whether the price is fair and reasonable. Proof of reasonableness will be determined as follows:

Comparison with prices, after discounts, to the bidder's other normal clients and the relative discount that the State enjoys;

Where this is not possible, profit before tax based on a full statement of relevant costs; and

In all cases, comparison with previous bid prices where these are available.

12. AWARD OF BID (S)

- 12.1 The State reserves the right to award the same item to more than one (1) bidder to address item availability and compatibility. Due diligence will be applied to ensure that pricing is affordable, market related and aligned to end-user requirements.

The following shall be taken into consideration when contemplating a multiple award:

12.1.1 Capacity to meet the expected demand according to the end-user requirements;

12.1.2 Mitigation of risk if the item is unavailable; and

12.1.3 The maximum number of suppliers per item to be awarded will be at the discretion of the BEC.

12.2. Right of Award

The State reserves its following rights –

12.2.1.1 To award the bid in part or in full;

12.2.2. Not to make any award in this bid or accept any bids submitted;

12.2.3. Award the bid to more than one (1) bidder for the same item (multiple-award);

12.2.4. Request further technical information from any bidder after the closing date;

12.2.5. Verify information and documentation of the bidder(s);

12.2.6. Not to accept any of the bids submitted;

12.2.7. To withdraw or amend any of the bid conditions by notice in writing to all bidders prior to closing of the bid and post award; and

12.2.8 In the event that an incorrect award has been made to remedy the matter in any lawful manner it may deem fit.

13. REGISTRATION ON THE CENTRAL SUPPLIER DATABASE (CSD)

- 13.1 A bidder submitting an offer must be registered on the Central Supplier Database. A bidder who has submitted an offer and is not registered on the Central Supplier Database will not be considered.
- 13.2 Each party to a joint venture/ consortium must be registered on the Central Suppliers Database at the time of submitting the bid.

14. EMPLOYEES TRADING WITH THE ORGANS OF THE STATE

- 14.1 The Public Service Act 103 of 1994 indicates in section 30(1) that “No employee shall perform or engage himself or herself to perform remunerative work outside his or her employment in the relevant department, except with the written permission of the executive authority of the department.”
- 14.2 Furthermore, in terms of the Public Service Regulations paragraph 13(c), “An employee shall not conduct business with any organ of state or be a director of a public or private company conducting business with an organ of state, unless such employee is in an official capacity a director of a company listed in schedule 2 and 3 of the Public Finance Management Act”

- 14.3 If a bidder is found to be employed by the state, through the verification from Central Supplier Database (CSD) Registration Report or Department of Public Service and Administration (DPSA) verification system, the bid will be immediately disqualified. If it is discovered that the winning or contracted bidder is employed by the state through other Computer Assisted Audit Technics (CAATS), the award or contract may be immediately terminated.

15 TRUST, CONSORTIUM OR JOINT VENTURE

- 15.1 To ensure compliance with SCM prescripts, a Trust, Consortium or Joint Venture must submit a consolidated Specific Goals for every separate bid. No award will be made to a Trust/ Joint Venture/ Consortium that is not tax compliant at the finalisation of the award. For verification purposes, each party must submit separate proof of TCS/ PIN / CSD number.
- 15.2 A separate B-BBEE Certificate or Sworn Affidavit will be required from each company participating in the awarded Trust, Consortium or Joint Venture during the formal contract stage.
- 15.3 The Joint Venture agreement must clearly specify the percentage of the contract to be undertaken by each company participating therein.
- 15.4 The Joint Venture/Consortium must submit a formal agreement that outlines the roles and responsibilities of each member of the Joint Venture/ Consortium, nomination of an authorised person to represent the Joint Venture or Consortium in all matters relating to this bid and the details of the bank account for payments to be affected.

16. VALIDITY PERIOD OF BID AND EXTENSION THEREOF

- 16.1 The validity (binding) period for the bid will be **180 days** from close of bid. However, circumstances may arise whereby the department may request bidders to extend the validity (binding) period. Should this occur, the department will request bidders to extend the validity (binding) period under the same terms and conditions as originally offered for by bidders? This request will be done before the expiry of the original validity (binding) period.

17. CHANGE OF ADDRESS

- 17.1 Bidders must advise the Department of Health's Central Supply Chain Management Unit, Contract Section, should their ownership and/or address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

18. DELIVERY, MARKING AND PACKAGING

- 18.1 Basis of delivery of products must be made in accordance with the instruction appearing on the official Order form. The instructions appearing on the official order form regarding the supply, dispatch and submission of invoices must be strictly adhered to.
- 18.2 All deliveries or dispatches must be accompanied by a delivery note stating the official order number against the delivery that has been affected.
- 18.3 In respect of goods and services awarded, the Contractors must adhere strictly to the delivery periods stipulated in the bid document or as agreed with the Department. In case of delays in the supplier's performance, the supplier must inform the department or institution of such delays and comply with conditions as stipulated on the GCC. Should the Contractor fail to supply the goods within the time stated in its bid, or within the extended time allowed to them, the department reserves the right, to cancel the contract and purchase the goods elsewhere and the Contractor shall refund to the department any extra cost incurred over and above the contract price.
- 18.4 All deliveries must take place from Monday to Friday between 08h00 and 14h00. In emergency cases, the department reserves the right to request the successful bidder/s to urgently effect deliveries at any given time including Saturdays, Sundays and public holidays.

- 18.5 Order details must be presented upon delivery on delivery notes. Deliveries not complying with the order form, specifications or samples submitted, will be returned to the Contractor at the Contractor's expense. Goods delivered shall in all cases be accompanied by delivery notes in duplicate, one which will be retained by the Department. The Contractor shall be responsible for the safe delivery as to the quality, quantity and condition of the goods.
- 18.6 All goods shall be crated, packed or battened securely in such a manner as to prevent damage during loading, transport and off-loading. Unless otherwise specified, packing cases and packing materials are included in the Contract Price, and shall be and remain the property of the Department. It is the Contractor's responsibility to off load the delivery vehicle. Delivery packages should be of a durable quality that will allow stacking and for further transportation without breakage.
- 18.7 The following information must appear on the outer packaging of the carton/box:
- (a) Name of the manufacturer/supplier
 - (b) Description of item
 - (c) Date of manufacture
- 18.8 Where applicable each item in a carton must be individually labelled and the following information must appear on the outer packaging of the carton:
- Name of the manufacturer/supplier;
- Description of item;
- Item number code/catalogue number;
- Date of manufacture;
- Product expiry date;
- Batch No.;
- Lot No.
- 18.9 Random inspection and sampling of items will be conducted upon delivery to verify quantity and compare the item against the contract sample and any other quality accreditation or health standards that is prescribed.
- 18.10 No locally manufactured product may be substituted during the contract period with an imported product, and vice versa, without prior approval of Contract Management at Central Supply Chain Management, Department of Health.

19 PERIOD OF CONTRACT

- 19.1 The period of this contract is Three (03) years.

20 INVOICES AND PAYMENTS

- 20.1 All invoices must be submitted in the original format.
- 20.2 All invoices submitted by the Contractor must contain the word "INVOICE" for non-VAT vendors or "TAX INVOICE" for VAT vendors only. VAT number must be reflected for VAT vendors.
- 20.3 A tax invoice shall be in the currency of the republic of South Africa and shall contain the following particulars:

- (a) The name, address and registration number of the supplier;
- (b) The name and address of the recipient;
- (c) An individual serialized number and the date upon which the tax invoice is issued;
- (d) A description of the goods or services supplied;
- (e) The quantity or volume of the goods or services supplied
- (f) The value of the supply, the amount of tax charged and the consideration for the supply; or
- (g) Where the amount of tax charged is calculated by applying the tax fraction to the consideration, the consideration for the supply and either the amount of the tax charged, or a statement that it includes a charge in respect of the tax and the rate at which the tax was charged.

20.4 A Contractor shall be paid by the institution concerned, in accordance with supplies delivered and services rendered. The goods must be accepted and signed off by the relevant delegated official.

20.5 Should a Contractor indicate a special discount on his/her account provided payment is made within a certain time, every effort shall be made to take advantage of such discount. Where discounts or rebates received by the Department, the Contractor to provide credit note.

20.6 Any query concerning the non-payment of accounts must be directed to the institution concerned. The following protocol will apply if accounts are queried:

- (i) Contact must be made with the officer-in-charge of Logistics and Accounts Payable;
- (ii) If there is no response from Logistics and Accounts Payable, the Finance Manager and the Chief Executive Officer of the institution must be contacted.
- (iii) Failing all of the above, the Contractor must contact the Chief Director: Accounting Services supplying the following details:

Name/s of person/s contacted at the Institution and dates; and Details of outstanding account. the Chief Director: Accounting Services will then take the appropriate action.

20.7 The Institutions shall not be responsible for payment of any statutory increases in tariffs or imports or any fluctuations in foreign exchange rate for any item required Contractor, to realise its obligations in terms of this Contract. The rate of exchange, as agreed upon in this Contract is subject to review if stipulated within this contract and as agreed consented by both Parties.

21. STATEMENT OF SUPPLIES AND SERVICES

21.1 The Contractor shall, monthly, furnish particulars of supplies delivered or services executed. Such information must be submitted to the Department of Health Supply Chain Management, Contract Management as follows:

- (i) Name of institution.
- (ii) Orders received per each institution, order number, catalogue number, quantity delivered and invoice amount all inclusive.

21.2 Historical value and volume reports may be requested by the Department of Health, Supply Chain Management, during the term of the contract for the following:

SUPPLIER MEASURES

Delivery period adherence

Quality adherence

Note: This information will be submitted at the expense of the Contractor.

22. FIRM PRICES AND ESCALATIONS

22.1 This bid requires that all bid prices offered are firm for the period of the contract. If a non-firm price is offered, the bidder shall be disqualified for not complying with the conditions of the bid.

22.2 It is the responsibility of the bidder to take necessary precautions or to cater or include cover for unfavourable rate of exchange. Therefore, a price adjustment in respect of a rate of exchange claim will not be considered.

23. VALUE ADDED TAX (VAT)

23.1 All bid prices must be inclusive of all applicable taxes.

23.2 Bidders who make taxable supplies in excess of R1 million in any 12-month consecutive period are liable for compulsory VAT registration, but an entity may also choose to register voluntarily provided that the minimum threshold of R50 000 (as of 1 March 2010) has been exceeded in the past 12 month period. Bidders who meet the above requirement must register as VAT vendors, if successful, within one month of award of bid.

23.3 VAT will not be included after an award of the bid or during contract management period.

23.4 It is compulsory for bidders to be tax compliant, in the event that they are awarded the bid, Bidders must be tax compliant at time of award, upon placing of orders and during the contract period. Failure to be tax compliant or tax affairs not being in order will result in the disqualification of the bidder or cancellation of the contract or order

.24. ENTERING OF HOSPITAL/CLINIC STORES

24.1 No representative from a company shall be permitted to enter the hospital/clinic premises, buildings or containers where stores are kept unless he/she is accompanied by the responsible official in charge of stores. Before entering the hospital/clinic premises, buildings or containers where stores are kept, the company representative must in writing, motivate why entry is necessary and written authority must be obtained to enter from the Head of the Institution or delegated official.

25. DEPARTMENTAL PROPERTY IN POSSESSION OF A CONTRACTOR

25.1 The Department's property supplied to a Contractor for the execution of a contract remains the property of the Department and shall at all times be available for inspection by the Department or its representatives. Any such property in the possession of the Contractor on the completion of the contract shall, at the Contractor's expense, be returned to the Department forthwith.

25.2 The Contractor shall be responsible at all times for any loss or damages to the Department's property in his possession and, if required, he shall furnish such security for the payment of any such loss or damages as the Department may require.

26 IRREGULARITIES

- 26.1 Companies are encouraged to advise the Department of Health timeously of any possible irregularities which might come to their notice in connection with this or other contracts.

27 UNSATISFACTORY PERFORMANCE

- 27.1 In amplification of, unsatisfactory performance occurs when performance is not in accordance with the contract conditions.
- 27.2. The institution shall warn the Contractor by registered/certified mail or email that action will be taken in accordance with the contract conditions unless the Contractor complies with the contract conditions and delivers satisfactory supplies or services within a specified reasonable time (7 days minimum). If the Contractor does not perform satisfactorily despite the warning the institution will:
- Take necessary and appropriate action such as termination of contract in terms of its delegated powers.
- 27.3 When correspondence is addressed to the Contractor, reference will be made to the contract number/item number/s and an explanation of the complaint.
- 27.3.1 Treasury Regulation 16A9.2 specifies that “The accounting officer or accounting authority –
- (a) may disregard the bid of any bidder if that bidder, or any of its directors –
 - (i) have abused the institution’s supply chain management system
 - (ii) have committed fraud or any other improper conduct in relation to such system; or
 - (iii) have failed to perform on any previous contract
- 27.4. **In the event that the awarded bidder fails to perform as per the contract conditions, the bidder shall be registered on the Departmental defaulters register and may be deemed failing to perform as per contract and therefore future bids disregarded.**

28 RESTRICTION OF BIDDING

The Accounting Officer or his/her delegate must:

- a) Notify the supplier and any other person of the intention to restrict it doing business with Department by registered mail or email. The letter of restriction must provide for:
 - i. The grounds for restriction;
 - ii. The period of restriction which must not exceed 10 years;
 - iii. A period of 14 calendar days for the supplier to provide reasons why the restriction should not be imposed.
- b) The Accounting Officer his/her delegate:
 - i. May regard the intended penalty as not objected to and may impose such penalty on the supplier, should the supplier fail to respond within the 14 days; and
 - ii. Must assess the reasons provided by the supplier and take the final decision.
- c) If the penalty is imposed, the Accounting Officer must inform National Treasury of the restriction within 7 calendar days and must furnish the following information:
 - i. The name and address of the entity/ person to be restricted;
 - ii. The identity number of individuals and the registration number of the entity; and
 - iii. The period of restriction.
- d) National Treasury will load the details on the Database of Prohibited Vendors.
- e) The restriction period applicable will be based on the value of award/s made to the supplier over a financial year. The table below illustrates the restriction period that will be applicable per the award threshold:

29 CONTRACTOR'S LIABILITY

- 29.1 In the event of the contract being cancelled by the Department in the exercise of its rights in terms of these conditions, the Contractor shall be liable to pay to the Department any losses sustained and/or additional costs or expenditure incurred as a result of such cancellation, and the Department shall have the right to recover such losses, damages or additional costs by means of set-off from moneys due or which may become due in terms of the contract or any other contract or from guarantee provided for the due fulfilment of the contract and, until such time as the amount of such losses, damages or additional costs have been determined, to retain such moneys or guarantee or any deposit as security for any loss which the Department may suffer or may have suffered.
- 29.2 The Contractor may be held responsible for any consequential damages and loss sustained which may be caused by any defect, latent or otherwise, in supply or service rendered or if the goods or service as a result of such defect, latent or otherwise, does not conform to any condition or requirement of the contract.

30 RIGHTS TO PROCURE OUTSIDE THE CONTRACT

- 30.1 The Department reserves the right to procure goods outside the contract in cases of urgency or emergency or if the quantities are too small to justify delivery costs, or if the goods are obtainable from another organ of State or if the Contractor's point of supply is not situated at or near the place where the goods are required or if the Contractor's goods are not readily available.
- 30.2 No provision in a contract shall be deemed to prohibit the obtaining of goods or services from a Department or local authority.
- 30.3 If contracted item/s become available from National Treasury transversal contract, the Department reserve a right to cancel the contract with a winning bidder by giving thirty (30) days' notice. If it in the advantage and interest of the department to participate.

31. PATENTS

- 31.1 The Contractor shall pay all royalties and expenses and be liable for all claims in respect of the use of patent rights, trademarks or other protected rights, and hereby indemnifies the Department against any claims arising there from.

32 WAIVER

- 32.1 The granting by any party of any indulgence or postponement shall not be a waiver of its rights arising from this contract to demand full and specific performance of the contract.
- 32.2 No favour, delay or relaxation or indulgence on the part of any party in exercising any power or right conferred on each party in terms of this contract shall operate as a waiver of such power or right nor preclude any other or further exercises thereof or the exercise of any other power or right under this contract.

33 SUSPENSION

- 33.1 The Department may temporarily suspend whole or part of the supplied goods by providing no less than 5 days written notice to the Contractor, who shall on receipt of such written notice immediately cease the supply the goods. The Department will indicate the date on which the contract will be resumed in the aforementioned notice. No suspension shall exceed a total of 90 days unless otherwise agreed to by the parties in writing.
- 33.2 When the supply of the goods is suspended, the Contractor shall be entitled to pro-rata payment for the goods already delivered and reimbursement of all costs incidental to the prompt and orderly suspension of the contract.
- 33.3 Suspension of the contract shall not prejudice or affect the accrued rights and liabilities of the parties as at the date of suspension.

34 BREACH

- 34.1 Any termination notice referred to in GCC paragraph 23.1 shall be preceded by written notice requiring the defaulting party to remedy a breach of this contract within 14 days of the date of receipt of the notice.
- 34.2 If the defaulting party fails to remedy the breach within the 14 days, the aggrieved party shall be entitled without notice, in addition to any other remedy available to them at law or under this contract:
- 34.3 To claim specific performance of any obligation whether or not the due date for performance has arrived; or
- 34.4 To terminate this contract in accordance with paragraph 23.1 of the GCC, against the defaulting party, in either event without prejudice to the aggrieved party's rights to claim damages.
- 34.5 The Contractor shall immediately advise the Department of the same, upon which the Department shall, in its sole and absolute discretion, decide whether to proceed with this contract or to terminate forthwith. Failure by the Contractor to advise the Department of a conflict of interest shall amount to a material breach of this contract.
- 34.6 A Party shall be deemed to be in breach of this Contract should the Party fail to comply with any material provisions of this Contract.
- 34.7 The aggrieved Party shall be obliged to first attempt to settle the matter by way of consultation with the defaulting Party. If the consultation fails, then the aggrieved Party shall promptly give the defaulting Party fourteen (14) days written notice to remedy the breach. If the defaulting Party fails to comply with such notice, the aggrieved Party may, without prejudice to any other's right at law:
- 34.7.1 Cancel this Contract in the event the defaulting Party committed a material breach.
- 34.7.2 Claim specific performance by the defaulting Party if such is a competent remedy in the circumstance.
- 34.7.3 Claim damages suffered, as limited under this Contract.

35. PREFERENCES

- 35.1 Should the Contractor apply for preferences in the submission of his bid, and it is found at a later stage that these applications were incorrect or made under false pretences, the Department may, at its own right:
- i. Recover from the Contractor all costs, losses or damages incurred or sustained by the Department as a result of the award of the Contract; and/or
 - ii. Cancel the contract and claim any damages which the Department may suffer by having to make less favourable arrangements after such cancellation.
 - iii. The Department may impose penalties, however, only if provision therefore is made in the Special Conditions of Contract and Bid.

36. SEVERABILITY

- 36.1 The finding of any invalidity to any provision of the contract shall not render the whole contract a nullity. A court of law or arbitrator may sever the invalid provision and the remainder of the contract shall remain enforceable.

37. EXPORT LICENSES

- 37.1 When orders are placed for goods in respect of which an export licence from the country of origin of supplies is required, Contractor shall:
- 37.1.1 Not incur any direct or indirect costs in connection with the supply or dispatch of such supplies before they have obtained such license;
- 37.1.2 If the government of the country from which the supplies are to be exported refuses, or fails to grant such license within three months of the placing of the order, the order shall be considered to be cancelled and no liability will be accepted for any loss or expenses irrespective of the nature thereof, including loss or expenditure suffered or incurred by Contractor or any other person in respect of the production, supply, transportation or delivery of such supplies.

38 INSURANCE

- 38.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery.
- 38.2 Any insurance policies taken out by Contractor to cover goods delivered for a contract must be taken out with a company registered in South Africa in terms of relevant insurance and companies acts.
- 38.3 The Department and the Contractor must ensure that the insurance remains in force throughout the contract period.
- 38.4 In the event that the Department requests for such Certificate of Insurance, the Contractor shall submit such Certificate within 5 days, if this was not a mandatory requirement.

39. ESTIMATED QUANTITIES

- 39.1 The Department is under no obligation to purchase any stock, which is in excess of the indicated quantities of each item. Should there be quantities reflected in the bid forms these will be estimated figures and no guarantee is given or implied as to the actual quantity which will be ordered.

40. EXTENTION OF CONTRACT

- 40.1 This contract may be extended on a month-to-month basis for a period not exceeding six (6) months, provided that the procedures for the treatment of irregular expenditure are complied with in terms of the National Treasury regulations and the Departmental SCM Policy and delegations.
- 40.2 Further extension of the contract, authority will be granted by Head of Department: Health, subject to he provisions of National Treasury regulations and instruction notes.

41. CESSION OF CONTRACT

- 41.1 Cession refers to the transfer of only the rights a service provider has in terms of a contract from it to a third party. In commercial contracts, the main right involved is the right to be paid for services rendered. While the appointed bidder remains the service provider that continues to render the services, the service provider may cede (transfer) its right to be paid for the services it rendered in terms of the contract to a third party. This means that the service provider renders the services to an organ of state, while the organ of state pays for the services rendered to a third party instead, most commonly, a financial institution.
- 41.2 Cession will only be permissible on approval by the Accounting Officer.

42. CONTRACT AMENDMENTS / VARIATIONS

- 42.1 In amplification of paragraph 18 of the GCC, any amendments/variations, of the Contract shall come into effect in terms of the conditions contained in on “**Contract Amendments/Variations Register**”. This register must be signed by the duly authorised signatories of winning bidder and the Head of Department: Health or his/her delegated official.
- 42.2 Contracted winning bidder shall not, in performing its obligation, vary from the terms and conditions stated in this Contract whether by way of addition thereto or by way of omission therefrom, without the prior written consent from the Department (Accounting Officer/delegated official), and no claim on the part of winning bidder for any extra payments on the grounds of any alterations or extra work will be entertained.
- 42.3 If, after the commencement of the contract, the cost or duration of the services is altered as a result of changes in, or in additions to, any statute, regulation or by-law, or the requirements of any authority having jurisdiction over any matter in respect of the contract, then the contract price and time for completion shall be adjusted in order to reflect the impact of those changes, provided that, within 14 days of first having become aware of the change, winning bidder shall furnish the Department with a detailed justification for the adjustment to the contract price.

43. SAMPLES

- 43.1. Samples will not be accepted with the closing of the bid document.
- 14.2 A sample meeting will be arranged with selected companies whereby the companies will be invited to forward their samples on a specified date and time.
- 14.3 Samples must be made available for the sample meeting, failure to provide a sample will reject their bid offer.
- 14.4 Samples shall be supplied by the bidder at his/her own cost/risk. Samples must be packaged as per the specification, in its original packagaing. Failure to do so will render the bid invalid.
- 14.5 Representative samples will not be accepted.
- 14.6 The Department reserves the right not to return such samples and to dispose of them at its discretion.
- 14.7 Samples must be clearly marked: Item number:
- i. Brand Name
 - ii. Name of the Company
 - iii. Bid number
 - iv. Name of the manufacturer/supplier
 - v. Description of item
 - vi. Date of manufacture
- 14.8 The award of this bid will be based on the sample submitted from a manufacturer based on a letter of undertaking, which is compliant to specification. If, during the contract, the awarded supplier wishes to change the item being supplied, the service provider shall apply to the Department in writing, giving reasons why they want to change the product being supplied, which the Department shall consider. This process will be subject to the sample being submitted to the technical committee for evaluation and if in order, to the adjudication committee for approval. This will be done via the contract management unit of the Department. If there is a change in the product being supplied, and no prior approval has been granted, the Department reserves its right to cancel the contract.

N.B Failure to clearly mark the samples submitted shall result in the samples not being evaluated and eliminated from further consideration

44. INTELLECTUAL PROPERTY

44.1 In amplification of paragraph 6 of the GCC, the intellectual property discovered or created as the direct or indirect result of this contract shall remain the property of the Department.

45. INSOLVENCY

45.1 In the event to winning bidder institutes insolvency proceedings or has insolvency proceedings involuntarily instituted against it, the Department may terminate this Contract immediately.

45.2 In the event of assets and monies issued to winning bidder in terms of this Contract, such assets and monies shall be excluded from the estate of winning bidder and shall be returned immediately upon clause 40.1 coming into effect.

46. DISPUTE RESOLUTION

46.1 If any dispute arises between the Department and Contractor, in connection with the

Specification and deliverables, either party may give the other notice in writing of the existence of such dispute, and the same shall thereupon be referred to arbitration in South Africa by a person mutually agreed upon by both parties. The submission shall be deemed to be a submission to arbitration within the meaning of the terms of the arbitration laws in force in the Republic of South Africa.

47. DOMICILLIA CITANDI ET EXECUTANDI

For the purpose of this contract, the parties choose their respective domicillia citandi et executandi as follows :

The Department Physical and Postal Address:

Department Name	The KwaZulu- Natal Department of Health
Physical Address	Natalia Building, 330 Langalibalele Street, Pietermaritzburg, 3201
Postal Address:	Private Bag X9051, Pietermaritzburg, 3200
Telephone numbers	033 – 395 2111
Telefax:	Nil

The Contractor or Bidder Physical and Postal Address:

Bidder/ Contractor Name	
Physical Address	
Postal Address:	
Telephone numbers	
Telefax:	
Email Address	

- 47.1 The parties hereby choose domicilium citandi et executandi for all notices and processes to be given and served in pursuance hereof at their respective addresses given on the first page of this Contract. Any notice of any change in such address shall be given in writing by the parties concerned and delivered by hand or sent by registered mail to the other party, upon notification of which address so notified shall serve as the new citandi et executandi.
- 47.2 A party may at any time change that party's domicile by notice in writing, provided that the new domicile is in the Republic of South Africa and consists of, or includes, a physical address at which the process can be served.
- 47.3 Any notice to a party:
- 47.3.1 Sent by prepaid registered post in a correctly addressed envelope, to it, shall be deemed to have been received on the 7th (seventh) day after posting unless the contrary is proved);
- 47.3.2 Delivered by hand to a responsible person during ordinary business hours at the physical address chosen as its domicile, shall be deemed to have been received on the day of delivery; or
- 47.3.3 Sent by telefax or email to its chosen telefax or email number, shall be deemed to have been received on the date of despatch (unless the contrary is proved).

SECTION K: SPECIFICATION

LIST OF ITEMS: ZNB 6685/4/2023: RESPIRATORY AIDS ANAESTHETIC WORKSTATION AND VENTILATOR ACCESSORIES HME FILTERS SUCTION TUBING AND DEVICES NASOGASTRIC TUBES PERIOD OF 3 YEARS

No.	CATEGORY	ICN NO:	ITEM:	DESCRIPTION:
1	BREATHING CIRCUITS	999952U4797826	BCC1	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Neonatal 15mm Circuit: $\pm 1.6m$; 15mm Extra limb: $\pm 0.8m$ Reservoir bag: 500ml
		999952U4797814	BCC2	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Neonatal 15mm Circuit: $\pm 1.6m$; 15mm Extra limb: $\pm 1.2m$ Reservoir bag: 500ml
		999952U4797840	BCC3	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Paediatric > 3 yrs. 15mm Circuit: $\pm 1.6m$; 15mm Extra limb: $\pm 0.8m$ Reservoir bag: 1l
		999952U4797853	30 500 46	Corrugated breathing circuit with extra limb with breathing bag - Single Use Adult 22mm Circuit: $\pm 1.8m$; 22mm Extra limb: $\pm 0.8m$ OD: 22mm Reservoir bag: 2l
		999952U4797865	BCC4	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Adult 22mm Circuit: $\pm 1.8m$; 22mm Extra limb: $\pm 1.2m$ OD: 22mm Reservoir bag: 2l
		999952U4797877	BCC5	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Adult Long 22mm Circuit: $\pm 2.5m$; 22mm Extra limb: $\pm 1.2m$ OD: 22mm Reservoir bag: 2l
		999952U4797891	30 500 48	Mapleson F breathing circuit - (Modified Ayre's T piece) for children < 20-25 kg. 15mm Circuit $\pm 1.8 - 2.1m$ Expiratory Limb 0.4m Reservoir bag: 0.5l open ended
		999952U4797915	30 500 52	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Neonatal 10mm Circuit: $\pm 1.8m$; Extra limb: $\pm 0.4m$ Reservoir bag: 500ml
		999952U4797927	BCS1	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Paediatric > 3yrs. 15mm Circuit: $\pm 1.6m$; Extra limb: $\pm 0.8m$ Reservoir bag: 1l
		999952U4797939	30 500 51	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Paediatric > 3yrs. 15mm Circuit: $\pm 1.6m$; Extra limb: $\pm 1.2m$ Reservoir bag: 1l
999952U4797941	30 500 49	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Adult		

No.	CATEGORY	ICN NO:	ITEM:	DESCRIPTION:
				22mm Circuit: ± 1.8m; Extra limb: ± 0.8m Reservoir bag: 2l
		999952U4797979	BCS2	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Adult 22mm Circuit: ± 1.8m; Extra limb: ± 1.2m Reservoir bag: 2l
2	ICU BREATHING CIRCUITS	999952U4797981	30 500 53	Breathing Circuit for ventilation in the ICU setting. Neonatal/ Paediatric – 15mm Corrugated tubing with Single Heated Inspiratory Limb For patients 0-15kg
		999952U4798006	30 500 55	Breathing Circuit for ventilation in the ICU setting. Paediatric/Adult – 22mm Corrugated tubing with Single Heated Inspiratory Limb For patients > 15kg
		999952U4798020	30 500 54	Breathing Circuit for ventilation in the ICU setting. Neonatal/ Paediatric – Dual Inspiratory and Expiratory Heated Limbs For patients 0-15kg
		999952U4798032	30 500 56	Breathing Circuit for ventilation in the ICU setting. Paediatric/Adult – Dual Inspiratory and Expiratory Heated Limbs For patients > 15kg
3	MECHANICAL FILTER FOR MACHINE PROTECTION WITH VIRAL AND BACTERIAL FILTRATION	999952U4798057	30 500 57	Mechanical Filter for Machine Protection with Viral and Bacterial Filtration - Adult, Straight, straight with Tidal Volumes: 300ml – 1500ml Maximum filter volume: 55ml ; Resistance: < 2.0 mbar at 30 l/min Gas flow. Bacterial and viral filtration: 99,9999%
4	HEAT MOISTURE EXCHANGE FILTER (HMEF)	999952U4798121	30 500 63	Heat Moisture Exchange Filter (HMEF) – Infant, Straight with Tidal Volumes: 30 -100ml (maximum: 200ml) Maximum filter volume: < 10ml ; Filter weight: 10G ; Resistance: 1.0cmH2O at 11L/min Gas flow. Humidification > 25mg H2O /litre.
		999952U4798133	HMEF1	Heat Moisture Exchange Filter (HMEF) – Infant, Angled with Tidal Volumes: 30 -100ml (maximum: 200ml) Integrated 45 - 90° angled elbow design. Maximum filter volume: < 10ml ; Filter weight: 10G ; Resistance: 1.0cmH2O at 11L/min Gas flow. Humidification: > 25mg H2O /litre.
		999952U4798158	30 500 62	Heat Moisture Exchange Filter (HMEF) – Paediatric, Straight with Tidal Volumes > 75ml Maximum filter volume: < 30ml Maximum filter weight: ≤ 20g ; Resistance: < 2.5 cmH2O at 30 l/min Gas flow. Filtration ≥ 99.999 Humidification > 30mg H2O/litre.
		999952U4798172	30 500 61	Heat Moisture Exchange Filter (HMEF) – Paediatric, Angled with Tidal Volumes > 75ml Integrated 45 - 90° angled elbow design. Maximum filter volume: < 30ml Maximum filter weight: ≤ 20g ; Resistance: < 2.5 cmH2O at 30 l/min Gas flow. Filtration ≥ 99.999 Humidification > 30mg H2O/litre.
		999952U4798184	30 500 59	Heat Moisture Exchange Filter (HMEF) – Adult, Straight with Tidal Volumes > 150ml

No.	CATEGORY	ICN NO:	ITEM:	DESCRIPTION:
		999952U4798210	HMEF2	Heat Moisture Exchange Filter (HMEF) – Adult, Angled with Tidal Volumes > 150ml
5	HEAT MOISTURE EXCHANGE FILTER - HIGH-EFFICIENCY PARTICULATE AIR FILTER (HME-HEPA) Liquid and airborne bacterial and viral filtration: 99,9999%	999952U4798234	HMEF3	Heat Moisture Exchange Filter -High-efficiency Particulate Air Filter (HME-HEPA) - Adult, Straight Tidal Volumes: 150ml – 1500ml Maximum use: 24 hrs
		999952U4798246	HMEF4	Heat Moisture Exchange Filter -High-efficiency Particulate Air Filter (HME-HEPA) - Adult, Straight Tidal Volumes: 150ml – 1500ml Maximum use: 48 hrs
6	HEAT AND MOISTURE EXCHANGER (HME) - NEONATAL HME REPLACEMENT CONNECTOR	999952U4798259	HME1	Heat Moisture Exchange (HME) -Neonatal HME Replacement Connector Size 3.0 for VT 10-50ml
		999952U4798273	HME2	Heat and Moisture Exchanger (HME) -Neonatal HME Replacement Connector Size 3.5 for VT 10-50ml
7	HEAT AND MOISTURE EXCHANGER (HME)	999952U4798285	30 500 64	Heat and Moisture Exchanger (HME) -Neonatal Straight
		999952U4798309	HME3	Heat and Moisture Exchanger (HME) - Infant straight For Tidal Volumes: > 50ml
		999952U4798311	HME4	Tracheostomy Heat and Moisture Exchanger (HME) - Infant straight with toggled Capnography port for Tidal Volumes: > 50ml
		999952U4795505	HME5	Tracheostomy heat and moisture exchanger (HME) – Single Sponge, NO Oxygen Port
		999952U4792965	HME6	Tracheostomy Heat and Moisture Exchanger (HME) - Adult, Double Sponge, with swivelled Oxygen connector and clipped Suction Port For Tidal Volumes: > 60ml
		999952U4792977	HME7	Tracheostomy Heat and Moisture Exchanger (HME) Adult, Double paper, with swivelled Oxygen connector and clipped Suction Port For Tidal Volumes: > 50ml
8	REBREATHING BAGS	999952U4795303	30 500 67	Rebreathing reservoir bag 0.5 litre with 15mm F connector - Single use
		999952U4795315	30 500 68	Rebreathing reservoir bag 1 litre with 15mm F connector - Single use
		999952U4795327	30 500 69	Rebreathing reservoir bag 1 litre with 22mm F connector - Single use
		999952U4795339	30 500 70	Rebreathing reservoir bag 2 litre with 22mm F connector- Single use
		999952U4795341	BBR1	Rebreathing reservoir bag 0.5 litre with 15mm F connector - Reusable
		999952U4795354	BBR3	Rebreathing reservoir bag 1 litre with 15mm F connector - Reusable

No.	CATEGORY	ICN NO:	ITEM:	DESCRIPTION:
		999952U4795366	BBR4	Rebreathing reservoir bag 1 litre with 22mm F connector - Reusable
		999952U4795378	BBR5	Rebreathing reservoir bag 2 litre with 22mm F connector- Reusable
9	CATHETER MOUNTS	999952U4795517	CMS1	Catheter mount with Straight Connector- Neonatal
		999952U4795529	CMS2	Catheter mount (15mm) with Straight Connector- Paediatric
		999952U4795531	CMS3	Catheter mount (22mm) with Straight Connector- Adult
		999952U479554	CME1	Catheter mount with Elbow connector, C02 sampling port and toggled cap - Neonatal
		999952U4795556	CME2	Catheter mount with Elbow connector, C02 sampling port and toggled cap - Paediatric
		999952U4798350	CME3	Catheter mount with Elbow connector, C02 sampling port and toggled cap - Adult
		999952U4798362	CMDSE1	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port, and toggled cap - Neonatal
		999952U4798386	CMDSE2	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port, and toggled cap - Paediatric
		999952U4798398	CMDSE3	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port, and toggled cap - Adult
10	CONNECTORS	999952U4795568	EC3	Anaesthetic circuit elbow (angled) connector, with toggled, capped luer lock sample port for Capnography: 22mm male/ 15mm female (Patient end) 15mm male (Circuit end)
		999952U4798400	30 500 71	Anaesthetic circuit elbow (angled) connector, with toggled, capped luer lock sample port for Capnography: 22mm male/ 15mm female (Patient end) 22mm female (Circuit end)
		999952U4798424	30 500 72	Anaesthetic DOUBLE swivel elbow connector with 360° rotation, with suction port and toggled cap: 22mm male/ 15mm female (Patient end) 15mm male (Circuit end)
		999952U4798448	EC4	Anaesthetic DOUBLE swivel elbow connector with 360° rotation, and a sealable bronchoscopy port and toggled cap
		999952U4795380	30 500 73	Anaesthetic circuit straight connector 15mm male to 15mm male
		999952U4795392	30 500 74	Anaesthetic circuit straight connector 15mm female/22mm male to 22mm male

No.	CATEGORY	ICN NO:	ITEM:	DESCRIPTION:
		999952U4795404	30 500 75	Anaesthetic circuit straight connector 15mm female/22mm male to 22mm female
		999952U4795416	30 500 76	Anaesthetic circuit straight connector 22mm male to 22mm male
		999952U4795428	30 500 77	Anaesthetic circuit straight connector 22mm male to 22mm female
		999952U4798665	30 500 78	Scavenging connector straight connector 22mm male to 30mm female
		999952U4798677	30 500 79	Scavenging connector straight connector 30mm male to 30mm male
		999952U4798653	SC1	Scavenging connector straight connector 19mm male/22mm male Pendant scavenger side
		999952U4795442	30 500 80	Anaesthetic circuit Y-piece connector - Adult 22mm male (inspiratory and expiratory limb) to 15mm female/22mm male (patient end)
		999952U4795455	30 500 81	Anaesthetic circuit Y-piece connector - Paediatric 15mm male (inspiratory and expiratory limb) to 15mm female (patient end)
		999952U4798691	30 500 82	AEROSOL STRAIGHT CONNECTOR with toggled port to fit nebulising canister: 15mm Male to 15mm Female
11	NIPPLE NUT-AND-STEM "CHRISTMAS TREE" OXYGEN ADAPTER	999952U4798525	30 500 84	Nipple Nut-and-stem "Christmas tree" oxygen adapter - Plastic
		999952U4798501	30 500 85	Nipple Nut-and-stem "Christmas tree" oxygen adapter - Metal
12	OXYGEN BUBBLE HUMIDIFIER BOTTLE	999952U4795481	30 500 86	Oxygen bubble humidifier bottle – pre-filled 300-500ml
13	OXYGEN TUBING	999952U4795479	30 500 88	Transparent oxygen tubing with a Double Ended Female Connector Standard bore: 3.2mm Length: ± 2m
		999952U4795467	30 500 89	Green oxygen tubing with a Double Ended Female Connector Standard bore: 3.2mm Length: ± 2m
14	WASHER: BODOK SEAL	999952U4795493	30 500 90	Washer - Bodok Seal

BREATHING CIRCUITS

CORRUGATED BREATHING CIRCUITS WITH EXTRA LIMB AND BAG - SINGLE USE

Purpose: Used to deliver oxygen and Volatile Gases to patient's and to eliminate CO₂ during anaesthesia

Transparent circuit with low resistance, non-extendable, corrugated tubing that is non-kinking, lightweight and crush resistant. The tubing must be pliable and must not retain a shape. Uninterrupted tubing (not joined).

Shallow corrugations to minimise flow resistance and turbulence.

Must have an extra limb with an **anti-static reservoir bag** that gives good feedback regarding patient lung compliance. The reservoir bag must not twist on itself and must have a mechanism to prevent this.

Connectors

Malleable 22mm female connectors bonded to the ends of inspiratory and expiratory limbs – must fit securely to the machine.

Spare 22mm M/M connector. Y-piece at patient's end. Separate elbow-piece with a toggled cap on a luer lock port.

Good quality to ensure no leakage or easy disconnections.

Latex-free, non-pyrogenic, hypoallergenic, non-toxic and non-conductive medical grade plastic

No variation in Circuit limb length or Extra limb will be accepted.

For SINGLE use only, clinically clean and individually packed in the same packaging.

To comply with latest **ISO 5367** or equivalent

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number; Lot number; Expiry date

ICN NO:	ITEM:	DESCRIPTION:
999952U4797826	BCC1	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Neonatal 15mm Circuit: $\pm 1.6m$; 15mm Extra limb: $\pm 0.8m$ Reservoir bag: 500ml
999952U4797814	BCC2	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Neonatal 15mm Circuit: $\pm 1.6m$; 15mm Extra limb: $\pm 1.2m$ Reservoir bag: 500ml
999952U4797840	BCC3	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Paediatric > 3 yrs. 15mm Circuit: $\pm 1.6m$; 15mm Extra limb: $\pm 0.8m$ Reservoir bag: 1l
999952U4797853	30 500 47	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Paediatric > 3 yrs. 15mm Circuit: $\pm 1.6m$; 15mm Extra limb: $\pm 1.2m$ Reservoir bag: 1l
999952U4797865	30 500 46	Corrugated breathing circuit with extra limb with breathing bag - Single Use Adult 22mm Circuit: $\pm 1.8m$; 22mm Extra limb: $\pm 0.8m$ OD: 22mm Reservoir bag: 2l
999952U4797877	BCC4	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Adult 22mm Circuit: $\pm 1.8m$; 22mm Extra limb: $\pm 1.2m$ OD: 22mm Reservoir bag: 2l
999952U4797826	BCC5	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Adult Long 22mm Circuit: $\pm 2.5m$; 22mm Extra limb: $\pm 1.2m$ OD: 22mm Reservoir bag: 2l

MAPLESON F PAEDIATRIC BREATHING CIRCUIT - (Modified Ayre's T piece) for children < 20-25 kg

Purpose: Used to deliver oxygen and volatile gases to patient's and to eliminate CO₂ during anaesthesia

Transparent circuit with low resistance, non-extendable, corrugated tubing that is non-kinking, lightweight and crush resistant.

The tubing must be pliable and must not retain a shape with shallow corrugations to minimise flow resistance and turbulence.

Tubing must be connected to a **straight T-Piece** with **inspiratory port, expiratory port** and patient connection port **22M/15F**.

Inspiratory tubing: 10mm ± 1.8 - 2.1m Bonded **15mm male connector** at the end of the inspiratory limb– must fit securely to the machine. .

Expiratory tubing 15mm ± 0.5m with a **0.5l open-ended reservoir bag** to allow gas to escape via the tail of the bag. The reservoir bag must give good feedback regarding patient lung compliance and must not twist on itself and must have a mechanism to prevent this.

Connectors: Elbow-piece with toggled cap on a luer lock port, capped connector at patient's end.

Good quality to ensure no leakage or easy disconnections.

Manufactured from transparent non-conductive medical grade plastic that is latex-free, non-pyrogenic, hypoallergenic and non-toxic.

For SINGLE use only, clinically clean and individually packed.

To comply with latest ISO 5367 or equivalent

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number; Lot number; Expiry date

ICN NO:	ITEM:	DESCRIPTION:
999952U4797 826	30 500 48	Mapleson F breathing circuit - (Modified Ayre's T piece) for children < 20-25 kg . 15mm Circuit ± 1.8 - 2.1m Expiratory Limb 0.4m Reservoir bag: 0.5l open ended

SMOOTH BORE BREATHING CIRCUITS WITH EXTRA LIMB AND BREATHING BAG - SINGLE USE**Purpose:** Used to deliver oxygen and Volatile Gases to patient's and to eliminate CO₂ during anaesthesia

Transparent circuit with low resistance, non-extendable, **smooth-bore tubing** that is non-kinking, lightweight and crush resistant. The tubing must be pliable and must not retain a shape.

Spiral outer casing that supports the inner lumen to maintain tube integrity.

Must have an extra limb with an **anti-static reservoir bag** that gives good feedback regarding patient lung compliance.

The reservoir bag must not twist on itself and must have a mechanism to prevent this.

Connectors

Malleable 22mm female connectors bonded to the ends of inspiratory and expiratory limbs – must fit securely to the machine.

Spare 22mm M/M connector. Y-piece at patient's end. Separate **elbow-piece** with **capped luer lock port**.

Good quality to ensure no leakage or easy disconnections.

Latex-free, non-pyrogenic, hypoallergenic, non-toxic and non-conductive medical grade plastic

No variation in Circuit limb length or Extra limb will be accepted.

For SINGLE use only, clinically clean and individually packed in the same packaging.

To comply with latest **ISO 5367** or **equivalent**

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number; Lot number; Expiry date

ICN NO:	ITEM:	DESCRIPTION:
999952U4797915	30 500 52	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Neonatal 10mm Circuit: ± 1.8m ; Extra limb: ± 0.4m Reservoir bag: 500ml
999952U4797927	BCS1	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Paediatric > 3yrs. 15mm Circuit: ± 1.6m ; Extra limb: ± 0.8m Reservoir bag: 1l
999952U4797939	30 500 51	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Paediatric > 3yrs. 15mm Circuit: ± 1.6m ; Extra limb: ± 1.2m Reservoir bag: 1l
999952U4797941	30 500 49	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Adult 22mm Circuit: ± 1.8m ; Extra limb: ± 0.8m Reservoir bag: 2l
999952U4797979	BCS2	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Adult 22mm Circuit: ± 1.8m ; Extra limb: ± 1.2m Reservoir bag: 2l

ICU BREATHING CIRCUITS

ICU BREATHING CIRCUITS with a SINGLE HEATED LIMB and a WATER TRAP

Purpose: Humidified and heated ventilation in the ICU setting

Comprises an **Inspiratory limb and Expiratory limb; preassembled auto feed chamber** to fit **MR 850/730 humidifier** with **connectors** for inspiratory and expiratory limb, **extension pieces and multiple connectors** to allow use of circuit with different ventilators if applicable.

Circuit tubing must be made from latex free, non-pyrogenic and hypoallergenic, transparent non-conductive medical grade plastic that is assembled and must be compatible with all types of ventilators.

Tubing must have **consistent compliance and low resistance**, must be **lightweight, pliable**, flexible, must not retain a shape, must be **non-kinking, clear and crush resistant**.

All ports must have securely fitting caps which must be toggled to the port.

Inspiratory limb: Corrugated tubing $\geq 1.5\text{m}$ with a **spiral heater wire, 2 temperature probe** ports to be situated at proximal end and **1.1m** from proximal end via connectors in the tubing.

Preassembled **Auto feed chamber** to fit **MR 850/730 humidifier**.

Expiratory limb: Length: $\geq 1.5\text{m}$ with self-sealing pre-assembled **water trap** connected via Y-connectors and sampling port at distal end.

Pressure line Length: **1.8m**

Extension piece: Corrugated tubing $\geq 50\text{cm}$ with **15mm and 22mm** connectors

Sterile and individually packed; for single use only.

To comply with **ISO 60601; ISO 5367; ISO 8185 ; ISO 80601-2-74:2017** or **equivalents**

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number; Lot number; Expiry date

ICN NO:	ITEM:	DESCRIPTION:
999952U4797981	30 500 53	Breathing Circuit for ventilation in the ICU setting. Neonatal/ Paediatric – 15mm Corrugated tubing with Single Heated Inspiratory Limb For patients 0-15kg
999952U4798006	30 500 55	Breathing Circuit for ventilation in the ICU setting. Paediatric/Adult – 22mm Corrugated tubing with Single Heated Inspiratory Limb For patients > 15kg

ICU BREATHING CIRCUITS with DUAL HEATED LIMBS**Purpose:** Humidified and heated ventilation in the ICU setting

Comprises an **Inspiratory limb and Expiratory limb; preassembled auto feed chamber** to fit **MR 850/730 humidifier** with **connectors** for inspiratory and expiratory limb, **extension pieces and multiple connectors** to allow use of circuit with different ventilators if applicable.

Circuit tubing must be made from latex free, non-pyrogenic and hypoallergenic, transparent non-conductive medical grade plastic that is assembled and must be compatible with all types of ventilators.

Tubing must have **consistent compliance and low resistance**, must be **lightweight, pliable**, flexible, must not retain a shape, must be **non-kinking, clear and crush resistant**.

All ports must have securely fitting caps which must be toggled to the port.

Inspiratory limb: Corrugated tubing $\geq 1.5\text{m}$ with a **spiral heater wire**, **2 temperature probe** ports to be situated at proximal end and **1.1m** from proximal end via connectors in the tubing.

Preassembled **Auto feed chamber** to fit **MR 850/730 humidifier**.

Expiratory limb: 22 mm corrugated tubing at least **1.5 m** in length with a **spiral heater wire** and sampling port at distal end

Pressure line Length: **1.8m**

Extension piece: Corrugated tubing $\geq 50\text{cm}$ with **15mm** and **22mm** connectors

Sterile and individually packed; for single use only.

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number; Lot number; Expiry date

To comply with **ISO 60601; ISO 5367; ISO 8185 ; ISO 80601-2-74:2017** or **equivalents**

ICN NO:	ITEM:	DESCRIPTION:
999952U4798020	30 500 54	Breathing Circuit for ventilation in the ICU setting. Neonatal/ Paediatric – Dual Inspiratory and Expiratory Heated Limbs For patients 0-15kg
999952U4798032	30 500 56	Breathing Circuit for ventilation in the ICU setting. Paediatric/Adult – Dual Inspiratory and Expiratory Heated Limbs For patients > 15kg

MECHANICAL FILTER FOR MACHINE PROTECTION

MECHANICAL FILTER FOR MACHINE PROTECTION WITH VIRAL AND BACTERIAL FILTRATION

Purpose: Mechanical filtration device to protect ventilators. To be used on machine-end

Bidirectional use filter must be hydrophobic with low resistance throughout clinical use and must remain effective when wet.

Maximum use: **24 hrs**

Liquid and airborne bacterial and viral filtration: **99,9999%** efficiency to protect ventilator/ anaesthetic machine.

Microbiologically validated against mycobacterium tuberculosis, Pseudomonas species, Serratia marcescens, MS2-virus, Staphylococcus aureus, Hepatitis C-virus and human immunodeficiency virus and Covid-19. **Validation** must be provided.

To comply with ISO 9360 or equivalent

Consists of an ergonomic, non-conductive smooth housing profile that is latex-free, non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic.

Connections to fit standard breathing circuits and ventilator outlets: Patient ends 15F/22M ISO connections and circuit end to be compatible with commonly used anaesthesia breathing circuits and ventilator outlets.

Sterile and individually packed in peel pouch with view paper; For SINGLE use only.

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number.

ICN NO:	ITEM:	DESCRIPTION:
999952U4798 057	30 500 57	Mechanical Filter for Machine Protection with Viral and Bacterial Filtration - Adult, Straight, straight with Tidal Volumes: 300ml – 1500ml Maximum filter volume: 55ml; Resistance: < 2.0 mbar at 30 l/min Gas flow. Bacterial and viral filtration: 99,9999%

HEAT MOISTURE EXCHANGE FILTER (HMEF)

HEAT MOISTURE EXCHANGE FILTER (HMEF) - INFANT

Purpose: Heat and moisture exchange and filtration device to provide passive humidification and patient protection against contamination - used on patient end

Bidirectional **electrostatic** filter must be hydrophobic with low resistance throughout clinical use and must remain effective when wet. Must be hygroscopic to humidify the patient's airway.

Maximum use: **24 hrs**

Liquid and airborne **bacterial** and **viral** filtration: **99,99%** efficiency to protect patient and ventilator/ anaesthetic machine. Microbiologically validated against mycobacterium tuberculosis, Pseudomonas Species, Serratia Marcescens, MS2-Virus, Staphylococcus Aureus, Hepatitis C-Virus, Human Immunodeficiency Virus, and COVID 19 Virus. Validation must be provided. To comply with latest ISO 9360 or equivalent

Consists of an ergonomic, non-conductive smooth housing profile that is latex-free, non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic.

Connections to fit standard breathing circuits and ventilator outlets: Patient ends **15F/22M** ISO connections and circuit end to be compatible with commonly used anaesthesia breathing circuits and ventilator outlets.

Must have a **luer monitoring port** with a **toggled cap** for integral monitoring of end tidal CO₂.

Sterile and individually packed in peel pouch with view paper; For SINGLE use only.

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number

ICN NO:	ITEM:	DESCRIPTION:
999952U4798121	30 500 63	Heat Moisture Exchange Filter (HMEF) – Infant, Straight with Tidal Volumes: 30 -100ml (maximum: 200ml) Maximum filter volume: < 10ml ; Filter weight: 10G ; Resistance: 1.0cmH₂O at 11L/min Gas flow . Humidification > 25mg H₂O /litre .
999952U4798133	HMEF1	Heat Moisture Exchange Filter (HMEF) – Infant, Angled with Tidal Volumes: 30 -100ml (maximum: 200ml) Integrated 45 - 90° angled elbow design . Maximum filter volume: < 10ml ; Filter weight: 10G ; Resistance: 1.0cmH₂O at 11L/min Gas flow . Humidification: > 25mg H₂O /litre .

HEAT MOISTURE EXCHANGE FILTER (HMEF) - PAEDIATRIC

Purpose: Heat and moisture exchange and filtration device to provide passive humidification and patient protection against contamination - used on patient end

Bidirectional **electrostatic** filter must be hydrophobic with low resistance throughout clinical use and must remain effective when wet. Must be hygroscopic to humidify the patient's airway.

Maximum use: **24 hrs**

Liquid and airborne **bacterial** and **viral** filtration: **99,999%** efficiency to protect patient and ventilator/ anaesthetic machine. Microbiologically validated against mycobacterium tuberculosis, Pseudomonas Species, Serratia Marcescens, MS2-Virus, Staphylococcus Aureus, Hepatitis C-Virus, Human Immunodeficiency Virus, and COVID 19 Virus.

Validation must be provided. To comply with latest **ISO 9360** or **equivalent**

Consists of an ergonomic, non-conductive smooth housing profile that is latex-free, non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic.

Connections to fit standard breathing circuits and ventilator outlets: Patient ends **15F/22M** ISO connections and circuit end to be compatible with commonly used anaesthesia breathing circuits and ventilator outlets.

Must have a **luer monitoring port** with a **toggled cap** for integral monitoring of end tidal CO₂.

Sterile and individually packed in peel pouch with view paper; For **SINGLE** use only.

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number

ICN NO:	ITEM:	DESCRIPTION:
999952U4798158	30 500 62	Heat Moisture Exchange Filter (HMEF) – Paediatric, Straight with Tidal Volumes > 75ml Maximum filter volume: < 30ml Maximum filter weight: ≤ 20g ; Resistance: < 2.5 cmH ₂ O at 30 l/min Gas flow. Filtration ≥ 99.999 Humidification > 30mg H₂O/litre .
999952U4798172	30 500 61	Heat Moisture Exchange Filter (HMEF) – Paediatric, Angled with Tidal Volumes > 75ml Integrated 45 - 90° angled elbow design . Maximum filter volume: < 30ml Maximum filter weight: ≤ 20g ; Resistance: < 2.5 cmH ₂ O at 30 l/min Gas flow. Filtration ≥ 99.999 Humidification > 30mg H₂O/litre .

HEAT MOISTURE EXCHANGE FILTER (HMEF) - ADULT

Purpose: Heat and moisture exchange and filtration device to provide passive humidification and patient protection against contamination - used on patient end

Bidirectional **electrostatic** filter must be hydrophobic with low resistance throughout clinical use and must remain effective when wet. Must be hygroscopic to humidify the patient's airway.

Maximum use: **24 hrs**

Liquid and airborne **bacterial** filtration: **99,999%** and **viral** filtration: **99,99%** efficiency to protect patients and ventilator/ anaesthetic machines.

Microbiologically validated against mycobacterium tuberculosis, Pseudomonas Species, Serratia Marcescens, MS2-Virus, Staphylococcus Aureus, Hepatitis C-Virus, Human Immunodeficiency Virus, and COVID 19 Virus. Validation must be provided. To comply with latest ISO 9360 or equivalent

Consists of an ergonomic, non-conductive smooth housing profile that is latex-free, non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic.

Connections to fit standard breathing circuits and ventilator outlets: Patient ends **15F/22M** ISO connections and circuit end to be compatible with commonly used anaesthesia breathing circuits and ventilator outlets.

Must have a **luer monitoring port** with a **toggled cap** for integral monitoring of end tidal CO₂.

Sterile and individually packed in peel pouch with view paper; For SINGLE use only.

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number

ICN NO:	ITEM:	DESCRIPTION:
999952U4798 184	30 500 59	Heat Moisture Exchange Filter (HMEF) – Adult, Straight with Tidal Volumes > 150ml Maximum filter volume: < 70ml Maximum filter weight: ≤ 35g ; Resistance: < 1.2cmH₂O at 30 l/min Gas flow. Bacterial filtration: 99.999% and Viral filtration: 99.999% Humidification > 30mg H₂O/litre.
999952U4798 210	HMEF2	Heat Moisture Exchange Filter (HMEF) – Adult, Angled with Tidal Volumes > 150ml. Integrated 45 - 90° angled elbow design. Maximum filter volume: < 70ml Maximum filter weight: ≤ 35g ; Resistance: < 1.2cmH₂O at 30 l/min Gas flow. Bacterial filtration: 99.999% and Viral filtration: 99.999% Humidification > 30mg H₂O/litre.

HEAT MOISTURE EXCHANGE FILTER - HIGH-EFFICIENCY PARTICULATE AIR FILTER (HME-HEPA)**HEAT MOISTURE EXCHANGE FILTER - HIGH-EFFICIENCY PARTICULATE AIR FILTER (HME-HEPA)**

Purpose: Heat and moisture exchange and filtration device to provide passive humidification and patient protection against contamination - used on patient end

The bidirectional **mechanical** filter must be hydrophobic with low resistance throughout clinical use and must remain effective when wet. Must be hygroscopic to humidify the patient's airway.

Liquid and airborne bacterial and viral filtration: **99,9999%** efficiency to protect patients and ventilator/ anaesthetic machines. Preference will be given to filters with higher efficiency.

Microbiologically validated against mycobacterium tuberculosis, Pseudomonas Species, Serratia Marcescens, MS2-Virus, Staphylococcus Aureus, Hepatitis C-Virus, Human Immunodeficiency Virus, and COVID 19 Virus. Validation must be provided. To comply with latest ISO 9360 or equivalent

Consists of an ergonomic, non-conductive smooth housing profile that is latex-free, non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic.

Connections to fit standard breathing circuits and ventilator outlets: Patient ends 15F/22M ISO connections and circuit end to be compatible with commonly used anaesthesia breathing circuits and ventilator outlets.

Must have a **luer monitoring port** with a **toggled cap** for integral monitoring of end tidal CO₂.

Preference will be given to items that are **DEHP free**.

Sterile and individually packed in peel pouch with view paper; For SINGLE use only.

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number

ICN NO:	ITEM:	DESCRIPTION:
999952U479823 4	HMEF3	Heat Moisture Exchange Filter -High-efficiency Particulate Air Filter (HME-HEPA) - Adult, Straight Tidal Volumes: 150ml – 1500ml Maximum use: 24 hrs Maximum filter volume: 55ml ; Resistance: < 2.0 mbar at 30l/min Gas flow . Humidification: ≥ 34.2mg H₂O/litre . Liquid and airborne bacterial and viral filtration: 99,9999%
999952U479824 6	HMEF4	Heat Moisture Exchange Filter -High-efficiency Particulate Air Filter (HME-HEPA) - Adult, Straight Tidal Volumes: 150ml – 1500ml Maximum use: 48 hrs Maximum filter volume: 55ml ; Resistance: < 2.0 mbar at 30l/min Gas flow . Humidification: ≥ 34.2mg H₂O/litre . Liquid and airborne bacterial and viral filtration: 99,9999%

EXCHANGER (HME) - NEONATAL HME REPLACEMENT CONNECTOR

HEAT AND MOISTURE EXCHANGER (HME) - NEONATAL HME REPLACEMENT CONNECTOR

Purpose: To warm and moisten air breathed through an endotracheal tube during anaesthesia

Consists of a bidirectional **hygroscopic bacteriostatic paper filter**, with low resistance throughout clinical use
Must remain effective when wet.

For 24 hourly uses

The HME to be used as a replacement for size **3.0** and/or **3.5** ETT circuit connectors. The connectors must fit standard breathing circuits and ventilator outlets.

Must have a side port allowing for access for suctioning and CO₂ sampling.

The patient end must be tapered to fit securely into the endotracheal tube.

Must have a non-conductive smooth housing profile.

Latex-free non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic

For SINGLE use only, sterile and individually packed in a peel pouch with view paper.

Must comply with the latest ISO 9360

The following must be noted on the packaging:

Trade name of product; Size and specification; Manufacturing site; CE number

ICN NO:	ITEM:	DESCRIPTION:
999952U4798 259	HME1	Heat And Moisture Exchanger (HME) - Neonatal HME Replacement Connector Size 3.0 for VT 10-50ml Dead space: < 3ml; Maximum filter weight: < 5g; Resistance: 1.8 cmH ₂ O at 5l/min Gas flow. Humidification: ± 30mg H₂O /litre for VT 20ml
999952U4798 273	HME2	Heat And Moisture Exchanger (HME) - Neonatal HME Replacement Connector Size 3.5 for VT 10-50ml Dead space: < 3ml; Maximum filter weight: < 5g; Resistance: 1.1cmH ₂ O at 5l/min Gas flow. Humidification: ± 30mg H₂O /litre for VT 10ml

HEAT AND MOISTURE EXCHANGER (HME)

HEAT AND MOISTURE EXCHANGER (HME) - NEONATAL STRAIGHT

Purpose: To warm and moisten air breathed through a tracheostomy.

Bidirectional use filter must be hygroscopic with low resistance throughout clinical use. Foam/ Pleated paper acceptable
Must remain effective when wet.

For 24 hourly use

Must have a non-conductive smooth housing profile.

Latex-free non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic

Where applicable connections to fit standard breathing circuits and ventilator outlets: Patient ends 15F/22M ISO connections and circuit end to be compatible with commonly used anaesthesia breathing circuits and ventilator outlets.

For SINGLE use only, sterile and individually packed in a peel pouch with view paper.

Must comply with the latest ISO 9360 or **equivalent**.

ICN NO:	ITEM:	DESCRIPTION:
999952U4798 285	30 500 64	Heat And Moisture Exchanger (HME) - Neonatal Straight For Tidal Volumes > 8ml Dead space: < 3ml; Maximum filter weight: < 5g; Resistance: < 0.9cmH ₂ O at 10l/min Gas flow. Humidification: ± 30mg H₂O /litre.

HEAT AND MOISTURE EXCHANGER (HME) INFANT		
<p>Purpose: Heat and moisture exchange device to provide passive humidification to patient's airways - for direct connection to tracheostomies</p> <p>Bidirectional use filter must be hydrophobic with low resistance throughout clinical use and must remain effective when wet.</p> <p>For short term use - transport or short procedures</p> <p>Consists of an ergonomic, non-conductive smooth housing profile.</p> <p>Latex-free non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic</p> <p>Connections to fit standard breathing circuits and ventilator outlets: Patient ends 15F/22M ISO connections and circuit end to be compatible with commonly used anaesthesia breathing circuits and ventilator outlets.</p> <p>For SINGLE use only, sterile and individually packed in a peel pouch with view paper.</p> <p>Must comply with the latest ISO 9360 or equivalent.</p> <p>The following must be noted on the packaging:</p> <p>Trade name; Size and specification; Manufacturing site; CE number; Lot number</p>		

ICN NO:	ITEM:	DESCRIPTION:
999952U4798309	HME3	Heat and Moisture Exchanger (HME) - Infant straight For Tidal Volumes: > 50ml Dead space: < 11ml; Maximum filter weight: < 12g; Resistance: < 0.6cmH ₂ O at 5 l/min Gas flow. Humidification: > 30mg H ₂ O /litre.
999952U4798311	HME4	Tracheostomy Heat and Moisture Exchanger (HME) - Infant straight with toggled Capnography port for Tidal Volumes: > 50ml Dead space: < 11ml; Maximum filter weight: < 12g; Resistance: < 0.6cmH ₂ O at 5 l/min Gas flow. Humidification: > 30mg H ₂ O /litre.

TRACHEOSTOMY HEAT AND MOISTURE EXCHANGER ADULT		
<p>Purpose: Heat and moisture exchange device to provide passive humidification to patient's airways - for direct connection to tracheostomies</p> <p>Bidirectional use filter must be hydrophobic with low resistance throughout clinical use and must remain effective when wet.</p> <p>For short term use</p> <p>Consists of a low-profile T-shaped air bridge that connects directly to the endotracheal/tracheostomy tube.</p> <p>Paper/sponge filter.</p> <p>Latex-free non-pyrogenic, hypoallergenic and DEHP-free transparent medical grade plastic</p> <p>Connections to fit standard breathing circuits and ventilator outlets: Patient ends 15F/22M ISO connections and circuit end to be compatible with commonly used anaesthesia breathing circuits and ventilator outlets.</p> <p>Must comply with the latest ISO 9360 or equivalent.</p> <p>The following must be noted on the packaging:</p> <p>Trade name; Size and specification; Manufacturing site; CE number; Lot number</p>		

ICN NO:	ITEM:	DESCRIPTION:
999952U4795505	HME5	Tracheostomy heat and moisture Exchanger (HME) - Single Sponge, NO Oxygen Port
999952U4792965	HME6	Tracheostomy Heat and Moisture Exchanger (HME) - Adult, Double Sponge , with swivelled Oxygen connector and clipped Suction Port For Tidal Volumes: > 60ml Maximum filter weight: < 12g; Resistance: < 0.6cmH ₂ O at 5 l/min Gas flow. Humidification: > 25mg H ₂ O /litre.
999952U4792977	HME7	Tracheostomy Heat and Moisture Exchanger (HME) Adult, Double paper , with swivelled Oxygen connector and clipped Suction Port For Tidal Volumes: > 50ml Maximum filter weight: 10g Resistance: 0.3cmH ₂ O at 30l/min Gas flow. Humidification: > 25mg H ₂ O /litre.

REBREATHING BAGS

REBREATHING BAGS SINGLE USE

Purpose: Stores gas between respiratory cycles. Provides information to anaesthetist in manual ventilation regarding pulmonary compliance and airway patency.

Consists of a latex-free antistatic, non-conductive reservoir bag with a tapered neck and collar

Compliance: **30-60cmH₂O** when filled to 4 X nominal volume

Must hold at least 10 X nominal volume before it will burst.

Must retain original volume and shape (within 10%) at deflation.

Must not adhere to itself and must not twist or kink on itself –must have a mechanism to prevent this.

SINGLE patient use, clinically clean, latex-free To comply with ISO 5362:2006 or equivalent

ICN NO:	ITEM:	DESCRIPTION:
999952U4795303	30 500 67	Rebreathing reservoir bag 0.5 litre with 15mm F connector - Single use
999952U4795315	30 500 68	Rebreathing reservoir bag 1 litre with 15mm F connector - Single use
999952U4795327	30 500 69	Rebreathing reservoir bag 1 litre with 22mm F connector - Single use
999952U4795339	30 500 70	Rebreathing reservoir bag 2 litre with 22mm F connector- Single use

REBREATHING BAGS REUSABLE

Purpose: Stores gas between respiratory cycles. Provides information to anaesthetist in manual ventilation regarding pulmonary compliance and airway patency.

Consists of a latex-free antistatic, non-conductive reservoir bag with a tapered neck and collar

Compliance: **30-60cmH₂O** when filled to 4 X nominal volume

Must hold at least 10 X nominal volume before it will burst.

Must retain original volume and shape (within 10%) at deflation.

Must not adhere to itself and must not twist or kink on itself –must have a mechanism to prevent this.

Must clearly indicate that it is **Autoclavable**

ICN NO:	ITEM:	DESCRIPTION:
999952U4795341	BBR1	Rebreathing reservoir bag 0.5 litre with 15mm F connector - Reusable
999952U4795354	BBR3	Rebreathing reservoir bag 1 litre with 15mm F connector - Reusable
999952U4795366	BBR4	Rebreathing reservoir bag 1 litre with 22mm F connector - Reusable
999952U4795378	BBR5	Rebreathing reservoir bag 2 litre with 22mm F connector- Reusable

CATHETER MOUNTS

CATHETER MOUNT - STRAIGHT CONNECTOR

Purpose: Connector to join an endotracheal or tracheostomy tube to a breathing circuit

Consists of flexible, low-flow smooth-bore tubing with an external coil to prevent kinking.

All components latex-free, sterile and individually packed in peel pouch that is easy to open - For SINGLE use only.

The following must be noted on the packaging:

Trade name; Size and specification; Manufacturing site; CE number; Lot number

ICN NO:	ITEM:	DESCRIPTION:
999952U4795 517	CMS1	Catheter mount with Straight Connector- Neonatal Length: ± 90 mm Connectors: 22mm Male/ 15mm Female (patient end); 15mm Male (machine end) Volume: < 15ml
999952U4795 529	CMS2	Catheter mount (15mm) with Straight Connector- Paediatric Length: ± 90 mm Connectors: 22mm Male/ 15mm Female (patient end); 15mm Male (machine end) Volume: < 20ml
999952U4795 531	CMS3	Catheter mount (22mm) with Straight Connector- Adult Length: ± 150 mm Connectors: 22mm Male/ 15mm Female (patient end); 22mm Female (machine end)

CATHETER MOUNT WITH ELBOW CONNECTOR, LUER LOCK SAMPLE PORT AND TOGGLED CAP

Purpose: Connector to join an endotracheal or tracheostomy tube to a breathing circuit with sample port for Capnography

Consists of flexible, low-flow smooth-bore tubing with an external coil to prevent kinks.

Elbow connector with a **Luer lock sample port** and **toggled cap**

For SINGLE use, latex-free, sterile and individually packed in a peel pouch that is easy to open.

The following must be noted on the packaging:

Trade name; Size and specification; Manufacturing site; CE number; Lot number

ICN NO:	ITEM:	DESCRIPTION:
999952U4795 54	CME1	Catheter mount with Elbow connector, C02 sampling port and toggled cap - Neonatal Volume: $\pm 10-16$ ml Length: ± 90 mm Connector: 22mm Male/ 15mm Female (patient end); 15mm Male (machine end)
999952U4795 556	CME2	Catheter mount with Elbow connector, C02 sampling port and toggled cap - Paediatric Volume: $\pm 15-30$ ml Length: ± 90 mm Connectors: 22mm Male/ 15mm Female (patient end); 22mm Female (machine end)
999952U4798 350	CME3	Catheter mount with Elbow connector, C02 sampling port and toggled cap - Adult Length: $\pm 120-150$ mm Connectors: 22mm Male/ 15mm Female (patient end); 22mm Female (machine end)

CATHETER MOUNT WITH DOUBLE SWIVEL ELBOW CONNECTOR, BRONCHOSCOPY/ASPIRATION PORT and TOGGLED CAP
<p>Purpose: Connector to join an endotracheal or tracheostomy tube to a breathing circuit with a bronchoscopy/aspiration port.</p> <p>Consists of flexible, low-flow smooth-bore tubing with an external coil to prevent kinks.</p> <p>Double swivel Elbow connector with a Bronchoscopy/Aspiration Port. Must have a diaphragm which hugs fibre-optic bronchoscope.</p> <p>For SINGLE use, latex-free, sterile and individually packed in peel pouch that is easy to open.</p> <p>The following must be noted on the packaging: Trade name; Size and specification; Manufacturing site; CE number; Lot number</p>

ICN NO:	ITEM:	DESCRIPTION:
999952U4798362	CMDSE1	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port and toggled cap - Neonatal Volume: \pm 10-16ml Length: \pm 90mm Connectors: 22mm Male/ 15mm Female (patient end); 15mm Male (machine end)
999952U4798386	CMDSE2	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port and toggled cap - Paediatric Volume: \pm 15-30ml Length: \pm 90mm Connectors: 22mm Male/ 15mm Female (patient end); 22mm Female (machine end).
999952U4798398	CMDSE3	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port and toggled cap - Adult Length: 120-150mm Connectors: 22mm Male/ 15mm Female (patient end) and 22mm Female (machine end)

CONNECTORS

ANAESTHETIC ELBOW (ANGLED) CONNECTORS
<p>Consists of a connector made from latex-free, non-pyrogenic, hypoallergenic, DEHP free, transparent, non-conductive medical grade plastic.</p> <p>All components latex-free, clinically clean and individually packed in peel pouch that is easy to open - For SINGLE use only.</p> <p>To comply with ISO 5367</p>

ICN NO:	ITEM:	DESCRIPTION:
999952U4795568	EC3	Anaesthetic circuit elbow (angled) connector, with toggled, capped luer lock sample port for Capnography: 22mm male/ 15mm female (Patient end) 15mm male (Circuit end)
999952U4798400	30 500 71	Anaesthetic circuit elbow (angled) connector, with toggled, capped luer lock sample port for Capnography: 22mm male/ 15mm female (Patient end) 22mm female (Circuit end)
999952U4798424	30 500 72	Anaesthetic DOUBLE swivel elbow connector with 360° rotation, with suction port and toggled cap: 22mm male/ 15mm female (Patient end) 15mm male (Circuit end)
999952U4798448	EC4	Anaesthetic DOUBLE swivel elbow connector with 360° rotation, and a sealable bronchoscopy port and toggled cap

ANAESTHETIC STRAIGHT CONNECTORS

Consists of a connector made from latex-free, non-pyrogenic, hypoallergenic, DEHP free, transparent, non-conductive medical grade plastic.

All components latex-free, clinically clean and individually packed in peel pouch that is easy to open - For SINGLE use only.

To comply with **ISO 5367** or equivalent

ICN NO:	ITEM:	DESCRIPTION:
999952U4795380	30 500 73	Anaesthetic circuit straight connector 15mm male to 15mm male
999952U4795392	30 500 74	Anaesthetic circuit straight connector 15mm female/22mm male to 22mm male
999952U4795404	30 500 75	Anaesthetic circuit straight connector 15mm female/22mm male to 22mm female
999952U4795416	30 500 76	Anaesthetic circuit straight connector 22mm male to 22mm male
999952U4795428	30 500 77	Anaesthetic circuit straight connector 22mm male to 22mm female

SCAVENGING CONNECTORS

Consists of a connector made from latex-free, non-pyrogenic, hypoallergenic, DEHP free, transparent, non-conductive medical grade plastic.

All components latex-free, clinically clean and individually packed in peel pouch that is easy to open - For SINGLE use only.

To comply with **ISO 5367** or equivalent

ICN NO:	ITEM:	DESCRIPTION:
999952U4798665	30 500 78	Scavenging connector straight connector 22mm male to 30mm female
999952U4798677	30 500 79	Scavenging connector straight connector 30mm male to 30mm male
999952U4798653	SC1	Scavenging connector straight connector 19mm male/22mm male Pendant scavenger side

ANAESTHETIC CIRCUIT Y-PIECE		
<p>Purpose: To connect the inspiratory and expiratory limbs of the anaesthetic breathing circuit - Parallel Consists of a connector made from latex-free, non-pyrogenic, hypoallergenic, DEHP free, transparent, non-conductive medical grade plastic. All components latex-free, clinically clean and individually packed in peel pouch that is easy to open - For SINGLE use only. To comply with ISO 5367 or equivalent</p>		

ICN NO:	ITEM:	DESCRIPTION:
999952U4795442	30 500 80	Anaesthetic circuit Y-piece connector - Adult 22mm male (inspiratory and expiratory limb) to 15mm female/22mm male (patient end)
999952U4795455	30 500 81	Anaesthetic circuit Y-piece connector - Paediatric 15mm male (inspiratory and expiratory limb) to 15mm female (patient end)

AEROSOL STRAIGHT CONNECTOR		
<p>Purpose: To allow for the dispensing of medication from MDI's directly into the patient circuit In-line connector with a toggled port to fit the nozzle of an MDI inhaler 15mm Male to 15mm Female Latex-free, non-pyrogenic, hypoallergenic, DEHP free, transparent, non-conductive medical grade plastic. For single use, clinically clean To comply with ISO 5367 or equivalent</p>		

ICN NO:	ITEM:	DESCRIPTION:
999952U4798691	30 500 82	AEROSOL STRAIGHT CONNECTOR with toggled port to fit nebulising canister: 15mm Male to 15mm Female

NIPPLE NUT-AND-STEM "CHRISTMAS TREE" OXYGEN ADAPTER

NIPPLE NUT-AND-STEM "CHRISTMAS TREE" OXYGEN ADAPTER		
<p>Purpose: Connector between standard flow meter DISS connection and oxygen tubing Wingnut to fit standard DISS connection on oxygen flow meter. Thread to be secure without leaking. Tapered stem to allow easy connection of standard bore oxygen tubing, with deep grooved barbs on the stem to prevent disconnection of tubing. Manufactured from latex free medical grade plastic/ medical grade metal. To comply with ISO 5367 or equivalent</p>		

ICN NO:	ITEM:	DESCRIPTION:
999952U4798525	30 500 84	Nipple Nut-and-stem "Christmas tree" oxygen adapter - Plastic
999952U4798501	30 500 85	Nipple Nut-and-stem "Christmas tree" oxygen adapter - Metal

HUMIDIFIER

OXYGEN BUBBLE HUMIDIFIER BOTTLE		
<p>Purpose: For the addition of moisture to inspired oxygen Consists of a flat-bottomed container pre-filled with sterile water 300-500ml. It must not be possible to refill the container. Must connect to standard bore oxygen tubing and must have a wingnut to fit standard DISS connection to connect to the oxygen flow meter. The thread must be secure without leaking and the container must not crack when the thread is tightened. Manufactured from latex free medical grade plastic - clinically clean. To comply with ISO 5367 or equivalent</p>		

ICN NO:	ITEM:	DESCRIPTION:
999952U4795481	30 500 86	Oxygen bubble humidifier bottle – pre-filled 300-500ml

OXYGEN TUBING

OXYGEN TUBING		
<p>Purpose: For the delivery of oxygen from supply to patient Transparent Standard Bore Oxygen tubing with a double ended female connector. Must be kink resistant and connect to the oxygen flow metre securely. Manufactured from latex free PVC - clinically clean. To comply with SS-EN 13544 or equivalent</p>		

ICN NO:	ITEM:	DESCRIPTION:
999952U4795479	30 500 88	Transparent oxygen tubing with a Double Ended Female Connector Standard bore: 3.2mm Length: ± 2m
999952U4795467	30 500 89	Green oxygen tubing with a Double Ended Female Connector Standard bore: 3.2mm Length: ± 2m

BODOK SEAL

WASHER: BODOK SEAL		
<p>Purpose: Used to ensure a gas-tight seal between the cylinder yoke or regulator of an anaesthetic machine or any medical device requiring gas supply, and a gas cylinder Manufactured from neoprene with a metal reinforcing ring. Must be incombustible and resistant to the high pressures imposed upon it by cylinder gases (± 140 bar). Must be durable despite low temperatures, must not splay and must prevent leakage. Must not adhere to the regulator; Clinically clean</p>		

ICN NO:	ITEM:	DESCRIPTION:
999952U4795493	30 500 90	Washer - Bodok Seal

SECTION L: EVALUATION CRITERIA

The Department will evaluate applications received before the closing date and time using Three (3) evaluation phases these are peremptory requirements, should the applicant fail to comply, the application will be regarded as non-responsive and be disqualified. The criteria are as follows:

- Phase 1: Minimum Compulsory Requirements
- Phase 2: Technical Evaluation
- Phase 3: Price and Preference Points

Phase 1: Minimum Compulsory Requirements

The Bidder shall complete and submit the following returnable schedules and documents:

NO.	SECTION/ SCHEDULE	COMPULSORY (YES / NO) NON- SUBMISSION WILL RENDER BIDDERS NON- RESPONSIVE	COMPULSORY (YES / NO) FOR BID EVALUATION PURPOSES	FOR OFFICIAL USE ONLY		
				YES	NO	N/A
Prospective Bidders MUST ensure that the following Sections of the bid document MUST be completed in ALL respects to qualify for the next stage of evaluation:						
1.1	Section A: Invitation To Bid	Yes	Yes			
1.2	Section B: Special Instructions and Notices to Bidders	Yes	Yes			
1.3	Section C: Authority To Sign A Bid	Yes	Yes			
1.4	Section D: Bidder's Disclosure (SBD 4)	Yes	Yes			
1.5	Section E: The National Industrial Participation Programme (SBD 5)	Yes	Yes			
1.6	Section F: Central Supplier Database (CSD)	Yes	Yes			
1.7	Section G: Preference Points Claim	Yes	Yes			
1.8	Section H: Section H: General Conditions Of Contract(GCC)	Yes	Yes			
1.9	Section I: General Conditions Of Contract(GCC)					
1.10	Section J : Special Conditions Of Contract (SCC)	Yes	Yes			
1.11	Section K: Specification	Yes	Yes			
1.12	Section M: Pricing Schedule	Yes	Yes			
Prospective Bidders MUST provide the following as per the Mandatory Requirements:						
1	Copy of the Consortium/ Joint Venture/ Partnership agreement, if applicable	Yes If Applicable				

NO.	SECTION/ SCHEDULE	COMPULSORY (YES / NO) NON- SUBMISSION WILL RENDER BIDDERS NON- RESPONSIVE	COMPULSORY (YES / NO) FOR BID EVALUATION PURPOSES	FOR OFFICIAL USE ONLY		
				YES	NO	N/A
2	Relevant compliance certificates/Equivalent applicable to each item as per specification	Yes	Yes, phase 2			
3	Letter of undertaking if not the manufacturer of the Equipment, for each item as per specification	Yes	Yes			
4	SAHPRA certification,	Yes,	Yes,			
3. Prospective bidder must provide the following as additional Requirement from Main Contractor during contract stage						
3	<p>B-BBEE certificate indicating the B-BBEE status level of contributor. The B-BBEE certificate must be issued by a SANAS accredited verification agency;</p> <p>Or</p> <p>A duly completed Sworn Affidavit signed by the deponent and commissioned by the authorized commissioner of oaths. The sworn affidavit must indicate the day, month and year on which the annual total revenue is based on and the level of black ownership that is claimed;</p> <p>Or</p> <p>A sworn affidavit on an accredited template issued by the DTI/CIPC for both EME or QSE,</p> <p>Note:</p> <ol style="list-style-type: none"> i. Bidders must ensure that the correct sworn affidavit for the Financial Sector are submitted, ii. A trust, consortium, or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE status level certificate. iii. The B-BBEE certificate or sworn affidavit will be required from service provider, during signing of contract not as 	Yes	Will only be Required from awarded service provider during Contract Management phase			

Phase 2: Technical Evaluation of Bid

The prospective bidder will be required to provide a sample for evaluation purposes as required in terms of the special terms and conditions of the bid. Samples per item must be accompanied with relevant Certification as per specification. Offers must comply strictly with the specification. Offers exceeding specification requirements will be deemed to comply with the specification. The quality of services/ supply must not be less than what is specified.

Phase 3: Price and Preference Points

The value of this bid is estimated to exceed or not to exceed R 50 000 000 (all applicable taxes included) and therefore the 80/20 or 90/10 preference point system shall be applicable.

Points for this bid shall be awarded for:

Price, and Specific Goals

The maximum points for this bid are allocated as follows:

CATEGORY	POINTS
PRICE	80 OR 90
SPECIFIC GOALS	20 OR 10
Total points for Price and must not exceed	100

The Department has identified the following specific goal:

- full points(20 points) to companies who are at least 51% Owned by Black People

Ownership verification will be conducted through Central Suppliers (CSD) Database by National Treasury, through the B-BBEE scorecard attributes or Companies and Intellectual Property Commission (CIPC). Bidders must submit CSD report and CIPC

Failure on the part of a bidder to submit proof of specific goals together with the bid will be interpreted to mean that preference points for specific goals are not claimed.

SECTION M: PRICING SCHEDULE

Name of bidder.....	Bid number: ZNB 6685/4/2023-H
Closing Time 11:00	Closing Date: 28 September 2023

OFFER TO BE VALID FOR **180** DAYS FROM THE CLOSING DATE OF BID

ZNB 6685/4/2023: SUPPLY AND DELIVERY OF RESPIRATORY AIDS ANAESTHETIC WORKSTATION AND VENTILATOR ACCESSORIES HME FILTERS SUCTION TUBING AND DEVICES, NASOGASTRIC TUBES FOR VARIOUS INSTITUTIONS FOR A PERIOD OF 3 YEARS

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1 (incl. VAT)	Year 2 (incl. VAT)	Year 3 (incl. VAT)	Year 1 + Year 2 + Year 3 (incl. VAT)	
BCC1	999952U4797826	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Neonatal 15mm Circuit: ± 1.6m ; 15mm Extra limb: ± 0.8m Reservoir bag: 500ml					
BCC2	999952U4797814	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Neonatal 15mm Circuit: ± 1.6m ; 15mm Extra limb: ± 1.2m Reservoir bag: 500ml					
BCC3	999952U4797840	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Paediatric > 3 yrs. 15mm Circuit: ± 1.6m ; 15mm Extra limb: ± 0.8m Reservoir bag: 1l					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1	Year 2	Year 3	Year 1 + Year 2 + Year 3	
			(incl. VAT)	(incl. VAT)	(incl. VAT)	(incl. VAT)	
30 500 46	999952U4797853	Corrugated breathing circuit with extra limb with breathing bag - Single Use Adult 22mm Circuit: ± 1.8m ; 22mm Extra limb: ± 0.8m OD: 22mm Reservoir bag: 2l					
BCC4	999952U4797865	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Adult 22mm Circuit: ± 1.8m ; 22mm Extra limb: ± 1.2m OD: 22mm Reservoir bag: 2l					
BCC5	999952U4797877	Corrugated breathing circuit with extra limb and breathing bag - Single Use - Adult Long 22mm Circuit: ± 2.5m ; 22mm Extra limb: ± 1.2m OD: 22mm Reservoir bag: 2l					
30 500 48	999952U4797891	Mapleson F breathing circuit - (Modified Ayre's T piece) for children < 20-25 kg 15mm Circuit ± 1.8 - 2.1m Expiratory Limb 0.4m Reservoir bag: 0.5l open ended					
30 500 52	999952U4797915	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Neonatal 10mm Circuit: ± 1.8m ; Extra limb: ± 0.4m Reservoir bag: 500ml					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1	Year 2	Year 3	Year 1 + Year 2 + Year 3	
			(incl. VAT)	(incl. VAT)	(incl. VAT)	(incl. VAT)	
BCS1	999952U4797927	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Paediatric > 3yrs 15mm Circuit: $\pm 1.6m$; Extra limb: $\pm 0.8m$ Reservoir bag: 1l					
30 500 51	999952U4797939	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Paediatric > 3yrs 15mm Circuit: $\pm 1.6m$; Extra limb: $\pm 1.2m$ Reservoir bag: 1l					
30 500 49	999952U4797941	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Adult 22mm Circuit: $\pm 1.8m$; Extra limb: $\pm 0.8m$ Reservoir bag: 2l					
BCS2	999952U4797979	Smooth bore breathing circuit with extra limb and breathing bag - Single Use Adult 22mm Circuit: $\pm 1.8m$; Extra limb: $\pm 1.2m$ Reservoir bag: 2l					
30 500 53	999952U4797981	Breathing Circuit for ventilation in the ICU setting. Neonatal/ Paediatric – 15mm Corrugated tubing with Single Heated Inspiratory Limb For patients 0-15kg					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1 (incl. VAT)	Year 2 (incl. VAT)	Year 3 (incl. VAT)	Year 1 + Year 2 + Year 3 (incl. VAT)	
30 500 55	999952U4798006	Breathing Circuit for ventilation in the ICU setting. Paediatric/Adult – 22mm Corrugated tubing with Single Heated Inspiratory Limb For patients > 15kg					
30 500 54	999952U4798020	Breathing Circuit for ventilation in the ICU setting. Neonatal/ Paediatric – Dual Inspiratory and Expiratory Heated Limbs For patients 0-15kg					
30 500 56	999952U4798032	Breathing Circuit for ventilation in the ICU setting. Paediatric/Adult – Dual Inspiratory and Expiratory Heated Limbs For patients > 15kg					
30 500 57	999952U4798057	Mechanical Filter for Machine Protection with Viral and Bacterial Filtration - Adult, Straight, straight with Tidal Volumes: 300ml – 1500ml					
30 500 63	999952U4798121	Heat Moisture Exchange Filter (HMEF) – Infant, Straight with Tidal Volumes: 30 - 100ml (maximum: 200ml)					
HMEF1	999952U4798133	Heat Moisture Exchange Filter (HMEF) – Infant, Angled with Tidal Volumes: 30 - 100ml (maximum: 200ml) Integrated 45 - 90° angled elbow design					
30 500 62	999952U4798158	Heat Moisture Exchange Filter (HMEF) – Paediatric, Straight with Tidal Volumes > 75ml.					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1 (incl. VAT)	Year 2 (incl. VAT)	Year 3 (incl. VAT)	Year 1 + Year 2 + Year 3 (incl. VAT)	
30 500 61	999952U4798172	Heat Moisture Exchange Filter (HMEF) – Paediatric, Angled with Tidal Volumes > 75ml Integrated 45 - 90° angled elbow design					
30 500 59	999952U4798184	Heat Moisture Exchange Filter (HMEF) – Adult, Straight with Tidal Volumes > 150ml					
HMEF2	999952U4798210	Heat Moisture Exchange Filter (HMEF) – Adult, Angled with Tidal Volumes > 150ml Integrated 45 - 90° angled elbow design					
HMEF3	999952U4798234	Heat Moisture Exchange Filter -High-efficiency Particulate Air Filter (HME-HEPA) - Adult, Straight Tidal Volumes: 150ml – 1500ml Maximum use: 24 hrs					
HMEF4	999952U4798246	Heat Moisture Exchange Filter -High-efficiency Particulate Air Filter (HME-HEPA) - Adult, Straight Tidal Volumes: 150ml – 1500ml Maximum use: 48 hrs					
HME1	999952U4798259	Heat And Moisture Exchanger (HME) - Neonatal HME Replacement Connector Size 3.0 for VT 10-50ml					
HME2	999952U4798273	Heat And Moisture Exchanger (HME) - Neonatal HME Replacement Connector Size 3.5 for VT 10-50ml					
30 500 64	999952U4798285	Heat And Moisture Exchanger (HME) - Neonatal Straight For Tidal Volumes > 8ml					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1	Year 2	Year 3	Year 1 + Year 2 + Year 3	
			(incl. VAT)	(incl. VAT)	(incl. VAT)	(incl. VAT)	
HME3	999952U4798309	Heat and Moisture Exchanger (HME) - Infant straight For Tidal Volumes: > 50ml					
HME4	999952U4798311	Tracheostomy Heat and Moisture Exchanger (HME) - Infant straight with toggled Capnography port for Tidal Volumes: > 50ml					
HME5	999952U4795505	Tracheostomy heat and moisture exchanger (HME) – Single Sponge, NO Oxygen Port					
HME6	999952U4792965	Tracheostomy Heat and Moisture Exchanger (HME) - Adult, Double Sponge , with swivelled Oxygen connector and clipped Suction Port For Tidal Volumes: > 60ml					
HME7	999952U4792977	Tracheostomy Heat and Moisture Exchanger (HME) Adult, Double paper , with swivelled Oxygen connector and clipped Suction Port For Tidal Volumes: > 50ml					
30 500 67	999952U4795303	Rebreathing reservoir bag 0.5 litre with 15mm F connector - Single use					
30 500 68	999952U4795315	Rebreathing reservoir bag 1 litre with 15mm F connector - Single use					
30 500 69	999952U4795327	Rebreathing reservoir bag 1 litre with 22mm F connector - Single use					
30 500 70	999952U4795339	Rebreathing reservoir bag 2 litre with 22mm F connector- Single use					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1 (incl. VAT)	Year 2 (incl. VAT)	Year 3 (incl. VAT)	Year 1 + Year 2 + Year 3 (incl. VAT)	
BBR1	999952U4795341	Rebreathing reservoir bag 0.5 litre with 15mm F connector - Reusable					
BBR3	999952U4795354	Rebreathing reservoir bag 1 litre with 15mm F connector – Reusable					
BBR4	999952U4795366	Rebreathing reservoir bag 1 litre with 22mm F connector – Reusable					
BBR5	999952U4795378	Rebreathing reservoir bag 2 litre with 22mm F connector- Reusable					
CMS1	999952U4795517	Catheter mount with Straight Connector- Neonatal					
CMS2	999952U4795529	Catheter mount (15mm) with Straight Connector- Paediatric					
CMS3	999952U4795531	Catheter mount (22mm) with Straight Connector- Adult					
CME1	999952U479554	Catheter mount with Elbow connector, CO2 sampling port and toggled cap - Neonatal					
CME2	999952U4795556	Catheter mount with Elbow connector, CO2 sampling port and toggled cap - Paediatric					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1	Year 2	Year 3	Year 1 + Year 2 + Year 3	
			(incl. VAT)	(incl. VAT)	(incl. VAT)	(incl. VAT)	
CME3	999952U4798350	Catheter mount with Elbow connector, C02 sampling port and toggled cap - Adult					
CMDSE1	999952U4798362	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port and toggled cap – Neonatal					
CMDSE2	999952U4798386	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port and toggled cap – Paediatric					
CMDSE3	999952U4798398	Catheter mount with DOUBLE swivel elbow connector, Bronchoscopy/Aspiration Port and toggled cap - Adult					
EC3	999952U4795568	Anaesthetic circuit elbow (angled) connector, with toggled, capped luer lock sample port for Capnography: 22mm male/ 15mm female (Patient end) 15mm male (Circuit end)					
30 500 71	999952U4798400	Anaesthetic circuit elbow (angled) connector, with toggled, capped luer lock sample port for Capnography: 22mm male/ 15mm female (Patient end) 22mm female (Circuit end)					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price	Unit Price	Unit Price	Total Price	BRAND NAME
			Year 1	Year 2	Year 3	Year 1 + Year 2 + Year 3	
			(incl. VAT)	(incl. VAT)	(incl. VAT)	(incl. VAT)	
30 500 72	999952U4798424	Anaesthetic DOUBLE swivel elbow connector with 360° rotation, with suction port and toggled cap: 22mm male/ 15mm female (Patient end) 15mm male (Circuit end)					
EC4	999952U4798448	Anaesthetic DOUBLE swivel elbow connector with 360° rotation, and a sealable bronchoscopy port and toggled cap Must have a diaphragm which hugs fibre-optic bronchoscope 22mm male/ 15mm female (Patient end) 15mm male (Circuit end)					
30 500 73	999952U4795380	Anaesthetic circuit straight connector 15mm male to 15mm male					
30 500 74	999952U4795392	Anaesthetic circuit straight connector 15mm female/22mm male to 22mm male					
30 500 75	999952U4795404	Anaesthetic circuit straight connector 15mm female/22mm male to 22mm female					
30 500 76	999952U4795416	Anaesthetic circuit straight connector 22mm male to 22mm male					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price Year 1 (incl. VAT)	Unit Price Year 2 (incl. VAT)	Unit Price Year 3 (incl. VAT)	Total Price Year 1 + Year 2 + Year 3 (incl. VAT)	BRAND NAME
30 500 77	999952U4795428	Anaesthetic circuit straight connector 22mm male to 22mm female					
30 500 78	999952U4798665	Scavenging connector straight connector 22mm male to 30mm female					
30 500 79	999952U4798677	Scavenging connector straight connector 30mm male to 30mm male					
SC1	999952U4798653	Scavenging connector straight connector 19mm male/22mm male Pendant scavenger side					
30 500 80	999952U4795442	Anaesthetic circuit Y-piece connector - Adult 22mm male (inspiratory and expiratory limb) to 15mm female/22mm male (patient end)					
30 500 81	999952U4795455	Anaesthetic circuit Y-piece connector - Paediatric 15mm male (inspiratory and expiratory limb) to 15mm female (patient end)					
30 500 82	999952U4798691	Aerosol Straight Connector with toggled port to fit nebulising canister: 15mm Male to 15mm Female					
30 500 84	999952U4798525	Nipple Nut-and-stem "Christmas tree" oxygen adapter - Plastic					

CAT NO.	ICN NO:	DESCRIPTION	Unit Price Year 1 (incl. VAT)	Unit Price Year 2 (incl. VAT)	Unit Price Year 3 (incl. VAT)	Total Price Year 1 + Year 2 + Year 3 (incl. VAT)	BRAND NAME
30 500 85	999952U4798501	Nipple Nut-and-stem "Christmas tree" oxygen adapter – Metal					
30 500 86	999952U4795481	Oxygen bubble humidifier bottle – pre-filled 300-500ml					
30 500 88	999952U4795479	Transparent oxygen tubing with a Double Ended Female Connector Standard bore: 3.2mm Length: ± 2m					
30 500 89	999952U4795467	Green oxygen tubing with a Double Ended Female Connector Standard bore: 3.2mm Length: ± 2m					
30 500 90	999952U4795493	Washer - Bodok Seal					

**NB. Total Unit Price is the price that will be used to evaluate the bid.
The annual unit price will be the applicable (contractual) price per year per item.
The delivery must be in accordance with packaging as per specification**

Required by: KZN DEPARTMENT OF HEALTH

-At: **VARIOUS INSTITUTIONS**

Country of origin

Brand

Delivery period (on order)

Failure to comply with the above shall invalidate the offer received.

Note: All delivery costs must be included in the bid price, for delivery at prescribed destination

.....
(Signature of Bidder)

.....
Date

.....
(Signature of Witness)

.....
Date