

DIRECTORATE:

CENTRAL SUPPLY CHAIN
MANAGEMENT

Physical Address: 121 Chief Albert Luthuli Street
Capital Towers Building, Pietermaritzburg 3201
Postal Address: P/Bag x9051, Pietermaritzburg 3200
Tel: 033 846 7386 Fax: 033 846 7422 Email: snqobile.malinga@kznhealth.gov.za

## **BID EXTENSION FORM**

	venue		Chief Albert Luthuli S ling, Pietermaritzburg		
	Time	10h0			
Compulsory Briefing session/site visit	Date		07 June 2016		
Sector	Central Supply Chain Management				
Category	General				
	Pietermaritzburg (Bids should be deposited in the bid box before closing date and time)				
Where bid should be delivered	121 Chief Albert Luthuli Street, Capital Towers Building,				
Cost of Document	R420.00				
,	should be made at Natalia Building-Cashiers Office, 330 Langalibalele Street, Pietermaritzburg, 3201.				
Payment Details	If the document is collected at the address given above, payment				
WITCHE DIG CALL DE COLLECTEU	121 Chief Albert Luthuli Street, Capital Towers Building, Pietermaritzburg, alternatively, the document may be downloaded at www.etenders.gov.za				
here bid can be collected 121 0		Albert I	Technical Enquiries: Ms. R Nadasen rani.nadasen@kznhealth.gov.za 033 897 100 uthuli Street Capital Towers Building		
	Contact person		Admin Enquiries: Mr. M. Sangweni muziwandile.sangwen@kznhealth.gov.za 033 846 7526		
Contact Details	Fax		No telegraphic, Telex, Facsimile, Emailed and late bids will be considered		
	Physical Address		Central Supply Chain Management, 121 Chief Albert Luthuli Street Capital Towers Building, Ground floor		
	Postal Address		Head of Department, Central Supply Chain Management Directorate, Private Bag X 9051, Pietermaritzburg 3200		
Closing Date and Time	Date	22 July	2016	Time	11H00
The place where goods, work or service required	KZN Department of Health: Various Institutions				
Name Institution	KZN Department of Health: Various Institutions				
Bid Number	ZNB 5682/2016-H				
Bid Description	Supply, delivery and installation of radiology equipment for Various Institutions				