SharePoint

Tsaulwayo Nkosiphendulo - ?



KZN Health Intranet

Search this site

HOME CORPORATE INFORMATION COMPONENTS DIRECTORY DISTRICT OFFICES HEALTH FACILITIES

KZN Health > Components > Supply Chain Management

AdvertQuote

HEALTH REPUBLIC OF SOUTH AFRICA	Quotation Advert	
Opening Date:	2022-07-04	
Closing Date:	2022-07-18	[0]
Closing Time:	11:00	
INSTITUTION DETAILS		
Institution Name:	King Edward VIII hospital	V
Province:	KwaZulu-Nalal	
Department or Entity:	Department of Health	
Division or section:	Central Supply Chain Management	
Place where goods / services is required	KEH Maintenance	
Date Submitted	2022 07 01	
ITEM CATEGORY AND DETAILS		0
Quotation Number:	ZNQ:	
	KEV246/22	
Item Category:	Goods	$\nabla$
Item Description;	After Service Repair of Kitchen equipment: Quotation a vert please print it and bring it with you for briefing ses signed and stamped failer to do so will result to disqual	sion so it can be
Quantity (If supplies)		
Quantity (If supplies) COMPULSORY BRIEFING SESSION	N / SITE VISIT	
	N / SITE VISIT  Compulsary Briefing Session	<u> </u>
COMPULSORY BRIEFING SESSION	7.0945.000-70034046.0004050-0	✓
COMPULSORY BRIEFING SESSION Select Type:	Compulsory Briefing Session	-
COMPULSORY BRIEFING SESSION Select Type: Date :	Compulsory Briefing Session 2022-07-12	-
COMPULSORY BRIEFING SESSION Select Type: Date : Time:	Compulsary Briefing Session 2022-07-12 11H00	-
COMPULSORY BRIEFING SESSION Select Type: Date : Time: Venue:	Compulsory Briefing Session 2022-07-12 11H00 KEH Outside Maintanance ( Workshop)	-
COMPULSORY BRIEFING SESSION Select Type: Date : Time: Venue: QUOTES CAN BE COLLECTED FROM:	Compulsary Briefing Session 2022-07-12 11H00 KEH Outside Maintanance ( Workshop)  Quotation attached to the advert  KEH Tander Rox	-
COMPULSORY BRIEFING SESSION Select Type: Date : Time: Venue: QUOTES CAN BE COLLECTED FROM: QUOTES SHOULD BE DELIVERED TO:	Compulsary Briefing Session 2022-07-12 11H00 KEH Outside Maintanance ( Workshop)  Quotation attached to the advert  KEH Tander Rox	-
COMPULSORY BRIEFING SESSION Select Type: Date : Time: Venue: QUOTES CAN BE COLLECTED FROM: QUOTES SHOULD BE DELIVERED TO: ENQUIRIES REGARDING THE ADV	Compulsary Briefing Session  2022-07-12  11H00  KEH Outside Maintanance (Workshop)  Quotation attached to the advert  KEH Tander Rox  ERT MAY BE DIRECTED TO:	
COMPULSORY BRIEFING SESSION Select Type: Date : Time: Venue: QUOTES CAN BE COLLECTED FROM: QUOTES SHOULD BE DELIVERED TO: ENQUIRIES REGARDING THE ADV	Compulsary Briefing Session  2022-07-12  11H00  KEH Outside Maintanance (Workshop)  Quotation attached to the advert  KEH Tander Rox  ERT MAY BE DIRECTED TO:	
COMPULSORY BRIEFING SESSION Select Type: Date: Time: Venue: QUOTES CAN BE COLLECTED FROM: QUOTES SHOULD BE DELIVERED TO: ENQUIRIES REGARDING THE ADV Name: Email:	Compulsary Briefing Session 2022-07-12 11H00 KEH Outside Maintanance ( Workshop) Quotation attached to the advert KEH Tander Box ERT MAY BE DIRECTED TO: Mr N Tsaulwayo / Mr S Gaxa	-

21.	STANDARD QUOTE DOCUMENTATION OVER R30 000.00
YOU ARE HEREBY INVIT	ED TO QUOTE FOR REQUIREMENTS AT: KING EDWARD VIII HOSPITAL
DATE ADVERTISED:	I-07-2022 CLOSING DATE: 18-07-2022 CLOSING TIME: 11:00
FACSIMILE NUMBER:	31 205 6722 E-MAIL ADDRESS:
	Sate 2 Francois Road Congela
QUOTE NUMBER: KEV	
DESCRIPTION: After ser	vice repair of kitchen equipment
CONTRACT PERIOD	
CENTRAL SUPPLIER DATA	ABASE REGISTRATION (CSD) NO.
UNIQUE REGISTRATION F	REFERENCE
DEPOSITED IN THE QUOT	E BOX SITUATED AT (STREET ADDRESS)
,	
Bidders should ensure the consideration.	nat quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for
The quote box is open from	08:00 to 15:30.
QUOTATIONS MUST BE S	UBMITTED ON THE OFFICIAL FORMS – (NOT TO BE RETYPED)
	THIS QUOTE IS SUBJECT TO THE FOLLOWING EVALUATION PROCESS
INCLUDING BUT APPLICABLE, AN ⇒ PROPOSALS MA	VILL BE EVALUATED FOR COMPLIANCE TO ADMINISTRATIVE AND SPECIFICATION REQUIREMENTS  NOT LIMITED TO BIDDER'S DISCLOSURE, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF IT OTHER SPECIAL CONDITIONS OF CONTRACT.  Y ALSO BE EVALUATED ON FUNCTIONALITY IF APPLICABLE AND STATED IN THIS DOCUMENT.  OPOSALS WILL THEN BE EVALUATED ON PRICE ONLY
	THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED)
NAME OF BIDDER .	
POSTAL ADDRESS .	
STREET ADDRESS .	
TELEPHONE NUMBER	ODENUMBER FACSIMILE NUMBER CODENUMBER
CELLPHONE NUMBER .	
E-MAIL ADDRESS .	

VAT REGISTRATION NUMBER (If VAT vendor)

		FOR QUOTATIONS OVER R30 000			BER: KEV246/			
DESCRIPTION	ON:	ervice repair of kitchen equipment						
SIGNATURE	OF BIDDER	t						
CAPACITY U	JNDER WHI	CH THIS QUOTE IS SIGNED						
Item No	Quantity	Description		Brand & model	Country of manufacture	Price		
		After service repair of kitchen equipment		model	manuracture	R	С	
							-	
							1	
							+	
					-			
	-						-	
							+	
	-					-	+	
			93				+	
						-	-	
		*					+	
			- 3					
		Drietad as the Dashaslas					+	
		Printed on the Packaging: Trade Name /Size and spec CE number Mar	nufacture			_		
		Lot Number and Exp date						
							- 3	
VALUE AD	DED TAX @	15% (Only if VAT Vendor)						
TOTAL QU	OTATION P	RICE (VALIDITY PERIOD 60 Days)						
					A.N.S. / S.A.B.S. Spec	ification?		
s The Price	rifff) f	State Delive	ery Period, (	e.g., 1day, 1w	еек			
		A STATE OF THE STA	inquiries r	egarding tec	nnical information ma	y be directe	ed to:	
		Tsaulwayo <sub>Tel</sub> 031360 3707	Contact Per	son: Mr S	Gaxa Tel:	031 360	3468	

#### BIDDER'S DISCLOSURE

#### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and othics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### 2. BIDDER'S DECLARATION

- 2.1. Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state?
  YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Identity Number	Name of State Institution
	Identity Number

2.2.	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution?  YES/NO
2.2.1.	If so, furnish particulars:
2.3.	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?
2.3.1.	If so, furnish particulars:

#### DECLARATION

- 3.1. I have read and I understand the contents of this disclosure;
- 3.2. I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Name of Bidder	Signature	Position	Date

I the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence of to direct the course and decisions of the enterprise.

<sup>2</sup> Jule, venture or Consortium means in association at persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

#### GENERAL CONDITIONS OF CONTRACT

#### 1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

#### 2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

#### 3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices, in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3. ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
  - (i) that the price(s), rate(s) quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk
  - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

### 4. SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the price, is incomplete in any respect, the said supplier meets all specification requirements and offers the lowest price, the Department reserves the right to request the bidder to complete/ submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

#### 5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
- 5.5. No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
- 5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

#### 6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
- (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
- (ii) If samples are not collected within two months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
- (i) If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All testing will be for the account of the bidder.

#### 7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1.	Bidders who fail to attend the compulsory meeting will be disqua	alified from the evaluation process.
(i)	The institution has determined that a compulsory site meeting	take place
(ii)	Date Time: Place	
Insti	fution Stamp:	Institution Site Inspection / briefing session Official
		Full Name:
		Signature:
-		Date:

#### 8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

### 9. TAX COMPLIANCE REQUIREMENTS

- 9.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 9.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

#### 10. TAX INVOICE

- 10.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
- (i) the name, address and registration number of the supplier;
- (ii) the name and address of the recipient;
- (iii) an individual serialized number and the date upon which the tax invoice is issued:
- (iv) a description and quantity or volume of the goods or services supplied:
- (v) the official department order number issued to the supplier;
- (vi) the value of the supply, the amount of tax charged;
- (vii) the words tax invoice in a prominent place.

#### 11. PATENT RIGHTS

The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

#### 12. PENALTIES

- 12.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 12.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 12.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 12.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

#### 13. TERMINATION FOR DEFAULT

- 13.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
- (ii) if the supplier fails to perform any other obligation(s) under the contract; or
- (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 13.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 13.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

#### 14. THE DEPARTMENT RESERVES THE RIGHT TO DISQUALIFY ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.



# R SPECIFICATION FORM

Quote Number:

KEU 246/22

Item Description: After Service Repair of Kitchen Equipment's

Department/Section: Maintenance

Purpose of Item: To avoid Breakdowns

Pre-qualification criteria if any:

1.1. Is the works required to have a regulatory body certification (e.g. S	ABS, SANS, SANAS, ISO, CIDB, etc.)? Yes:
1.1.1.1. CIDB Registered	
1.1.1.2. EB Grade 1 Registered	
1.1.1.3. Electrical Artisan with copies of Qualifications	
1.2. Is a compulsory site inspection / briefing session required? Yes / N	ło
if Yes, specify: Date/ Time: Place	
1.3. Is local production and content part of the quote? Yes / No	
if Yes, specify:	
1.4. Provisions of section 4(1) (a) of the PPPFA Regulations, 2017 if app	plicable? Yes
if Yes, specify:	
1.5. Liability Cover insurance? Yes / No	
if Yes, specify: Yes: 3 <sup>rd</sup> party liability cover/insurance	
2. What is the specification of the required item?	
List specifications to be advertised	Comment

3.	Does a sample need	to be submitted?	No(select	option 3.1	or 3.2)
J.	Doco a sample neco	to be appunited:	MOTOCICCE	Option out	Or O'E'

After service repair of Kitchen equipments

- Time 11:00 Place: Maintenance Department 3.1. Deadline for submission if Yes: Date \_\_\_
- 3.2. Specify that samples must be made available when requested in writing. No
- 4. Penalties to be noted by the suppliers:
  - 4.1. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

What are the evaluation criteria / special terms and conditions to be advertised?

1.	Pre-qualification criteria	
2.	Administrative	Does the offer comply to stipulated administrative requirements?
3.	Conformance:	CIDB I attached to tender document.
4.	Performance:	Will/does the product/service fulfil its performance obligation, in a manner that releases the supplier from all liabilities under the contract?
5.	Features:	What characteristics does the product or service have?
6.	Reliability:	How long can a product go between failures and the need for maintenance? (guarantee)
7.	Durability:	What is the useful life for the product? How will the product hold up under extended use?
8.	Serviceability:	How easy is it to repair, maintain or support the product or service? (customer support)
9.	Ability & Capacity	The ability and capacity of the vendor to execute the contract
10.		

Name of End-user (in full)	Sizwe Gaxa	Name of SCM Rep (in full)	
Designation / Rank (in full)	Electrical Supervisor	Designation/ Rank (in full)	
Signature	ELAXA	Signature	X
Date	09/05/2022	Date	



## KING EDWARD VIII HOSPITAL SYSTEMS COMPONENT - MAINTENANCE

Private Bag X02, CONGELLA, 4013 Corner of Sydney & Rick Turner Road (Francois Road) Tel: 031-031 3603468 Fax:031-2050207; Email: www.kznhealth.gov.za

Enquires: Mr. S. Gaxa

Ext: 3439

# SPECIFICATION FOR REPAIRING OF KITCHEN EQUIPMENT

# 1. WORK TO BE DONE: -

Repair Kitchen Equipment as per list below:-

		HOURS
1.DSE	0001783-201 WE RATIONAL OVEN-SERIAL NUMBER - E21SH	113122381776
	Universal fill hose 2M bent end for dishwasher and ovens	1
	Sensor core probe new 6 wire /X Black	1
	Pump for cleaning up	1
•	Single solenoid valve CPC	1
2.DSE	0001783-201 WE RATIONAL OVEN - SERIAL NUMBER – E219	SH13082364035
	Thermocouple humidity B4	1
٠	Motor shaft gasket kit	1
3.DSE	0001859-POTATOE PEELER – SERIAL NUMBER 08400003001	140055
	OZTI : TIMER 0-4	1
•	OXTI: PSM cover knob for P/Peel	1
	Upper lid	1
•	Smaller lid	1
4.DSE	0001849-CAPDAN POT –PH250E MP2200	
	110 KPA safety valve	1
	Half inch bras filler out	2
•	2M inlet hose	1
	Twin-pot element 6pin 2 way bridged	3
0	Cardan 11 pin level relay	2
	Air-vents	1

	Probe low water new type	2
	S/still bolts	1
	Distill water	3
DSF	0001850-CAPDAN PTO – PH150E MP2597	
9, 131	Safety valve	1
	Airvents	1
	Half inch bras filler nut	2
•	2M inlet hose	1
	Twinpot element 6 pin 2 way bridged	3
	Probe low water new type	2
	Capdan 11 pin level relay	3
	Distill water	4
	Distill water	
6. DSE	0001851-CAPDAN POTR- PH250E MP2199	
	Safety valve	1
	Airvents	1
•	Half inch bras filler nut	2
•	2M inlet hose	1
	Twinpot element 6 pin 2 way bridged	3
	Probe low water new type	2
0	Capdan 11 pin level relay	2
٠	Distill water	3
7 DSI	E0001852-CAPDAN POT -PH150E MP2594	
7. DSI	Safety valve	1
	Airvents	1
	Probe low water new type	2
	Capdan 11 pin level relay	2
	Twin- pot element 6 pin 2 way bridged	3
	Half inch bras filler nut	2
	2M inlet hose	1
	Distill water	3
	Distili water	
8. DS	E0001853-CAODAN POT – PH150E MP2596	
•	Safety valve	1
	Airvents	1
	Probe low water new type	2
	Capdan 11 pin level relay	2
	Twinpot element 6 pin 2 way bridged	3

0	Half inch bras filler nut	2
	2M inlet hose	1
٠	Distill water	3
DCE	0001854-CAPDAN POT -PH150E MP2595	
. DSE		1
	Safety valve Airvents	1
338	Element contactor model PH350E	1
•		1
	Cassini model 250 thermostate 30-150	2
•	Probe low water new type	2
•	Capdan 11 pin level relay	3
•	Twinpot element 6 pin 2 way bridged	
•	Half inch bras filler nut	2
	2m inlet hose	1
•	Distill water	3
10. DS	SE0001855-TILTING PLAN -125/13/3616	
0	Element contactor model PH350E	1
	Twinpot element 6 pin 2 way bridged	8
	Cutting & Welding	1
	Half inch brass filler nut	1
	Complete tap	1
	2M inlet hose	1
	Mini circuit breaker MDW-B40 40A 5KA	3
11.DS	E0001856-TILTING PAN-125/13/3664	
	Spring tension 28 coils tinned for TP80 T/pan	1
	Contactor CWM18-10-30D24 7.5KW	1
	Element T9376 230V. 2.5KW TP80	8
	Tap complete	1
	Cutting & welding	1
	Mini circuit breaker MDW-B40 40A 5KA	1
	2M inlet hose	3
	Collection and delivery	1
12 D	SE0001857-TILTING PLAN -125/13/3674	
1Z, D.	Pilot non indictor – red	1
000	Tap complete	1
400	Lav Complete	
0	Element T9376 230V 2.5KW	8

0	Mini circuit breaker MDW = B40 40QA 5KA	3
0	Cutting & welding	1
	2M inlet hose	1
	Collection and delivery	
	E0001858-TILTING PAN -125/13/3666	T2
•	Complete Tap	1
	Cutting & Welding	1
	2M inlet pipe	1
•	Pilot neon indicator – Red	1
0	Pilot neon indicator – Amber	1
	Spring tension 28 coils tinned for TP80 T/PAN	1
	Element T9376 230V. 2.5KW	8
•	Mini circuit breaker MDW-B40 40A 5KA	3
14 DS	E 0001792 – RE3 ELECTRIC RANGE – 143/33/10258	
0	Element : T023/KGE01 2KW 320V inner	3
	Element : T024/KGE02 2KW 230V outer	3
	Element : T024/KGE02 2KW 250V Outer	3
1999		1
	Thermostat – 3 phase 50-300C EG 300C	
۰	Pilot neon indicator – Amber	1
•	Terminal – procelain block 4-way	3
15. DS	E0001790-RE3 ELECTRIC RANGE - 143/33/10254	
	Element: T023/KGE01 2KW 230V inner	3
	Element: T024/KGE02 2KW 230V outer	3
	Element: T032/A 2000W/230V KGE41	3
	Thermostat – 3 phase 50-300C EG 300C	1
0	Pilot neon indicator – Amber	1
•	Terminal – procelain Block 4-way	3
16. DS	E0001860- RE3ELECTRIC RANGE -	12
	Element: T023/KG01 2KW 230V inner	3
•	Element: T024/KGE02 2KW 230V outer	3
	Element: T032/A/ 2000W/230V KGE41	3
٠	Mini circuit breaker MDW-B40 40A 5KA	3
	Thermostat – 3 phase 50-300C EG 300C	1
	Pilot neon indicator – Amber	
	Knob 0-3 MKV Stove	3
	Knob 0-300 degrees	1