

Quotation Advert

Opening Date: Closing Date:

11/08/2023 25/08/2023

Closing Time:

11:00

INSTITUTION DETAILS

Institution Name:

Niemeyer Memorial Hospital

Province:

KwaZulu-Natal

Department of entity:

Department of Health

Division or section:

Central Supply Chain Management

Place where goods/

NIEMEYER MEMORIAL HOSPITAL

service is required:

Date Submitted:

11/08/2023

ITEM CATEGORY AND DETAILS

Quotation number:

ZNQ: NMH185/23-24

Item Category:

Services

Item Description:

CONVERT STORE ROOM INTO OFFICE

Quantity (if supplies):

01 UNIT

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type:

Complusory Briefing

Date:

16/08/2023

Time:

10H00

Venue:

Niemeyer Memorial Hospital, 31 Kantoor Street, Utrecht

QUOTES CAN BE COLLECTED FROM: \

Website

QUOTES SHOULD BE DELIVERED TO:

Niemeyer Memorial Hospital, 31 Kantoor Street, Utrecht,

2980

ENQUIRIES REGARDING ADVERT MAY BE DIRECTED TO:

Name:

MR. R.S. MANANA

Email:

RemigiuSinothi.Manani@kznhealth.gov.za

Contact number: 034 331 2369

Finance Manager Name:

MR N.R.MTSHALI

Finance Manager Signature



PARTICULARS OF QUOTATION
YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: Niemeyer Memorial Hospital
FACSIMILE NUMBER: 034 331 4498 E-MAIL ADDRESS: Niemeyer.Quotations@kznhealth.gov.za
PHYSICAL ADDRESS: 31 Kantoor Street, Utrecht, 2980
QUOTE NUMBER: ZNQ / NMH / 185 / 23 - 24 VALIDITY PERIOD: 60 DAYS
DATE ADVERTISED: 11/08/2023 CLOSING DATE: 25/08/2023 CLOSING TIME: 11:00
DESCRIPTION: CONVERT STORE ROOM INTO OFFICE NEXT TO TRANSPORT OFFICE
CONTRACT PERIOD (IF APPLICABLE): Once-Off
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS): Niemeyer Memorial Hospital, 31 Kantoor Street, Utrecht, 2980
ENQUIRIES REGARDING THE QUOTE MAY BE DIRECTED TO: CONTACT PERSON: Mr. T.P.E. Mbatha TELEPHONE NUMBER: 034 331 2369
E-MAIL ADDRESS: Niemeyer.Quotations@kznhealth.gov.za
ENQUIRIES REGARDING TECHNICAL INFORMATION MAY BE DIRECTED TO: CONTACT PERSON: Mr. R.S. Manana TELEPHONE NUMBER: 034 331 3011
E-MAIL ADDRESS: Niemeyer.Quotations@kznhealth.gov.za
Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration.
The quote box is open from 08:00 to 15:30.
QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS - (NOT TO BE RETYPED)
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT.
THE FOLLOWING PARTICULARS OF BIDDER MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED)
NAME OF BIDDER:
E-MAIL ADDRESS:
POSTAL ADDRESS:
STREET ADDRESS:
TELEPHONE NUMBER: FACSIMILE NUMBER:
CELLPHONE NUMBER: SARS PIN:
VAT REGISTRATION NUMBER (If VAT vendor):
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.
JNIQUE REGISTRATION REFERENCE:



OFFICIAL PRICE PAGE FOR QUOTATIONS OVER R2 000.01 , 185 ,23 _ 24 QUOTE NUMBER: ZNQ / NMH CONVERT STORE ROOM INTO OFFICE NEXT TO TRANSPORT OFFICE DESCRIPTION: PREFERENCE POINTS WILL BE ALLOCATED ACCORDING TO THE IMPLEMENTATION OF SPECIFIC GOALS IN TERMS OF PPR 2022: POINTS ALLOCATED Promotion of South African owned enterprises 20 COUNTRY OF PRICE **UNIT OF** BRAND & ICN NUMBER QUANTITY DESCRIPTION MANUFACTUR MEASURE MODEL 01 UNIT CONVERT STORE ROOM INTO OFFICE NEXT TO TRANSPORT **OFFICE** NB: SEE SPECIFICATIONS ATTACHED

VALUE ADDED TAX @ 15% (Only if VAT Vendor)			
TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days)			
DOES THIS OFFER COMPLY WITH THE SPECIFICATION? IS THE PRICE FIRM? DOES THE ARTICLE CONFORM TO THE S.A.N.S. / S.A.B.S. SPECIFICATION STATE DELIVERY PERIOD (E.G. 3 DAYS, 1 WEEK)	N?	YES YES YES	/ NO
NAME OF BIDDER:	SIGNATURE OF BIDDER: [By signing this document, I hereby agree to all terms	and conditions	
CAPACITY UNDER WHICH THIS QUOTE IS SIGNED:	DATE:		
		Page 2 of	F 12

NAME OF STATE INSTITUTION



BIDDER'S DISCLOSURE

SBD 4

1 PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2	BIDDER'S DECLARATION
---	-----------------------------

FULL NAME

2.

2

2.1. Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise, employed by the state?

IDENTITY NUMBER

2.1.1. If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

2.	Do you, or any person connected with the bidder, have a	relationship with any person who is employed by the procuring institution?	YES / NO
2.1.	If so, furnish particulars:		
3.	Does the bidder or any of its directors / trustees / shareho enterprise have any interest in any other related enterprise	olders / members / partners or any person having a controlling interest in the e whether or not they are bidding for this contract?	YES / NO
3.1.	If so, furnish particulars:		
	DECLARATION		
	I, the undersigned,(name)	in submitting the accompanying bid	d, do hereby make

3.1. I have read and I understand the contents of this disclosure;

the following statements that I certify to be true and complete in every respect:

- 3.2. I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

NAME OF BIDDER	SIGNATURE	POSITION	DATE

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



GENERAL CONDITIONS OF CONTRACT

GCC

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid/quotation documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the
 General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

1 Definitions

The following terms shall be interpreted as indicated:

- 1.1. "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2. "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3. "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4. "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5. "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6. "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7. "Day" means calendar day.
- 1.8. "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9. "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11. "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA
- 1.12. "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14. "GCC" means the General Conditions of Contract.
- 1.15. "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16. "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17. "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18. "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19. "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20. "Project site," where applicable, means the place indicated in bidding documents.
- 1.21. "Purchaser" means the organization purchasing the goods.
- 1.22. "Republic" means the Republic of South Africa.
- 1.23. "SCC" means the Special Conditions of Contract.
- 1.24. "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25. "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2 Application

- 2.1. These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2. Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3. Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3 General

- 3.1. Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2. With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za



4 Standards

- 4.1. The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.
- 5 Use of contract documents and information; Inspection.
- 5.1. The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2. The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3. Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4. The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6 Patent rights

6.1. The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7 Performance security

- 7.1. Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2. The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3. The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4. The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8 Inspections, tests and analyses

- 8.1. All pre-bidding testing will be for the account of the bidder.
- 8.2. If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3. If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4. If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5. Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6. Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7. Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8. The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9 Packing

- 9.1. The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10 Delivery and documents

- 10.1. Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2. Documents to be submitted by the supplier are specified in SCC.

11 Insurance

11.1. The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.



12 Transportation

12.1. Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13 Incidental services

- 13.1. The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
 - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the 13.2.

 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14 Spare parts

As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) In the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15 Warranty

- 15.1. The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2. This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3. The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4. Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5. If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16 Payment

- 16.1. The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2. The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3. Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4. Payment will be made in Rand unless otherwise stipulated in SCC.

17 Prices

17.1. Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18 Contract amendments

18.1. No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

19 Assignment

19.1. The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20 Subcontracts

20.1. The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21 Delays in the supplier's performance

- 21.1. Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2. If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3. No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4. The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

STANDARD QUOTATION DOCUMENT FOR QUOTATIONS ABOVE R2 000.01



- 21.5. Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6. Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22 Penalties

22.1. Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23 Termination for default

- 23.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (a) if the supplier falls to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4. If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- 23.5. Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6. If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
 - (i) the name and address of the supplier and / or person restricted by the purchaser;
 - (ii) the date of commencement of the restriction
 - (iii) the period of restriction; and
 - (iv) the reasons for the restriction.
- These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

 23.7. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24 Anti-dumping and countervailing duties and rights

24.1. When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other amount whichmay be due to him.

25 Force Majeure

- 25.1. Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2. If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26 Termination for insolvency

26.1. The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27 Settlement of Disputes

27.1. If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

STANDARD QUOTATION DOCUMENT FOR QUOTATIONS ABOVE R2 000.01



- 27.2. If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3. Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4. Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5. Notwithstanding any reference to mediation and/or court proceedings herein,
 - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28 Limitation of liability

- 28.1. Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
 - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29 Governing language

29.1. The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30 Applicable law

30.1. The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31 Notices

- 31.1. Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2. The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32 Taxes and duties

- 32.1. A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2. A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3. No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

33 National Industrial Participation (NIP) Programme

33.1. The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

34 Prohibition of Restrictive practices

- 34.1. In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2. If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3. If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.



SPECIAL CONDITIONS OF CONTRACT

SCC

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3 ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation;
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk;
 - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has falled will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4 SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/ submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

STANDARD QUOTATION DOCUMENT FOR QUOTATIONS ABOVE R2 000.01



5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
 - If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All
 - (i) testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

	(i)	The in	stitution l	nas determine	ed that a compulsor	y site meeting	will	take plac	e.	
	(ii)	Date:	16	/ 08	/ 2023	Time:	10	: 00	Place:	Niemeyer Memorial Hospital
Institution	on St	amp;		=				Institution Site	Inspection	/ briefing session Official:
								Full Name:	T. >P. E.	Mbatha
								# 8		
								Signature:		
								Date:	11	

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10 TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11 TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
 - (i) the name, address and registration number of the supplier;
 - (ii) the name and address of the recipient;
 - (iii) an individual serialized number and the date upon which the tax invoice
 - (iv) a description and quantity or volume of the goods or services supplied;
 - (v) the official department order number issued to the supplier;
 - (vi) the value of the supply, the amount of tax charged;
 - (vii) the words tax invoice in a prominent place.

12 PATENT RIGHTS

12.1. The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

STANDARD QUOTATION DOCUMENT FOR QUOTATIONS ABOVE R2 000.01



14. TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
 - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
 - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 15. THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.



PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

SBD 6.1.

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1. The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2. The applicable preference point system for this tender is the 80/20 preference point system.
- 1.3. Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4. The maximum points for this tender are allocated as follows:

	POINTS		
PRICE	80		
SPECIFIC GOALS	20		
Total points for Price and Specific Goals	100		

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6. The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1. THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:



Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:



Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmax = Price of highest acceptable tender



POINTS AWARDED FOR SPECIFIC GOALS

DATE: ADDRESS:

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The <u>tenderer</u> must indicate <u>how</u> they claim points for each preference point system.

	The specific goal/s allocated points in terms of this tender	Number of points allocated (80/20 system)	Number of points claimed (80/20 system)
Prom	notion of South African owned enterprises	20	8 X
	DECLARATION WITH REGARD TO COMPANY/FIRM		
4.3.	Name of company/firm:	8	
4.4.	Company registration number:		24
4.5.	TYPE OF COMPANY/ FIRM [tick applicable box] Partnership/Joint Venture / Consortium One-person business/sole propriety Close corporation Public Company Personal Liability Company (Pty) Limited Non-Profit Company State Owned Company		
4.6.	I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that: i) The information furnished is true and correct; ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contract documentary proof to the satisfaction of the organ of state that the claims are correct; iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not be state may, in addition to any other remedy it may have — (a) disqualify the person from the tendering process; (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct; (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrar cancellation; (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors with basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the authors of the side) rule has been applied; and (e) forward the matter for criminal prosecution, if deemed necessary.	r may be require en fulfilled, the o	d to furnish rgan of such
	SIGNATURE(S) OF TENDERER(S) SURNAME AND NAME:		



5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

6. SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
 - If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All
 - i) testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

(i)) TI	ne ins	titution f	nas determin	ed that a compulsor	y site meeting	will	take plac	ce.
(ii) Da	ite:	16	/_08	/ 2023	Time:	10	: 00	Place: Niemeyer Memorial Hospital
Institution S	Stam	o:			a a	21 22	<u> </u>	Institution Sit	te Inspection / briefing session Official: T. P. E. Mbatha
								Signature:	
								Date:	

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10 TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11 TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
 - (i) the name, address and registration number of the supplier;
 - (ii) the name and address of the recipient;
 - (iii) an individual serialized number and the date upon which the tax invoice
 - (iv) a description and quantity or volume of the goods or services supplied;
 - (v) the official department order number issued to the supplier;
 - (vi) the value of the supply, the amount of tax charged;
 - (vii) the words tax invoice in a prominent place.

12 PATENT RIGHTS

12.1. The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- 13.3. Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.

KWAZULU-NATAL DEPARTMENT OF HEALTH

NIEMEYER MEMORIAL HOSPITAL

PART ONE **QOUTATION FORM**

TO BE COMPLETED BY THE CONTRACTOR AND SUBMITTED TO: SUPPLY CHAIN OFFICE NIEMEYER MEMORIAL HOSPITAL PRIVATE BAG X1004 **UTRECHT** 2980

FOR ATTENTION: SCM	
I/We hereby quote for the following service contract.	in accordance with the conditions as specified in the
CONVERT STORE ROOM TO OFFICE AND I	DRIVER'S ROOM
A: Equipment and material including mark -	-up and VAT. R
B: Labour, travelling, subsistence and trans	port including VAT. R
A+B FIXed Drice for scope of the	ted for , luding VAT. @15%
(Should there be any additions or omission accordingly.)	to the works qouted for , this price shall be adjusted
Time required for completion of service as s	pecified from receipt of official order:- Lead Time
	Site time
	Total time
Contractor's signature	Company name& address
Name to the same	***************************************
Name in block letters	
Date	

CONVERT STORE ROOM TO OFFICE NEXT TRANSPORT OFFICE

NIEM -23/24

Duration of Contract:

NOTE: PLEASE NOTE THAT THIS CONTRACT PERIOD IS FOR (3) WEEKS CONTRACTOR IS TO ENSURE THAT THEY HAVE STAFF IN PLACE TO COMPLETE THIS CONTRACT WITHIN THE STATED PERIOD.

NOTE: ALL WORK MUST BE OF A HIGH STANDARD NEAT AND CLEAN, AND CORRECT.

WORK DISCIPLINE:

This is a multi-disciplinary Contract and Contractors should only tender for services in respect of their own area/s of expertise. The Tenderer shall in the Schedule of Information, and by way of supplementary information, satisfy the Head of Department or his or her designee that sufficient equipment is possessed to execute the services, or an indication shall be given as to the manner in which such equipment would be sourced. Should the Tenderer not be able to prove possession of, or ability to access, sufficient equipment, the Tender will be wholly disqualified. The Head of Department or his or her designee reserves the right to investigate the existence and/or proposed sourcing of equipment.

The Tenderer also will be required to satisfy the Head of Department or his or her designee that a sufficient/qualified and experienced labour force is employed, or that sufficient

experienced labour can be acquired, to complete the services and produce a fair quality of workmanship. The Tenderer will be required to produce adequate and sufficient references to enable the Head of Department or his or her designee to inspect previously completed work and assess the capacity of the Tenderer.

The Head of Department or his or her designee reserves the right to recommend that Tenderers execute work of only certain types and up to certain capacities due to the limitations of experience and skills of the Tenderer. Any limitations to such work tendered for will be recommended to the Central Procurement Committee for approval and will be applied strictly during the contract period.

The successful Tenderer shall supply all materials, labour, tools and plant etc., necessary to carry out maintenance, repairs, servicing, upgrading, replacement, and minor new works to buildings.

Scope of Works:

This contract calls for, Convert store room to office next to transport office

CONVET STORE ROOM INTO OFFICE

- FLOORS
- Supply and lay new 300x300x 8.5mm porcelain tiles as supplied by Johnson or equal approved" ref TACN 1957YD" laid with an approved waterproof tile adhesive and finished by grouting with an approved anti- bacterial/ fungal grout. Note provide Tile in aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture
- SKIRTINGS
- Provide new skirting from 300x300x8.5mm porcelain tiles which are cut 100mm high at fixed to wall with an approved water proof tile adhesive and finish by grouting with an approved anti-bacterial /fungal. Note tile to be finished with Genesis metal profile ref.EPB090 colour.
- WALLS
- Chip existing plaster and apply sound layer of plaster on wall from floor level to ceiling height
- Apply one "PLASCON" under coat and two "PLASCON" wall to wall or equal approved., colour to be discussed with maintenance manager
- <u>CEILINGS:</u> REPLACE CEILING AND AIR-CONDITIONER IN THE DRIVER'S ROOM AND SUPPLY AND FIT NEW CEILING IN THE CONVERTED STORE ROOM
- Remove existing ceiling, in the driver's room and fit new 6mm thick, 900mm wide "NUTEC fibre cement boards as by "EVERITE" or equal approved. Fitted in largest possible lengths to fit room, fixed to 50x38mm SAP band-ring at max 450mm centres join ceiling boards with "H" profile joining strips as supplied by ceiling board manufacturer.
- 75mm Nutec cornice
- Finish: one coat "PLASCON" undercoat and two coats "PLASCON" wall to wall or equal approved system, colour to be discussed with hospital maintenance manager
- CUPBOARDS
- Supply and fit built-in cupboards180x70x (h)95cm with concealed hinge, steel rod handles and three drawers, Cleopatra counter top

ELECTRIC MATERIAL

- Electricity supply shall be taped from DB at transport office
- 1x 20A circuit breaker for plugs
- 1x10A circuit breaker for light
- 1.5mm² cable shall be used for lights connection
- 2.5mm² shall be used for socket outlet connection
- Cable shall be neatly ran inside 20mm² conduit pipe running inside wall
- 2x socket outlet crab-tree double complete with cover
- 1x extension box 4x4 for the existing plug
- Remove existing light and fit Eurolux C49Sc Alabaster Ceiling Light 400Mm Satin
 Chrome connected to the existing switch


ALUMINIUM DOOR

- Remove existing wooden door and frame and replace it with aluminium door
- Aluminium door shall be fitted with horizontal slats from bottom to the top, colour bronze

Note to service provider:

- 1. All material used in the scope of this project shall be S.A.B.S. approved.
- 2. Service provider to visit site and measurements to be checked before fabrication commences.
- 3. All enquiries will be handled within normal working hours, Monday to Friday between 7H30 to 16H00 and supervision will be carried out by a representative of the Department of Health, Niemeyer Memorial Hospital.

NOTE: PLEASE NOTE IF THE CONTRACTOR FAILS TO BEGIN WORK WITHIN ONE WEEK AFTER THE ORDER FOR THE CONTRACT WAS HANDED TO HIM THIS TENDER WILL BE TERMINATED.



NOTES: Length 180cm Width 70cm Height 75cm MATERIAL: Superwood

COLOUR: Matt white

COUNTER TOP: CLEOPATRA

BILLS OF QUANTITIES

NON-SCHEDULED RATES

STORE ROOM WALLS: • Chip existing plaster and make a sound layer of smooth new wall plaster • Apply one cost "PLASCON wall to wall and two coat PLASCON wall to wall and two coat PLASCON wall to wall and two coat PLASCON wall to wall or equal approved, colour to be discussed with maintenance manager CEILINGS: CONVERTED STORE ROOM • Supply and fit new form thick 900mm wide NUTEC fibre cement board as by EVERITIED requal approved, Fitted in the largest possible length to fit room, centre joint celling board with H- profile joining strips as supplied by ceiling board manufacturer. • Supply and fit 75mm NUTEC Coornice • Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM • Remove existing ceiling air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved, Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer • Supply and fit 75mm NUTEC Cornice • Finish: one coat PLASCON wall to wall or equal approved, experiment of the profile post with H profile joining strips as supplied by ceiling board manufacturer • Supply and fit 75mm NUTEC Cornice • Finish: one coat PLASCON wall to wall or equal approved, ref TAN 1957 YO laid with an approved waterpoof file adhesive by grouting with an approved anti-bacterial vall-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Klirk or equal, at why tile juncture. SKIRING: • Provide new skirting cut from 300x30x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof file adhesive and finish by grouting with approved anti-bacterial fungal. CUPBOARD: • Supply and fit Bar handle Misteel	ITEM	AUGUSTION	UN	IT QUANTI	TY RATE	Oliopisca
WALLS: Chip existing plaster and make a sound layer of smooth new wall plaster Apply one coat "PLASCON wall to wall or equal approved, colour to be discussed with maintenance manager CEILINGS: CONVERTED STORE ROOM Supply and fit new form thick 900mm wide NUTEC fibre cement board as by EVERITEOr equal approved. Fitted in the largest possible length to fit room, centre joint celling board with H- profile joining strips as supplied by celling board manufacturer. Supply and fit 75mm NUTEC Comice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing celling, air-conditioner and fit new form thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join celling board with H- profile joining strips as supplied by celling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON wall to wall or equal approved and two coats PLASCON wall to wall or equal approved vaterprotor file adhesive by grouting with an approved anti-bacterial anti-funal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyt tile juncture. SKIRING: Frovide new skirting cut from 300x300x8.5mm porcelain tile and proved waterprotor file adhesive and finish by grouting with an approved water proof tile adhesive and finish by grouting with an approved water proof tile adhesive and finish by grouting with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial fungal. CUBDOARD: Supply and fit Bar handle M/steel	1	NIEMEYER HOSPITAL: -23/24		- GOMIII	KAIE	SUPPLY RATE
Chip existing plaster and make a sound layer of smooth new wall plaster Apply one coat "PLASCON wall to wall or equal approved, colour to be discussed with maintenance manager CELLINGS: CONVERTED STOR ROOM Supply and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITEOr equal approved. Fitted in the largest possible length to fit room, centre Joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON wall to wall or equal approved. FIT AN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial. Anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at winy! tile juncture. SKIRTING: Provide new skirting cut from 300x300x 8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial. Tungsi. CUPBOARD: Supply and fit Bar handle M/steel	1.					
a Apply one coat "PLASCON wall to wall and two coat PLASCON wall to wall or equal approved, colour to be discussed with maintenance manager CEILINGS: CONVERTED STORE ROOM Supply and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERTIEO requal approved. Fitted in the largest possible length to fit room, centre joint celling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS; Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved water proof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRING; Provide new skirting cut from 300x300x 8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive by grouting with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial/ fungal. CUPBOAD: Supply and fit Bar handle M/steel	1			İ		
Apply one coat 'PLASCON wall to wall and two coat PLASCON wall to wall or equal approved, colour to be discussed with maintenance manager CEILINGS: CONVERTED STORE ROOM Supply and fit new 8mm thick 900mm wide NUTEC fibre cement board as by EVERITEOr equal approved. Fitted in the largest possible length to fit froom, centre joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H- profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. Fit Toom of the coat PLASCON wall to wall or equal approved. Fit Toom of the coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. Fit Toom Post Yo I baid with an approved waterproof tile adhesive by grouting with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyt tile juncture. SKIRITING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial/ fungal. CUBBOARD: Supply and fit Bar handle Misteel		Chip existing plaster and make a sound	nd m²	19		
and two coat PLASCON wall to wail or equal approved, colour to be discussed with maintenance manager CEILINGS: CONVERTED STORE ROOM Supply and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITEOr equal approved. Fitted in the largest possible length to fit room, centre joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON undercoat and two coats PLASCON wall to wall or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Supply and fit Bar handle M/stee! Supply and fit Bar handle M/stee! Supply and fit Bar handle M/stee!		layer of smooth new wall plaster				
equal approved, colour to be discussed with maintenance manager CEILINGS: CONVERTED STORE ROOM Supply and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITEOr equal approved. Fitted in the largest possible length to fit room, centre joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling,air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON wall to wall or equal approved. FLOORS: Supply and fay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved anti-bacterial anti-fungal grout. Note provide Tile altuminium TRANSITION SLOPING STRIP as per Kirk or equal, at viryl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved mathematical fundamental approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steet		 Apply one coat "PLASCON wall to wall 	l m²	19		
GEILINGS: CONVERTED STORE ROOM Supply and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITEOr equal approved. Fitted in the largest possible length to fit room, centre joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling.air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit froom, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved artifungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at winyl tile juncture. SKIRTING: Prowide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved materprofile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD:		and two coat PLASCON wall to wall or	•			
Supply and fit new from thick 900mm wide NUTEC fibre cement board as by EVERITEOr equal approved. Fitted in the largest possible length to fit room, centre joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent Remove existing ceiling.air-conditioner and fit new form thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved areterproof tile adhesive by grouting with an approved anti-bacterial anti-fungal grout. Note provide Tile altuminium TRANSITION SLOPING STRIP as per Kirk or equal, at winyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved math-pacterial / fungal. CUPPOARD: Supply and fit Bar handle M/steel		equal approved, colour to be discussed	d			
Supply and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITEOr equal approved. Fitted in the largest possible length to fit room, centre joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit froom, centre join ceiling board with H profile Joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyt tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved waterpoof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: * Supply and fit Bar handle M/steel		CEILINGS: CONVERTED STORE		ĺ		
Wide NUTEC fibre cement board as by EVERITED re equal approved. Fitted in the largest possible length to fit room, centre joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats Plascon wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling,air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PlascoN undercoat and two coats PlascoN undercoat and proved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TaN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved mater proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD:		Supply and fit now Street (1: 1 200				
EVERTIEOF equal approved. Fitted in the largest possible length to fit room, centre joint celling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling.air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyi tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved materpoof tile adhesive and finish by grouting with approved anti-bacterial/fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyi tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved material / fungal. CUPBOARD: Supply and fit Bar handle M/steel		wide NUTEC fibra parametric	m	19		
largest possible length to fit room, centre joint ceiling board with H- profile joining strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling,air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD:	1	EVERITEOR equal approved Fitted in the				-
strips as supplied by ceiling board manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YO laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive by date and finish by grouting with approved anti-bacterial/ fungal. CUPBOARD: 19 12 12 15 15 15 15 17 18 19 19 19 10 11 11 12 12 12 12 13 14 15 15 15 15 15 15 15 15 15		largest possible length to fit room, and	e			
manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steet	- 1	joint ceiling board with H- profile icining	re			
manufacturer. Supply and fit 75mm NUTEC Coornice Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at viryl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: 9 Supply and fit Bar handle M/steel		strips as supplied by ceiling board	9	_		
Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM	1	manufacturer.				
Finish: one coat Plascon undercoat and two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at viryl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD:	1	 Supply and fit 75mm NUTEC Coornice 	m²	10		
two coats PLASCON wall to wall or equivalent CEILINGS: DRIVER'S ROOM Remove existing ceiling, air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial vali-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD:		 Finish: one coat Plascon undercoat and 		1.0		
CEILINGS: DRIVER'S ROOM Remove existing ceiling,air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial anti-ingual grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: May 2 12 12 12 15 15 15 15 16 17 18 19 19		two coats PLASCON wall to wall or	m ²	19		
Remove existing ceiling,air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: **Supply and fit Bar handle M/steet** 12 12 12 12 12 12 15 15	1	equivalent				
Remove existing ceiling,air-conditioner and fit new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: **Supply and fit Bar handle M/steet** 12 12 12 12 12 12 15 15	1	CEU MOR TOWN				
and it new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join celling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: M 15 m 15 m 19 19	[.	VEILINGS: DRIVER'S ROOM		1		
and it new 6mm thick 900mm wide NUTEC fibre cement board as by EVERITE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: * Supply and fit Bar handle M/stee!		 Remove existing ceiling,air-conditioner 				
EVERTIE or equal approved. Fitted in largest possible length to fit room, centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: By Carlot of the control of	1	and fit new 6mm thick 900mm wide	m ²	12		
largest possible length to fit room, centre join celling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel		NUTEC fibre cement board as by				90
centre join ceiling board with H profile joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti- bacterial / fungal. CUPBOARD: m 15 m2 19		largest possible law that Si				
joining strips as supplied by ceiling board manufacturer Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: m 15 m² 19 19 19 19 19 19		centre join ceiling beard with the				
Supply and fit 75mm NUTEC Cornice Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: M 15 m² 15 m² 19	- 1	ioining strips as supplied by sailting				
Supply and fit 75mm NUTEC Cornice Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: M 15 m² 15 m 19 19 19 19 19 19 19 19		board manufacturer				
 Finish: one coat PLASCON undercoat and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel 		Supply and fit 75mm NUTEC Committee	m	15		
and two coats PLASCON wall to wall or equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel	1	• Finish: one coat PLASCON undo-	1	13		
equal approved. FLOORS: Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel		and two coats PI ASCON wall to well a	m²	15		
Supply and lay new 300x300 x8.5mm porcelain tile as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel		equal approved.		1.0		
porceian file as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: 19 19 19 19 19 19 19 19	<u>F</u>	LOORS:				
porcelain file as supplied by Johnson or equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steet		Supply and lay new 300x300 x8 5mm			•	88
equal approved, ref TAN 1957 YD laid with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel	- 1	porceiain tile as supplied by Johnson or	m	19		
with an approved waterproof tile adhesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti- bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/stee!		equal approved, ref TAN 1957 VD laid				
adnesive by grouting with an approved anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel		with an approved waterproof tile			1	
anti-bacterial/ anti-fungal grout. Note provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved anti-bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steet	- 1	agnesive by grouting with an approved				u l
provide Tile aluminium TRANSITION SLOPING STRIP as per Kirk or equal, at vinyl tile juncture. SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel		anti-pacterial/ anti-fungal grout. Note				
SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel	1	provide Tile aluminium TRANSITION				
SKIRTING: Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel	1	vinyl tile impeture				
Provide new skirting cut from 300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel	SH	viriyi tile juncture.]	
300x300x8.5mm porcelain tile which are cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steet	-					
cut 100mm high at fixed wall with an approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel		300x300x8 5mm populate site and a	m²	19		
approved water proof tile adhesive and finish by grouting with approved antibacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steet	ĺ	cut 100mm high at fived well with		.0		
bacterial / fungal. CUPBOARD: Supply and fit Bar handle M/steel		approved water proof tile adhesive				
CUPBOARD: Supply and fit Bar handle M/steel		finish by grouting with approved anti-				8
• Supply and fit Bar handle M/steel		pacterial / fungal		I		
Supply and fit Bar handle M/steel	CL	JPBOARD:				
Supply and fit Bar handle M/steel						
DC-120-10		Supply and fit Bar handle M/steel				
96X136X12mm as shown in the drawing	1	96X136X12mm as shown in the drawing	each	06		
Concealed hinges plate 110mm and		 Concealed hinges plate 110mm and 	each	00		
screws shall be used each 06		screws shall be used	caun	συ		

,	 Rail and wheel runners shall be used for 	each	06	
	drawers Cleopatra counter post form shall be use on cupboard Apply three coat, spray painted MATT White or Satin White on cupboard	each	01	
	Remove existing wooden door and frame. Supply and fit aluminium 8 panels	each	01	
	standard size door • Apply two coat high gloss enamel on the existing burglar gate and on existing window inside out	each item	01 01	
	Chase wall for conduits 1x20A circuit breaker 1x10Acircuit breaker 1x2.5mm² surface cable 1x1.5mm² surface cable 2x socket outlet double crab-tree Trunking Supply and install EUROLUX C49Sc	each	01 01 01 50 50 02 6	
2.	ADDITIONAL MATERIAL REQUIRED TO COMPLETE WORK:			
				9

NIEMEYER MEMORIAL HOSPITAL

SUPPLY AND INSTALL AIR-CONDITIONER 12000BTU AT DRIVERS ROOM AND NEW OFFICE

<u>PART FOUR</u> <u>SCHEDULE OF PRICES</u> 4.1 <u>MATERIALS, EQUIPMENT AND INSTALLATION</u>

4.1.1	Price for supply and install to site 2x 12btu air-conditioning units as specified under item 3.5.1 of part 1 of the specification	R
4.1.2	Price for other material and equipment necessary to complete work as specified	R
4.1.3	Install electrical supply from D/B to air-conditioner and allow for 20amp x2 circuit breaker for each air-conditioner	R
4.1.4	Supply and install 2x 30 amps double isolator (water tight)	R
4.1.5	Compliance certificate for electrical work	R
	SUB- TOTAL	R
	% MARK UP	R
	15% VAT	R
	TOTAL C/F TO PAGE 1/1	R

KWAZULU-NATAL DEPARTMENT OF HEALTH NIEMEYER MEMORIAL HOSPITAL UTRECHT

SUPPLY NEW AIR-CONDITIONING 2X12000BTU SPLIT UNIT AT DRIVER'S ROOM AND NEW **OFFICE**

PART THREE TECHNICAL SPECIFICATION FOR THE INSTALLATION OF AIRCONDITIONING UNIT

3.1 SCOPE OF CONTRACT

This specification calls for the complete supply, delivery to site installation, testing and commissioning of TWO air-conditioning units at Niemeyer Memorial Hospital.

The complete installation shall include all necessary refrigerant piping, support branches and any other materials or equipment necessary to complete the installation.

3.2 GENERAL REQUIREMENTS

3.2.1 Tenderers are to make special note of the following:-

All builders work within this contract will be the responsibility of the contractor.

Contractors are advised to visit the site to acquint themselves fully with the nature and the full extent of the work involved. Claims on the ground of insufficient information will not be

All visible inter-connecting refridgerant piping, condensate drain piping and electrical cables within the building shall be connected in PVC or sheet metal trunking.

Competent workmen skilled in their trades shall carry out all work. Quality shall be of the best standard and all workmenship will be subject to the approval of the Hospital Maintanance manager

All apparatus, component parts, fittings and material employed in the execution of the contract shall be new and unused and shall be of the latest type or pattern of the particular manufacture specified. SABS mark bearing items shall be used wherever possible.

During the process of the work the contractor shall carefully clean up all debris and leave the premises and portion of the building in which his men have been working clean and free

3.3 OPERATING AND MAINTENANCE MANUALS

The contractor shall provide two sets of operating ans maintenance manuals for the airconditioning unit installed. The manuals shall include manufacturer literature, maintenance procedure and operating instructions.

3.4 PRINCIPAL ITEMS OF WORK INCLUDE

a) One underceiling split unit and one window airconditioner unit (single phase) with interconnecting refrigerant piping, cables and remote controls, supports brackets etc.

b) PVC cndensate drain piping , brackets etc

All necessary electrical work as specified hereinafter. d) Commissioning and testing of the complete installation . e) Any item specifically mentioned hereinafter.

3.5 AIR-CONDITIONING SPLIT UNIT

3.5.1 TYPE AND CAPACITY

A) Supply and install two cooling only underceiling (1)split type unit(single phase) at DRIVERS ROOM AND NEW OFFICE at Niemeyer hospital. The exact position of the unit will be right where the existing units were or discussed with Maintenance Manager. The condensing unit shall be mounted on the external wall of the building which is five metres distance from the position of the air handling units

COOLING:

12000 BTU SPLIT UNIT

3.5.2 HEATING: 1200 BTU SPLIT UNIT

Where specified, heating shall be by means of reverse cycle (heat pump)only.

3.5.3 CONTROLS

The under ceiling split type air-conditioner units (single phase) shall have their control fitted into attrective, remote surface mounted control boxes

3.5.4 SUPPORT BRACKET

The split unit condensing unit support brackets shall be hot dipped galvanized after manufacturer

3.6 REFRIGERANT PIPING

The inter-connecting refrigerant piping between the condensing units and the air handling units shall be of the best quality refrigerant class copper tubing, suitably size for unit installed.

All fittings shall be copper or brass.Refrigerant quality fittings, welded to the copper tubing using good quality SILFOS or SILVER SOLDER welding rod.

The suction and liquid lines shall be completely insulated against ambient temperatures to prevent condensation drip.

The piping shall be neatly saddled through out the entire pipe run, and saddles shall be spaced at interval of not more than one (1)metre.

Pipe runs shall be neat and the quality workmenship shall be employed.

All visible refrigerant piping within the building shall be run in suitably sized PVC or sheet-metal trunking . This trunking shall be supplied and fixed by contractor. If the sheet-metal trunking is used then the trunking shall be painted to match the color of the wall on which it is mounted.

3.7 CONDENSATE

The condensate from the air-conditioning unit shall be piped away in PVC tubing. The condensate piping shall be neatly saddled through out the entire run, spaced at interval as per the manufacturer recommendation.

3.8 ELECTRICAL WORK

The contractor will supply all the electrics to air-handling units and the external condenser unit inclusive of the supply, installation, fitting of the suitably size isolator mounted adjacent to the air-handling unit.

The supply feeding the new under-ceiling units must be 2.5m single phase supply run in 20mm galvanized Bosal tubing and to be run from the nearest D/B.

A single phase 20amps 5Ka curve (2) circuit breaker to be installed in D/B for the new airconditioner units.

A single phase isolator (2) in York box to be mounted next to the air-handling unit

Should it prove to be necessary new points must be tubed and wired from D/B in the adjacent foyer. Suitably size circuit breakers must be supplied and installed by contractor.

Contractor is to allow for the testing and issuing of COC(Certificate of compliance) for the electrical work.

BUILDER WORK

All builders work necessary in the contract e.g. forming of holes through the walls, marking good, etc. will be the responsibility of the contractor.

Contractor is to visit site to take all measurements for materials that is necessary to complete the installation.

4. SCHEDULE OF EQUIPMENT

MAKE	SUMSUNG/ DAIKIN
MODEL	
COOLING CAPACITY	
REFRIGERANT	
TYPE OF HEATING	

SIGNATURE OF TENDERER:			
DATE:			