

Quotation Advert

Opening Date:

2 107/2023

Closing Date:

(1/*08/* 28/07/2023

Closing Time:

11:00

INSTITUTION DETAILS

Institution Name:

Madadeni Hospital

Province:

KwaZulu-Natal

Department of entity:

Department of Health

Division or section:

Central Supply Chain Management

Place where goods/

Hospital wards

service is required:

04/08/

Date Submitted:

24/07/2023

ITEM CATEGORY AND DETAILS

Quotation number:

ZNQ: MAD/267/23-24

Item Category:

Services

Item Description:

001 91000

Newcastle

Supply, deliver & install signage at Charlestown clinic, Ingogo clinic &

Quantity (if supplies):

Click here to enter text.

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type:

Complusory Briefing

Date:

38107/2022

Time:

10:00

Venue:

Maintenance

QUOTES CAN BE COLLECTED FROM:

DOWNLOAD FROM KZN HEALTH WEBSITE

QUOTES SHOULD BE DELIVERED TO: ADMINISTRATION BUILDING, MADADENI HOSPITAL – TENDER BOX OR cebisile.khumalo@kznhealth.gov.za

ENQUIRIES REGARDING ADVERT MAY BE DIRECTED TO:

Name:

NTC Mdluli

Email:

Nhlakanipho.Mdluli@kznhealth.gov.za

Contact number: 034-328 8269

Finance Manager Name: M.P Msomi

Finance Manager Signature



PARTICULARS OF QUOTATION
YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: MADADENI REGIONAL HOSPITAL
FACSIMILE NUMBER: E-MAIL ADDRESS: _cebisile.khumalo@kznhealth.gov.za
PHYSICAL ADDRESS: F 0001 MADADENI, HOSPITAL STREET
QUOTE NUMBER: ZNQ / MAD / 267 / 23 - 24 VALIDITY PERIOD: 60 DAYS
DATE ADVERTISED: 28/07/2023 CLOSING DATE: 28/07/2023 CLOSING TIME: 11:00
DESCRIPTION: Supply, deliver & install signage at Charlestown clinic, Ingogo clinic & Newcastle
CONTRACT PERIOD (IF APPLICABLE): ONCE-OFF
DEPOSITED IN THE QUOTE BOX SITUATED AT (STREET ADDRESS): ADMINISTRATION BUILDING, MADADENI HOSPITAL - TENDER BOX
ENQUIRIES REGARDING THE QUOTE MAY BE DIRECTED TO: CONTACT PERSON: NTC Mdluli TELEPHONE NUMBER: 034-328 8269
E-MAIL ADDRESS: Nhlakanipho.Mdluli@kznhealth.gov.za
ENQUIRIES REGARDING TECHNICAL INFORMATION MAY BE DIRECTED TO: CONTACT PERSON: Ntokozo Ndaba TELEPHONE NUMBER: 034-328 8020
E-MAIL ADDRESS:
Bidders should ensure that quotes are delivered timeously to the correct address. If the quote is late, it will not be accepted for consideration.
The quote box is open from 08:00 to 15:30.
QUOTATIONS MUST BE SUBMITTED ON THE OFFICIAL FORMS ~ (NOT TO BE RETYPED)
THIS QUOTE IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
THE FOLLOWING PARTICULARS OF BIDDER MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR QUOTE BEING DISQUALIFIED)
NAME OF BIDDER:
E-MAIL ADDRESS:
POSTAL ADDRESS:
STREET ADDRESS:
TELEPHONE NUMBER: FACSIMILE NUMBER:
CELLPHONE NUMBER: SARS PIN:
VAT REGISTRATION NUMBER (If VAT vendor):
CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.
UNIQUE REGISTRATION REFERENCE:

+



OFFICIAL PRICE PAGE FOR QUOTATIONS OVER R2 000.01

, 267 _ 24 , MAD , 23 QUOTE NUMBER: ZNQ

Supply, deliver & install signage at Charlestown clinic, Ingogo clinic & Newcastle DESCRIPTION:

PREFERENCE POINTS WILL BE ALLOCATED ACCORDING TO THE IMPLEMENTATION OF SPECIFIC GOALS IN TERMS OF PPR 2022: POINTS ALLOCATED

Promotion of Sou	uth African owne	ed enterprises				20	
					COUNTRY OF	PRICE	
ICN NUMBER	QUANTITY	UNIT OF MEASURE	DESCRIPTION	BRAND & MODEL	MANUFACTUR E		G
	1 Lot		Supply, deliver & install signage at				
			Charlestown clinic				
	1 Lot		Supply, deliver & install signage at	share.			
			Ingogo clinic				
	1 Lot		Supply, deliver & install signage at				
			Newcastle clinic				
			Evaluation on special goals (20%) will be				
			done using the following:				
			Attach CIPC Certificate				
			2. Attach South African ID copy for Directors				
			Please attend to the specification form				
			attached				
	-		CIDB: SK				
			GIDD. SK				
	+	-			+		
VALUE ADDE	TAX @ 15%	(Only if VAT	Vendor)				
TOTAL QUOT	ATION PRICE	(VALIDITY P	ERIOD 60 Days)				
IS THE PRICE	FIRM?		SPECIFICATION? S.A.N.S. / S.A.B.S. SPECIFICATION?			YES	/ NO / NO / NO
STATE DELIVI	ERY PERIOD (E.G. 3 DAYS	, 1 WEEK)				
NAME OF BID	DER:		SIGNATURE OF BID		nu parao to ell to	a and sonditions	
CAPACITY UN	IDER WHICH	THIS QUOTE	[By signing this docu	ment, i hereb	y agree to all term DATE:	-	

1?	YES	1	NO
SIGNATURE OF BIDDER: [By signing this document, I hereby agree to all terms ar	nd conditions]		
DATE:			



BIDDER'S DISCLOSURE

PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process,

BIDDER'S DECLARATION

21 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest 1 in the YES / NO enterprise, employed by the state?

2.1.1. If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

	FULL NAME	IDENTITY NUMBER	NAME OF STATE INSTITUTION	
				131
				-
2.2.	Do you, or any person connected with the bidder, have	e a relationship with any person who is employed	by the procuring institution?	YES / NO
2.2.1.	If so, furnish particulars:			
2.3.	Does the bidder or any of its directors / trustees / sha enterprise have any interest in any other related enter			YES / NO
2.3.1.	If so, furnish particulars:			
3	DECLARATION			
	I, the undersigned,(name)		submitting the accompanying bid, do	hereby make
2 1	1 hours road and 1 understood the contents of this disease	January.		

- I have read and I understand the contents of this disclosure;
- I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect; 3.2,
- 3.3, The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

NAME OF BIDDER	SIGNATURE	POSITION	DATE

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, atternatively, the person/s having the deciding vote or power to influence or to direct the course and

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



GENERAL CONDITIONS OF CONTRACT

GCC

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter,

- . The General Conditions of Contract will form part of all bid/quotation documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

1 Definitions

The following terms shall be interpreted as indicated:

- 1.1. "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2. "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3. "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4. "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5. "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6. "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7. "Day" means calendar day.
- 1.8. "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9. "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10. "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11. "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA
- 1.12. "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14. "GCC" means the General Conditions of Contract.
- 1.15. "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16. "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17. "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18. "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19. "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20. "Project site," where applicable, means the place indicated in bidding documents.
- 1.21. "Purchaser" means the organization purchasing the goods.
- 1.22. "Republic" means the Republic of South Africa.
- 1.23. "SCC" means the Special Conditions of Contract,
- 1.24. "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25. "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2 Application

- 2.1. These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2. Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3. Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3 General

- 3.1. Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2. With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za



4 Standards

4.1. The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5 Use of contract documents and information; inspection.

- 5.1. The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2. The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3. Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4. The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6 Patent rights

6.1. The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7 Performance security

- 7.1. Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2. The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3. The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4. The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8 Inspections, tests and analyses

- 8.1. All pre-bidding testing will be for the account of the bidder.
- 8.2. If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3. If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4. If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5. Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6. Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7. Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8. The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9 Packing

- 9.1. The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10 Delivery and documents

- 10.1. Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2. Documents to be submitted by the supplier are specified in SCC.

11 Insurance

11.1. The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.



12 Transportation

12.1. Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13 Incidental services

- 13.1. The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
 - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the
- 13.2. Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14 Spare parts

As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15 Warranty

- 15.1. The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2. This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3. The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4. Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5. If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16 Payment

- 16.1. The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2. The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3. Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4. Payment will be made in Rand unless otherwise stipulated in SCC.

17 Prices

17.1. Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18 Contract amendments

18.1. No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

19 Assignment

19.1. The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20 Subcontracts

20.1. The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21 Delays in the supplier's performance

- 21.1. Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2. If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3. No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority
- 21.4. The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.



- 21.5. Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6. Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22 Penalties

22.1. Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23 Termination for default

- 23.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4. If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- 23.5. Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6. If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
 - (i) the name and address of the supplier and / or person restricted by the purchaser;
 - (ii) the date of commencement of the restriction
 - (iii) the period of restriction; and
 - (iv) the reasons for the restriction.
- These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

 23.7. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24 Anti-dumping and countervailing duties and rights

24.1. When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such antidumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other amount whichmay be due to him.

25 Force Majeure

- 25.1. Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2. If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26 Termination for insolvency

26.1. The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27 Settlement of Disputes

27.1. If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.



- 27.2. If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3. Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4. Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5. Notwithstanding any reference to mediation and/or court proceedings herein,
 - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28 Limitation of liability

- 28.1. Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
 - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29 Governing language

29.1. The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30 Applicable law

30.1. The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31 Notices

- 31.1. Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2. The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32 Taxes and duties

- 32.1. A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2. A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3. No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

33 National Industrial Participation (NIP) Programme

33.1. The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

34 Prohibition of Restrictive practices

- 34.1. In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2. If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3. If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.



SPECIAL CONDITIONS OF CONTRACT

SCC

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3 ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk;
 - (ii) It is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3.9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered,
- 3.12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

4 SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/ submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
- All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.



5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.
 - If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All
 - i) testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

(i)	The ins	titution has dete	rmined that a comp	oulsory site meeting	will not take place	ce.		
(ii)	Date:	/	1	Time:	:	Place:		
Institution S	tamp:				Institution Sit	e Inspection / brie	efing session Official:	
					Full Name:			
					Signature:			
					olgitature.			
					Date:			

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10 TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11 TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
 - (i) the name, address and registration number of the supplier;
 - (ii) the name and address of the recipient;
 - (iii) an individual serialized number and the date upon which the tax invoice
 - (iv) a description and quantity or volume of the goods or services supplied;
 - (v) the official department order number issued to the supplier;
 - (vi) the value of the supply, the amount of tax charged;
 - (vii) the words tax invoice in a prominent place.

12 PATENT RIGHTS

12.1. The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13. PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.



14. TERMINATION FOR DEFAULT

- The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (i) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract,
 - (ii) if the supplier fails to perform any other obligation(s) under the contract; or
 - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 14.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- 14.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 15. THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE.



PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

SBD 6.1.

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1. The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2. The applicable preference point system for this tender is the 80/20 preference point system.
- 1.3. Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.
- 1.4. The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and Specific Goals	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6. The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1. THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:



Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:



Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration Pmax = Price of highest acceptable tender

Number of Number of



4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.

	The specific goal/s alloca	ted points in terms of this tender	points allocated (80/20 system)	points <u>claimed</u> (80/20 system)
Promo	tion of South African owned enterprises		20	
	DECLARATION WITH REGARD TO COMPANY/FIRM	1		
4.3.	Name of company/firm:			
4.4.	Company registration number:			
4.5.	TYPE OF COMPANY/ FIRM [tick applicable box] Partnership/Joint Venture / Consortium One-person business/sole propriety Close corporation Public Company Personal Liability Company (Pty) Limited Non-Profit Company State Owned Company			
4.6.	in the tender, qualifies the company/ firm for the prefer i) The information furnished is true and correct; ii) The preference points claimed are in accordance iii) In the event of a contract being awarded as a resudocumentary proof to the satisfaction of the organ iv) If the specific goals have been claimed or obtainer state may, in addition to any other remedy it may it (a) disqualify the person from the tendering proce (b) recover costs, losses or damages it has incur (c) cancel the contract and claim any damages we cancellation; (d) recommend that the tenderer or contractor, its	with the General Conditions as indicated in paragraph 1 of this form; alt of points claimed as shown in paragraphs 1.4 and 4.2, the contractor of state that the claims are correct; don a fraudulent basis or any of the conditions of contract have not be have — ass; red or suffered as a result of that person's conduct; which it has suffered as a result of having to make less favourable arranges shareholders and directors, or only the shareholders and directors whom any organ of state for a period not exceeding 10 years, after the audeemed necessary.	may be requirent fulfilled, the gements due to acted on a fr	ed to furnish organ of o such raudulent
	SURNAME AND NAME: DATE: ADDRESS:	SIGNATURE(S) OF TENDERER(S)		

SCHEDULE OF RATES

WORK TO BE DONE AT CHARLESTOWN CLINIC AND SCHEDULE OF PRICES:

Item	DESCRIPTION	UNIT	QTY	RATE	/ UNIT	ТО	Γ A L
				R	c	R	c
	INSTITUTION:						
	ZNO NO:						
	All rates quoted shall be inclusive of transport, Labour and profit.						
	The Tenderer is advised that the buildings are occupied						
	PROPRIETARY ARTICLES:			1	1	1	-
	All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	Supply and install internal signages						
1.	Evacuation Emergency Assembly Point Board size		01				
	400mm X 600mm X 3mm thick steel plate with green						
	background and white wording and logo						
	Note: Steel plate to be welded on the 25 X 25mm square						
	tubing frame size 400mm X 600, weld the steel frame on the steel round pole size 40mm diameter and 2.1m long						
	1.2 high from ground level to the board mounted 300mm					1	
	to the ground with mixture of stones, sand cement and						
	water					1	
	Note: Steel frame and pole to be painted with red oxides						
	as first coat and two coats of oil bases exterior paint						
	colour black						
2.	Paraplegic signage size 445mm X 600mm X 3mm thick		01				
	steel plate with dark blue background and white logo		0.2				1
	Note: Steel plate to be welded on the 25 X 25mm square						
	tubing frame size 445mm X 600mm, weld the steel frame						
	on the steel round pole size 40mm diameter and 2.1m long						
	1,2m high from ground level to the board mounted						
	300mm to the ground with mixture of stones, sand cement						
	and water						
	Note: Steel frame and pole to painted with red oxide as						
	first coat and two coats of oil base exterior paint colour black						
	From parking to be painted with a road making paint on						
	the parking colour yellow				ŀ	1	
	Yellow paint for paraplegic ten yellow parallel lines and		1				
	two paraplegic big logs on the centre						
3.	Disclaimer Disclaimer		01		+	+	+
٥.	Material steel plate		01				
	Board size 245 X 125						
	Pole 2.5 from the ground (board height)						
	must be on a ground with 500 X 500 concreate 20MPA						
	NB 400 X 400 X 2mm stick				1		ĺ
	Base plate for the poles						
	Wording will be leaser printed with white background				-		
	Words will be red in colour				1		
	White background						

Contractor						n		٠							a	ı				
------------	--	--	--	--	--	---	--	---	--	--	--	--	--	--	---	---	--	--	--	--

## All mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 5. Pedestrian signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The internal steel box frame shall be made of 50.8 X 50.8 mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
Aluminium material Silver background and navy blue print 400mm width x 150mm 5. Pedestrian signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The internal steel box frame shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.					01			4.
Silver background and navy blue print 400mm width x 150mm 5. Pedestrian signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
5. Pedestrian signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
5. Pedestrian signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The internal steel box frame shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.					01			5.
Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.		i					Pole size 500 must be on a ground with 500 X 500	
Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The internaleste connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
Wording will be leasor printed with the background Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.		i						
Words will be navy in colour White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The internediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.]				
White background 6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
6. Vehicle signage Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 20m stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
Pole size 500 must be on a ground with 500 X 500 concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
concreate 20MPA NB 400 X 400 X 2mm stick Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.					01			6.
Base plate for the poles Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The internediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
Pole 1.6 from the ground (board height) Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
Wording will be leasor printed with the background Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
Words will be navy in colour White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.			1					
White background 7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.			1					
7. Medical waste Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.					1			
Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								—
Aluminium material Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.					01			7.
Silver background and navy blue print 400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
400mm width x 150mm 8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
8. Services Board Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
Remove the existing structure to the identified area The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.	4							
The sign Board shall have white 6mm thick poly carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.					01			8.
carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
The cladding shall be chrome-deck on all side covering The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.							corporate shooting on front and back	
The internal steel box frame shall be made of 25 X 25mm X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
X 3mm thick mild steel square tubing The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.							The internal steel how frame shall be made of 25 V 25mm	
The intermediate connecting bar between the two leg pole shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
square tubing The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.							shall be made of 50 8 X 50 8mm X3mm thick mild steel	
The size of box shall be 2.5m long X 1.4m high X 0.12 meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.								
meters wide rectangular Sign writing shall be done on both sides with all services as per specified list.						15.		
Sign writing shall be done on both sides with all services as per specified list.							meters wide rectangular	
as per specified list.								
Every deginning sentence line will begin with different							Every beginning sentence line will begin with different	
colour (English) hand the same service in one line, as well							colour (English) hand the same service in one line, as well	
as the colour of the line inscription							as the colour of the line inscription	
The health logo must be full colour and the latest update								
picture			1					
Use the existing structure of steel poles							Use the existing structure of steel poles	
Excavate and dig two holes 1m X 1m square, cast							Excavate and dig two holes 1m X 1m square, cast	
concrete 25MPA strength with steel frame imbedded							concrete 25MPA strength with steel frame imbedded	
900mm deep, level and plum in concrete hole							900mm deep, level and plum in concrete hole	
One side of the service notice board will be written in							One side of the service notice board will be written in	
English		ļ					English	
All lettering on the sign board shall be large enough that it							All lettering on the sign board shall be large enough that it	
will be visible from main road							will be visible from main road	
The sign board box shall have a white background and				1			The sign board box shall have a white background and	
lettering shall be color							lettering shall be color	

	NB: the board must be compliance and meet the DOH standard				
	Electrical Steel information mild steel box must have two 1.2m				
	single fluorescent light fittings installed on the inside Install PVC covered connection draw box with cover one				
	way fitted to the pole at the bottom 200mm from ground				
	level. With 20mm hole drilled into the upright pole. Install and connect light fitting with 1.5mm wire				
	(Red/yellow, green, blue 6m long, coiled up in the draw				
	after testing				
9.	Provide a certificate of compiance No smoking signage				
9.	Chromadek steel	06			
	0.6mm galvanized steel				
	White background, red and black logo and red words				
10	Help desk	01	1		
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
11	400mm width x 150mm Filling room			*	
11	Wall mounted	01			
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
12	Data management	01	+		\vdash
2	Wall mounted	01			
15	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
13.	Pharmacy Wall mounted	01			
	Aluminium material				10
	Silver background and navy blue print				
	400mm width x 150mm				
14.	Isolation room	01	-		
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
15.	Emergency room	01	2		
	Wall mounted Chromadek steel				
	White background red print				
	750mm X 200mm				21
16	Managers Office	01	-		
	Wall mounted	01			
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
17	Kitchen	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				

	400mm width x 150mm				
18	Boardroom	01			
	Wall mounted				* *
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
19	Pictogram Male toilets	02			\vdash
	190 X 190 X 0.9mm	02			
	Green background and white				
	Chromadek steel				
20	Pictogram female toilets		 		
20	190 X 190 X 0.9mm	02			
	Green background and white				
	Chromadek steel				
21	Pictogram disabled toilets				
21	190 X 190 X 0.9mm	01			
	Green background and white				
22	Chromadek steel				\vdash
22	Ptctogram fire hose	01			
	White background and red logo				
	190 X 190 X 0.9mm				
	Chromadek steel				
23.	Sluice room	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
24	Tool room	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
25	Covid vaccination room	01			
	Wall mounted				
	Aluminium material	i l			
	Silver background and navy blue print				-
	400mm width x 150mm				
26	Child health room	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
27	Covid vaccination waiting area	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	450mm width x 150mm				
28	Accute	02		_	\vdash
	Wall mounted	02			
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
20	Chronic room	03	 -		-
25.	Wall mounted	02			
	Aluminium material				
			l	L	

	Silver background and navy blue print				
	400mm width x 150mm				
30	Maternal and child	02			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
31	General waste bin	10			
	Wall mounted	0			
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
32	Medical waste bin	08			+
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
33	Healthcare general	01		_	
33	Wall mounted	01			
	Aluminium material				1
	Silver background and navy blue print				1
	400mm width x 150mm				
2/	Ambulance parking	0.4			-
34	Material steel plate with white back ground and red logo	01			
	Delegate 500 result be an a second sold 500 X 500				
	Pole size 500 must be on a ground with 500 X 500				
	concreate 20MPA NB 400 X 400 X 3mm stick				
	Base plate for the pole			ł	
	Pole 1.6 from the ground (board height)				
	Painted in yellow ambulance logo on the floor				
35	OMN Parking	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
36	Vitals room	02			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
37	Medical supplies	01			
	Wall mounted				
	Aluminium material			1	
	Silver background and navy blue print				
	400mm width x 150mm				
38	Covid post vaccination	02		_	
	Wall mounted	02		1	
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				-
20	Entrance (Ngena)				
39.	550 X 250mm	02			
	Wall mounted				
			90		
	Silver background and navy blue pring				
	Alluminium material				
⊥ 40:	Exit (Phuma)	02			

51.	Doctors room		01			
	Wall mounted]		
	Aluminium material					
	Silver background and navy blue print					1
	400mm width x 150mm					
52.	HTS room		01			
	Wall mounted					
	Aluminium material	ļ				
	Silver background and navy blue print					
	400mm width x 150mm					
53.	Room 1 – 22		22			
	Wall mounted					
	Aluminium material					
	Silver background and navy blue print					
	200mm width x 150mm		1			
54.	Allied room		01			
	Wall mounted					
	Aluminium material					
	Silver background and navy blue print					
	400mm width x 150mm					
55.	Storage room		02			
	Wall mounted					
	Aluminium material					
	Silver background and navy blue print					
	400mm width x 150mm					
CARRI	ED TO COLLECTION SUMMARY	PS				
				TOTA	L	

COLLECTION SUMMARY

PROJECT DESCRIPTION:	ZNQ NO:		
NOTE: THIS COLLECTION SUMMARY MUST E AND RETURNED TOGETHER WITH THI			CONTRACTOR
Collection Summary PS 1		R	
Safety requirements		R	
Sub total		R	
Mr M.R Makhubo Acting Chief Artisan	Date		
Mr. A.N Ndamane Deputy Director Systems	Date		
Mr C Zwane Assistant Director SCM	Date		
Company Director/ Company name			

MADADENI HOSPITAL Maintenance Project Policy

Supply and install signage at Charlestown Clinic

- 1. Proof of work force
- 2. Detailed work plan-it must be presented as per days e.g. day1, Day2, Day3 (Service provider must indicate the delivery period on the quotation).
- 3. Penalties will be applied as per contract special conditions of quotation and will calculated at 0, 04% per day.
- 4. Presentation of a safety file (It is a must)
- 5. Proof of references (It is a must)
- 6. There will be a compulsory project progress meeting between a contractor and DOH (Project leader)

Mr M.R Makhubo Chief Artisan	Date	
Mr. N Ndamane Deputy Director Systems	Date	
Mr T Zwane Assistant Director SCM	Date	
Company Director/ Company n	0ma	

SCHEDULE OF RATES

WORK TO BE DONE AT INGOGO CLINIC AND SCHEDULE OF PRICES:

Item	DESCRIPTION	UNIT	QTY	RATE/ UNIT		TOTAL	
				R	С	R	c
	INSTITUTION:						
	ZNO NO:		:				
	All rates quoted shall be inclusive of transport, Labour and profit.						
	The Tenderer is advised that the buildings are occupied						
_	PROPRIETARY ARTICLES:	_	+		+	 	+
	All equipment and material used in this contract shall be that						
	which is specified or other SABS approved.						
	Supply and install internal signages						
1.	Paraplegic signage size 445mm X 600mm X 3mm thick		01				
	steel plate with dark blue background and white logo					ļ	
	Note: Steel plate to be welded on the 25 X 25mm square						
	tubing frame size 445mm X 600mm, weld the steel frame						
	on the steel round pole size 40mm diameter and 2.1m long						
	1,2m high from ground level to the board mounted						
	300mm to the ground with mixture of stones, sand cement						
	and water						
	Note: Steel frame and pole to painted with red oxide as			1			
	first coat and two coats of oil base exterior paint colour						
	black						
	From parking to be painted with a road making paint on the parking colour yellow						
	Yellow paint for paraplegic ten yellow parallel lines and						
	two paraplegic big logs on the centre						
2.	Disclaimer		01	-	-	-	-
۷.	Material steel plate		01				
	Board size 245 X 125						
	Pole 2.5 from the ground (board height)						
	must be on a ground with 500 X 500 concreate 20MPA				1	1	
	NB 400 X 400 X 2mm stick						
	Base plate for the poles						
	Wording will be leaser printed with white background						
	Words will be red in colour						
	White background						
3.			01				
	concreate 20MPA NB 400 X 400 X 2mm stick						
	Base plate for the poles						
	Pole 1.6 from the ground (board height)						
	Wording will be leasor printed with the background						ł
	Words will be navy in colour						
_	White background						\perp
4.	Services Board		01				
	Use the existing structure of steel poles						
	The sign Board shall have white 6mm thick poly						
	carbonate sheeting on front and back The cladding shall be chrome-deck on all side covering						
	The chadding shall be chrome-deck on an side covering						

	Silver background and navy blue print					
	Aluminium material					
	Wall mounted					
9.			01			
	400mm width x 150mm					
	Silver background and navy blue print					
	Aluminium material					
	Wall mounted					
8.			01			
	400mm width x 150mm					
	Silver background and navy blue print					
	Aluminium material					
''	Wall mounted		01			
7.			01			
	400mm width x 150mm					
	Silver background and navy blue print					
	Aluminium material		1			
0.	Wall mounted		01			
6.			01	_		
	White background, red and black logo and red words					
	0.6mm galvanized steel					
5.	Chromadek steel		06			
5.	No smoking signage		0.5	+		
	after testing Provide a certificate of compliance					
	(Red/yellow, green, blue 6m long, coiled up in the draw					
	Install and connect light fitting with 1.5mm wire					
	level. With 20mm hole drilled into the upright pole.					
	way fitted to the pole at the bottom 200mm from ground					
-	Install PVC covered connection draw box with cover one					
	single fluorescent light fittings installed on the inside					
	Steel information mild steel box must have two 1.2m					
	<u>Electrical</u>					
	standard					
	The board must be compliance and meet the DOH					
	lettering shall be color					
	The sign board box shall have a white background and					
	will be visible from main road					
	All lettering on the sign board shall be large enough that it					
	English				-	
	One side of the service notice board will be written in					
	picture					
	The health logo must be full colour and the latest update					
	as the colour of the line inscription					
	colour (English) hand the same service in one line, as well					
	Every beginning sentence line will begin with different					
	as per specified list.					
	Sign writing shall be done on both sides with all services					
	meters wide rectangular					
	The size of box shall be 2.5m long X 1.4m high X 0.12					
	shall be made of 50.8 X 50.8mm X3mm thick mild steel square tubing					
	The intermediate connecting bar between the two leg pole shall be made of 50.8 V 50.8 mm V2 mm think mild steal					
	X 3mm thick mild steel square tubing					
	The internal steel box frame shall be made of 25 X 25mm			21		
	The internal stalls of a latter to Cocxtoc	-				

	400mm width x 150mm			T
	Isolation room	01		+
10	Wall mounted			
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			+
11	Emergency room	01		
	Wall mounted			
	Chromadek steel			
i	White background red print			
	750mm X 200mm		j	
12.	Managers Office	01		
	Wall mounted			
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			
12	Kitchen	01		
10,	Wall mounted	01		
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			+
14.	Pictogram Male toilets	02		
	190 X 190 X 0.9mm			
	Green background and white			
	Chromadek steel			
15.	Pictogram female toilets	02		
	190 X 190 X 0.9mm			
	Green background and white			1
	Chromadek steel			
16	Pictogram disabled toilets	01		
	190 X 190 X 0.9mm			
	Green background and white			
	Chromadek steel			
17	Ptctogram fire hose	0.3		+
17.	190 X 190 X 0.9mm	01		
	Chromadek steel			
4.0				-
18.	Sluice room	01		
	Wall mounted			
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			
19	Tool room	01		
	Wall mounted			
	Aluminium material]	
	Silver background and navy blue print		5	1
	400mm width x 150mm			
20	Covid vaccination room	01		+
20	Wall mounted			
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			
21	Child health room	01		-
	Wall mounted			
	Aluminium material			
	Silver background and navy blue print		1 1	- 1

Т	400mm width x 150mm				
22	Covid vaccination waiting area	01			
22	Wall mounted	01			
İ	Aluminium material				
j	Silver background and navy blue print				
1	450mm width x 150mm				
22			-	_	
23.	Accute	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
24	Chronic room	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print		İ		
	400mm width x 150mm				
25	Maternal and child	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
26.	General waste bin	12			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
27	Medical waste bin	12			
	Wall mounted				1
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm			1	
28	Healthcare general	01			
	Wall mounted				
	Aluminium material				- 1
	Silver background and navy blue print				
	400mm width x 150mm				
20	Ambulance parking	01			_
25	Material steel plate with white back ground and red logo				
	Pole size 500 must be on a ground with 500 X 500				
	concreate 20MPA NB 400 X 400 X 3mm stick				
	Base plate for the pole			1	
	Pole 1.6 from the ground (board height)				
	Painted in yellow ambulance logo on the floor				
20	OMN Parking	- 01			+
50	Wall mounted	01			
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
24		-			_
31	Vitals room	02			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
32	Medical supplies	01			
	Wall mounted	1	1		

	Aluminium material Silver background and navy blue print 400mm width x 150mm		
33.	Covid post vaccination Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
34.	Entrance (Ngena) 550 X 250mm Wall mounted Silver background and navy blue pring Alluminium material	01	
	Exit (Phuma) 550 X 250mm Wall mounted Silver background and navy blue pring Alluminium material	01	
36.	Drying area Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
37.	Cough area Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
	Foot print direction Stick on the floor Different colours	Lot	
39	Dressing room Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm		
	Doctors room Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
	HTS room Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
:	Room 1 – 22 Wall mounted Aluminium material Silver background and navy blue print 200mm width x 150mm	22	
43.	Allied room Wall mounted Aluminium material	01	

	Silver background and navy blue print					
	400mm width x 150mm					
44.	Storage room		02			
	Wall mounted					
	Aluminium material					
	Silver background and navy blue print					
	400mm width x 150mm					
CARRI	ED TO COLLECTION SUMMARY	PS		•	•	
	<u> </u>		 	TOTA	.L	

Contractor

COLLECTION SUMMARY

DESCRIPTION:	ZNQ NO:	
<u>NOTE</u> : THIS COLLECTION SUMMARY M AND RETURNED TOGETHER WIT		BY THE CONTRAC
Collection Summary PS 1	R	
Safety requirements	R	
Sub total	R	
Acting Chief Artisan Mr. A.N Ndamane Deputy Director Systems	Date	
Mr C Zwane Assistant Director SCM	Date	_
Company Director/ Company name	2	

MADADENI HOSPITAL Maintenance Project Policy

Supply and install signage at Ingogo Clinic

- 1. Proof of work force
- 2. Detailed work plan-it must be presented as per days e.g. day1, Day2, Day3 (Service provider must indicate the delivery period on the quotation).
- 3. Penalties will be applied as per contract special conditions of quotation and will calculated at 0, 04% per day.
- 4. Presentation of a safety file (It is a must)
- 5. Proof of references (It is a must)
- 6. There will be a compulsory project progress meeting between a contractor and DOH (Project leader)

Mr M.R Makhubo Chief Artisan	Date
Mr. N Ndamane Deputy Director Systems	Date
Mr T Zwane Assistant Director SCM	Date
Company Director/ Company r	name

SCHEDULE OF RATES WORK TO BE DONE AT NEWCASTLE PHC CLINIC AND SCHEDULE OF PRICES:

tem	DESCRIPTION	UNIT	QTY	RATI	E/ UNIT	ТОТ	ΓAL
				R	С	R	c
	INSTITUTION:						
	ZNO NO:						
	All rates quoted shall be inclusive of transport, Labour and				1		
	profit. The Tenderer is advised that the buildings are occupied			1			
	PROPRIETARY ARTICLES:						
	All equipment and material used in this contract shall be that which is specified or other SABS approved.						
	which is specified of other SABS approved.						
	Supply and install internal signages						
	Evacuation Emarganay Assambly Boint Board die			ļ			1
1.	Evacuation Emergency Assembly Point Board size 400mm X 600mm X 3mm thick steel plate with green		01				
	background and white wording and logo						
	Note: Steel plate to be welded on the 25 X 25mm square						
	tubing frame size 400mm X 600, weld the steel frame on						
	the steel round pole size 40mm diameter and 2.1m long		1				
	1.2 high from ground level to the board mounted 300mm						
	to the ground with mixture of stones, sand cement and						
	water					i	
	Note: Steel frame and pole to be painted with red oxides						
	as first coat and two coats of oil bases exterior paint						
	colour black						
2.	Paraplegic signage size 445mm X 600mm X 3mm thick		01			1	\top
	steel plate with dark blue background and white logo		01				
	Note: Steel plate to be welded on the 25 X 25mm square						
	tubing frame size 445mm X 600mm, weld the steel frame						
	on the steel round pole size 40mm diameter and 2.1m long		1				
	1,2m high from ground level to the board mounted						
	300mm to the ground with mixture of stones, sand cement						
	and water	(8)					
	Note: Steel frame and pole to painted with red oxide as						
	first coat and two coats of oil base exterior paint colour						
	black						
	From parking to be painted with a road making paint on						
	the parking colour yellow						
	Yellow paint for paraplegic ten yellow parallel lines and						
3.	two paraplegic big logs on the centre Disclaimer			-			
5.	Material steel plate		01			1	l
	Board size 245 X 125						
	Pole 2.5 from the ground (board height)						
	must be on a ground with 500 X 500 concreate 20MPA						
	NB 400 X 400 X 2mm stick			1			
	Base plate for the poles						
	Wording will be leaser printed with white background						
	Words will be red in colour						
	White background						

C	ontra	ctor									

4.	Entrance signage		03				
4.	Wall mounted		02				
	Aluminium material						
	Silver background and navy blue print			i			
	400mm width x 150mm						
5.	Pedestrian signage		01				
	Pole size 500 must be on a ground with 500 X 500						
	concreate 20MPA NB 400 X 400 X 2mm stick						
	Base plate for the poles	38					
	Pole 1.6 from the ground (board height)						
	Wording will be leasor printed with the background					İ	'
	Words will be navy in colour						
	White background						
6.	Pole size 500 must be on a ground with 500 X 500		01		_		
	concreate 20MPA NB 400 X 400 X 2mm stick		01				
100	Base plate for the poles						
	Pole 1.6 from the ground (board height)						
	Wording will be leasor printed with the background						
	Words will be navy in colour						
	White background					1	
7.	Medical waste		- 04				-
/.	Wall mounted		01				
	Aluminium material						
	Silver background and navy blue print						
	400mm width x 150mm						
8.	Services Board		01				
	Use the existing steel structure of steel poles			1			
	The sign Board shall have white 6mm thick poly						
	carbonate sheeting on front and back						
	The cladding shall be chrome-deck on all side covering						
	The internal steel box frame shall be made of 25 X 25mm						
	X 3mm thick mild steel square tubing						
	The intermediate connecting bar between the two leg pole	110					
	shall be made of 50.8 X 50.8mm X3mm thick mild steel						
	square tubing						
	The size of box shall be 2.5m long X 1.4m high X 0.12	-					
	meters wide rectangular						
	Sign writing shall be done on both sides with all services						
	as per specified list.					1	
	Every beginning sentence line will begin with different						
	colour (English) hand the same service in one line, as well		!				
	as the colour of the line inscription						
	The health logo must be full colour and the latest update						
	picture	'					1
	One side of the service notice board will be written in				1		
	English						
	All lettering on the sign board shall be large enough that it						
	will be visible from main road						
	The sign board box shall have a white background and]	
	lettering shall be color					1	
	NB: The board must be compliance and meet the DOH						
	standard						
	Electrical						
	Steel information mild steel box must have two 1.2m						
1	single fluorescent light fittings installed on the inside	l	1			1	

	Install PVC covered connection draw box with cover one way fitted to the pole at the bottom 200mm from ground level. With 20mm hole drilled into the upright pole.		
	Install and connect light fitting with 1.5mm wire (Red/yellow, green, blue 6m long, coiled up in the draw after testing Provide certificate of compliance		
:	No smoking signage Chromadek steel 0.6mm galvanized steel White background, red and black logo and red words	06	
10.	Help desk Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
	Filling room Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
	Data management Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
	Pharmacy Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
14.	Isolation room Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
(4)	Emergency room Wall mounted Chromadek steel White background red print 750mm X 200mm	01	
	Managers Office Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
	Kitchen Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm	01	
18.	Pictogram Male toilets 190 X 190 X 0.9mm Green background and white Chromadek steel	02	

19.	Pictogram female toilets	02	
	190 X 190 X 0.9mm		
	Green background and white		
	Chromadek steel		
20.	Pictogram disabled toilets	01	
	190 X 190 X 0.9mm		
	Green background and white		
	Chromadek steel		
21	Ptctogram fire hose	01	
	190 X 190 X 0.9mm		
	Chromadek steel		
22	Sluice room	01	
	Wall mounted		
	Aluminium material		
	Silver background and navy blue print		
	400mm width x 150mm		
23	Tool room	01	
	Wall mounted		
	Aluminium material		
	Silver background and navy blue print		
	400mm width x 150mm		
24	Covid vaccination room	01	
	Wall mounted		
	Aluminium material		
	Silver background and navy blue print		
	400mm width x 150mm		
25	Child health room	01	
	Wall mounted		
	Aluminium material		
	Silver background and navy blue print		
	400mm width x 150mm		
26	Covid vaccination waiting area	01	
	Wall mounted		
	Aluminium material		
	Silver background and navy blue print		
	450mm width x 150mm		
27	Accute	02	
	Wall mounted	02	
	Aluminium material		
Ì	Silver background and navy blue print		
	400mm width x 150mm		
28	Chronic room	02	
	Wall mounted	02	
	Aluminium material		
	Silver background and navy blue print		
	400mm width x 150mm		
29	Maternal and child	03	
25	Wall mounted	02	
	Aluminium material		
	Silver background and navy blue print		
	400mm width x 150mm		
20	General waste bin		
30	Wall mounted	12	
	Aluminium material		
		9	
	Silver background and navy blue print		

	400mm width x 150mm			
31	Medical waste bin	12		
	Wall mounted			
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			
32	Healthcare general	01		
	Wall mounted	01		
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			
22	Ambulance parking	01		-
33	Material steel plate with white back ground and red logo	01		
	Pole size 500 must be on a ground with 500 X 500			
	concreate 20MPA NB 400 X 400 X 3mm stick			
	Base plate for the pole			
	Pole 1.6 from the ground (board height)			
	Painted in yellow ambulance logo on the floor			
34.	OMN Parking	01		
	Wall mounted			
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			
35	Vitals room	02	25	
	Wall mounted			
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			
36	Medical supplies	01		
	Wall mounted	01		
	Aluminium material			
	Silver background and navy blue print			
	400mm width x 150mm			1
37	Covid post vaccination	02		-
371	Wall mounted	02		}
	Aluminium material			
	Silver background and navy blue print			
- 1	400mm width x 150mm		i	
20				
58	Entrance (Ngena) 550 X 250mm	02		
	Wall mounted			
	Silver background and navy blue print		ŀ	
	Alluminium material			
_	T. V. (DI			
39.	Exit (Phuma)	02		
	550 X 250mm			
	Wall mounted			
	Silver background and navy blue pring			
	Alluminium material			
40	Drying area	01		
	Wall mounted			
	Aluminium material			
	Silver background and navy blue print			9
	400mm width x 150mm			
_	Cough area	01		1
		1 01 1		1 1

Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 42. Pictogram Hand Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 43. Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44. Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45. Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46. HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47. Chronic Wall mounted Wall mounted Wall mounted Wall mounted Wall mounted	
Silver background and navy blue print 400mm width x 150mm 42 Pictogram Hand Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 43 Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic	
400mm width x 150mm 42 Pictogram Hand Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 43 Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic	
Pictogram Hand Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 43 Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic	
Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 43 Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic	
Aluminium material Silver background and navy blue print 400mm width x 150mm 43 Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic	
Silver background and navy blue print 400mm width x 150mm 43 Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
400mm width x 150mm 43 Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 02	
43 Disabled ramp Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
Wall mounter 300 X 400mm 7 White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
White background and blue sign word Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 02 01	
Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic O2 Wall mounted O1	
Steel plate 44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic O2 O2 O3 O4 O5 O6 O7 O7 O7 O7 O7 O7 O7 O7 O7	
44 Beware of the step Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 02 01	
Wall mounted 440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic O2 O2 O3 O4 O5 O5 O6 O7 O1	
440 X 440 Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 02 01	
Background black and yellow words Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 02 01	
Chromadek steel 45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 02 01 02 01 01 01	
45 Mind the step Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 02	
Wall mounted 185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	1 1
185 X50mm Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	. !
Background yellow and black words Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
Chromadek steel 46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic O1	
46 HTS & Allied Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
Wall mounted Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
Aluminium material Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
Silver background and navy blue print 400mm width x 150mm 47 Chronic 01	
400mm width x 150mm 47 Chronic 01	
47 Chronic 01	
Wall mounted	
Aluminium material	
Silver background and navy blue print	
300mm width x 150mm	
48 Security room 01	
Wall mounted	
Aluminium material	
Silver background and navy blue print	
400mm width x 150mm	
49 Park at your own risk 01	
Pole size 500 must be on a ground with 500 X 500	
concreate 20MPA NB 400 X 400 X 2mm stick	
Base plate for the poles	
Pole 1.6 from the ground (board height)	
Wording will be leasor printed with the background	
Words will be red in colour	
White background	
Stick on the floor	
Different colours	
51 Dressing room	
Wall mounted	
Aluminium material	
Silver background and navy blue print	
400mm width x 150mm	

52.	Doctors room	01			
	Wall mounted				
	Aluminium material				
- 1	Silver background and navy blue print				
	400mm width x 150mm				
53.	HTS room	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
54.	Room 1 – 22	22		1	
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	200mm width x 150mm				
55.	Allied room	01			
	Wall mounted				
	Aluminium material				
	Silver background and navy blue print				
	400mm width x 150mm				
56.	Storage room	02		<u> </u>	
	Wall mounted				
1	Aluminium material				
1	Silver background and navy blue print				
	400mm width x 150mm				
ARRIE	ED TO COLLECTION SUMMARY PS				
			TOTAL		

COLLECTION SUMMARY

Contractor

PROJECT DESCRIPTION:	ZNQ NO:	- · · · · ·	
NOTE: THIS COLLECTION SUMMARY MUST B AND RETURNED TOGETHER WITH THE			E CONTRACTOR
Collection Summary PS 1		R	
Safety requirements		R	
Sub total		R	
Mr M.R Makhubo Acting Chief Artisan	Date		
Mr. A.N Ndamane Deputy Director Systems	Date		
Mr C Zwane Assistant Director SCM	Date		
Company Director/ Company name			

8

MADADENI HOSPITAL Maintenance Project Policy

Supply and install signage at Newcastle PHC clinic

- 1. Proof of work force
- 2. Detailed work plan-it must be presented as per days e.g. day1, Day2, Day3 (Service provider must indicate the delivery period on the quotation).
- 3. Penalties will be applied as per contract special conditions of quotation and will calculated at 0, 04% per day.
- 4. Presentation of a safety file (It is a must)
- 5. Proof of references (It is a must)
- 6. There will be a compulsory project progress meeting between a contractor and DOH (Project leader)

Mr M.R Makhubo Chief Artisan	Date	
Mr. N Ndamane Deputy Director Systems	Date	
Mr T Zwane Assistant Director SCM		Date
Company Director/ Company nam		