

Quotation Advert

Opening Date:

06/08/2024

Closing Date:

13/08/2024

Closing Time:

11:00

INSTITUTION DETAILS

Institution Name:

Mosvold Hospital

Province:

KwaZulu-Natal

Department of entity:

Department of Health

Division or section:

Central Supply Chain Management

Place where goods/

Mosvold Hospital

service is required:

Date Submitted:

06/08/2024

ITEM CATEGORY AND DETAILS

Quotation number:

ZNQ: MVH 251 / 2024 / 2025

Item Category:

Services

Item Description:

After service repair of airconds at Mosvold Hospital

Quantity (if supplies):

042

COMPULSORY BRIEFING SESSION / SITE VISIT

Select Type:

Not applicable

Date:

Click here to enter a date.

Time:

Click here to enter text.

Venue:

Click here to enter text.

QUOTES CAN BE COLLECTED FROM:

Website

QUOTES SHOULD BE DELIVERED TO:

Mosvold Tender Box at Main gate or by email

ENQUIRIES REGARDING ADVERT MAY BE DIRECTED TO:

Name:

Mr. T.G. Khanyile

Email:


Thulani.khanyile@kznhealth.gov.za

Contact number: 035) 5910145

Ext.1077

Finance Manager Name:

Mrs N.P.Myeni Finance Manager Signature___



	5.863			PARTICULARS OF Q				
YOU ARE HEREBY IN	VITED T	O QUOTE F	OR REQUIREMEN	ITS AT: MOSVOLD	HOSPITAL			
FACSIMILE NUMBER	NO	NE		E-MAIL ADDRESS	mosvold.quotatio	ns@kznhe	ealth.gov.za	
PHYSICAL ADDRESS	. <u>MA</u>	IN ROAD,	INGWAVUMA	3968	anve .			
QUOTE NUMBER:	ZNQ	_i MVH	₹ /251	12024 - 2025 H			VALIDITY PERIOD:	90 DAYS
DATE ADVERTISED:	06	AUGUST	2024	CLOSING DATE:	13 AUGUST 202	24	CLOSING TIME:	11:00
DESCRIPTION:	AFTEF	SERVIC	E REPAIR OF	AIRCONDITIONIN	NG AT MOSVOLD H	IOSPITAL	AS PER ATTACHI	ED SPEC
CONTRACT PERIOD	(iF APPL	.ICABLE):	ONCE OFF					
MOSVOLD HOSI	QUOTE E	OX SITUAT	ED AT (STREET A E OR SEND E	ADDRESS): BY USING EMAIL			•	
		·	····			v		***************************************
ENQUIRIES REGARD CONTACT PERSON:	MR. T.	G KHANY	'ILE		TELEPHONE NUMBER:	035 5910) 145	
E-M/4E/IDB/IEGG.	HIII/+		@kznhealth.go					
CONTACT PERSON:					TELEPHONE NUMBER:	035 5910	122	
E-MAIL ADDRESS:	mosvo	ld.quotatio	ons@kznhealtl	n.gov.za				
Bidders should ensu	re that q	juotes are de	elivered timeousl	y to the correct addres	ss. If the quote is late, it v	will not be ac	cepted for considerati	on.
The quote box is oper	from 08	:00 to 15:30.						
				ORMS - (NOT TO BE F				
THIS QUOTE IS SUB REGULATIONS, 2022	JECT TO 2, THE G	THE PREFI ENERAL CO	ERENTIAL PROCU INDITIONS OF CO	JREMENT POLICY FRA INTRACT (GCC) AND, I	AMEWORK ACT AND THI IF APPLICABLE, ANY OT	E PREFEREN HER SPECIA	NTIAL PROCUREMENT LL CONDITIONS OF CO	NTRACT.
		(F	THE FOLLOWIN AILURE TO DO S	G PARTICULARS OF I	BIDDER MUST BE FURN UR QUOTE BEING DISQI	ISHED UALIFIED)		
NAME OF BIDDER:								
E-MAIL ADDRESS:								
POSTAL ADDRESS:					- AMANY	1,000		
STREET ADDRESS:		***************************************						
TELEPHONE NUMBI	ER:				FACSIMILE NUMBER:	***************************************		
CELLPHONE NUMBI	ER:				SARS PIN:			
VAT REGISTRATION	NUMBE	ER (If VAT ve	ndor):					
CENTRAL SUPPLIER			TRATION (CSD) N	Ю.	M A A A			
UNIQUE REGISTRA	TION RE	FERENCE:						
MOSVO		HOSPIT	ALTH					

QUOTATIONS
PRIVATE BAG X2211

PRIVATE BAG X2211 INGWAVUMA, 3968 UMNYANGO WEZEMPILO



DESCRIPTION:	AFTER								
		R SERVICE	REPAIR OF AIRCONDITIONING AT MOSV	OLD HOS	PITAL AS PEF	R ATTA	CHED S	SPEC	
THE BELOW PREFERENCE POINTS WILL PROCUREMENT POLICY (KNOWN AS SO			BE ALLOCATED IN COMPLIANCE WITH THE DEPARTMENTAL PREFERENCE				POINTS ALLOCATED		
RDP Goal: Full points all							20		
CN NUMBER	QUANTITY	UNIT OF MEASURE	DESCRIPTION	BRAND & MODEL	COUNTRY OF MANUFACTUR		PRICE		
 D1	042	UNIT	ATER SERVICE REPAIR AIRCONDS		E	R		С	
	1042	OTT	AT MOSVOLD HOSPITAL						
			AS PER ATTACHED LIST AND SPEC				***************************************		
			PLEASE ATTEND TO SPECIFICATION						
			FOR PRICING PURPOSES						
			PROOF B-BBEE CERTIFICATE / SWORN		A-11-04-0-7				
			AFFIDAVIT- PLEASE ATTACHED AS						
•			REQUIREMENT						
•								<u></u>	
*								ļ	
						ļ			
Mid-									
VALUE ADDED	TAX @ 15%	(Only if VAT	Vendor)						
TOTAL QUOTA	TION PRICE	(VALIDITY PI	ERIOD 90 Days)						
IS THE PRICE F	FIRM?		SPECIFICATION? S.A.N.S. / S.A.B.S. SPECIFICATION?	***************************************			YES	/ NG: / NG: / NG:	
STATE DELIVE									
			SIGNATURE OF BIL	DDER:					



DIRECTORATE: MOSVOLD HOSPITAL

Physical Address :Ingwavuma main road Postal Address: Private Bag x 2211 ingwavuma main road ,3968 Tel: 035 5910 122 Fax: 035 5910 148 Email: thulane.khanyile@kznhealth.

QUOTATION NO.	MVH 251/24/25
QUOTATION DESCRIPTION	AFTER SERVICE REPAIR OF AIRCONDITIONERS
BIDDER NAME	MOSVOLD HOPITAL

EVALUATION CRITERIA:

The Department will evaluate quotation received before the closing date and time using three (3) stages,

Stage 1: Administrative, Compulsory and Mandatory Requirements; Stage 2: Compliance with specifications

Stage 3: Price and Preference Points System

STAGE 1: ADMINISTRATIVE, COMPULSORY COMPLIANCE AND MANDATORY REQUIREMENTS

NO.	REQUIREMENTS	INCLUDED IN THE PUBLISHED DOCUMENT?	TO BE RETURNED BY BIDDER/ TENDERER?
· · ·	Administrative Compliance		
1.	PARTICULARS OF QUOTATION	YES	YES
02.	OFFICIAL PRICE PAGE FOR QUOTATIONS OVER R2 000.01,MUST BE CACLULATED CORRECTLY AND IN COMPLIANCE WITH SARS REQUIREMENTS	YES	YES
3.	BIDDER'S DISCLOSURE (SBD4)	YES	YES
4.	GENERAL CONDITIONS OF CONTRACT (GCC)	YES	YES
5.	SPECIAL CONDITIONS OF CONTRACT (SCC)	YES	YES
6.	PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022 (SBD 6.1)	YES	YES
	Compulsory Compliance		
7.	SUPPLIER UPDATED CIPC REGISTRATION DOCUMENTS	NO	YES
8.	A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (For EMEs& QSEs)	NO	YES
9,	TAX COMPLIANT (VALID TAX COMPLIANT MUST BE ATTACHED	NO	YES
10	CERTIFIES COPY OF QUALIFIED GAS PRACTICTIONER	NO	YES
11	COMMODITIES REGISTER AS REFRIGERATIONBOR MECHANICAL CONTRACTOR	NO	
11	CERTIFIED CON OF TRADE TESTED ALFRIGERATO,	NO R	YES
	Mandatory Requirements		
12	NOT APPLICABLE	NO	YES

Note: This relates to administrative, compulsory and mandatory returnable documents which must be fully completed, and submitted, should you fail to submit any of the above returnable documents, your offer will be treated as non-responsive and will not proceed to the next stage of evaluation. The department reserve a right to verify validity of the documents submitted, should it be discovered that the information submitted misrepresented the quotation will be disqualified.

STAGE 2: CAPACITY TO DELIVER

4	Valid copy of at least 3 copies of completion certification in servicing of services of air conditioner unit
2.	If there is valid proof that the bidder was previously issued with an order and failed to deliver without acceptable reasons, the bidder will be treated as a defaulter and will not progress to the next stage of evaluation.

STAGE 3: COMPLIANCE WITH SPECIFICATION

Requirement	Complies With
	Specification
	Yes /No
The bidder / Tenderer to confirm that the uniform to be supplied comply with attached	
specification document, should you fail to indicate with yes, it will mean, you do not comply and	
your quotation will not progress to the next stage of evaluation	

STAGE 4: PRICE AND PREFERENCE POINTS

The value of this quotation is estimated not to exceed R 40 000 .00 (inclusive of all applicable taxes), therefore the 80/20 preference point system shall be applicable. Points for this quotation will be awarded for:

CATEGORY	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and must not exceed	100

The Department has identified the following specific goal:

nber of nts allocated	Proof To Claim Specific Goal (Returnable Documents)	
20	 Ownership Certificate issued by the Companies and Intellectual Property Commission (CIPC). The Department will download CSD to verify this information. 	

Official :	Title (Ms/ Miss/ Mrs/ Mr/Dr)	Surname	Initials	Date	Signature
End User Representative	MR	DLAMÍNI	C.B	02/05/2024	SSALIMIN
SCM Official	MR	KHAN-116	7.9	02/03/24	Ta klynyile

INITIAL HERE 7. 9



REPLACEMENT OF AIR CONDITIONERS SPECIFICATION

FACILITY NAME: MOSVOLD HOSPITAL PROJECT DESCRIPTION: REPLACEMENT AND INSTAALLATION OF AIR CONDITIONERS AT UMKHANYAKUDE DISTRICT

Project Leader

: MR. C.B Dlamini

Phone number : 035 7951124

Cell number

: 072 108 6493

Email

: cdlamini6@gmail.com

1. Acronyms/Abbreviations

Abbreviation	Description
A/C	Air Conditioning
AHU	Air Handling Unit
СНС	Community Health Center
DX	Direct Expansion
HVAC	Heating Ventilation
PHC	Primary Health Care
COC	Certificate of Compliance
OHS Act	Occupational Health and Safety Act 85 of 1993
SANS	South African National Standard

1.2 Definitions

1.2.1 Access

 a) Official contractual permission to a Contractor to proceed with construction of a plant or installation of equipment in a section of the plant constructed by other.

1.2.2 Installation

b) Installing of equipment or parts of equipment or plant as per design.

1.2.3 Commissioning

c) Energizing of equipment for the purpose of testing and ensuring that the systems operate as designed.

1.2.4 Energizing

d) Applying electrical power to systems.

1.2.5 Operational

e) Running systems as per design.

1.2.6 Storage

f) Placing equipment in building or rooms for protection awaiting installation or energizing.

1.2.7 Servicing

g) Performing maintenance and/or repair work.

2. TECHNICAL RESTRAINTS

2.1 General

a) Room type air conditioners shall be completely self-contained units of the direct expansion unitary split type design, air cool and heating

b) The air conditioner shall generally be in accordance with SABS1125-1977 with sound level not exceeding the values specified in the supplement specification and/

or this standard specification as applicable.

c) Room air side shall be equipped with a suitable and easily accessible filter, two speed fan, adjustable directional air discharge grille, adjustable outside our intake damper, control thermostat, electric heating element (if not specified as recovery as reverse cycle heating) (where applicable), drain pan and drain piping, cooling col, control and control panel and complete wiring, including interlock with outdoor unit.

d) The outdoor unit shall contain the matching compressor unit, air-cooled condenser,

condenser fan with waterproof painted and corrosion protected casing.

e) The outdoor and inside door units shall be interconnected with refrigerant piping (separately insulated suction and delivery piping for reverse cycle units), electric wiring and interlock cabling. Where visible and/ or exposed to the weather or possible mechanic damage mechanic refrigerant piping and cable shall be run inside PVC or galvanized sheet trucking, neatly erected and painted as specified.

- Where applicable provision shall be made in the unit designed to re-evaporate condensate from the condenser. Provision shall however be made in all case for the drainage of excessive condensate to the nearest building drain by means of copper or PVC tubing (refer to supplementary specification) not less than 18mm diameter. For reverse cycle heating unit split type units, a proper drip pan with drainage piping as above shall be for the outdoor units where dripping can create unacceptable conditions
 - Where drainage piping is required to be installed flush mounted, positioning and chasing shall be done in good time to meet construction programs. Drainage to the points other than a proper building drain shall comply with SABS 0400.
- g) All panels fitting with hardwearing exposed surface of baked enamel or equal finish of approved colour.

h) Electrical interlocking shall be provided to ensure that

- Compressor cannot run without both indoor and outdoor fans running
- Electrical heating elements can only be switched on if the indoor fan is running

It shall not be possible to switch cooling and heating on simultaneously.

i) Unless otherwise specified in the supplement specification room type air conditioner in the cooling mode shall be rated at 35°C ambient dry bulb temperature on to condenser, 27°C dry bulb and 19°C wet bulb air entering condition to evaporator, all at sea level with the cooling capacities specified at these conditions. For reverse cycle heating the rating shall be based on 7°C ambient dry bulb and 6°C wet bulb air on the outdoor coil with21°C dry bulb air on the indoor coil.

Unless otherwise detailed on the drawings or in the supplements specification units installed through a wall shall be install with a sub-frame built it on the wall (hardwood or steel) and neat finishing architraves inside and outside. The external architraves shall be aluminium angle shall be mitred at corners and shall the subframes and opening completely. The architraves and sub-frame surround shall be

sealed with clear silicone sealant.

k) Each air conditioner must have Isolator switch in the outdoor unit.

l) All air must be mounted on the lines of brick fill will concrete

3 SCOPE OF WORK

The scopes of work entail the replacement and repairing of air conditioners as per specification.

4. CONDITIONS OF CONTRACT

4.1 Notice to Bidders

- a) The institutions will remain open and operational at all times therefore the Contractor shall make the necessary arrangements with the Institutional Management and Maintenance supervisor for any power outages that are required. This may necessitate weekend work.
- b) The Administration reserves the right to negotiate prices in the Schedule of Prices.
- c) All redundant material and rubble shall be removed from the institution's property immediately.
- d) All equipment and materials used in this contract shall be that which is specified or other approved prior to submission and closure of the bid.
- e) The Contractor is advised to examine all the drawings (if any) and to visit the site prior to tendering to acquaint him/herself with the nature of the work to be done and access to the siting of the existing buildings etc., as no claim will be allowed on the grounds of ignorance of the conditions under which the work will be executed.
- f) Any discrepancies or omissions shall be brought to the attention of the Project Leader immediately.
 - g) Preference will be given to Bidders who have registered offices / workshops within the borders of the Province of KwaZulu-Natal. This is in an effort to reduce response times to call outs for breakdowns in the more remote areas of the Province.
 - h) The Contractor must be registered with CIDB and must have minimum grading of 1GB.
 - i) The Contractor must be competent with proven experience in working in a building industry with traceable references.

For coastal application special considerations and requirements are called for namely

- a. All steel part exposed to the atmosphere or to ambient air (including outdoor unit air path) shall be either hot-dip galvanised or electroplated to SABS 728 of 1970 before painting.
- b. Outdoor coil shall be constructed of copper to copper tubing and fins
- c. Electric terminal and connections shall be corrosion protected with non-hardening mastic or equal coating
- d. The complete compressor unit shall be with continuous skin of PA 10 plastic film, or equal.
- e. Fan motors, fan scroll and internal fan wheels shall be similarly be sprayed with a PA 10 plastic film or equal.

4.2 Execution Period

Three (Two) weeks is the specified completion period for the construction stage from the date of award.

5. PARTICULAR SPECIFICATION

5.1 General Requirements

Tenderers are to make special note of the following:

- a) The whole installation shall be in accordance with the Occupational Health and Safety Act 85/1993 and all regulations framed therein shall be carried out to the satisfaction of the Department of Health.
- b) Competent workmen skilled in their trade shall carry out all work. Quality shall be of the best standard practice and all workmanship will be subject to the approval of the Department of Health.
- c) The work shall at all times, for the duration of the contract, be carried out under the supervision of a skilled and competent representative of the Contractor, who will be able and authorized to receive and carry out instructions on behalf of the Contractor. A sufficient number of workmen shall be employed at all times to ensure satisfactory progress of the work.
- d) All apparatus, component parts, fittings and materials employed in the execution of the Contract shall be new and unused and shall be the latest type or pattern of the particular manufacture employed. S.A.B.S. mark bearing items shall be used wherever possible.
- e) The complete installation shall be maintained for a period of twelve months (12) after acceptance in writing by the Department of Health and shall allow for routine inspections not less frequently than two times a year.

- f) The complete installation must be guaranteed against defective parts and workmanship for a period of twelve months (12) after the date of issue of the Completion Certificate. This period shall run concurrently with the maintenance period.
- g) Rates are to include for commissioning and testing of the complete installation and handing over in working order ready for use.
- h) Tenderers are advised to visit the site and acquaint themselves fully with the site conditions and nature and full extent of work involved prior to submitting their tender. Claims on the grounds of insufficient information in such respects or otherwise will not be entertained by the Administration.
- i) The Department of Health reserves the right to make emergency repairs to keep the equipment in operation without voiding the Contractor's Guarantee, nor relieving the Contractor of his responsibility during the guarantee period when, after proper notice, the Contractor fails to attend to such emergency repairs. All costs incurred by the Administration under these circumstances will be for the account of the Contractor.
- j) NOTE: All electrical equipment shall comply with NER Regulation of voltage.

5.2 Electrical Installation Details

Satisfactory Installation:

- a) All electrical work carried out will be neat and best class materials must be used. All wiring to conform to the SANS Code of Practice 10142 and will be subject to prior inspection and approval before acceptance.
- b) All necessary electrical power wiring and tubing between the distribution board and equipment installed by the Contractor shall be the responsibility of the Contractor.
- c) The Contractor shall submit the mandatory Certificate of Compliance. First delivery of this contract will not be taken until such time as this certificate is submitted to the Department of Health.

5.3 Safety and Risk Management

The Contractor shall observe all safety precautions during the installation and commissioning of all services as required by the OHS Act 85 of 1993 and supplier's installation manual.

5.4 Quality Requirements

- The installations shall be conducted by fully trained and certificated technicians.
 Certificates of technicians performing the works to be supplied.
- The client engineer or representative shall conduct inspections of the installations on completion. Quality documents shall be signed after a successful inspection.
- The supplier's or OEM's installation and test procedures shall be strictly adhered to.

5.5 Testing and Commissioning

All new equipment shall be tested, commissioned, ready for use and be maintained and guaranteed for a period of twelve (12) months.

Commissioning certificates shall be supplied before First Delivery of this contract is taken. All equipment to be supplied with nameplates showing the Technical Information as well as all the information as contemplated by the Occupational Health and Safety Act, 85 of 1993, as amended and its regulations, showing particularly the following information

- i. Manufacturer's name
- ii. Country of origin
- iii. Year of manufacture
- iv. Serial number
- v. Model number
- vi. Capacity

5.6 Maintenance Manuals

Two (2) sets of hard copy maintenance and operating manuals and electronic copy are required which shall include all circuit diagrams, spare parts lists, operating instructions, etc. one set of laminated wiring diagrams shall be fixed to the wall in the plant room. These sets of drawings shall be provided at the practical completion date and the Practical Completion Certificate will NOT be issued without these documents.

5.7 Maintenance and Servicing

The entire installation including all new equipment manufactured or bought is subject to an unrestricted 12-month free maintenance and guarantee period, after the date of issue of the Completion Certificate.

5.8 Completion

On completion of the works the Contractor shall submit all documentation of installed structure including however not limited to:

- a) Quality Control Plan, Contractor's Checklist, Punch List or Snag List
- b) All quality documentation shall be signed off by the client engineer or representative.

The Contractor shall in addition supply the following upon completion

- Electrical COC, where applicable
- Declaration of the installation is being safe or sound based on construction.

6 THE SITE

The site is at Mosvold hospital, KwaZulu-Natal. Tenderers are encouraged to visit the site to ensure successful installation of the work required. Arrangements in this regard can be made with Maintenance Artisan Foreman

Electrical Supply:

- 220V ± 10%, Single Phase, 50 Hz
- 400V ± 10%, Three phase, 50 Hz

7 PROGRAM OF WORKS

It is imperative that the installation be achieved with minimum interruption to the existing facility. The Contractor shall notify the institution seven (7) days prior to carrying out any site work. As the institution is to remain in full operation for the duration of the works, the works are to be planned and executed so as to cause minimum inconvenience to staff and visitors.

A program shall be submitted within 7 days prior to the commencement of any work for the approval by the Project Leader. No work will commence without the program of works having been approved by the Project Leader. The lists of documents that ARE returnable with the Quotation Documentation are:

8 EVALUATION CRITERIA

The Bidder is to submit the following for evaluation purpose:

DOCUMENT	Note	Yes/No
Proof of letter of good standing	Mandatory	
Proof of CSD resisted as Refrigeration Company	Mandatory	
Proof of SARS registration	Mandatory	
Certificates of qualified personnel (Refrigerator – Trade Tested) working under the registered Company	Mandatory	
Proof of valid Public Liability Insurance minimum of 5	Mandatory	
Million	Mandatory	
Proof of valid certificate of gas handling	·	
Attach 3 copies of completion certificates	Mandatory	

Failure to submit any of the mandatory documents shall result in automatic disqualification.

9 SCHEDULE OF PRICES

PREAMBLE TO THE SCHEDULE OF PRICES

- a) All prices shall be quoted in the currency of the Republic of South Africa and will be fixed. Only where exchange rates have been stated in the quotation document, as at two weeks (14 days) prior to closing date of this quotation, will such exchange rate fluctuation be taken into account in the variation of the cost of the imported items/equipment.
- b) The Tenderer shall enter a price against each item in the schedule of prices. If the Tenderer fails to enter a price against any item in the schedule of prices the relevant cost of such item shall be regarded as being covered by other prices in the schedule of prices.
- c) The prices quoted against each item of these schedules shall cover the full inclusive cost of everything required for the execution of the work under the item plus an apportionment of any cost involved in meeting the obligations and liabilities imposed by the conditions of contract and in complying with the specifications.
- d) The prices quoted for the supply of plant and equipment shall include for all handling, loading, transporting and off-loading required for the delivery of the plant

- and equipment to the site, including in the case of off-site storage for double handling at the store.
- e) The prices quoted for erection and installation shall include for all handling, loading, transporting and off-loading, to take plant and equipment to place on site where required, erection, installation, painting, commissioning, operating, testing, adjusting, handing over in proper working order and guarantee for a period of 12 months, all as specified.
- f) The tendered rates and amounts must exclude Value Added Tax (VAT) but must include all levies, other taxes and duties on items to which they apply. Separate provision has been made in the Summary of Schedule of Prices for the purpose of VAT.
- g) Amounts allowed for contingencies will be spent in part or as a whole at the sole discretion of the Department of Health's "Representative".
- h) The Schedule of Prices shall be completed and signed in black ink. Corrections must be done by deleting, re-writing and initialling next to the amendment.
- i) Electrical and Mechanical work is not measured according to the Standard Procedures of Building Work.

PROVINCE OF KWAZULU-NATAL - DEPARTMENT OF HEALTH	
ESTIMATE FORM FOR:	
SUBMIT TO: FOR ATTENTION:	
INSTITUTION: REF NO.:	
SCOPE OF WORK: (A description of the work quoted for is required).	
the conditions as specified in Contract	
I/We hereby quote for the above work in accordance with the conditions as specified in Contract	hall be
Materials, component/ancillary parts: Firm Price. When applicable a detailed list of materials etc. showing unit costs s provided.	
A. Quoted for Bought Out Items (Excluding VAT)(Carried forward) R	
Mark Up @ % (Maximum Mark Up = 20% for values R0.00 to R299 999.99) R	
Mark Up @ % (Maximum Mark Up = 15% for values R300 000.00 to R R500 000.00)	
Mark Up @	
B. Quoted for Proprietary Items (Excluding VAT)(Carried forward) R	
C. Quote for Sub-Contract Items (Excluding VAT)(Carried forward) R	
Mark Up @ %	
D. Labour, Travelling, Subsistence and Transport. This price shall be firm in respect of materials etc. quoted for. (Excluding VAT) (Brought forward)	
E. Less credit for redundant materials, parts and equipment if applicable R ()
SUBTOTAL R	
VAT @ % R	
F. This Price in SA Currency firm for 90 days from date of the estimate quotation and R shall not be exceeded. To be measured on completion.	
Time required for completion weeks from receipt of official order.	
NAME OF SERVICE PROVIDER:	
CIDB REGISTRATION NUMBER CIDB CATEGORY	
PROVINCIAL SUPPLIERS DATABASE REGISTRATION NUMBER:	
SERVICE PROVIDER'S AUTHORISED SIGNATURE:	
No	
NAME IN BLOCK LETTERS: DATE:	
COMPANY STAMP:	

SCHEDULE OF PRICES: MATERIALS, COMPONENT/ANCILLARY PARTSAND SUB CONTRACT WORK

The service provider shall add here, ALL materials, components/ancillary parts which are required for the completion of the work quoted for. In the event that more pages are required, this page may be copied.

ITEM	DESCRIPTION	MANU- FACTURER	FIGURE/ MODEL NO.	QUANTITY	COST	TOTAL COST (Excluding VAT)		
						BOUGHT OUT	PRO- PRIETARY	SUB CONTRACT
01	Remove window walls, Supply and close holes inside and outside with galvanized steel sheet painted white from the Factory, apply silicon and rivets screws to secure plate on the wall 400mmx600mm in Park home 116,117,115,118 & 120, Wellness, IPC and Waste, Haast.			10	R	R	R	R
02	Supply and install 12 000 BTU air conditioners spit unit as per specification figure 4.1 in Park home 120, 118,113,112,			01	R	R	R	R
03	Supply and replace condemned 12 000 BTU split unit with all necessary fittings. OPD Treatment room			01	R	R	R	R
04	Supply and replace condemned 12 000 BTU split unit with all necessary fittings. Wellness, Waste Manager and IPC			03	R	R	R	R
05	Supply and replace condemned 12 000 BTU split unit with all necessary fittings. Finance Manager			01	R	R	R	R
06	Supply and replace 18 000 BTU split unit with all necessary fittings at Park home 115			01	R	R	R	R
07	Supply and install 12 000 BTU split unit in Dental ward with all necessary fittings.(new installation)			02	R	R	R	R
08	Supply and install 12 000 BTU split unit the Artisan Foreman park home with all necessary fittings (new installation)			01	R	R	R	R
09	Re-gas air conditioners and re-install in the Maintenance office and house 121 with all necessary fittings.			02	R	R	R	R
10	Supply and replace AVEON PC board, repair gas leak and re- gas for 12 000 BTU split unit in the Finance office.			01	R	R	R	R
11	-Remove old wall air conditioner 800mmx500mm and dump it in scrap yard next to steel tank.			02	R	R	R	R

Supply and blose holes	two 900mm x 900mm and finish with plaster and paint matching the existing with all fittings. 12 Replace compressor, repair and re-gas with all fittings in the Filling room. 13 -Replace compressor, repair and re-gas with all fittings in the Filling room. 13 -Replace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 5 room. -Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split until in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for orouside until in the HR container. 17 Repair leak and re-gas air conditioner in the HR container. 18 Supply and install needs as air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install needs as air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install needs are gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install needs and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 19 -Supply and install needs and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 19 -Supply and install needs and re-gas air conditioner in the Community office and OPD container with all needs are gas air conditioner in the Community office and OPD container with all needs are gas air conditioner in the Community office and OPD container with all needs are gas air conditioner in the Community office and OPD container with all needs are gas air conditioner in the Community office and OPD container with all needs are gas air conditioner in the Community office and OPD container with all needs and re-gas air condi									
and finish with plaster and paint matching the existing with all fittings. 12 Replace compressor, repair and re-gas with all fittings in the Filling room. 13 -Replace compressor, repair and re-gas with all fittings in the Filling room. 13 -Replace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 8 room. -Remove air conditioner in the Pharmacy With all fittings in the Pharmacy with all fittings. 14 Supply and install 12 000 BTU split until in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU split und the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD containers with all necessary fittings. 18 -Supply and install necessary fittings. 19 -Supply and install necessary fittings.	and finish with plaster and paint matching the existing with all fittings. 12 Replace compressor, repair and re-gas with all fittings in the Filling proom. 13 -Replace compressor, repair and re-gas with all fittings in the Filling proom. 13 -Replace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 room. -Remove alt conditioner in the Pharmacy with all fittings in the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU gain and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install on the fitting containers next to Elevated concrete tark with all necessary fittings. 16 Supply and replace fan for outside unit in the Hall and expensive proof is officer with all necessary fittings. 17 Repair leak and re-gas are conditioner in the Community office and OPD container with all necessary fittings. 18 Supply and replace fan for outside unit in the Community office and OPD container with all necessary fittings. 19 Repair leak and re-gas are conditioner in the Community office and OPD container with all necessary fittings. 19 Repair leak and re-gas are conditioner in the Community office and OPD container with all necessary fittings. 19 Supply and install form with all necessary fittings. 10 Supply and install form with all necessary fittings. 11 Supply and install form with all necessary fittings. 12 Supply and install form with all necessary fittings. 13 Supply and install form with all necessary fittings. 14 Repair leak and re-gas are fittings. 15 Repair leak and re-gas are fittings. 16 Supply and install form with all necessary fittings. 17 Repair leak and re-gas are fittings. 18 Supply and install form with all necessary fittings. 19 Supply and install fitting with all the fitting with all									
existing with all fittings. 12 Replace compressor, repair and re-gas with all fittings in the Filling room. 13 -Replace compressor, repair and re-gas with all fittings in the Filling repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 room. -Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR R R R R R R R R R R R R R R R R R R	existing with all fittings. 12 Replace compressor, repair and re-gas with all fittings in the Filling room. 13 - Replace compressor, repair and re-gas with all fittings in the Filling room. 13 - Replace compressor, repair and re-gas with all fittings in the Pharmacy service with all fittings in the Pharmacy of conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 - Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 - Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 - Supply and replace fan for oruside unit in the HR container. 17 - Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 - Supply and install necessary fittings. 19 - Supply and install necessary fittings. 19 - Supply and install necessary fittings. 10 - Supply and install necessary fittings. 11 - Supply and install necessary fittings. 12 - R R R R R R R R R R R R R R R R R R									
12 Replace compressor, repair and re-gas with all fittings in the Filling room. 13 Replace compressor, repair and re-gas with all fittings in the Pilling room. 13 Replace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 room. Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete lank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100 PM R R R R R R R R R R R R R R R R R R	12 Replace compressor, repair and re-gas with all fittings in the Filling room. 13 -Replace compressor, repair and re-gas with all fittings in the Filling room. 14		and paint matching the	1						
repair and re-gas with all fittings in the Filling room. 13 -Replace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 room. -Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 1200 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR Container. 17 Repair leak and re-gas at open conditions of the Community office and OPD container with all necessary fittings. 18 -Supply and install necessary fittings. 19 Supply and replace fan for outside unit in the HC Community office and OPD container with all necessary fittings. 18 -Supply and install necessary fittings. 19 -Supply and install necessary fittings. 19 -Supply and install necessary fittings. 10 -Repair leak and re-gas at one conditioner with all necessary fittings. 19 -Supply and install necessary fittings.	repair and re-gas with all fittings in the Filting room. 13									
all fittings in the Filling room. 13 -Replace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 room. -Remove air conditioner in the Pharmacy schedule 5 & 6 room. -Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete lank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas are conditioner with all necessary fittings. 18 -Supply and install necessary fittings. 19 Remove 32 000 BTU and re-gas are conditioner with all necessary fittings. 19 Repair leak and re-gas are conditioner with all necessary fittings. 19 Repair leak and re-gas are conditioner with all necessary fittings. 19 Repair leak and re-gas are conditioner with all necessary fittings. 10 Repair leak and re-gas are conditioner with all necessary fittings. 10 Repair leak and re-gas are conditioner with all necessary fittings.	all fittings in the Filling room. 13	12						<u> </u>	_	ь
Toom. Replace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 room. Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. O2 R R R R R R R R R R R R R R R R R R	Toom. Toom.		repair and re-gas with		İ	01	R	K	K	^
13 -Repiace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 roomRemove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	13 Replace compressor, repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 room. Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install supply and install supply and replace fan for outside unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the fitting containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the Health necessary fittings. 17 Repair leak and re-gas at one of the container in the Community office and OPD containers with all necessary fittings. 18 Supply and replace fan for outside unit in the He Community office and OPD containers with all necessary fittings. 18 Supply and replace fan for outside unit in the He Community office and OPD containers with all necessary fittings. 18 Supply and install should necessary fittings. 19 Supply and install should not be supply and install single phase water proof isolator (Euroiux EII-20 ISOLATOR Switch 1 pole 204mp 250V IP66)]						
repair and re-gas with all fittings in the Pharmacy schedule 5 & 6 room. -Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14	repair and re-gas with all fittings in the Pharmacy schedule 5 & 5 room. -Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU spit unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the fitting containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas are conditionally fittings. 18 -Supply and replace fan ODD container with all necessary fittings. 19 -Supply and replace fan for outside unit in the HR container. 19 -Supply and replace fan ODD container with all necessary fittings. 19 -Supply and install necessary fittings. 10 -Supply and install necessary fittings. 10 -Supply and install single phase water prof isolator (Eurolux E11-20 ISOLATOR Switch pole 20Amp 250V IP66)	13							:	
all fittings in the Pharmacy schedule 5 & 6 roomRemove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-Install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	all fittings in the Pharmacy schedule 5 & 6 room. Remove air conditioner in the Pharmacy Manager on top of the cupbosard and re-install on the side of the wall with all fittings. 14 Supply and install 12 COO BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas and for outside unit in the HR container. 18 Supply and install necessary fittings. 18 Supply and install necessary fittings. 18 Supply and install necessary fittings. 18 Supply and install supply and install single phase water prof Isolator (Eurolux El1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)	Ü	repair and re-gas with			2	R	R	R	R
8 room. Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	6 room. Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU spit until in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU spit until in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux El1-20 ISOLATOR Switch 1 pole 20Amp 250 UP66)				1					
-Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU spit unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 - Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	-Remove air conditioner in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the fitting containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux El1-20 ISOLATOR Switch 1 pole 20Amp 250 (1966)		Pharmacy schedule 5 &				j			
in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	in the Pharmacy Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 200 BTU splt unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 Supply and install 100mmx40mm=9M PVC trucking in Heast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V [P66)									
Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14	Manager on top of the cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)		1					ļ		
cupboard and re-install on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	cupboard and re-install on the side of the wall with all fittings. 14 Supply and Install 1 2000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)		Manager on top of the							
on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	on the side of the wall with all fittings. 14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Euroinx El-2) ISOLATOR Switch 1 pole 20Amp 250V IP66)									
Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings 18 Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 9M R R R R R	14 Supply and install 12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66) 250V				Ì					
12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	12 000 BTU split unit in the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)		with all fittings.							
the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	the Health and safety, Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)	14								
Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary filtings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	Asset office, OPD container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)					04	R	R	R	R
container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	container and Security Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux El1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)						İ			
Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	Officer with all necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux E11-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)							İ		
necessary fittings. 15 Remove 12 000 BTU and re-Install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	necessary fittings. 15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings. 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)									1
Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings	15 Remove 12 000 BTU and re-install in the filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mm×40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Euroiux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)									
filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	filling containers next to Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)	15					1			
Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	Elevated concrete tank with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)					02	R	R	R	R
with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	with all necessary fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)							1		
fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	fittings 16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)	1						İ		
16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	16 Supply and replace fan for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)			1						
for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	for outside unit in the HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)	16								
HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	HR container. 17 Repair leak and re-gas air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux E11-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)	1 10	for outside unit in the			01	l R	R	R	R
air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	air conditioner in the Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)		HR container.							
Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	Community office and OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66) R R R R R R R R R R R R R R R R R R R	17	Repair leak and re-gas			02	R	R	R	R
OPD container with all necessary fittings. 18 -Supply and install 100mmx40mm=9M 9M R R R R R R PARk home, 116 and	OPD container with all necessary fittings. 18									
necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	necessary fittings. 18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66) R R R R R									
18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and	18 -Supply and install 100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)									
100mmx40mm=9M 9M R R R R PVC trucking in Haast Park home, 116 and	100mmx40mm=9M PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)	10								
PVC trucking in Haast Park home, 116 and	PVC trucking in Haast Park home, 116 and 117. -Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)	10				9M	R	l R	R	R
	-Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)					0.01	1			
117.	-Supply and install single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)									
	single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)		117.							
Cumply and install	single phase water proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)		Cupply and install				1_		1_	1 _
-oupply and install 04 R R R	proof Isolator (Eurolux EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)		-oupply and install]	04	R	R	I K	K
	EI1-20 ISOLATOR Switch 1 pole 20Amp 250V IP66)			ALL CONTRACTOR OF THE CONTRACT						
EI1-20 ISOLATOR	Switch 1 pole 20Amp 250V IP66)		EI1-20 ISOLATOR							
Switch 1 pole 20Amp	250V (P66)			1	I	1	l			1
250V IP66)		1				1		1	1	
TOTAL COOT DOUGLET OUT ITEM (A)	TOTAL COST BOUGHT OUT ITEM (A)			,	TAL 000=	DOLLOUT CLU	T ITEM (A)			

TOTAL COST PROPRIETARY ITEMS (B)

TOTAL COST SUB CONTRACT ITEMS (C) (Attach copy of sub-Contractors quote)

LABOUR, SUBSISTENCE, TRAVEL AND TRANSPORT REPLACEMENT AND ADDITIONAL EQUIPMENT

_	LABOUR	No. of	TOTAL HOURS	RATE/HR		AMOUNT
)	Artisans		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	R 300.00		R
)	Apprentice					
	1 st Year		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	R 11	8.00	R
	2 nd Year		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	R 15	00,00	R
	3 rd Year		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	R 18	80.00	R
	4 th Year		117775-117-1117-11	R 26	5.00	R
:)	Semi-skilled		,,,,,,	R 14	12.00	R
))	Unskilled			R 7	5.00	R
5.2.	SUBSISTENCE	No. of	TOTAL DAYS	RATE/24HR		
- 1)	Artisans	.,,,,,		R 30)3.00	R
)	Apprentice		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	R 30	03.00	R
;)	Semi-skilled			R 30	03.00	R
" (1)	Unskilled			R 30	03.00	R
5.2. 3	HOTEL/ACCOMMODATION	, , , , , , , , , , , , , , , , , , , ,	No. of Persons	No. of Nights		Cost per Night as per Suppliers Invoice
•	NOTE: When applicable you may only	claim for Acco	mmodation <u>OR</u> Subsist	,	1	R
		1	TOTAL IC-	DAT		
3.2. 5	TRAVEL		TOTAL Km	KAI	E/Km	
5 5.2,	From service provider's premises to		TOTAL KM	Petrol	E/Km Diesel	
5 5.2, 5.1	From service provider's premises to site trips (skilled)		TOTAL KM		Diesel	
5 5.2, 5.1	From service provider's premises to site trips (skilled) @ km per trip			Petrol Delete as ap	Diesel	R
5 5.2, 5.1 a)	From service provider's premises to site trips (skilled) @ km per trip trips (Semi-skilled)			Petrol	Diesel plicable	
5 5.2, 5.1 a)	From service provider's premises to site trips (skilled) @ km per trip			Petrol Delete as ap	Diesel plicable	R
5.2. 5.1 3) 5) (From service provider's premises to site trips (skilled) @ km per trip trips (Semi-skilled)			Petrol Delete as ap	Diesel plicable R 7.58	
5 6.2, 5.1 a)	From service provider's premises to site trips (skilled) @ km per trip trips (Semi-skilled) @km per trip			Petrol Delete as ap	Diesel plicable R 7.58	
5.2. 5.1 a) b) (From service provider's premises to site trips (skilled) @ km per trip trips (Semi-skilled) @km per trip From accommodation to site			Petrol Delete as ap	Diesel plicable R 7.58	
5 5.1 a) b) ; 6.2. 5.2	From service provider's premises to site			Petrol Delete as ap R 7.78 R 5.80	Diesel plicable R 7.58 R 5.60	R
5.2. 5.1 a) o) (From service provider's premises to site			Petrol Delete as ap R 7.78 R 5.80	Diesel plicable R 7.58 R 5.60	R
5.2. 5.1 a) b) (From service provider's premises to site	WITH		Petrol Delete as ap R 7.78 R 5.80 R 7.78	Diesel plicable R 7.58 R 5.60 R 7.58	R
5.2. 5.1 a) b) (5.2. 5.2 a)	From service provider's premises to site			Petrol Delete as ap R 7.78 R 5.80 R 7.78 R 5.80 RA1	Diesel plicable R 7.58 R 5.60 R 7.58	R
5	From service provider's premises to site	s (skilled) @	TOTAL HOURS	Petrol Delete as ap R 7.78 R 5.80 R 7.78 R 5.80 RAT	Diesel plicable R 7.58 R 5.60 R 7.58 R 5.60	RR
5.2. 5.2. 5.2. 5.2. 5.2. 5.2. 6.2. 6.2.	From service provider's premises to site	s (skilled) @	TOTAL HOURS	Petrol Delete as ap R 7.78 R 5.80 R 7.78 R 5.80 RAT	Diesel plicable R 7.58 R 5.60 R 7.58 R 5.60 E/HR	R R AMOUNT R
5.2. 5.1 5.2. 5.2. 5.2 3) 5.2. 6.2. 6.2.	From service provider's premises to site	s (skilled) @ ps (semi) @ unskilled) @	TOTAL HOURS	Petrol Delete as ap R 7.78 R 5.80 R 7.78 R 5.80 RAT	Diesel plicable R 7.58 R 5.60 R 7.58 R 5.60	R R AMOUNT R

SPECIFICATIONS

The operation, construction, material and components of the equipment, as specified, shall comply with the latest requirements of:The Occupational Health and Safety Act (Act 85, 1993) as amended.

- a) KwaZulu Natal Department of Health Policy Document of the Design of Mechanical Installations, Revision 7, January 2013.
- b) KwaZulu Natal Department of Health Policy Document of the Design of Electrical Installations, Revision 7, January 2013.
- c) KwaZulu Natal Provincial Administration Health Services General Electrical Specification, Revision 4, September 2003.
- d) KwaZulu Natal Department of Health Policy Document of the Design of Structural Installations, Revision 7, January 2013.
- e) KwaZulu Natal Department of Health Standard Preambles to All Trades, Revision 3, January 2009.
- f) SANS 10400: The application of the National Building Regulations
- g) SANS 10142: Code of Practice for Wiring of Premises
- h) Local Fire Regulations.
- i) The Municipal By-laws and any special requirements of the Supply Authorities of the area or district concerned.
- j) An Electrical Certificate of Compliance, in accordance with the OHS Act as amended, will be required for all Electrical Works.
- k) The Machinery and Occupational Safety Act Act 6/1983
- I) All building works shall be in accordance with the Standard Preambles to All Trades.

The Contractor shall fully familiarise himself with these documents prior to quoting.



Physical Address: Ingwavuma Main Road Postal Address: Private Bag X2211, Ingwavuma, 3968 Tel: (035) 591 0122, Fax: (035) 591 0148 Email Address: Christopher.Dlamini@kzn.gov.za

MOSVOLD HOSPTAL MAINTENANCE

LIST OF DISTRIBUTION BOARD IN THE HOSPITAL

No.	LOCATION	QUANTITY	ACTIVITY/SCOPE
01	Maintenance	02	Service
02	House 136	01	Service
03	House 137	01	Service
04	House 138	.01	Service
05	House 139	01	Service
06	Stone house 135	01	Service
07	Kiosk K4	01	Service
08	House 140	01	Service
09	Board room	01	Service
10	IT office	01	Service
11	Kiosk K6	02	Service
12	Stone house(Chapel)	01	Service
13	House 141	01	Service
14	Pump house	04	Service
15	Kiosk K3	01	Service
16	House 121	02	Service
17	House 122	01	Service
18	JOJO Tank DB	01	Service
19	House 123	01	Service
20	House 124	01	Service
21	House 125	01	Service
22	House 126	01	Service
23	House 127	01	Service
24	Park home 119	01	Service
25	Park home 118	01	Service
26	Cable Junction box 118	01	Service
27	Park home 120	01	Service
28	Park home 117	01	Service
29	Park home 116	01	Service
30	Park home 143	01	Service
31	Park home 115	01	Service
32	House 114	01	Service
33	Park home 112	01	Service
34	Park home 113	01	Service
35	Cable Junction box 113	01	Service

36	House 111	01	Service
37	House 110	01	Service
38	Kiosk K7	01	Service
38	Student Park Home	01	Service
40	Kiosk to wheelchair store room	01	Service
41	Wheel chair store room	01	Service
42	Kiosk K8	.01	Service
43	House 133	01	Service
44	House 134	01	Service
45	House 128	01	Service
46	House 130	01	Service
47	House 129	01	Service
48	House 131	01	Service
49	House 132	01	Service
50	EMRS	01	Service
51	SCM block	01	Service
52	Admission block	01	Service
53	Haast	01	Service
54	OPD	02	Service
55	Intaka	01	Service
56	Plant Room for Autoclave(Male ward)	01 .	Service
57	Plant Room 9	01	Service
58	Male ward	01	Service
59	Male ward ablution no.1	01	Service
60	Male ablution no.2	01	Service
61	Kiosk DK2	01	Service
62	Pump house Male ward	01	Service
63	Isihambi	04 .	Service
64	Plant P.oom MO3	01	Service
65	Maternity	01	Service
66	Peads	01	Service
67	Plant Room M90	01	Service
68	Female Plant room	01	Service
69	Female ward	01	Service
70	Mortuary	01	Service
71	Kitchen Lounge	01	Service
72	Main Kitchen	01	Service
73	Kiosk no.1	01	Service
74	Nurses home no.1	01	Service
75	TB	01	Service
76	Laundry	01	Service
77	Wellness	01	Service
78	Asset	01	Service
79	Plant Room no.1	01	Service
80	Security office	01	Service
81	Plant room no.1	01	Service
	TOTAL	91	'



BIDDER'S DISCLOSURE

PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bld. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

BIDDER'S DECLARATION

FULL NAME

- Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the 2.1. YES / NO enterprise, employed by the state?
- If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below NAME OF STATE INSTITUTION

IDENTITY NUMBER

2.2.	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution ² ?	YES / NO
2,2.1.	If so, furnish particulars:	
2.3.	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?	YES / NO
2,3.1.	If so, furnish particulars:	
3	DECLARATION	
	I, the undersigned,(name) in submitting the accompanying bid, do the following statements that I certify to be true and complete in every respect:	o hereby make

- I have read and I understand the contents of this disclosure; 3.1.
- I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect; 3.2.
- The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any 3.3. competitor. However, communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
- In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, 3.4. specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates
- The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and 3,5, time of the official bid opening or of the awarding of the contract.
- There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in 3.6. relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that 3.7. are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

LCERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

LACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE,

NAME OF BIDDER	SIGNATURE	POSITION	DATE

The power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

^{2 &}quot;Procuring institution" refers to all institutions under the Accounting Officer of the Department of Health.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.





GENERAL CONDITIONS OF CONTRACT

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid/quotation documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bld, should be compiled separately for every bid (if applicable) and will supplement the
 General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

1 Definitions

The following terms shall be interpreted as indicated:

- 1.1. "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2. "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3. "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4. "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5. "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally
- 1.6. "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7. "Day" means calendar day.
- 1.8. "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9. "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10. "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11. "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA
- 1.12. "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14. "GCC" means the General Conditions of Contract.
- 1.15. "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16. "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17. "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18. "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding
- 1.19. "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20. "Project site," where applicable, means the place indicated in bidding documents.
- 1.21. "Purchaser" means the organization purchasing the goods.
- 1.22. "Republic" means the Republic of South Africa.
- 1.23. "SCC" means the Special Conditions of Contract.
- 1.24. "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25. "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2 Application

- 2.1. These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2. Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3. Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3 General

- 3.1. Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2. With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za



4 Standards

4.1. The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5 Use of contract documents and information; inspection.

- 5.1. The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or Information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2. The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3. Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4. The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6 Patent rights

6.1. The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7 Performance security

- 7.1. Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2. The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3. The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4. The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8 Inspections, tests and analyses

- 8.1. All pre-bidding testing will be for the account of the bidder.
- 8.2. If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3. If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4. If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5. Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6. Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7. Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Falling such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8. The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9 Packing

- 9.1. The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10 Delivery and documents

- 10.1. Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2. Documents to be submitted by the supplier are specified in SCC.

11 Insurance

11.1. The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.



Transportation

Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC. 12,1.

Incidental services 13

- The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC: 13.1.
 - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the
- Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties 13.2. and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14 Spare parts

14.1.

As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (li) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15 Warranty

- The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all 15.1. recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted 15.2. at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty. 15,3,
- Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or 15.4. parts thereof, without costs to the purchaser.
- If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial 15.5. action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16

- The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC. 16.1.
- The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in 16.2.
- Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier. 16.3.
- Payment will be made in Rand unless otherwise stipulated in SCC. 16.4.

17

Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his 17.1. bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18

No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned. 18.1.

19

The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent. 19.1.

20

The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in 20.1. the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

Delays in the supplier's performance 21

- Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the 21.1.
- If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods 21.2. and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local 21.3. authority.
- The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the 21.4. supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.



- Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of
- Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase 21.6. supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22

Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, 22.1. the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

Termination for default 23

- The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract 23.1. in whole or in part:
 - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract
- In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems 23.2. appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting 23.3. such supplier from doing business with the public sector for a period not exceeding 10 years.
- If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not 23.4. more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fall to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable 23.5. to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following 23,6 Information:
 - (i) the name and address of the supplier and / or person restricted by the purchaser;
 - (ii) the date of commencement of the restriction
 - (iii) the period of restriction; and
 - (iv) the reasons for the restriction.
- These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 23.7. 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

Anti-dumping and countervailing duties and rights 24

When, after the date of bid, provisional payments are required, or antidumping or countervalling duties are imposed, or the amount of a provisional 24.1. payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such antidumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount whichmay be due to him.

25 Force Maleure

- Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or 25.1. termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an
- If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise 25.2. directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26 Termination for insolvency

The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In 26.1. this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

Settlement of Disputes 27

If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the 27.1. parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

STANDARD QUOTATION DOCUMENT FOR QUOTATIONS ABOVE R2 000.01



- 27.2. If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3. Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4. Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5. Notwithstanding any reference to mediation and/or court proceedings herein,
 - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28 Limitation of liability

- 28.1. Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
 - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29 Governing language

29.1. The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30 Applicable law

30.1. The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31 Notices

- 31.1. Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice.
- 31.2. The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32 Taxes and duties

- 32.1. A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2. A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3. No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

33 National Industrial Participation (NIP) Programme

33.1. The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

34 Prohibition of Restrictive practices

- 34.1. In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2. If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3. If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

SPECIAL CONDITIONS OF CONTRACT

SCC

1. AMENDMENT OF CONTRACT

1.1. Any amendment to or renunciation of the provisions of the contract shall at all times be done in writing and shall be signed by both parties.

2. CHANGE OF ADDRESS

2.1. Bidders must advise the Department of Health (institution where the offer was submitted) should their address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

3. GENERAL CONDITIONS ATTACHED TO THIS QUOTATION

- 3.1. The Department is under no obligation to accept the lowest or any quote.
- 3.2. The Department reserves the right to communicate in writing with vendors in cases where information is incomplete or where there are obscurities regarding technical aspects of the offer, to obtain confirmation of prices or preference claims in cases where it is evident that a typing, written, transfer or unit error has been made, to investigate the vendor's standing and ability to complete the supply/service satisfactorily.
- 3.3 ALL DECISIONS TAKEN BY THE DEPARTMENT ARE FINAL, INCLUDING THE AWARD OR CANCELLATION OF THIS QUOTATION.
- 3.4. The price quoted must include VAT (if VAT vendor).
- 3.5. Should a bidder become a VAT vendor after award or during the implementation of a contract, they may not request the VAT percentage from the Department as the service provider made an offer during the period they were not registered as a VAT vendor. The Department is only liable for any VAT from registered VAT vendors as originally stated on the quotation document.
- 3.6. The bidder must ensure the correctness & validity of the quotation:
 - (i) that the price(s), rate(s) & preference quoted cover all for the work/item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk:
 - (ii) it is the responsibility of the bidder to confirm receipt of their quotation and to keep proof thereof.
- 3.7. The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
- 3.8. This quotation will be evaluated based on the 80/20 points system, specification, correctness of information and/or functionality criteria. All required documentation must be completed in full and submitted.
- 3,9. Offers must comply strictly with the specification.
- 3.10. Only offers that meet or are greater than the specification will be considered.
- 3.11. Late offers will not be considered.
- 3,12. Expired product/s will not be accepted. All products supplied must be valid for a minimum period of six months.
- 3.13. Used/ second-hand products will not be accepted.
- 3.14. A bidder not registered on the Central Suppliers Database or whose verification has failed will not be considered.
- 3.15. All delivery costs must be included in the quoted price for delivery at the prescribed destination.
- 3.16. Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
- 3.17. In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
- 3.18. In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered.
- 3.19. Verification will be conducted to identify if bidders have multiple companies and are cover-quoting for this bid.
- 3.20. In such instances, the Department reserves the right to immediately disqualify such bidders as cover-quoting is an offence that represents both corruption and acquisition fraud.

SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF THIS QUOTATION.

- 4.1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
- 4.2. Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
- 4.3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
- 4.4. Quotations submitted must be complete in all respects. However, where it is identified that information in a bidder's response, which does not affect the preference points or price, is incomplete in any respect, the said supplier meets all specification requirements and scores the highest points in terms of preference points and price, the Department reserves the right to request the bidder to complete/ submit such information.
- 4.5. Any alteration made by the bidder must be initialled; failure to do so may render the response invalid.
- 4.6. Use of correcting fluid is prohibited and may render the response invalid.
- 4.7. Quotations will be opened in public as soon as practicable after the closing time of quotation.
- 4.8. Where practical, prices are made public at the time of opening quotations.
- 4.9. If it is desired to make more than one offer against any Individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
- 4.10. The Department is under no obligation to pay suppliers in part for work done if the supplier can no longer for fulfil their obligation.

5. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

- 5.1. Quotation shall be todged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
- 5.2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid
- 5.3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
- 5.4. A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.



5.6. Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

SAMPLES

- 6.1. In the case of the quote document stipulating that samples are required, the supplier will be informed in due course when samples should be provided to the institution. (This decreases the time of safety and storage risk that may be incurred by the respective institution). The bidders sample will be retained if such bidder wins the contract.
 - (i) If a company/s who has not won the quote requires their samples, they must advise the institution in writing of such.
 - (ii) If samples are not collected within three months of close of quote the institution reserves the right to dispose of them at their discretion.
- 6.2. Samples must be made available when requested in writing or if stipulated on the document.

If a Bidder fails to provide a sample of their product on offer for scrutiny against the set specification when requested, their offer will be rejected. All

(i) testing will be for the account of the bidder.

7. COMPULSORY SITE INSPECTION / BRIEFING SESSION

7.1. Bidders who fail to attend the compulsory meeting will be disqualified from the evaluation process.

	1	,	llsory site meeting Wil	
(ii) Date:			Time:	: Place:
litution Stamp:	41141	A.3HIIPA	<u> </u>	Institution Site Inspection / briefing session Official:
				Full Name:
				Signature:
				Date:

8. STATEMENT OF SUPPLIES AND SERVICES

8.1. The contractor shall, when requested to do so, furnish particulars of supplies delivered or services executed. If he/she fails to do so, the Department may, without prejudice to any other rights which it may have, institute inquiries at the expense of the contractor to obtain the required particulars.

9. SUBMISSION AND COMPLETION OF SBD 6.1

9.1. Should a bidder wish to qualify for preference points they must complete a SBD 6.1 document. Failure by a bidder to provide all relevant information required, will result in such a bidder not being considered for preference point's allocation. The preferences applicable on the closing date will be utilized. Any changes after the closing date will not be considered for that particular quote.

10 TAX COMPLIANCE REQUIREMENTS

- 10.1. In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
- 10.2. In the event that the institution cannot validate the suppliers' tax clearance on SARS as well as the Central Suppliers Database, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

11 TAX INVOICE

- 11.1. A tax invoice shall be in the currency of the Republic of South Africa and shall contain the following particulars:
 - (i) the name, address and registration number of the supplier;
 - (ii) the name and address of the recipient;
 - (iii) an individual serialized number and the date upon which the tax invoice
 - (iv) a description and quantity or volume of the goods or services supplied;
 - (v) the official department order number issued to the supplier;
 - (vi) the value of the supply, the amount of tax charged;
 - (vii) the words tax invoice in a prominent place.

12 PATENT RIGHTS

12.1. The supplier shall indemnify the KZN Department of Health (hereafter known as the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

13, PENALTIES

- 13.1. If at any time during the contract period, the service provider is unable to perform in a timely manner, the service provider must notify the institution in writing/email of the cause of and the duration of the delay. Upon receipt of the notification, the institution should evaluate the circumstances and, if deemed necessary, the institution may extend the service provider's time for performance.
- 13.2. In the event of delayed performance that extends beyond the delivery period, the institution is entitled to purchase commodities of a similar quantity and quality as a substitution for the outstanding commodities, without terminating the contract, as well as return commodities delivered at a later stage at the service provider's expense.
- Alternatively, the institution may elect to terminate the contract and procure the necessary commodities in order to complete the contract. In the event that the contract is terminated the institution may claim damages from the service provider in the form of a penalty. The service provider's performance should be captured on the service provider database in order to determine whether or not the service provider should be awarded any contracts in the future.
- 13.4. If the supplier falls to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance.



TERMINATION FOR DEFAULT

- 14.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (i) If the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, (ii) if the supplier fails to perform any other obligation(s) under the contract; or

 - (iii) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems 14.2. appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting 14.3. such supplier from doing business with the public sector for a period not exceeding 10 years.
- THE DEPARTMENT RESERVES THE RIGHT TO PASS OVER ANY QUOTATION WHICH FAILS TO COMPLY WITH THE ABOVE. 15.



SBD 6.1.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1. The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2. The applicable preference point system for this tender is the 80/20 preference point system.
- 1.3. Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.
- 1.4. The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and Specific Goals	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6. The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

⁴' DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1. THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

 $P_{S} = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$ $P_{S} = 90 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$ OR

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:



Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration Pmax = Price of highest acceptable tender



4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.

	The specific goal/s allocated points in terms of this tender	Number of points points allocated (80/20 (80/20 system)
RDP	Goal: Full points allocated to promote South African owned enterprises	20
	DECLARATION WITH REGARD TO COMPANY/FIRM	
4.3.	Name of company/firm:	
4.4.	Company registration number:	
4.5.	TYPE OF COMPANY/ FIRM [tick applicable box] Partnership/Joint Venture / Consortium One-person business/sole propriety Close corporation Public Company Personal Liability Company (Pty) Limited Non-Profit Company State Owned Company	
4.6.	I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that: i) The information furnished is true and correct; ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor documentary proof to the satisfaction of the organ of state that the claims are correct; iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not bee state may, in addition to any other remedy it may have — (a) disqualify the person from the tendering process; (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct; (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrang cancellation; (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the autother side) rule has been applied; and (e) forward the matter for criminal prosecution, if deemed necessary.	may be required to furnish in fulfilled, the organ of gements due to such a cated on a fraudulent
	SIGNATURE(S) OF TENDERER(S) SURNAME AND NAME: DATE: ADDRESS:	