# KWAZULU-NATAL PROVINCE HEALTH REPUBLIC OF SOUTH AFRICA

#### **EVALUATION CRITERIA**

Institution	GJGM Regional Hospital
Quotation No.	9JM 103C- 24/25
Quotation Description	Cash registers

#### **EVALUATION CRITERIA**

This institution intends to evaluate valid quotations using five (5) evaluation stages. These are peremptory requirements, should the bidder/tenderer fail to comply with any of the stages as stated below, the quotation will be regarded as non-responsive, and will not progress to the final stage of evaluation:

- Stage 1: Administrative Compliance, Compulsory and Mandatory Requirements
- Stage 2: Capacity to Deliver
- Stage 3: Compliance with Specification
- Stage 4: Price and Preference Points System (Specific Goals)
- Stage 5: Objective Criteria (Submission of Sample)

Bidder Initial here: \_\_\_\_\_

#### **EVALUATION CRITERIA**



#### STAGE 1: ADMINISTRATIVE, COMPULSORY COMPLIANCE AND MANDATORY REQUIREMENTS

NO.	REQUIREMENTS	INCLUDED IN THE PUBLISHED DOCUMENT?	TO BE RETURNED BY BIDDER! TENDERER?
	Administrative Compliance	<b>1</b>	
1.	PARTICULARS OF QUOTATION	YES	YES
2.	OFFICIAL PRICE PAGE FOR QUOTATIONS OVER R2 000.01	YES	YES
3.	BIDDER'S DISCLOSURE (SBD4)	YES	YES
4.	GENERAL CONDITIONS OF CONTRACT (GCC)	YES	YES
5:	SPECIAL CONDITIONS OF CONTRACT (SCC)	YES	YES
6.	PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022 (SBD 6.1)	YES	YES
	Compulsory Compliance		
7.	SUPPLIER UPDATED CIPC REGISTRATION DOCUMENTS	NO	YES
8.	A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (For EMEs& QSEs)	NO	YES
9.	CENTRAL SUPPLIER DATABASE COMPLIANCE REPORT (CSD)	NO	YES
	Mandatory Requirements		

Note: This relates to administrative, compulsory and mandatory returnable documents which must be fully completed, and submitted, should you fail to submit any of the above returnable documents, your offer will be treated as non-responsive and will not proceed to the next stage of evaluation. The department reserve a right to verify validity of the documents submitted, should it be discovered that the information submitted is misrepresented or falsified the quotation will be disqualified or contract maybe be terminated.

Ridder	Initial	here.	

#### **EVALUATION CRITERIA**



#### STAGE 2: CAPACITY TO DELIVER

1.	Valid copy of at least one order and delivery note which will in private or public health facility.	serve as proof that you have delivered the order either  Note: Should you fail to submit any of			
	the above returnable documents, your offer will be treated as non-responsive and will not proceed to the next stage of evaluation				
2.	As part of risk management, if there is valid proof that the bit thereafter failed to deliver without acceptable reasons, the bit progress to the next stage of evaluation.				

#### STAGE 3: COMPLIANCE WITH SPECIFICATION

Requirement	Complies with
	Specification
	Yes /No
The bidder / Tenderer to confirm that the product supplied complies with attached specification document,	
should you fail to indicate compliance your quotation will not progress to the next stage of evaluation.	

#### **STAGE 4: PRICE AND PREFERENCE POINTS**

The value of this quotation is estimated not to exceed R 50 000 000 (inclusive of all applicable taxes), therefore the 80/20 preference point system shall be applicable. Points for this quotation will be awarded for:

CATEGORY	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and must not exceed	100

The Department has identified the following specific goal:

Specific Goal	Number of Points allocated	Proof To Claim Specific Goal (Returnable Documents)
The promotion of South African owned enterprises	20	<ol> <li>Ownership Certificate issued by the Companies and Intellectual Property Commission (CIPC).</li> <li>Affidavit for a company to confirm and prove that the enterprise is South African Owned</li> <li>The Department will download CSD to verify this informationconfirming disability</li> </ol>

NOTE:

Should a responsive bidder fail to submit proof to claim points, as stated above this will not result in disqualification; however, the bidder will not be awarded points for specific goals.

Bidder Initial here:

#### **EVALUATION CRITERIA**



#### STAGE 5: OBJECTIVE CRITERIA (SUBMISSION OF SAMPLE)

- 1. At least three bidders who scored the highest points will be required to submit samples, the institution will only accept and award compliant sample.
- 2. Should all three bidders fail to submit sample, the next three highest scoring bidders will be requested to submit samples.
- 3. Should all samples be rejected, the quotation process will start afresh.
- 4. The Department reserves the right to negotiate prices, if prices quoted are considered to be non-market related.
- 5. Note, the samples will be requested via email.

Ridder	Initial	here:	



### ANNEXURE A: SPECIFICATION FORM

NAME OF PROCURING		GJGM Regional Hospital			
FACILITY					
ITEM DESCR	RIPTION	Cash registers			
ITEM PURPO	OSE	Used in OPD to collect	fees		
ITEM DETAILED SPECIFICATION (INCLUDE		N (INCLUDE SIZE,COLOUF	R,MATERIAL,ETC)	COMPLIES (YES/NO)	
1.	Attached				
2.					
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.	<u></u>	7			
QUALITY ST	ANDARD	n/a			
UNIT OF ME	ASURE OR PACKAG	SING I.E	Unit		
(UNIT/BOX/	ROLL/PACK/BAIL E	TC)			
SAMPLE REC	QUIRED				
(YES/NO)		Yes. Demo will be requested			
IF YES WHEN AND HOW					
ADDENDUM	то				
SPECIFICATION ATTACHED		N/A			
(YES/NO)					

Note	:
	•

1.

2.

3.

#### SPECIFICATION APPROVED BY

Name of end user (in full)	HT Grumen 2	Name of SCM Rep (in full)	THATHAMPA MALON
Designation/Rank (in full)	Asmid Clock Supe	Designation/Rank (in full)	Sens BEMANS
Signature	Bur	Signature	Mary,
Date	30/09/2024	Date	20/09/2024

Bidders Initial here: \_\_\_\_\_

## PROVINCE OF KWAZULU-NATAL DEPARTMENT OF HEALTH SPECIFICATION FOR ELECTRONIC CASH REGISTER MACHINES (RECEIPTING)

- 1. The Condition and Procedure in regard to Tenders, contract and Order as laid down by the ZNT6 as amended, shall apply to this specification.
- 2. Tenderers must reply to every clause of this Specification clearly stating that the offer complies with or differs from the Specification. If alternative offers are made, the specification of each alternative must be clearly stated.
- 3. If this type of equipment/apparatus appears on the schedule of Hazardous Substances issued by the Directorate; Radiation Control of the Department of National Health and Population Development a license in the terms of the Act of Hazardous Substances (Act. 15/1973) must accompany the tender.

#### NOTE TO TENDERERS

WHERE THERE ARE ADVANTAGES IN THE EQUIPMENT THAT HAS BEEN PROPOSED THESE ADVANTAGES MUST BE CAREFULLY STRESSED AND WHERE EQUIPMENT FAILS TO MEET THE SPECIFICATION IN EVERY RESPECT ATTEMPTS MUST MADE TO OUTLINE THAT THE DIFFERENCES ARE NOT OF VITAL IMPORTANCE OR DO NOT AFFECT THE EFFECACY OF THE EQUIPMENT QUOTED. IT IS OF VITAL IMPORTANCE THAT THE TIME AND TROUBLE BE TAKEN TO OUTLINE THE DIFFERENCES IN THE SPECIFICATION AND TO ADVANCE INFORMATION WHICH WILL SHOW EITHER THAT THESE DIFFERENCES ARE NOT OF MATERIAL CONSEQUENCES OR, ALTERNATIVELY, THAT THE EQUIPMENT OFFERED HAS SPECIFIC TECHNICAL ADVANTAGES.

Clause 1: Each clerk to have individual DALLAS key to log onto the cash register.

Does the offer fully comply with the specification? YES NO	
If the offer does not fully comply with the specification, detail	
·	
·	
Clause 2: Locked in totals i.e. the register cannot be totaled without being unlocked with a special mach	ine key.
Does the offer fully comply with the specification? YES NO	
If the offer does not fully comply with the specification, detail	
,	

BLECTRONIC CASH REGISTER SPECIFICATION 2011

H76 CA

Clause 3: A supervisor/manager control key to unlock certain operations, which he must be capable of performing The Clerk/Operator must not have direct or indirect access to these operations entrusted to the supervisor/manager.
Does the offer fully comply with the specification?  YES  NO
If the offer does not fully comply with the specification, detail
Clause 4: A programme control key to unlock all programming operations on the machine which must not be possible by the clerk or the Supervisor/Manager keys.
Does the offer fully comply with the specification? YES NO
If the offer does not fully comply with the specification, detail
Clause 5: Locked in audit roll and receipt roll onto which is recorded each and every operation of the machine and which can be removed only by unlocking with a special key.
Does the offer fully comply with the specification?  YES  NO
If the offer does not fully comply with the specification, detail

H7B1

Clause 6:	The cash drawer (till) must not open un special machine key to give a sub total ( In this regard it must be borne in mind cash drawer does not open for these regi	(X) or a fir that certai	ial to	tal (Z) v	vhich wi	II clear and	i reset the ma	ichine.
Does the o	ffer fully comply with the specification?	YES		ИО				
If the offer	does not fully comply with the specification	on, detail					:	
Clause 7:	An Alpha-numeric operator display income the Clerk to operate the machine in the p	dicating an prescribed	nour man	its regisi ner if en	tered tog rors are	gether with made is ess	error messa sential.	ges prompting
Does the of	fer fully comply with the specification?	YES		МО				
If the offer of	does not fully comply with the specification	on, detail						
Clause 8:  Does the of:	A customer displays indicating amounts The amount of the preceding transaction (i.e. error message on the operator displater fully comply with the specification?	n must ren	nain	on this	display	or massag until the no	e) ext transactio	on is registered
If the offer o	loes not fully comply with the specification	n, detail		-				
							. :	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
				····				
					<del></del> -	<del>. ,,</del>		

7) A

Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11  The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. The machine must be capable of registering and displaying this number on both displays. The Out-Patient number should be displayed on the left hand side of the operators display so as to good confusion with money valued of the operators display on as to good confusion with money valued on the left hand side of the operators displays on as to good confusion with money valued on the feet of the operators displays on as to good confusion with money valued on the feet hand side of the operators displays on as to good confusion with money valued on the feet hand side of the operators displays on as to good confusion with money valued on the feet hand side of the operators displays on as to good confusion with money valued to the operators of siplay or as to good confusion with money valued to the operators display of the operators of the opera		YES NO	
Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money val Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)		!	
Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money valued out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9 (line)  Does the offer fully comply with the specification?	If the offer does not fully comply with the specification	on, detail	
Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges; in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to goold confusion with money valued of the operators of the capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9 (line)  VES NO  Does the offer fully comply with the specification?			
Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money valk Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES NO  Does the offer fully comply with the specification?	~		
Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money valid Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 99999999. The machine must not allow entry of out-patient number greater than 9 (line)  Does the offer fully comply with the specification?		:	
Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11  The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value of the capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  YES NO  Does the offer fully comply with the specification?			
Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11  The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to gvoid confusion with money value out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES NO  Does the offer fully comply with the specification?		·	
Clause 10: Hospital/Clinics levy charges for various patients over various service categories. The tariff rates for these categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11  The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient number should be displayed on the left hand side of the operators display so as to goold confusion with money valt Out-patient number must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Poes the offer fully comply with the specification?  YES NO  Does the offer fully comply with the specification?			
categories are reviewed each year and may be fixed charges, in which case the pre-programmed amounts must not be capable of being over ridden the operator but must be capable of amounts amended. (Certain charges may be variable and must require manual input of services fee by the operator.)  Does the offer fully comply with the specification? YES NO  If the offer does not fully comply with the specification, detail  Clause 11  The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money valued to the compulsory of the must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES NO  Does the offer fully comply with the specification?			
Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)	categories are reviewed each year and must not be capable of being over ridd charges may be variable and must requi	may be fixed charges, in which case the pre-programmed amounts len the operator but must be capable of amounts amended. (Certain re manual input of services fee by the operator.)	
Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 9999999999. The machine must not allow entry of out-patient number greater than 9(line)	Does the offer fully comply with the specification?	YES NO	
Clause 11  The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 9999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES  NO		on detail	
Clause 11  The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES  NO	If the offer does not fully comply with the specification	on, detail	
Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES NO		· ·	
Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?			
Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?			
Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 9999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES  NO			
Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?			
Clause 11 The entry of Patient/Out-Patient number must be compulsory at the commencement of the transaction. T machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 9999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES  NO			
machine must be capable of registering and displaying this number on both displays. The Out-Patient num should be displayed on the left hand side of the operators display so as to avoid confusion with money value Out-patient number must be of up to 9 (line) digit in length and the machine must be capable of registering number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  Does the offer fully comply with the specification?  YES  NO  Does the offer fully comply with the specification?			
number from 1 to 999999999. The machine must not allow entry of out-patient number greater than 9(line)  YES NO  Does the offer fully comply with the specification?			
Does the offer fully comply with the specification?	Clause 11 The entry of Patient/Out-Patient numb machine must be capable of registerin should be displayed on the left hand significant number must be of up to 9	per must be compulsory at the commencement of the transact ng and displaying this number on both displays. The Out-Patien ide of the operators display so as to avoid confusion with mone of (line) digit in length and the machine must be capable of regis	it num ey valı itering
If the offer does not fully comply with the specification, detail	Clause 11 The entry of Patient/Out-Patient numb machine must be capable of registerin should be displayed on the left hand significant number must be of up to 9	per must be compulsory at the commencement of the transact ng and displaying this number on both displays. The Out-Patien ide of the operators display so as to avoid confusion with mone of (line) digit in length and the machine must be capable of regis	it num ey valı itering
If the offer does not fully comply with the specification, detail	Clause 11 The entry of Patient/Out-Patient numb machine must be capable of registerin should be displayed on the left hand si Out-patient number must be of up to 9 number from 1 to 999999999. The ma	per must be compulsory at the commencement of the transact ng and displaying this number on both displays. The Out-Patien ide of the operators display so as to avoid confusion with mone of (line) digit in length and the machine must be capable of regis archine must not allow entry of out-patient number greater than s	it num ey valı itering
	Clause 11 The entry of Patient/Out-Patient numb machine must be capable of registerin should be displayed on the left hand si Out-patient number must be of up to 9 number from 1 to 999999999. The ma	per must be compulsory at the commencement of the transacting and displaying this number on both displays. The Out-Patien ide of the operators display so as to avoid confusion with mone of (line) digit in length and the machine must be capable of registichine must not allow entry of out-patient number greater than services.	it num ey valı itering
	Clause 11 The entry of Patient/Out-Patient numb machine must be capable of registerin should be displayed on the left hand si Out-patient number must be of up to 9 number from 1 to 999999999. The ma	per must be compulsory at the commencement of the transacting and displaying this number on both displays. The Out-Patien ide of the operators display so as to avoid confusion with mone of (line) digit in length and the machine must be capable of registichine must not allow entry of out-patient number greater than services.	it num ey valı itering
	Clause 11 The entry of Patient/Out-Patient numb machine must be capable of registerin should be displayed on the left hand si Out-patient number must be of up to 9 number from 1 to 999999999. The ma	per must be compulsory at the commencement of the transacting and displaying this number on both displays. The Out-Patien ide of the operators display so as to avoid confusion with mone of (line) digit in length and the machine must be capable of registichine must not allow entry of out-patient number greater than services.	it num ey valı itering
	Clause 11 The entry of Patient/Out-Patient numb machine must be capable of registerin should be displayed on the left hand si Out-patient number must be of up to 9 number from 1 to 999999999. The ma	per must be compulsory at the commencement of the transacting and displaying this number on both displays. The Out-Patien ide of the operators display so as to avoid confusion with mone of (line) digit in length and the machine must be capable of registichine must not allow entry of out-patient number greater than services.	it num ey valı itering
	Clause 11 The entry of Patient/Out-Patient numb machine must be capable of registerin should be displayed on the left hand si Out-patient number must be of up to 9 number from 1 to 999999999. The ma	per must be compulsory at the commencement of the transacting and displaying this number on both displays. The Out-Patien ide of the operators display so as to avoid confusion with mone of (line) digit in length and the machine must be capable of registichine must not allow entry of out-patient number greater than services.	it num ey valı itering

H76

5	
_	
Patient No.	
t display on	
display on	
ally register	

	·
Clause 12: It must be compulsory before a transaction can proceed further that the Clerk depress Button. If this is not done and the Clerk attempts to continue with the transaction regis the operator display only (and not the customer display) the relevant error message.	ses the Patient No ter must display or
Does the offer fully comply with the specification? YES NO	
If the offer does not fully comply with the specification, detail	
Does the offer fully comply with the specification?  YES NO  If the offer does not fully comply with the specification, detail	
	-
Clause 14: It must be possible to register any amount by direct amount entry.	:
Does the offer fully comply with the specification? YES NO	
If the offer does not fully comply with the specification, detail	·
	:
	:

HOBOL

478 CA

Clause 17: In respect of the transactions for the NIL/DUE amounts the machine must validate in the reco drawer must not open  Does the offer fully comply with the specification?  YES  NO	rd and the cash
If the offer does not fully comply with the specification, detail	
Clause 18: The machine must produce a receipt automatically for all transactions except those for a amounts where no receipt ins required. Details required on the receipt are as follows:  i. Name of Hospital/Clinic ii. Machine identification iii. Clerk identification iv. Consecutive receipt number v. Date and Time vi. Patient Number vii. Amount and Tender type.	Nil and Due
Does the offer fully comply with the specification? YES NO	
If the offer does not fully comply with the specification, detail	

H76



Clause 19:	Clause 19: The machine must log each and every operation on an audit strip and the machine must have the capacity to hold an audit roll large enough to take 2 000 transactions without being replaced. The idetails are required to be printed automatically and concurrently with the receipt (N.B. in respect of Due amounts transactions no receipt is to be printed but the following must nonetheless be printed audit strip):			
	<ul> <li>i. Machine identification</li> <li>ii. A selected code to indicate Revenue Category</li> <li>iii. Clerk identification</li> <li>iv. Consecutive receipt numbers</li> <li>v. Patient number (must be offset to the left hand side of the strip)</li> <li>vi. Date an Time</li> <li>vii. Amount and Tender type</li> </ul>			
	ffer fully comply with the specification?  YES  NO			
If the offer	does not fully comply with the specification, detail	:		
		i .		
Clause 20:	It is essential that the machine recognize when the receipt and audit rolls are running appropriate message on the operator display to warn of this. The warning message between the receipt and audit roll. Immediately after the warning a maximum of tent allowed, if the audit/receipt roll are not replaced the machine must again give a war operations of the machine until the rolls are replaced.	must differentiate ransactions must be		
	fer fully comply with the specification?  YES  NO			
If the offer d	loes not fully comply with the specification, detail			
	·	:		

476 X

Clause 2	21: It must be possible to allow transactions to be finalized by cash or by cheque. Where finalized by cash drawer must open immediately. Where the transaction is finalized by cheque the operation of the register must halt until the cheque or credit card voucher validation printer and suitable prompt.	credit card or by
	The cheque or credit card voucher must then be validated on reverse with the following	
	<ul> <li>i. Machine identification</li> <li>ii. Clerk identification</li> <li>iii. Date and time</li> <li>iv. Consecutive receipt number</li> <li>v. Patient number</li> <li>vi. Amount</li> </ul>	
	Only when this validation is completed must the cash drawer open to receive cheque or cre	dit card voucher.
Does the	e offer fully comply with the specification? YES NO	:
If the of	fer does not fully comply with the specification, detail	
		:
		:
		· · · · · · · · · · · · · · · · · · ·
		1
<u></u> , ,,		
Clause 22:	At the X and Z reading the various cashier codes must indicate the sub total of the cash, of card collections.  [NO]	cheques and credit
Does the	e offer fully comply with the specification?	!
		:
If the of	fer does not fully comply with the specification, detail	
		:

. .

BLECTRONIC CASH REGISTER SPECIFICATION 2011

4

Clause 23: The machine must be fitted with a real time clock so that it is not necessary to change the date each day. This clock must take account of the number of days in each calendar month and leap years for a minimum of 7 (seven) years. Does the offer fully comply with the specification? If the offer does not fully comply with the specification, detail Clause 24: The machine must have a battery back up memory so that in the even of a power failure or the machine being switched off for 30 (thirty) days neither the programme nor the totals will be lost. YES МО Does the offer fully comply with the specification? If the offer does not fully comply with the specification, detail Clause 25: Any error made by the Clerk if detected prior to registration must be capable of being cleared by pressing a clearance button without having to cancel the whole transaction. Does the offer fully comply with the specification? If the offer does not fully comply with the specification, detail

HTG OF

ELECTRONIC CASH REGISTER SPECIFICATION 2011

		4	11
		:	
			,
		•	
		:	
Clause 27:	The validation printer should be an integral part of the machine and not a separate to by cables to a remote unit.	emovable unit at	tached
Does the o	fer fully comply with the specification?  YES  NO		
If the offer	loes not fully comply with the specification, detail		
II ((10 bilot	iou iou iun, comp., tem inceptante, com	•	
			<del></del>
		:	
		:	
	Out-Patient record cards and Admission forms by the left hand without interfering we machine by the right hand.  For fully comply with the specification?  YES  NO  Ones not fully comply with the specification, detail	:	
		:	
			······································
		The state of the s	
		:	
Clause 29:	The date must be printed in the format YYYY-MM-DD (Y = year, M = Month, D = I 01, on the receipt, audit strip, Out=patient cards, Admission forms, on the reverse on youchers.	Day) Example 201 cheques and cred	11-08- it card
	YES NO	•	
Does the of	er fully comply with the specification?	:	
If the offer (	oes not fully comply with the specification, detail	:	

476 CA

ELECTRONIC CASH REGISTER SPECIFICATION 2011

	:
Clause 30: The machine must capable of later upgrading, if required, so as t output communication system to modern or computers.	information by RS23
Does the offer fully comply with the specification?  YES  NO	
If the offer does not fully comply with the specification, detail	
	• • • •
	:
	<u></u>
Clause 31: Tenders must ensure that their machines are available for demonstration prior to the KwaZulu-Natal Provincial Administration awarding the tender.  Does the offer fully comply with the specification?  YES  NO	Department of Health
Does the other fairy compr) was the spectroation.	
Tech affer does not fully comply with the apposition detail	T.
If the offer does not fully comply with the specification, detail	:
	· · · · · · · · · · · · · · · · · · ·
Clause 32 The Tenderer must at all times provide an efficient maintenance service and repair we equipment must be carried out on request. The Tenderer must always supply the sand cost of this repair work must be fully specified. The supplier must have back-machines taken away for repair.	ervice with expedience
Does the offer fully comply with the specification? YES NO	:
f the offer does not fully comply with the specification, detail	
	·
	,

H76

4

	13
	:
	:
	:
	:
Clause 33: The tenderer must state the maximum time which he will be prepared to guar equipment will be out of action.	antee that any defective
Does the offer fully comply with the specification?  YES  NO	
If the offer does not fully comply with the specification, detail	i
	:
Clause 34: An indication must be given of the availability of maintenance personnel in the (state area) area, when they can be called upon and the time it will take to attend to thereof.	calls as well as the cost
Does the offer fully comply with the specification?  YES  NO	•
If the offer does not fully comply with the specification, detail	
	!
	:
Clause 35: Is the cash Register Y2K compliant and is it affected by the leap year?	
Does the offer fully comply with the specification?  YES  NO	
If the offer does not fully comply with the specification, detail	:
The state of the s	
	<u> </u>

is agreen for the contraction of the contraction of

រីនី :

ELECTRONIC CASH REGISTER SPECIFICATION 2011

76 A

	14
	<del> </del>
	:
	:
Clause 36: Company is to indicate if there is a Trade-in value for the Cash Registers at the institutions.	
Does the offer fully comply with the specification? YES NO	•
If the offer does not fully comply with the specification, detail	
	:

Note 1: The successful company will have to supply a compliance certificate to indicate that the equipment being purchased in Y2K compliant.

Note 2: It is the responsibility of the company to install the cash registers at each institution and training is to be given to the operators at each institution.

ELECTRONIC CASH REGISTER SPECIFICATION 2011

#16

CA-